

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-21

SDG No : N/A

Start Digest Date: 12/02/2025 Time : 15:30 Temp : N/A

Matrix : SOIL

End Digest Date: 12/02/2025 Time : 17:00 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: RM

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature: SO

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP113836
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
12/2/2025 17:15	RM (WC)	RM (WC)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB170802BL	PBS802	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3740-01DUP	WC1DUP	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3740-01	WC1	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3750-07	FENCE WC-1	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3750-08	FENCE WC-2	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3753-03	MOO-25-334-337	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3753-05	AR520-0002	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A