

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB120525\  
Data File : FB032391.D  
Signal(s) : FID2B.CH  
Acq On : 5 Dec 2025 16:10  
Sample : 10 GRO STD  
Misc :  
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB120525.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.717       | 4.540        | 4.870      | BV       | 6849           | 516003       | 76.35%         | 13.596%       |
| 2         | 7.423       | 7.193        | 7.638      | PV       | 6961           | 592745       | 87.70%         | 15.618%       |
| 3         | 7.755       | 7.638        | 7.824      | VV       | 3488           | 189457       | 28.03%         | 4.992%        |
| 4         | 7.894       | 7.824        | 8.025      | VV       | 4069           | 212271       | 31.41%         | 5.593%        |
| 5         | 8.795       | 8.662        | 9.091      | PV       | 3754           | 215305       | 31.86%         | 5.673%        |
| 6         | 10.623      | 10.510       | 10.922     | VV       | 13396          | 675873       | 100.00%        | 17.809%       |
| 7         | 13.059      | 12.948       | 13.120     | VV       | 4420           | 201873       | 29.87%         | 5.319%        |
| 8         | 13.192      | 13.120       | 13.385     | VV       | 8750           | 427562       | 63.26%         | 11.266%       |
| 9         | 13.919      | 13.785       | 14.044     | PV       | 8558           | 412078       | 60.97%         | 10.858%       |
| 10        | 16.195      | 16.071       | 16.336     | BV       | 8107           | 351983       | 52.08%         | 9.275%        |

Sum of corrected areas: 3795150

FB120525.M Fri Dec 05 17:45:28 2025