

rteres

Instrument :

FID\_B

LabSampleId :

20 PPB GRO STD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Rahul Chavli 12/09/2025

Supervised By :Yogesh Patel 12/09/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB12082  
Data File : FB032409.D  
Signal(s) : FID2B.CH  
Acq On : 8 Dec 2025 15:18  
Sample : 20 PPB GRO STD  
Misc :  
ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibrat.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB120525.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.712       | 4.575        | 4.867      | M        | 12559          | 902386       | 70.06%         | 12.429%       |
| 2         | 7.422       | 6.984        | 7.630      | PV       | 13118          | 1135686      | 88.18%         | 15.642%       |
| 3         | 7.754       | 7.630        | 7.823      | VV       | 6725           | 375044       | 29.12%         | 5.166%        |
| 4         | 7.893       | 7.823        | 8.253      | VB       | 8080           | 445015       | 34.55%         | 6.129%        |
| 5         | 8.794       | 8.604        | 9.124      | BV       | 8172           | 467307       | 36.28%         | 6.436%        |
| 6         | 10.623      | 10.506       | 10.911     | VBA      | 25678          | 1287952      | 100.00%        | 17.739%       |
| 7         | 13.058      | 12.642       | 13.119     | PV       | 8385           | 386736       | 30.03%         | 5.327%        |
| 8         | 13.192      | 13.119       | 13.391     | VBA      | 16619          | 813771       | 63.18%         | 11.208%       |
| 9         | 13.919      | 13.783       | 14.062     | BV       | 16230          | 783055       | 60.80%         | 10.785%       |
| 10        | 16.194      | 16.057       | 16.386     | PV       | 15176          | 663543       | 51.52%         | 9.139%        |

Sum of corrected areas: 7260495

FB120525.M Tue Dec 09 03:37:33 2025