

Analytical Sequence

Client: Core Environmental Consultants and Servi	SDG No.: Q3741
Project: Building 50 Probe Investigation	Instrument ID: ECD_O
GC Column: ZB-MR1	ID: 0.32 (mm) Inst. Calib. Date(s): 11/04/2025 11/04/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	11/04/2025	09:21	PO114870.D	9.93	4.35
AR1660ICC1000	AR1660ICC1000	11/04/2025	09:39	PO114871.D	9.93	4.35
AR1660ICC750	AR1660ICC750	11/04/2025	09:58	PO114872.D	9.93	4.35
AR1660ICC500	AR1660ICC500	11/04/2025	10:16	PO114873.D	9.93	4.35
AR1660ICC250	AR1660ICC250	11/04/2025	10:34	PO114874.D	9.93	4.35
AR1660ICC050	AR1660ICC050	11/04/2025	10:53	PO114875.D	9.93	4.35
AR1221ICC500	AR1221ICC500	11/04/2025	11:11	PO114876.D	9.93	4.35
AR1232ICC500	AR1232ICC500	11/04/2025	11:30	PO114877.D	9.93	4.35
AR1242ICC1000	AR1242ICC1000	11/04/2025	11:48	PO114878.D	9.93	4.35
AR1242ICC750	AR1242ICC750	11/04/2025	12:06	PO114879.D	9.93	4.35
AR1242ICC500	AR1242ICC500	11/04/2025	12:25	PO114880.D	9.93	4.35
AR1242ICC250	AR1242ICC250	11/04/2025	12:42	PO114881.D	9.93	4.35
AR1242ICC050	AR1242ICC050	11/04/2025	13:00	PO114882.D	9.93	4.35
AR1248ICC1000	AR1248ICC1000	11/04/2025	13:19	PO114883.D	9.93	4.35
AR1248ICC750	AR1248ICC750	11/04/2025	13:37	PO114884.D	9.93	4.35
AR1248ICC500	AR1248ICC500	11/04/2025	13:56	PO114885.D	9.93	4.35
AR1248ICC250	AR1248ICC250	11/04/2025	14:14	PO114886.D	9.93	4.35
AR1248ICC050	AR1248ICC050	11/04/2025	14:33	PO114887.D	9.93	4.35
AR1254ICC1000	AR1254ICC1000	11/04/2025	14:51	PO114888.D	9.93	4.35
AR1254ICC750	AR1254ICC750	11/04/2025	15:09	PO114889.D	9.93	4.35
AR1254ICC500	AR1254ICC500	11/04/2025	15:28	PO114890.D	9.93	4.35
AR1254ICC250	AR1254ICC250	11/04/2025	16:04	PO114891.D	9.93	4.35
AR1254ICC050	AR1254ICC050	11/04/2025	16:23	PO114892.D	9.93	4.35
AR1262ICC500	AR1262ICC500	11/04/2025	17:00	PO114893.D	9.95	4.37
AR1268ICC1000	AR1268ICC1000	11/04/2025	17:18	PO114894.D	9.93	4.35
AR1268ICC750	AR1268ICC750	11/04/2025	17:36	PO114895.D	9.93	4.35
AR1268ICC500	AR1268ICC500	11/04/2025	17:55	PO114896.D	9.93	4.35
AR1268ICC250	AR1268ICC250	11/04/2025	18:13	PO114897.D	9.93	4.35
AR1268ICC050	AR1268ICC050	11/04/2025	18:31	PO114898.D	9.93	4.35
AR1660CCC500	AR1660CCC500	12/03/2025	09:34	PO115552.D	9.91	4.34
IBLK	IBLK	12/03/2025	10:48	PO115556.D	9.91	4.34
B50-SP3-111925	Q3741-01	12/03/2025	12:50	PO115561.D	9.91	4.34
B50-SP13-112025	Q3741-02	12/03/2025	13:08	PO115562.D	9.92	4.34
B50-SP14-112025	Q3741-03	12/03/2025	13:27	PO115563.D	9.91	4.34
B50-SP9-112425	Q3741-04	12/03/2025	13:45	PO115564.D	9.91	4.34
AR1660CCC500	AR1660CCC500	12/03/2025	14:22	PO115565.D	9.91	4.34
IBLK	IBLK	12/03/2025	15:35	PO115569.D	9.91	4.34
IBLK	IBLK	11/21/2025	10:27	PP076598.D	10.37	4.62
AR1660ICC1000	AR1660ICC1000	11/21/2025	10:44	PP076599.D	10.37	4.62
AR1660ICC750	AR1660ICC750	11/21/2025	11:00	PP076600.D	10.37	4.62
AR1660ICC500	AR1660ICC500	11/21/2025	11:17	PP076601.D	10.37	4.61
AR1660ICC250	AR1660ICC250	11/21/2025	11:33	PP076602.D	10.37	4.62

Analytical Sequence

AR1660ICC050	AR1660ICC050	11/21/2025	11:49	PP076603.D	10.36	4.62
AR1221ICC500	AR1221ICC500	11/21/2025	12:38	PP076604.D	10.37	4.62
AR1232ICC500	AR1232ICC500	11/21/2025	12:56	PP076605.D	10.38	4.62
AR1242ICC1000	AR1242ICC1000	11/21/2025	13:15	PP076606.D	10.38	4.62
AR1242ICC750	AR1242ICC750	11/21/2025	13:32	PP076607.D	10.37	4.62
AR1242ICC500	AR1242ICC500	11/21/2025	13:48	PP076608.D	10.37	4.62
AR1242ICC250	AR1242ICC250	11/21/2025	14:05	PP076609.D	10.37	4.62
AR1242ICC050	AR1242ICC050	11/21/2025	14:21	PP076610.D	10.37	4.62
AR1248ICC1000	AR1248ICC1000	11/21/2025	14:54	PP076611.D	10.37	4.62
AR1248ICC750	AR1248ICC750	11/21/2025	15:10	PP076612.D	10.37	4.62
AR1248ICC500	AR1248ICC500	11/21/2025	15:32	PP076613.D	10.38	4.63
AR1248ICC250	AR1248ICC250	11/21/2025	15:49	PP076614.D	10.37	4.62
AR1248ICC050	AR1248ICC050	11/21/2025	16:05	PP076615.D	10.37	4.62
AR1254ICC1000	AR1254ICC1000	11/21/2025	16:38	PP076616.D	10.37	4.62
AR1254ICC750	AR1254ICC750	11/21/2025	16:55	PP076617.D	10.37	4.62
AR1254ICC500	AR1254ICC500	11/21/2025	17:11	PP076618.D	10.37	4.62
AR1254ICC250	AR1254ICC250	11/21/2025	17:28	PP076619.D	10.36	4.61
AR1254ICC050	AR1254ICC050	11/21/2025	17:44	PP076620.D	10.37	4.62
AR1262ICC500	AR1262ICC500	11/21/2025	18:17	PP076621.D	10.37	4.62
AR1268ICC1000	AR1268ICC1000	11/21/2025	18:33	PP076622.D	10.37	4.62
AR1268ICC750	AR1268ICC750	11/21/2025	18:50	PP076623.D	10.37	4.62
AR1268ICC500	AR1268ICC500	11/21/2025	19:06	PP076624.D	10.37	4.62
AR1268ICC250	AR1268ICC250	11/21/2025	19:23	PP076625.D	10.37	4.62
AR1268ICC050	AR1268ICC050	11/21/2025	19:39	PP076626.D	10.37	4.62
AR1660CCC500	AR1660CCC500	12/03/2025	10:05	PP076744.D	10.37	4.62
I.BLK	I.BLK	12/03/2025	13:11	PP076748.D	10.37	4.62
B50-SP11-112525	Q3741-05	12/03/2025	14:03	PP076751.D	10.36	4.61
B50-SP11-112525MS	Q3741-05MS	12/03/2025	14:20	PP076752.D	10.37	4.62
B50-SP11-112525MSD	Q3741-05MSD	12/03/2025	14:36	PP076753.D	10.37	4.62
B50-SP4-112525	Q3741-06	12/03/2025	14:53	PP076754.D	10.36	4.61
AR1660CCC500	AR1660CCC500	12/03/2025	17:01	PP076758.D	10.37	4.62
I.BLK	I.BLK	12/03/2025	18:23	PP076762.D	10.37	4.62
PB170795BL	PB170795BL	12/03/2025	18:40	PP076763.D	10.36	4.62
PB170795BS	PB170795BS	12/03/2025	18:56	PP076764.D	10.36	4.62
AR1660CCC500	AR1660CCC500	12/03/2025	22:14	PP076773.D	10.36	4.61
I.BLK	I.BLK	12/03/2025	23:36	PP076777.D	10.37	4.62

Analytical Sequence

Client: Core Environmental Consultants and Servi	SDG No.: Q3741
Project: Building 50 Probe Investigation	Instrument ID: ECD_O
GC Column: ZB-MR2	ID: 0.32 (mm) Inst. Calib. Date(s): 11/04/2025 11/04/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	11/04/2025	09:21	PO114870.D	8.64	3.65
AR1660ICC1000	AR1660ICC1000	11/04/2025	09:39	PO114871.D	8.64	3.65
AR1660ICC750	AR1660ICC750	11/04/2025	09:58	PO114872.D	8.64	3.65
AR1660ICC500	AR1660ICC500	11/04/2025	10:16	PO114873.D	8.64	3.65
AR1660ICC250	AR1660ICC250	11/04/2025	10:34	PO114874.D	8.64	3.65
AR1660ICC050	AR1660ICC050	11/04/2025	10:53	PO114875.D	8.64	3.65
AR1221ICC500	AR1221ICC500	11/04/2025	11:11	PO114876.D	8.64	3.65
AR1232ICC500	AR1232ICC500	11/04/2025	11:30	PO114877.D	8.64	3.65
AR1242ICC1000	AR1242ICC1000	11/04/2025	11:48	PO114878.D	8.64	3.65
AR1242ICC750	AR1242ICC750	11/04/2025	12:06	PO114879.D	8.64	3.65
AR1242ICC500	AR1242ICC500	11/04/2025	12:25	PO114880.D	8.64	3.65
AR1242ICC250	AR1242ICC250	11/04/2025	12:42	PO114881.D	8.64	3.65
AR1242ICC050	AR1242ICC050	11/04/2025	13:00	PO114882.D	8.64	3.65
AR1248ICC1000	AR1248ICC1000	11/04/2025	13:19	PO114883.D	8.64	3.65
AR1248ICC750	AR1248ICC750	11/04/2025	13:37	PO114884.D	8.64	3.65
AR1248ICC500	AR1248ICC500	11/04/2025	13:56	PO114885.D	8.64	3.65
AR1248ICC250	AR1248ICC250	11/04/2025	14:14	PO114886.D	8.64	3.65
AR1248ICC050	AR1248ICC050	11/04/2025	14:33	PO114887.D	8.64	3.65
AR1254ICC1000	AR1254ICC1000	11/04/2025	14:51	PO114888.D	8.64	3.65
AR1254ICC750	AR1254ICC750	11/04/2025	15:09	PO114889.D	8.64	3.65
AR1254ICC500	AR1254ICC500	11/04/2025	15:28	PO114890.D	8.64	3.65
AR1254ICC250	AR1254ICC250	11/04/2025	16:04	PO114891.D	8.64	3.65
AR1254ICC050	AR1254ICC050	11/04/2025	16:23	PO114892.D	8.64	3.65
AR1262ICC500	AR1262ICC500	11/04/2025	17:00	PO114893.D	8.64	3.65
AR1268ICC1000	AR1268ICC1000	11/04/2025	17:18	PO114894.D	8.64	3.65
AR1268ICC750	AR1268ICC750	11/04/2025	17:36	PO114895.D	8.64	3.65
AR1268ICC500	AR1268ICC500	11/04/2025	17:55	PO114896.D	8.64	3.65
AR1268ICC250	AR1268ICC250	11/04/2025	18:13	PO114897.D	8.64	3.65
AR1268ICC050	AR1268ICC050	11/04/2025	18:31	PO114898.D	8.64	3.65
AR1660CCC500	AR1660CCC500	12/03/2025	09:34	PO115552.D	8.62	3.64
IBLK	IBLK	12/03/2025	10:48	PO115556.D	8.62	3.64
B50-SP3-111925	Q3741-01	12/03/2025	12:50	PO115561.D	8.62	3.64
B50-SP13-112025	Q3741-02	12/03/2025	13:08	PO115562.D	8.62	3.64
B50-SP14-112025	Q3741-03	12/03/2025	13:27	PO115563.D	8.62	3.64
B50-SP9-112425	Q3741-04	12/03/2025	13:45	PO115564.D	8.62	3.64
AR1660CCC500	AR1660CCC500	12/03/2025	14:22	PO115565.D	8.62	3.64
IBLK	IBLK	12/03/2025	15:35	PO115569.D	8.62	3.64
IBLK	IBLK	11/21/2025	10:27	PP076598.D	8.77	3.78
AR1660ICC1000	AR1660ICC1000	11/21/2025	10:44	PP076599.D	8.77	3.78
AR1660ICC750	AR1660ICC750	11/21/2025	11:00	PP076600.D	8.77	3.77
AR1660ICC500	AR1660ICC500	11/21/2025	11:17	PP076601.D	8.77	3.77
AR1660ICC250	AR1660ICC250	11/21/2025	11:33	PP076602.D	8.77	3.78

Analytical Sequence

AR1660ICC050	AR1660ICC050	11/21/2025	11:49	PP076603.D	8.77	3.77
AR1221ICC500	AR1221ICC500	11/21/2025	12:38	PP076604.D	8.77	3.77
AR1232ICC500	AR1232ICC500	11/21/2025	12:56	PP076605.D	8.77	3.77
AR1242ICC1000	AR1242ICC1000	11/21/2025	13:15	PP076606.D	8.77	3.77
AR1242ICC750	AR1242ICC750	11/21/2025	13:32	PP076607.D	8.77	3.77
AR1242ICC500	AR1242ICC500	11/21/2025	13:48	PP076608.D	8.77	3.77
AR1242ICC250	AR1242ICC250	11/21/2025	14:05	PP076609.D	8.77	3.77
AR1242ICC050	AR1242ICC050	11/21/2025	14:21	PP076610.D	8.77	3.77
AR1248ICC1000	AR1248ICC1000	11/21/2025	14:54	PP076611.D	8.77	3.77
AR1248ICC750	AR1248ICC750	11/21/2025	15:10	PP076612.D	8.77	3.77
AR1248ICC500	AR1248ICC500	11/21/2025	15:32	PP076613.D	8.77	3.78
AR1248ICC250	AR1248ICC250	11/21/2025	15:49	PP076614.D	8.77	3.77
AR1248ICC050	AR1248ICC050	11/21/2025	16:05	PP076615.D	8.77	3.77
AR1254ICC1000	AR1254ICC1000	11/21/2025	16:38	PP076616.D	8.77	3.77
AR1254ICC750	AR1254ICC750	11/21/2025	16:55	PP076617.D	8.77	3.78
AR1254ICC500	AR1254ICC500	11/21/2025	17:11	PP076618.D	8.77	3.77
AR1254ICC250	AR1254ICC250	11/21/2025	17:28	PP076619.D	8.77	3.77
AR1254ICC050	AR1254ICC050	11/21/2025	17:44	PP076620.D	8.77	3.78
AR1262ICC500	AR1262ICC500	11/21/2025	18:17	PP076621.D	8.77	3.77
AR1268ICC1000	AR1268ICC1000	11/21/2025	18:33	PP076622.D	8.77	3.78
AR1268ICC750	AR1268ICC750	11/21/2025	18:50	PP076623.D	8.77	3.77
AR1268ICC500	AR1268ICC500	11/21/2025	19:06	PP076624.D	8.77	3.78
AR1268ICC250	AR1268ICC250	11/21/2025	19:23	PP076625.D	8.77	3.77
AR1268ICC050	AR1268ICC050	11/21/2025	19:39	PP076626.D	8.77	3.77
AR1660CCC500	AR1660CCC500	12/03/2025	10:05	PP076744.D	8.77	3.77
I.BLK	I.BLK	12/03/2025	13:11	PP076748.D	8.77	3.77
B50-SP11-112525	Q3741-05	12/03/2025	14:03	PP076751.D	8.76	3.77
B50-SP11-112525MS	Q3741-05MS	12/03/2025	14:20	PP076752.D	8.77	3.77
B50-SP11-112525MSD	Q3741-05MSD	12/03/2025	14:36	PP076753.D	8.77	3.77
B50-SP4-112525	Q3741-06	12/03/2025	14:53	PP076754.D	8.76	3.77
AR1660CCC500	AR1660CCC500	12/03/2025	17:01	PP076758.D	8.77	3.77
I.BLK	I.BLK	12/03/2025	18:23	PP076762.D	8.77	3.77
PB170795BL	PB170795BL	12/03/2025	18:40	PP076763.D	8.76	3.77
PB170795BS	PB170795BS	12/03/2025	18:56	PP076764.D	8.76	3.77
AR1660CCC500	AR1660CCC500	12/03/2025	22:14	PP076773.D	8.76	3.77
I.BLK	I.BLK	12/03/2025	23:36	PP076777.D	8.77	3.77