

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Date Collected: 11/25/25

Date Received: 11/26/25

Q3741

SOIL

84.6

PCB

SDG No.:

Matrix:

% Solid:

Test:

Fax: 908 789 8922

Report of Analysis

Client: Core Environmental Consultants and Services, Inc.

Project: Building 50 Probe Investigation

Client Sample ID: B50-SP11-112525 Lab Sample ID: Q3741-05 Analytical Method: 8082A

Sample Wt/Vol: Final Vol: 10000 uL 30.02 g

Prep Method: SW3541B Prep Date: 12/03/25

		•							
CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
12674-11-2	Aroclor-1016	4.70	U	1	4.70	20.1	ug/kg	12/03/25 14:03	PB170795
11104-28-2	Aroclor-1221	4.80	U	1	4.80	20.1	ug/kg	12/03/25 14:03	PB170795
11141-16-5	Aroclor-1232	4.40	U	1	4.40	20.1	ug/kg	12/03/25 14:03	PB170795
53469-21-9	Aroclor-1242	4.70	U	1	4.70	20.1	ug/kg	12/03/25 14:03	PB170795
12672-29-6	Aroclor-1248	7.00	U	1	7.00	20.1	ug/kg	12/03/25 14:03	PB170795
11097-69-1	Aroclor-1254	20.5		1	3.80	20.1	ug/kg	12/03/25 14:03	PB170795
37324-23-5	Aroclor-1262	5.90	U	1	5.90	20.1	ug/kg	12/03/25 14:03	PB170795
11100-14-4	Aroclor-1268	4.30	U	1	4.30	20.1	ug/kg	12/03/25 14:03	PB170795
11096-82-5	Aroclor-1260	3.80	U	1	3.80	20.1	ug/kg	12/03/25 14:03	PB170795
SURROGATES									
877-09-8	Tetrachloro-m-xylene	18.8			21 - 165	94%	SPK: 20		
2051-24-3	Decachlorobiphenyl	15.9			10 - 170	80%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit