

Analytical Sequence

Client: Remington & Vernick

SDG No.: Q3742

Project: Saddler Property

Instrument ID: ECD_O

GC Column: ZB-MR1

ID: 0.32 (mm)

Inst. Calib. Date(s): 11/04/2025

11/04/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	11/04/2025	09:21	PO114870.D	9.93	4.35
AR1660ICC1000	AR1660ICC1000	11/04/2025	09:39	PO114871.D	9.93	4.35
AR1660ICC750	AR1660ICC750	11/04/2025	09:58	PO114872.D	9.93	4.35
AR1660ICC500	AR1660ICC500	11/04/2025	10:16	PO114873.D	9.93	4.35
AR1660ICC250	AR1660ICC250	11/04/2025	10:34	PO114874.D	9.93	4.35
AR1660ICC050	AR1660ICC050	11/04/2025	10:53	PO114875.D	9.93	4.35
AR1221ICC500	AR1221ICC500	11/04/2025	11:11	PO114876.D	9.93	4.35
AR1232ICC500	AR1232ICC500	11/04/2025	11:30	PO114877.D	9.93	4.35
AR1242ICC1000	AR1242ICC1000	11/04/2025	11:48	PO114878.D	9.93	4.35
AR1242ICC750	AR1242ICC750	11/04/2025	12:06	PO114879.D	9.93	4.35
AR1242ICC500	AR1242ICC500	11/04/2025	12:25	PO114880.D	9.93	4.35
AR1242ICC250	AR1242ICC250	11/04/2025	12:42	PO114881.D	9.93	4.35
AR1242ICC050	AR1242ICC050	11/04/2025	13:00	PO114882.D	9.93	4.35
AR1248ICC1000	AR1248ICC1000	11/04/2025	13:19	PO114883.D	9.93	4.35
AR1248ICC750	AR1248ICC750	11/04/2025	13:37	PO114884.D	9.93	4.35
AR1248ICC500	AR1248ICC500	11/04/2025	13:56	PO114885.D	9.93	4.35
AR1248ICC250	AR1248ICC250	11/04/2025	14:14	PO114886.D	9.93	4.35
AR1248ICC050	AR1248ICC050	11/04/2025	14:33	PO114887.D	9.93	4.35
AR1254ICC1000	AR1254ICC1000	11/04/2025	14:51	PO114888.D	9.93	4.35
AR1254ICC750	AR1254ICC750	11/04/2025	15:09	PO114889.D	9.93	4.35
AR1254ICC500	AR1254ICC500	11/04/2025	15:28	PO114890.D	9.93	4.35
AR1254ICC250	AR1254ICC250	11/04/2025	16:04	PO114891.D	9.93	4.35
AR1254ICC050	AR1254ICC050	11/04/2025	16:23	PO114892.D	9.93	4.35
AR1262ICC500	AR1262ICC500	11/04/2025	17:00	PO114893.D	9.95	4.37
AR1268ICC1000	AR1268ICC1000	11/04/2025	17:18	PO114894.D	9.93	4.35
AR1268ICC750	AR1268ICC750	11/04/2025	17:36	PO114895.D	9.93	4.35
AR1268ICC500	AR1268ICC500	11/04/2025	17:55	PO114896.D	9.93	4.35
AR1268ICC250	AR1268ICC250	11/04/2025	18:13	PO114897.D	9.93	4.35
AR1268ICC050	AR1268ICC050	11/04/2025	18:31	PO114898.D	9.93	4.35
AR1660CCC500	AR1660CCC500	12/02/2025	10:01	PO115506.D	9.93	4.34
IBLK	IBLK	12/02/2025	14:35	PO115510.D	9.93	4.35
SB-1125-23	Q3742-01	12/02/2025	14:53	PO115511.D	9.92	4.34
SB-1125-19	Q3742-02	12/02/2025	15:11	PO115512.D	9.92	4.34
SB-1125-8	Q3742-03	12/02/2025	15:30	PO115513.D	9.92	4.34
SB-1125-9	Q3742-04	12/02/2025	15:48	PO115514.D	9.92	4.34
SB-1125-21	Q3742-05	12/02/2025	16:06	PO115515.D	9.92	4.34
SB-1125-13	Q3742-06	12/02/2025	16:24	PO115516.D	9.92	4.34
SB-1125-18	Q3742-07	12/02/2025	16:42	PO115517.D	9.92	4.34
SB-1125-18MS	Q3742-07MS	12/02/2025	17:01	PO115518.D	9.92	4.34
SB-1125-18MSD	Q3742-07MSD	12/02/2025	17:19	PO115519.D	9.92	4.34
SB-1125-20	Q3742-08	12/02/2025	17:37	PO115520.D	9.92	4.34
AR1660CCC500	AR1660CCC500	12/02/2025	18:14	PO115521.D	9.92	4.34

Analytical Sequence

I.BLK	I.BLK	12/02/2025	19:26	PO115525.D	9.91	4.34
SB-1125-22	Q3742-09	12/02/2025	19:44	PO115526.D	9.92	4.34
SB-1125-2	Q3742-10	12/02/2025	20:03	PO115527.D	9.92	4.34
SB-1125-1	Q3742-16	12/02/2025	20:20	PO115528.D	9.91	4.34
SB-1125-25	Q3742-17	12/02/2025	20:38	PO115529.D	9.92	4.34
SB-1125-24	Q3742-18	12/02/2025	20:57	PO115530.D	9.92	4.34
AR1660CCC500	AR1660CCC500	12/03/2025	00:18	PO115536.D	9.92	4.34
I.BLK	I.BLK	12/03/2025	01:32	PO115540.D	9.92	4.34
PB170775BL	PB170775BL	12/03/2025	01:50	PO115541.D	9.92	4.34
PB170775BS	PB170775BS	12/03/2025	02:08	PO115542.D	9.92	4.34
AR1660CCC500	AR1660CCC500	12/03/2025	04:33	PO115546.D	9.91	4.34
I.BLK	I.BLK	12/03/2025	06:23	PO115550.D	9.91	4.34

Analytical Sequence

Client: Remington & Vernick

SDG No.: Q3742

Project: Saddler Property

Instrument ID: ECD_O

GC Column: ZB-MR2

ID: 0.32 (mm)

Inst. Calib. Date(s): 11/04/2025

11/04/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	11/04/2025	09:21	PO114870.D	8.64	3.65
AR1660ICC1000	AR1660ICC1000	11/04/2025	09:39	PO114871.D	8.64	3.65
AR1660ICC750	AR1660ICC750	11/04/2025	09:58	PO114872.D	8.64	3.65
AR1660ICC500	AR1660ICC500	11/04/2025	10:16	PO114873.D	8.64	3.65
AR1660ICC250	AR1660ICC250	11/04/2025	10:34	PO114874.D	8.64	3.65
AR1660ICC050	AR1660ICC050	11/04/2025	10:53	PO114875.D	8.64	3.65
AR1221ICC500	AR1221ICC500	11/04/2025	11:11	PO114876.D	8.64	3.65
AR1232ICC500	AR1232ICC500	11/04/2025	11:30	PO114877.D	8.64	3.65
AR1242ICC1000	AR1242ICC1000	11/04/2025	11:48	PO114878.D	8.64	3.65
AR1242ICC750	AR1242ICC750	11/04/2025	12:06	PO114879.D	8.64	3.65
AR1242ICC500	AR1242ICC500	11/04/2025	12:25	PO114880.D	8.64	3.65
AR1242ICC250	AR1242ICC250	11/04/2025	12:42	PO114881.D	8.64	3.65
AR1242ICC050	AR1242ICC050	11/04/2025	13:00	PO114882.D	8.64	3.65
AR1248ICC1000	AR1248ICC1000	11/04/2025	13:19	PO114883.D	8.64	3.65
AR1248ICC750	AR1248ICC750	11/04/2025	13:37	PO114884.D	8.64	3.65
AR1248ICC500	AR1248ICC500	11/04/2025	13:56	PO114885.D	8.64	3.65
AR1248ICC250	AR1248ICC250	11/04/2025	14:14	PO114886.D	8.64	3.65
AR1248ICC050	AR1248ICC050	11/04/2025	14:33	PO114887.D	8.64	3.65
AR1254ICC1000	AR1254ICC1000	11/04/2025	14:51	PO114888.D	8.64	3.65
AR1254ICC750	AR1254ICC750	11/04/2025	15:09	PO114889.D	8.64	3.65
AR1254ICC500	AR1254ICC500	11/04/2025	15:28	PO114890.D	8.64	3.65
AR1254ICC250	AR1254ICC250	11/04/2025	16:04	PO114891.D	8.64	3.65
AR1254ICC050	AR1254ICC050	11/04/2025	16:23	PO114892.D	8.64	3.65
AR1262ICC500	AR1262ICC500	11/04/2025	17:00	PO114893.D	8.64	3.65
AR1268ICC1000	AR1268ICC1000	11/04/2025	17:18	PO114894.D	8.64	3.65
AR1268ICC750	AR1268ICC750	11/04/2025	17:36	PO114895.D	8.64	3.65
AR1268ICC500	AR1268ICC500	11/04/2025	17:55	PO114896.D	8.64	3.65
AR1268ICC250	AR1268ICC250	11/04/2025	18:13	PO114897.D	8.64	3.65
AR1268ICC050	AR1268ICC050	11/04/2025	18:31	PO114898.D	8.64	3.65
AR1660CCC500	AR1660CCC500	12/02/2025	10:01	PO115506.D	8.63	3.64
IBLK	IBLK	12/02/2025	14:35	PO115510.D	8.63	3.64
SB-1125-23	Q3742-01	12/02/2025	14:53	PO115511.D	8.63	3.64
SB-1125-19	Q3742-02	12/02/2025	15:11	PO115512.D	8.63	3.64
SB-1125-8	Q3742-03	12/02/2025	15:30	PO115513.D	8.63	3.64
SB-1125-9	Q3742-04	12/02/2025	15:48	PO115514.D	8.63	3.64
SB-1125-21	Q3742-05	12/02/2025	16:06	PO115515.D	8.63	3.64
SB-1125-13	Q3742-06	12/02/2025	16:24	PO115516.D	8.63	3.64
SB-1125-18	Q3742-07	12/02/2025	16:42	PO115517.D	8.63	3.64
SB-1125-18MS	Q3742-07MS	12/02/2025	17:01	PO115518.D	8.63	3.64
SB-1125-18MSD	Q3742-07MSD	12/02/2025	17:19	PO115519.D	8.63	3.64
SB-1125-20	Q3742-08	12/02/2025	17:37	PO115520.D	8.63	3.64
AR1660CCC500	AR1660CCC500	12/02/2025	18:14	PO115521.D	8.63	3.64

Analytical Sequence

I.BLK	I.BLK	12/02/2025	19:26	PO115525.D	8.63	3.64
SB-1125-22	Q3742-09	12/02/2025	19:44	PO115526.D	8.63	3.64
SB-1125-2	Q3742-10	12/02/2025	20:03	PO115527.D	8.63	3.64
SB-1125-1	Q3742-16	12/02/2025	20:20	PO115528.D	8.63	3.64
SB-1125-25	Q3742-17	12/02/2025	20:38	PO115529.D	8.63	3.64
SB-1125-24	Q3742-18	12/02/2025	20:57	PO115530.D	8.63	3.64
AR1660CCC500	AR1660CCC500	12/03/2025	00:18	PO115536.D	8.63	3.64
I.BLK	I.BLK	12/03/2025	01:32	PO115540.D	8.63	3.64
PB170775BL	PB170775BL	12/03/2025	01:50	PO115541.D	8.63	3.64
PB170775BS	PB170775BS	12/03/2025	02:08	PO115542.D	8.63	3.64
AR1660CCC500	AR1660CCC500	12/03/2025	04:33	PO115546.D	8.63	3.64
I.BLK	I.BLK	12/03/2025	06:23	PO115550.D	8.62	3.64