

Report of Analysis

Client: Remington & Vernick
Project: Saddler Property
Client Sample ID: PB170784BS
Lab Sample ID: PB170784BS
Analytical Method: 608.3
Sample Wt/Vol: 1000 mL Final Vol: 1000 uL
Prep Method: 5030 Prep Date: 12/02/25

Date Collected:
Date Received:
SDG No.: Q3743
Matrix: WATER
% Solid: 0
Test: Pesticide-TCL

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
319-84-6	alpha-BHC	0.0085		1	0.00040	0.0050	ug/L	12/02/25 17:04	PB170784
58-89-9	gamma-BHC (Lindane)	0.0092		1	0.00040	0.0050	ug/L	12/02/25 17:04	PB170784
76-44-8	Heptachlor	0.010		1	0.00030	0.0050	ug/L	12/02/25 17:04	PB170784
309-00-2	Aldrin	0.011		1	0.00040	0.0050	ug/L	12/02/25 17:04	PB170784
319-85-7	beta-BHC	0.010		1	0.00050	0.0050	ug/L	12/02/25 17:04	PB170784
319-86-8	delta-BHC	0.0025	J	1	0.0011	0.0050	ug/L	12/02/25 17:04	PB170784
1024-57-3	Heptachlor epoxide	0.011		1	0.0010	0.0050	ug/L	12/02/25 17:04	PB170784
959-98-8	Endosulfan I	0.0091		1	0.00030	0.0050	ug/L	12/02/25 17:04	PB170784
5103-74-2	gamma-Chlordane	0.011		1	0.00040	0.0050	ug/L	12/02/25 17:04	PB170784
5103-71-9	alpha-Chlordane	0.010		1	0.00040	0.0050	ug/L	12/02/25 17:04	PB170784
72-55-9	4,4-DDE	0.011		1	0.00040	0.0050	ug/L	12/02/25 17:04	PB170784
60-57-1	Dieldrin	0.011		1	0.00040	0.0050	ug/L	12/02/25 17:04	PB170784
72-20-8	Endrin	0.011		1	0.00030	0.0050	ug/L	12/02/25 17:04	PB170784
33213-65-9	Endosulfan II	0.010		1	0.00080	0.0050	ug/L	12/02/25 17:04	PB170784
72-54-8	4,4-DDD	0.0083		1	0.00070	0.0050	ug/L	12/02/25 17:04	PB170784
50-29-3	4,4-DDT	0.011		1	0.00040	0.0050	ug/L	12/02/25 17:04	PB170784
7421-93-4	Endrin aldehyde	0.0079	P	1	0.0011	0.0050	ug/L	12/02/25 17:04	PB170784
1031-07-8	Endosulfan Sulfate	0.0088		1	0.00040	0.0050	ug/L	12/02/25 17:04	PB170784
72-43-5	Methoxychlor	0.011		1	0.0011	0.0050	ug/L	12/02/25 17:04	PB170784
53494-70-5	Endrin ketone	0.011		1	0.00090	0.0050	ug/L	12/02/25 17:04	PB170784
8001-35-2	Toxaphene	0.017	U	1	0.017	0.10	ug/L	12/02/25 17:04	PB170784
SURROGATES									
877-09-8	Tetrachloro-m-xylene	20.3			60 - 140	101%	SPK: 20		
2051-24-3	Decachlorobiphenyl	21.4			60 - 140	107%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit