

Client Contact Information				Bottle Order ID : B2511037				Courier : FGALDUN				1 of 5 COCs																													
Client ID : GFEL01				Project ID : All Projects				Sampler Name(s) FRANK GALDUN				Analysis		Matrix																											
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																																	
				Phone Number : 646-542-3465																																					
				Fax Number : 973-334-1692																																					
				Site Details: 406 E. 175th St. Bronx, NY																																					
Analysis Turnaround Time 5 DAY				Standard : 10 business days OR				Data Package Type : Results ONLY																																	
Rush (Specify): 5 Days				EDD Type : PDF																																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas																								
SU1	11/24/25	8:52	10:52	30	55	52	54	-30	-5.1 -5.4	10185	10311	6 L	50	VL043134.D	1	1	1																								
Temperature (Fahrenheit) <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> Pressure (Inches of Hg) <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> GC/MS Analyst Signature (TO-15) [Signature] ** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.																			Ambient	Maximum	Minimum	Start				Stop					Ambient	Maximum	Minimum	Start				Stop			
	Ambient	Maximum	Minimum																																						
Start																																									
Stop																																									
	Ambient	Maximum	Minimum																																						
Start																																									
Stop																																									
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium Low PID Readings: 0.0 Sampling site (State): Quick Connector required : NO																																									
Canisters Shipped by: 394A				Date/Time: 11/24/25				Canisters Received by:				Date/Time:				B2511037 - 2																									
Samples Relinquished by: FGALDUN				Date/Time: 11/24/25				Received by: [Signature]				Date/Time: 11/24/25 1235																													
Relinquished by:				Date/Time:				Received by:				Date/Time:																													

Client Contact Information				Bottle Order ID : B2511037				Courier : FGALDUN				2 of 3 COCs					
Client ID : GFEL01				Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
				Site Details: 406 E. 175TH ST BRONX, NY													
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY									
State : NJ				Standard : 10 business days OR													
Zip Code : 07034				Rush (Specify): 5 Days				EDD Type : PDF									
Sample Identification		Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas
IA1		11/24/25	8:25	10:25	30	S	52	54	-29.5	-3.5	10707	10285	6 L	50			
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]							
		Ambient		Maximum		Minimum											
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.							
		Ambient		Maximum		Minimum											
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: 0.0																	
Sampling site (State):																	
Quick Connector required : NO																	
Canisters Shipped by: [Signature]				Date/Time: 11/20/25				Canisters Received by: [Signature]				Date/Time:					
Samples Relinquished by: [Signature]				Date/Time: 11/25/25				Received by: [Signature]				Date/Time: 11/26/25 1235					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2511037				Courier : FGALDUN				3 of 5 COCs			
Client ID : GFEL01				Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix	
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 406 E. 175TH ST Bronx, NY											
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY EDD Type : PDF							
State : NJ				Standard : 10 business days OR											
Zip Code : 07034				Rush (Specify): 5 Days											
Country :															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SVZ	1/24/25	8:41	10:41	over 30	6	52	54	-30	-4.7	10550	10604	6 L	50	VL043134.D		1

Temperature (Fahrenheit)					GC/MS Analyst Signature (TO-15)
	Ambient	Maximum	Minimum		
Start					
Stop					

Pressure (Inches of Hg)					** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.
	Ambient	Maximum	Minimum		
Start					
Stop					

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: **0.0**

Sampling site (State):

Quick Connector required : **NO**

Canisters Shipped by: Seun	Date/Time: 11/20/25	Canisters Received by:	Date/Time:
Samples Relinquished by: Seun	Date/Time: 11/25/25	Received by: Seun	Date/Time: 11/25/25 1235
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2511037 - 5

Client Contact Information				Bottle Order ID : B2511037				Courier : FGALDUN				4 of 5 COCs				
Client ID : GFEL01				Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix		
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
				Phone Number : 646-542-3465												
				Fax Number : 973-334-1692												
				Site Details: 406 E. 175th St. Bronx, NY												
City : Lake Hiawatha				Analysis Turnaround Time SDA				Data Package Type : RESULTS ONLY								
State : NJ				Standard : 10 business days OR												
Zip Code : 07034				Rush (Specify): 5 Days				EDD Type : PDF								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil-gas
IAZ	11/24/25	8:24	10:24	5	52	54	-29.5	-4.3	10511	10601	6 L	50	VL043134.D	1	1	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) Sut						
		Ambient	Maximum	Minimum												
Start																
Stop																
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.						
		Ambient	Maximum	Minimum												
Start																
Stop																
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low PID Readings: 0.0																
Sampling site (State):																
Quick Connector required : NO																
Canisters Shipped by: Sut				Date/Time: 11/26/25				Canisters Received by: Sut				Date/Time: 11/26/25 12:35				B2511037 - 4
Samples Relinquished by: Sut				Date/Time: 11/25/25				Received by: Sut				Date/Time: 11/26/25 12:35				
Relinquished by:				Date/Time:				Received by:				Date/Time:				

Client Contact Information				Bottle Order ID : B2511037				Courier : FGALDUN				4 of 5 COCs										
Client ID : GFEL01				Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix								
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified														
				Phone Number : 646-542-3465																		
				Fax Number : 973-334-1692																		
Site Details: 406 E. 175th ST BRONX, NY																						
City : Lake Hiawatha				Analysis Turnaround Time 3 DAY				Data Package Type : RESULTS ONLY														
State : NJ				Standard : 10 business days OR																		
Zip Code : 07034				Rush (Specify): 5 Days				EDD Type : PDF														
Sample Identification		Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas				
OA1		11/24/25	10:27	10:27	4.5	4.5	---	---	-30	-2.7	10648	10443	6 L	50	VL043134.D	1	1					
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) SUA												
		Ambient		Maximum		Minimum																
Start		46		46																		
Stop		51																				
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.												
		Ambient		Maximum		Minimum																
Start																						
Stop																						
Special Instructions/QC Requirements & Comments :																						
Suspected Contamination: High Medium Low PID Readings: 0.0																						
Sampling site (State):																						
Quick Connector required : NO																						
Canisters Shipped by: Sam				Date/Time: 11/20/25				Canisters Received by:				Date/Time:				B2511037 - 3						
Samples Relinquished by: Frank				Date/Time: 11/25/25				Received by:				Date/Time: 11/26/25 1235										
Relinquished by:				Date/Time:				Received by:				Date/Time:										

REQUESTED ANALYTE LIST:

PCE

TCE

cis-1,2-DCE

1,1,1-TCA

1,1-DCE

Vinyl chloride

Benzene

Toluene

Ethylbenzene

Naphthalene

Cyclohexane

2,2,4-Trimethylpentane

1,2,4-Trimethylbenzene

1,3,5-Trimethylbenzene

o-xylene

m,p-xylene

Heptane

Hexane

New Jersey Department of Environmental Protection
Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample	
Laboratory: <u>Chemtech</u>	Location: <u>284 Sheffield Street, Mountainside, NJ 7092</u>
<u>QA/QC</u> :	Title: <u>Sample Custodian</u>
Field Sample Seal No. <u>Q3744</u>	Date Broken <u>11/26/2025</u> Military Time Seal Broken: <u>12:35:00</u>
Case No.: <u>All Projects</u>	Analytical Parameter/Fraction/ <u>OCMS Group 2</u>

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q3744-01	SV1		
Q3744-02	IA1		
Q3744-03	SV2		
Q3744-04	IA2		
Q3744-05	OA1		

Date	Time	Relinquished By		Received By		Purpose of Change of Custody
11/25	12:35	Signature		Signature		
		Printed Name	<u>Cassandra Denis</u>	Printed Name	<u>Sensuetha Gordon</u>	
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		

Distribution: White - Original (Sent With Report) Yellow - Contractor Archive Pink - Sample Custodian - Interim Copy

Process Report

284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Order ID : Q3744

Date	Bottle ID	Lab Sample Number	InComing Vacuum	Canister ID	Can Size	Reg ID	Reg Size	Batch Code	Certification ID
12/02/2025	B2511037	Q3744-03	-4.7	10604	6 L	10550		C2510005	VL043134.D Seq : VL101725 TUNE : VL043130.D ICAL : VL043110.D CCAL : VL043131.D MB : VL043132.D
12/02/2025	B2511037	Q3744-04	-4.3	10601	6 L	10511		C2510005	VL043134.D Seq : VL101725 TUNE : VL043130.D ICAL : VL043110.D CCAL : VL043131.D MB : VL043132.D
12/02/2025	B2511037	Q3744-05	-2.7	10443	6 L	10648		C2510005	VL043134.D Seq : VL101725 TUNE : VL043130.D ICAL : VL043110.D CCAL : VL043131.D MB : VL043132.D
12/02/2025	B2511037	Q3744-01	-5.1	10311	6 L	10185		C2510005	VL043134.D Seq : VL101725 TUNE : VL043130.D ICAL : VL043110.D CCAL : VL043131.D MB : VL043132.D
12/02/2025	B2511037	Q3744-02	-3.5	10285	6 L	10707		C2510005	VL043134.D Seq : VL101725 TUNE : VL043130.D ICAL : VL043110.D CCAL : VL043131.D MB : VL043132.D

10311

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: SV1
 Client Name: CEE E. 175TH
 Project Name: 11/24
 Date: 11/24
 Analysis: TO-15
 Comments: _____
 CHEMTECH'S S
 Date Received: _____
 Cust #: SV1
 Sample: Q3744-01
 Storage Location: VOA Lab

B2511037

10285

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: IA1
 Client Name: CEE E. 175TH ST
 Project Name: 11/24
 Date: 11/24
 Analysis: TO-15
 Comments: _____
 CHEMTECH'S S
 Date Received: _____
 Cust #: IA1
 Sample: Q3744-02
 Storage Location: VOA Lab

B2511037

10604

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: SV2
 Client Name: CEE E. 175TH ST
 Project Name: 11/24
 Date: 11/24
 Analysis: TO-15
 Comments: _____
 CHEMTECH'S SAMP
 Date Received: _____
 Cust #: SV2
 Sample: Q3744-03
 Storage Location: VOA Lab

B2511037

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908)789-8922

Client Sample ID #: OA1

Client Name: GFE

Project Name: E 175TH ST

Date: 11/24

Time: _____

Analysis: TO-15

Comments: _____

CHEMTECH'S SAMP

Date Received: _____

Storage Location: VOA Lab

Sample: Q3744-05

Cust #: OA1

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908)789-8922

Client Sample ID #: IA2

Client Name: GFE

Project Name: E 175TH ST

Date: 11/24

Time: _____

Analysis: TO-15

Comments: _____

CHEMTECH'S SA

Date Received: _____

Storage Location: VOA Lab

Sample: Q3744-04

Cust #: IA2