

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: VN1201WBS01
Lab Sample ID: VN1201WBS01
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected:
Date Received:
SDG No.: Q3745
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	18.2		1	0.22	1.00	ug/L	12/01/25 11:27	VN120125
74-87-3	Chloromethane	19.4		1	0.32	1.00	ug/L	12/01/25 11:27	VN120125
75-01-4	Vinyl Chloride	18.9		1	0.26	1.00	ug/L	12/01/25 11:27	VN120125
141-78-6	Ethyl Acetate	18.8		1	0.31	1.00	ug/L	12/01/25 11:27	VN120125
74-83-9	Bromomethane	19.7		1	1.40	5.00	ug/L	12/01/25 11:27	VN120125
75-00-3	Chloroethane	19.5		1	0.47	1.00	ug/L	12/01/25 11:27	VN120125
75-69-4	Trichlorofluoromethane	18.6		1	0.33	1.00	ug/L	12/01/25 11:27	VN120125
76-13-1	1,1,2-Trichlorotrifluoroethane	18.6		1	0.25	1.00	ug/L	12/01/25 11:27	VN120125
75-65-0	Tert butyl alcohol	87.5		1	5.50	25.0	ug/L	12/01/25 11:27	VN120125
75-35-4	1,1-Dichloroethene	19.0		1	0.23	1.00	ug/L	12/01/25 11:27	VN120125
107-02-8	Acrolein	120		1	7.10	25.0	ug/L	12/01/25 11:27	VN120125
107-13-1	Acrylonitrile	97.9		1	0.83	5.00	ug/L	12/01/25 11:27	VN120125
67-64-1	Acetone	87.9		1	1.50	5.00	ug/L	12/01/25 11:27	VN120125
75-15-0	Carbon Disulfide	19.4		1	0.21	1.00	ug/L	12/01/25 11:27	VN120125
1634-04-4	Methyl tert-butyl Ether	19.9		1	0.16	1.00	ug/L	12/01/25 11:27	VN120125
79-20-9	Methyl Acetate	19.1		1	0.27	1.00	ug/L	12/01/25 11:27	VN120125
75-09-2	Methylene Chloride	20.0		1	0.28	1.00	ug/L	12/01/25 11:27	VN120125
156-60-5	trans-1,2-Dichloroethene	19.6		1	0.23	1.00	ug/L	12/01/25 11:27	VN120125
108-05-4	Vinyl Acetate	100		1	0.66	5.00	ug/L	12/01/25 11:27	VN120125
75-34-3	1,1-Dichloroethane	19.8		1	0.23	1.00	ug/L	12/01/25 11:27	VN120125
110-82-7	Cyclohexane	17.9		1	1.50	5.00	ug/L	12/01/25 11:27	VN120125
78-93-3	2-Butanone	96.0		1	0.98	5.00	ug/L	12/01/25 11:27	VN120125
56-23-5	Carbon Tetrachloride	18.3		1	0.25	1.00	ug/L	12/01/25 11:27	VN120125
594-20-7	2,2-Dichloropropane	19.1		1	0.21	1.00	ug/L	12/01/25 11:27	VN120125
156-59-2	cis-1,2-Dichloroethene	20.1		1	0.19	1.00	ug/L	12/01/25 11:27	VN120125
74-97-5	Bromochloromethane	19.3		1	0.22	1.00	ug/L	12/01/25 11:27	VN120125
67-66-3	Chloroform	20.3		1	0.25	1.00	ug/L	12/01/25 11:27	VN120125
71-55-6	1,1,1-Trichloroethane	18.8		1	0.20	1.00	ug/L	12/01/25 11:27	VN120125
108-87-2	Methylcyclohexane	17.1		1	0.16	1.00	ug/L	12/01/25 11:27	VN120125
563-58-6	1,1-Dichloropropene	17.9		1	0.15	1.00	ug/L	12/01/25 11:27	VN120125
71-43-2	Benzene	19.4		1	0.15	1.00	ug/L	12/01/25 11:27	VN120125
107-06-2	1,2-Dichloroethane	19.6		1	0.22	1.00	ug/L	12/01/25 11:27	VN120125
79-01-6	Trichloroethene	18.8		1	0.090	1.00	ug/L	12/01/25 11:27	VN120125
78-87-5	1,2-Dichloropropane	19.8		1	0.20	1.00	ug/L	12/01/25 11:27	VN120125
74-95-3	Dibromomethane	19.7		1	0.25	1.00	ug/L	12/01/25 11:27	VN120125
75-27-4	Bromodichloromethane	19.5		1	0.22	1.00	ug/L	12/01/25 11:27	VN120125
108-10-1	4-Methyl-2-Pentanone	98.3		1	0.68	5.00	ug/L	12/01/25 11:27	VN120125
108-88-3	Toluene	19.5		1	0.14	1.00	ug/L	12/01/25 11:27	VN120125
10061-02-6	t-1,3-Dichloropropene	19.9		1	0.17	1.00	ug/L	12/01/25 11:27	VN120125
10061-01-5	cis-1,3-Dichloropropene	20.1		1	0.16	1.00	ug/L	12/01/25 11:27	VN120125
79-00-5	1,1,2-Trichloroethane	20.2		1	0.21	1.00	ug/L	12/01/25 11:27	VN120125
142-28-9	1,3-Dichloropropane	19.8		1	0.19	1.00	ug/L	12/01/25 11:27	VN120125
110-75-8	2-Chloroethyl Vinyl ether	89.6		1	0.30	5.00	ug/L	12/01/25 11:27	VN120125

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: VN1201WBS01
Lab Sample ID: VN1201WBS01
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected:
Date Received:
SDG No.: Q3745
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
591-78-6	2-Hexanone	93.5		1	0.89	5.00	ug/L	12/01/25 11:27	VN120125
124-48-1	Dibromochloromethane	20.1		1	0.18	1.00	ug/L	12/01/25 11:27	VN120125
106-93-4	1,2-Dibromoethane	20.6		1	0.15	1.00	ug/L	12/01/25 11:27	VN120125
127-18-4	Tetrachloroethene	17.9		1	0.23	1.00	ug/L	12/01/25 11:27	VN120125
108-90-7	Chlorobenzene	19.5		1	0.12	1.00	ug/L	12/01/25 11:27	VN120125
630-20-6	1,1,1,2-Tetrachloroethane	20.0		1	0.19	1.00	ug/L	12/01/25 11:27	VN120125
67-72-1	Hexachloroethane	18.4		1	0.32	1.00	ug/L	12/01/25 11:27	VN120125
100-41-4	Ethyl Benzene	18.6		1	0.13	1.00	ug/L	12/01/25 11:27	VN120125
179601-23-1	m/p-Xylenes	37.0		1	0.24	2.00	ug/L	12/01/25 11:27	VN120125
95-47-6	o-Xylene	18.3		1	0.12	1.00	ug/L	12/01/25 11:27	VN120125
100-42-5	Styrene	19.6		1	0.15	1.00	ug/L	12/01/25 11:27	VN120125
75-25-2	Bromoform	20.0		1	0.19	1.00	ug/L	12/01/25 11:27	VN120125
98-82-8	Isopropylbenzene	18.6		1	0.12	1.00	ug/L	12/01/25 11:27	VN120125
79-34-5	1,1,2,2-Tetrachloroethane	20.1		1	0.26	1.00	ug/L	12/01/25 11:27	VN120125
96-18-4	1,2,3-Trichloropropane	19.7		1	0.35	1.00	ug/L	12/01/25 11:27	VN120125
108-86-1	Bromobenzene	20.2		1	0.24	1.00	ug/L	12/01/25 11:27	VN120125
103-65-1	n-propylbenzene	18.6		1	0.13	1.00	ug/L	12/01/25 11:27	VN120125
95-49-8	2-Chlorotoluene	18.6		1	0.14	1.00	ug/L	12/01/25 11:27	VN120125
108-67-8	1,3,5-Trimethylbenzene	18.9		1	0.15	1.00	ug/L	12/01/25 11:27	VN120125
106-43-4	4-Chlorotoluene	19.5		1	0.13	1.00	ug/L	12/01/25 11:27	VN120125
98-06-6	tert-Butylbenzene	18.1		1	0.14	1.00	ug/L	12/01/25 11:27	VN120125
95-63-6	1,2,4-Trimethylbenzene	19.3		1	0.14	1.00	ug/L	12/01/25 11:27	VN120125
135-98-8	sec-Butylbenzene	18.2		1	0.13	1.00	ug/L	12/01/25 11:27	VN120125
99-87-6	p-Isopropyltoluene	18.7		1	0.13	1.00	ug/L	12/01/25 11:27	VN120125
541-73-1	1,3-Dichlorobenzene	19.0		1	0.16	1.00	ug/L	12/01/25 11:27	VN120125
106-46-7	1,4-Dichlorobenzene	18.5		1	0.19	1.00	ug/L	12/01/25 11:27	VN120125
104-51-8	n-Butylbenzene	17.9		1	0.15	1.00	ug/L	12/01/25 11:27	VN120125
95-50-1	1,2-Dichlorobenzene	19.4		1	0.16	1.00	ug/L	12/01/25 11:27	VN120125
96-12-8	1,2-Dibromo-3-Chloropropane	18.2		1	0.53	1.00	ug/L	12/01/25 11:27	VN120125
120-82-1	1,2,4-Trichlorobenzene	18.5		1	0.20	1.00	ug/L	12/01/25 11:27	VN120125
87-68-3	Hexachlorobutadiene	17.9		1	0.30	1.00	ug/L	12/01/25 11:27	VN120125
91-20-3	Naphthalene	17.7		1	0.20	1.00	ug/L	12/01/25 11:27	VN120125
87-61-6	1,2,3-Trichlorobenzene	18.3		1	0.20	1.00	ug/L	12/01/25 11:27	VN120125
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	56.0			74 - 125	112%	SPK: 50		
1868-53-7	Dibromofluoromethane	55.1			75 - 124	110%	SPK: 50		
2037-26-5	Toluene-d8	54.9			86 - 113	110%	SPK: 50		
460-00-4	4-Bromofluorobenzene	53.3			77 - 121	107%	SPK: 50		
INTERNAL STANDARDS									
		Area Count							
363-72-4	Pentafluorobenzene	257000							
540-36-3	1,4-Difluorobenzene	487000							
3114-55-4	Chlorobenzene-d5	435000							
3855-82-1	1,4-Dichlorobenzene-d4	207000							

Report of Analysis

Client: Chemtech Consulting Group

Project: Weekly Storage Blanks

Client Sample ID: VN1201WBS01

Lab Sample ID: VN1201WBS01

Analytical Method: 8260D

Sample Wt/Vol: 5 mL

Level: LOW

Final Vol: 5000 uL

Date Collected:

Date Received:

SDG No.: Q3745

Matrix: Water

% Solid: 0

Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
------------	-----------	-------	------	----	-----	------------	-------	-----------	---------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products