

Report of Analysis

Client:	PSEG	Date Collected:	12/01/25 12:10
Project:	Audubon Gas and Appliance Service (AU)	Date Received:	12/01/25
Client Sample ID:	AUD-25-0204	SDG No.:	Q3749
Lab Sample ID:	Q3749-01	Matrix:	Water
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Flash Point	>212		1	0	0	o F		12/02/25 15:10	1010B
pH	8.51	H	1	0	0	pH		12/02/25 08:47	9040C

Comments: Other method reference for flash point : Pensky-Martens Closed Cup Flash Point ASTM D 93 - IP 34, pH result reported at temperature

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits