

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	12/03/25
Project:	Former Schlumberger STC PTC Site D3868221	Date Received:	12/03/25
Client Sample ID:	BR-03D-490-120325DL	SDG No.:	Q3757
Lab Sample ID:	Q3757-03DL	Matrix:	Water
Analytical Method:	SW8270ESIM Level: LOW	% Solid:	0
Sample Wt/Vol:	910 mL Final Vol: 1000 uL	Test:	SVOC-SIMGroup1
Prep Method :	3510C Prep Date: 12/05/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
123-91-1	1,4-Dioxane	24.1	D	10	0.73	2.20	ug/L	12/12/25 01:49	PB170838
SURROGATES									
7297-45-2	2-Methylnaphthalene-d10	0.34			30 (47) - 150 (106)	85%	SPK: 0.4		
93951-69-0	Fluoranthene-d10	0.42			30 (54) - 150 (157)	105%	SPK: 0.4		
4165-60-0	Nitrobenzene-d5	0.35			30 (56) - 130 (116)	88%	SPK: 0.4		
321-60-8	2-Fluorobiphenyl	0.41			30 (50) - 130 (126)	102%	SPK: 0.4		
1718-51-0	Terphenyl-d14	0.72	*		30 (54) - 130 (175)	180%	SPK: 0.4		
INTERNAL STANDARDS									
		Area Count							
3855-82-1	1,4-Dichlorobenzene-d4	4720							
1146-65-2	Naphthalene-d8	12800							
15067-26-2	Acenaphthene-d10	6800							
1517-22-2	Phenanthrene-d10	13100							
1719-03-5	Chrysene-d12	10100							
1520-96-3	Perylene-d12	10200							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products