

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	
Project:	Former Schlumberger STC PTC Site D3868221	Date Received:	
Client Sample ID:	PB170838BSD	SDG No.:	Q3757
Lab Sample ID:	PB170838BSD	Matrix:	Water
Analytical Method:	SW8270ESIM	% Solid:	0
Sample Wt/Vol:	1000 mL	Test:	SVOC-SIMGroup1
Prep Method :	3510C		
	Level: LOW		
	Final Vol: 1000 uL		
	Prep Date: 12/05/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
123-91-1	1,4-Dioxane	0.31		1	0.070	0.20	ug/L	12/06/25 01:32	PB170838
SURROGATES									
7297-45-2	2-Methylnaphthalene-d10	0.34			30 (47) - 150 (106)	84%	SPK: 0.4		
93951-69-0	Fluoranthene-d10	0.39			30 (54) - 150 (157)	97%	SPK: 0.4		
4165-60-0	Nitrobenzene-d5	0.37			30 (56) - 130 (116)	91%	SPK: 0.4		
321-60-8	2-Fluorobiphenyl	0.40			30 (50) - 130 (126)	101%	SPK: 0.4		
1718-51-0	Terphenyl-d14	0.34			30 (54) - 130 (175)	84%	SPK: 0.4		
INTERNAL STANDARDS									
		Area Count							
3855-82-1	1,4-Dichlorobenzene-d4	6710							
1146-65-2	Naphthalene-d8	17800							
15067-26-2	Acenaphthene-d10	7710							
1517-22-2	Phenanthrene-d10	11000							
1719-03-5	Chrysene-d12	9170							
1520-96-3	Perylene-d12	9320							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products