

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	12/03/25
Project:	Former Schlumberger STC PTC Site D3868221	Date Received:	12/03/25
Client Sample ID:	OW-05B-72-120325RE	SDG No.:	Q3757
Lab Sample ID:	Q3757-09RE	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 mL	Test:	VOCMS Group3
	Level: LOW		
	Final Vol: 5000 uL		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.26	U	1	0.26	1.00	ug/L	12/08/25 12:53	VX120825
75-35-4	1,1-Dichloroethene	0.60	J	1	0.23	1.00	ug/L	12/08/25 12:53	VX120825
75-34-3	1,1-Dichloroethane	0.23	U	1	0.23	1.00	ug/L	12/08/25 12:53	VX120825
156-59-2	cis-1,2-Dichloroethene	1.50		1	0.19	1.00	ug/L	12/08/25 12:53	VX120825
71-55-6	1,1,1-Trichloroethane	0.20	U	1	0.20	1.00	ug/L	12/08/25 12:53	VX120825
71-43-2	Benzene	0.15	U	1	0.15	1.00	ug/L	12/08/25 12:53	VX120825
107-06-2	1,2-Dichloroethane	0.22	U	1	0.22	1.00	ug/L	12/08/25 12:53	VX120825
79-01-6	Trichloroethene	0.25	J	1	0.090	1.00	ug/L	12/08/25 12:53	VX120825
79-00-5	1,1,2-Trichloroethane	0.21	U	1	0.21	1.00	ug/L	12/08/25 12:53	VX120825
127-18-4	Tetrachloroethene	0.23	U	1	0.23	1.00	ug/L	12/08/25 12:53	VX120825
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	62.9			70 (74) - 130 (125)	126%	SPK: 50		
1868-53-7	Dibromofluoromethane	39.6			70 (75) - 130 (124)	79%	SPK: 50		
2037-26-5	Toluene-d8	47.0			70 (86) - 130 (113)	94%	SPK: 50		
460-00-4	4-Bromofluorobenzene	56.1			70 (77) - 130 (121)	112%	SPK: 50		
INTERNAL STANDARDS									
		Area Count							
363-72-4	Pentafluorobenzene	169000							
540-36-3	1,4-Difluorobenzene	410000							
3114-55-4	Chlorobenzene-d5	414000							
3855-82-1	1,4-Dichlorobenzene-d4	198000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products