

DATA PACKAGE METALS

PROJECT NAME : R37106

**TETRA TECH, EMI
240 Continental Drive, Suite 200**

**Newark, DE - 19713
Phone No: 302-738-7551**

**ORDER ID : Q3765
ATTENTION : Ava Heiss**



Laboratory Certification ID # 20012



1) METALS DATA	2
2) Signature Page	4
3) Case Narrative	5
4) Qualifier Page	7
5) Conformance/Non Conformance	8
6) QA Checklist	9
7) Chronicle	10
8) Hit Summary	12
9) Sample Data	18
9.1) MC0KF5	19
9.2) MC0KF7	20
9.3) MC0KF9	21
9.4) MC0KG0	22
9.5) MC0KG1	23
9.6) MC0KG2	24
9.7) MC0KG3	25
9.8) MC0KG4	26
9.9) MC0KG5	27
9.10) MC0KG6	28
9.11) MC0KG7	29
9.12) MC0KG8	30
10) METALS CALIBRATION DATA	31
10.1) Initial and Continuing Calibration Verification	32
10.2) CRDL Standard For AA & ICP	53
10.3) Initial and Continuing Calibration Blank Summary	55
10.4) Preparation Blank Summary	72
10.5) Interference Check Sample	73
11) METALS QC DATA	76
11.1) Matrix Spike Summary	77
11.2) Post Digest Spike Summary	79
11.3) Duplicate Sample Summary	80
11.4) Laboratory Control Sample Summary	82
11.5) ICP Serial Dilutions	83
12) METALS PREPARATION & INSTRUMENT DATA	84
12.1) ICP Interelement Correction Factors	85

13) PREPARATION & ANALYTICAL SUMMARY	90
13.1) Sample Preparation Summary	91
13.2) Analysis Run Log	92
14) METALS RAW DATA	95
14.1) METALS RAW DATA - ANALYTICAL	96
14.2) LB138174	96
14.3) LB138198	435
14.4) METALS RAW DATA - PREP	728
14.4.1) PB170841	728
15) Analytical Runlogs	731
16) Standard Prep Logs	746
17) Shipping Document	896
17.1) Chain Of Custody	897
17.2) Lab Certificate	899

Cover Page

Order ID : Q3765

Project ID : R37106

Client : Tetra Tech, EMI

Lab Sample Number

Q3765-01
Q3765-02
Q3765-03
Q3765-04
Q3765-05
Q3765-06
Q3765-07
Q3765-08
Q3765-09
Q3765-10
Q3765-11
Q3765-12
Q3765-13
Q3765-14

Client Sample Number

MC0KF5
MC0KF7
MC0KF9
MC0KG0
MC0KG1
MC0KG1MS
MC0KG1MSD
MC0KG2
MC0KG3
MC0KG4
MC0KG5
MC0KG6
MC0KG7
MC0KG8

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 12/15/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Tetra Tech, EMI

Project Name: R37106

Project Manager : Ava Heiss

Order ID # Q3765

Test Name: Metals ICP-TAL

A. Number of Samples and Date of Receipt:

14 Water samples were received on 12/03/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Metals ICP-TAL. This data package contains results for Metals ICP-TAL.

C. Analytical Techniques:

The analysis of Metals ICP-TAL was based on method 6010D and digestion based on method 3010 (waters).

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike (MC0KG1MS) analysis met criteria for all compounds except for Beryllium, Cadmium, Silver and Thallium due to Chemical Interference during Digestion Process.

The Matrix Spike Duplicate (MC0KG1MSD) analysis met criteria for all compounds except for Barium, Beryllium, Cadmium, Cobalt, Magnesium, Manganese, Potassium, Silver, Sodium and Thallium due to Chemical Interference during Digestion Process.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

E. Additional Comments:

The Post Digest Spike (MC0KG1A) analysis met criteria for all compounds except for Barium, Beryllium, Cadmium, Cobalt, Magnesium, Manganese, Potassium, Sodium and Thallium, due to unknown chemical interference of matrix with the addition of spike amount after digestion and before analysis; matrix has suppression effect during addition of Spike.

The laboratory certifies that the all-electronic diskette deliverable exactly match the data summary forms (i.e. Form Is).



I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

METALS CONFORMANCE/NON-CONFORMANCE SUMMARY

ORDER ID: Q3765

MATRIX: Water

METHOD: 6010D

	NA	NO	YES
1. Calibration Summary met criteria.			✓
2. ICP Interference Check Sample Results Summary Submitted.			✓
3. Serial Dilution Summary (if applicable) Submitted.			✓
4. Laboratory Control Sample Summary (if applicable) Submitted.			✓
5. Blank Contamination - If yes, list compounds and concentrations in each blank:		✓	
6. Matrix Spike/Matrix Spike Duplicate Recoveries Met Criteria		✓	
If not met, list those compounds and their recoveries which fall outside the acceptable range. The Matrix Spike (MC0KG1MS) analysis met criteria for all compounds except for Beryllium, Cadmium, Silver and Thallium due to Chemical Interference during Digestion Process. The Matrix Spike Duplicate (MC0KG1MSD) analysis met criteria for all compounds except for Barium, Beryllium, Cadmium, Cobalt, Magnesium, Manganese, Potassium, Silver, Sodium and Thallium due to Chemical Interference during Digestion Process.			
7. Sample Duplicate Analysis Met QC Criteria			✓
If not met, list those compounds and their recoveries which fall outside the acceptable range.			
8. Digestion Holding Time Met			✓
If not met, list number of days exceeded for each sample:			
9. Analysis Holding Time Met			✓
If not met, list those compounds and their recoveries which fall outside the acceptable range.			

ADDITIONAL COMMENTS: The Post Digest Spike (MC0KG1A) analysis met criteria for all compounds except for Barium, Beryllium, Cadmium, Cobalt, Magnesium, Manganese, Potassium, Sodium and Thallium, due to unknown chemical interference of matrix with the addition of spike amount after digestion and before analysis; matrix has suppression effect during addition of Spike.

The laboratory certifies that the all-electronic diskette deliverable exactly match the data summary forms (i.e. Form Is).

QA REVIEW

Date

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3765

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 12/15/2025

LAB CHRONICLE

OrderID:	Q3765	OrderDate:	12/3/2025 12:31:00 PM
Client:	Tetra Tech, EMI	Project:	R37106
Contact:	Ava Heiss	Location:	A11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3765-01	MC0KF5	Water	Metals ICP-TAL	6010D	12/01/25	12/05/25	12/09/25	12/03/25
Q3765-02	MC0KF7	Water	Metals ICP-TAL	6010D	12/01/25	12/05/25	12/09/25	12/03/25
Q3765-03	MC0KF9	Water	Metals ICP-TAL	6010D	12/01/25	12/05/25	12/09/25	12/03/25
Q3765-04	MC0KG0	Water	Metals ICP-TAL	6010D	12/01/25	12/05/25	12/09/25	12/03/25
Q3765-05	MC0KG1	Water	Metals ICP-TAL	6010D	12/01/25	12/05/25	12/09/25	12/03/25
Q3765-08	MC0KG2	Water	Metals ICP-TAL	6010D	12/01/25	12/05/25	12/09/25	12/03/25
Q3765-09	MC0KG3	Water	Metals ICP-TAL	6010D	12/01/25	12/05/25	12/09/25	12/03/25
Q3765-10	MC0KG4	Water	Metals ICP-TAL	6010D	12/01/25	12/05/25	12/09/25	12/03/25
Q3765-11	MC0KG5	Water	Metals ICP-TAL	6010D	12/01/25	12/05/25	12/09/25	12/03/25
Q3765-12	MC0KG6	Water	Metals ICP-TAL	6010D	12/01/25	12/05/25	12/09/25	12/03/25
Q3765-13	MC0KG7	Water	Metals ICP-TAL	6010D	12/01/25	12/05/25	12/09/25	12/03/25
Q3765-14	MC0KG8	Water			12/01/25			12/03/25

LAB CHRONICLE

Metals ICP-TAL	6010D	12/05/25	12/09/25
----------------	-------	----------	----------

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

Hit Summary Sheet
SW-846

SDG No.: Q3765
Client: Tetra Tech, EMI

Order ID: Q3765
Project ID: R37106

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : MC0KF5								
Q3765-01	MC0KF5	Water	Aluminum	25.7	J	5.67	50.0	ug/L
Q3765-01	MC0KF5	Water	Antimony	21.5	J	3.38	25.0	ug/L
Q3765-01	MC0KF5	Water	Barium	32.2	J	7.28	50.0	ug/L
Q3765-01	MC0KF5	Water	Cadmium	18.4		0.25	3.00	ug/L
Q3765-01	MC0KF5	Water	Calcium	48100		117	1000	ug/L
Q3765-01	MC0KF5	Water	Chromium	1.12	J	1.06	5.00	ug/L
Q3765-01	MC0KF5	Water	Copper	3.92	J	2.30	10.0	ug/L
Q3765-01	MC0KF5	Water	Iron	97.2		11.7	50.0	ug/L
Q3765-01	MC0KF5	Water	Lead	82.2		1.15	6.00	ug/L
Q3765-01	MC0KF5	Water	Magnesium	9120		122	1000	ug/L
Q3765-01	MC0KF5	Water	Manganese	42.7		2.97	10.0	ug/L
Q3765-01	MC0KF5	Water	Nickel	2.39	J	1.53	20.0	ug/L
Q3765-01	MC0KF5	Water	Potassium	1840		459	1000	ug/L
Q3765-01	MC0KF5	Water	Selenium	5.81	J	4.82	10.0	ug/L
Q3765-01	MC0KF5	Water	Sodium	10100		434	1000	ug/L
Q3765-01	MC0KF5	Water	Thallium	2.51	J	2.19	20.0	ug/L
Q3765-01	MC0KF5	Water	Zinc	47.3		8.33	20.0	ug/L
Q3765-01	MC0KF5	Water	Hardness, Total	158000		795	6620	ug/L
Client ID : MC0KF7								
Q3765-02	MC0KF7	Water	Aluminum	29.2	J	5.67	50.0	ug/L
Q3765-02	MC0KF7	Water	Antimony	47.9		3.38	25.0	ug/L
Q3765-02	MC0KF7	Water	Barium	24.6	J	7.28	50.0	ug/L
Q3765-02	MC0KF7	Water	Cadmium	41.5		0.25	3.00	ug/L
Q3765-02	MC0KF7	Water	Calcium	45800		117	1000	ug/L
Q3765-02	MC0KF7	Water	Chromium	1.10	J	1.06	5.00	ug/L
Q3765-02	MC0KF7	Water	Copper	9.74	J	2.30	10.0	ug/L
Q3765-02	MC0KF7	Water	Iron	213		11.7	50.0	ug/L
Q3765-02	MC0KF7	Water	Lead	186		1.15	6.00	ug/L
Q3765-02	MC0KF7	Water	Magnesium	8960		122	1000	ug/L
Q3765-02	MC0KF7	Water	Manganese	15.1		2.97	10.0	ug/L
Q3765-02	MC0KF7	Water	Nickel	4.62	J	1.53	20.0	ug/L
Q3765-02	MC0KF7	Water	Potassium	1760		459	1000	ug/L
Q3765-02	MC0KF7	Water	Selenium	23.4		4.82	10.0	ug/L
Q3765-02	MC0KF7	Water	Sodium	5050		434	1000	ug/L
Q3765-02	MC0KF7	Water	Zinc	60.7		8.33	20.0	ug/L
Q3765-02	MC0KF7	Water	Hardness, Total	151000		795	6620	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q3765
Client: Tetra Tech, EMI

Order ID: Q3765
Project ID: R37106

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : MC0KF9								
Q3765-03	MC0KF9	Water	Aluminum	15.2	J	5.67	50.0	ug/L
Q3765-03	MC0KF9	Water	Antimony	5.43	J	3.38	25.0	ug/L
Q3765-03	MC0KF9	Water	Barium	15.4	J	7.28	50.0	ug/L
Q3765-03	MC0KF9	Water	Calcium	63100		117	1000	ug/L
Q3765-03	MC0KF9	Water	Chromium	1.81	J	1.06	5.00	ug/L
Q3765-03	MC0KF9	Water	Lead	1.22	J	1.15	6.00	ug/L
Q3765-03	MC0KF9	Water	Magnesium	12200		122	1000	ug/L
Q3765-03	MC0KF9	Water	Manganese	4.89	J	2.97	10.0	ug/L
Q3765-03	MC0KF9	Water	Potassium	4330		459	1000	ug/L
Q3765-03	MC0KF9	Water	Sodium	10600		434	1000	ug/L
Q3765-03	MC0KF9	Water	Zinc	10.5	J	8.33	20.0	ug/L
Q3765-03	MC0KF9	Water	Hardness, Total	208000		795	6620	ug/L
Client ID : MC0KG0								
Q3765-04	MC0KG0	Water	Aluminum	74.1		5.67	50.0	ug/L
Q3765-04	MC0KG0	Water	Antimony	6.41	J	3.38	25.0	ug/L
Q3765-04	MC0KG0	Water	Arsenic	3.55	J	2.56	10.0	ug/L
Q3765-04	MC0KG0	Water	Barium	54.3		7.28	50.0	ug/L
Q3765-04	MC0KG0	Water	Cadmium	37.9		0.25	3.00	ug/L
Q3765-04	MC0KG0	Water	Calcium	11100		117	1000	ug/L
Q3765-04	MC0KG0	Water	Chromium	8.53		1.06	5.00	ug/L
Q3765-04	MC0KG0	Water	Copper	47.8		2.30	10.0	ug/L
Q3765-04	MC0KG0	Water	Iron	1930		11.7	50.0	ug/L
Q3765-04	MC0KG0	Water	Lead	7110		1.15	6.00	ug/L
Q3765-04	MC0KG0	Water	Magnesium	503	J	122	1000	ug/L
Q3765-04	MC0KG0	Water	Manganese	150		2.97	10.0	ug/L
Q3765-04	MC0KG0	Water	Nickel	24.2		1.53	20.0	ug/L
Q3765-04	MC0KG0	Water	Potassium	2320		459	1000	ug/L
Q3765-04	MC0KG0	Water	Sodium	1270		434	1000	ug/L
Q3765-04	MC0KG0	Water	Zinc	230		8.33	20.0	ug/L
Q3765-04	MC0KG0	Water	Hardness, Total	29800		795	6620	ug/L
Client ID : MC0KG1								
Q3765-05	MC0KG1	Water	Aluminum	150		5.67	50.0	ug/L
Q3765-05	MC0KG1	Water	Antimony	69.0		3.38	25.0	ug/L
Q3765-05	MC0KG1	Water	Arsenic	16.8		2.56	10.0	ug/L
Q3765-05	MC0KG1	Water	Barium	22.1	J	7.28	50.0	ug/L
Q3765-05	MC0KG1	Water	Cadmium	363		0.25	3.00	ug/L
Q3765-05	MC0KG1	Water	Calcium	6350		117	1000	ug/L
Q3765-05	MC0KG1	Water	Chromium	6.20		1.06	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q3765
Client: Tetra Tech, EMI

Order ID: Q3765
Project ID: R37106

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3765-05	MC0KG1	Water	Copper	101		2.30	10.0	ug/L
Q3765-05	MC0KG1	Water	Iron	1350		11.7	50.0	ug/L
Q3765-05	MC0KG1	Water	Lead	9120		1.15	6.00	ug/L
Q3765-05	MC0KG1	Water	Magnesium	1420		122	1000	ug/L
Q3765-05	MC0KG1	Water	Manganese	57.0		2.97	10.0	ug/L
Q3765-05	MC0KG1	Water	Nickel	23.3		1.53	20.0	ug/L
Q3765-05	MC0KG1	Water	Potassium	1580		459	1000	ug/L
Q3765-05	MC0KG1	Water	Selenium	5.45	J	4.82	10.0	ug/L
Q3765-05	MC0KG1	Water	Sodium	1310		434	1000	ug/L
Q3765-05	MC0KG1	Water	Thallium	5.50	J	2.19	20.0	ug/L
Q3765-05	MC0KG1	Water	Zinc	421		8.33	20.0	ug/L
Q3765-05	MC0KG1	Water	Hardness, Total	21700		795	6620	ug/L
Client ID : MC0KG2								
Q3765-08	MC0KG2	Water	Antimony	16.5	J	3.38	25.0	ug/L
Q3765-08	MC0KG2	Water	Arsenic	3.68	J	2.56	10.0	ug/L
Q3765-08	MC0KG2	Water	Barium	16.0	J	7.28	50.0	ug/L
Q3765-08	MC0KG2	Water	Cadmium	32.7		0.25	3.00	ug/L
Q3765-08	MC0KG2	Water	Calcium	14100		117	1000	ug/L
Q3765-08	MC0KG2	Water	Chromium	2.73	J	1.06	5.00	ug/L
Q3765-08	MC0KG2	Water	Cobalt	2.52	J	1.13	15.0	ug/L
Q3765-08	MC0KG2	Water	Copper	4.16	J	2.30	10.0	ug/L
Q3765-08	MC0KG2	Water	Iron	449		11.7	50.0	ug/L
Q3765-08	MC0KG2	Water	Lead	74.7		1.15	6.00	ug/L
Q3765-08	MC0KG2	Water	Magnesium	2090		122	1000	ug/L
Q3765-08	MC0KG2	Water	Manganese	855		2.97	10.0	ug/L
Q3765-08	MC0KG2	Water	Nickel	4.71	J	1.53	20.0	ug/L
Q3765-08	MC0KG2	Water	Potassium	2270		459	1000	ug/L
Q3765-08	MC0KG2	Water	Selenium	4.94	J	4.82	10.0	ug/L
Q3765-08	MC0KG2	Water	Sodium	2800		434	1000	ug/L
Q3765-08	MC0KG2	Water	Thallium	4.23	J	2.19	20.0	ug/L
Q3765-08	MC0KG2	Water	Zinc	168		8.33	20.0	ug/L
Q3765-08	MC0KG2	Water	Hardness, Total	43800		795	6620	ug/L
Client ID : MC0KG3								
Q3765-09	MC0KG3	Water	Aluminum	2300		5.67	50.0	ug/L
Q3765-09	MC0KG3	Water	Antimony	15.4	J	3.38	25.0	ug/L
Q3765-09	MC0KG3	Water	Arsenic	12.8		2.56	10.0	ug/L
Q3765-09	MC0KG3	Water	Barium	26.2	J	7.28	50.0	ug/L
Q3765-09	MC0KG3	Water	Cadmium	32.9		0.25	3.00	ug/L
Q3765-09	MC0KG3	Water	Calcium	14000		117	1000	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q3765 **Order ID:** Q3765
Client: Tetra Tech, EMI **Project ID:** R37106

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3765-09	MC0KG3	Water	Chromium	6.24		1.06	5.00	ug/L
Q3765-09	MC0KG3	Water	Cobalt	3.28	J	1.13	15.0	ug/L
Q3765-09	MC0KG3	Water	Copper	13.3		2.30	10.0	ug/L
Q3765-09	MC0KG3	Water	Iron	4300		11.7	50.0	ug/L
Q3765-09	MC0KG3	Water	Lead	2900		1.15	6.00	ug/L
Q3765-09	MC0KG3	Water	Magnesium	6870		122	1000	ug/L
Q3765-09	MC0KG3	Water	Manganese	67.6		2.97	10.0	ug/L
Q3765-09	MC0KG3	Water	Nickel	21.7		1.53	20.0	ug/L
Q3765-09	MC0KG3	Water	Potassium	2390		459	1000	ug/L
Q3765-09	MC0KG3	Water	Sodium	940	J	434	1000	ug/L
Q3765-09	MC0KG3	Water	Zinc	189		8.33	20.0	ug/L
Q3765-09	MC0KG3	Water	Hardness, Total	63200		795	6620	ug/L
Client ID : MC0KG4								
Q3765-10	MC0KG4	Water	Aluminum	306		5.67	50.0	ug/L
Q3765-10	MC0KG4	Water	Antimony	32.2		3.38	25.0	ug/L
Q3765-10	MC0KG4	Water	Arsenic	12.7		2.56	10.0	ug/L
Q3765-10	MC0KG4	Water	Barium	55.2		7.28	50.0	ug/L
Q3765-10	MC0KG4	Water	Cadmium	6.05		0.25	3.00	ug/L
Q3765-10	MC0KG4	Water	Calcium	93500		117	1000	ug/L
Q3765-10	MC0KG4	Water	Chromium	4.15	J	1.06	5.00	ug/L
Q3765-10	MC0KG4	Water	Cobalt	1.61	J	1.13	15.0	ug/L
Q3765-10	MC0KG4	Water	Copper	45.5		2.30	10.0	ug/L
Q3765-10	MC0KG4	Water	Iron	1920		11.7	50.0	ug/L
Q3765-10	MC0KG4	Water	Lead	5800		1.15	6.00	ug/L
Q3765-10	MC0KG4	Water	Magnesium	17200		122	1000	ug/L
Q3765-10	MC0KG4	Water	Manganese	230		2.97	10.0	ug/L
Q3765-10	MC0KG4	Water	Nickel	6.55	J	1.53	20.0	ug/L
Q3765-10	MC0KG4	Water	Potassium	2650		459	1000	ug/L
Q3765-10	MC0KG4	Water	Sodium	20200		434	1000	ug/L
Q3765-10	MC0KG4	Water	Thallium	4.83	J	2.19	20.0	ug/L
Q3765-10	MC0KG4	Water	Zinc	129		8.33	20.0	ug/L
Q3765-10	MC0KG4	Water	Hardness, Total	304000		795	6620	ug/L
Client ID : MC0KG5								
Q3765-11	MC0KG5	Water	Aluminum	17.1	J	5.67	50.0	ug/L
Q3765-11	MC0KG5	Water	Antimony	7.61	J	3.38	25.0	ug/L
Q3765-11	MC0KG5	Water	Barium	37.4	J	7.28	50.0	ug/L
Q3765-11	MC0KG5	Water	Calcium	77600		117	1000	ug/L
Q3765-11	MC0KG5	Water	Lead	45.9		1.15	6.00	ug/L
Q3765-11	MC0KG5	Water	Magnesium	15600		122	1000	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q3765 **Order ID:** Q3765
Client: Tetra Tech, EMI **Project ID:** R37106

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3765-11	MC0KG5	Water	Potassium	2220		459	1000	ug/L
Q3765-11	MC0KG5	Water	Sodium	25800		434	1000	ug/L
Q3765-11	MC0KG5	Water	Thallium	3.93	J	2.19	20.0	ug/L
Q3765-11	MC0KG5	Water	Hardness, Total	258000		795	6620	ug/L
Client ID : MC0KG6								
Q3765-12	MC0KG6	Water	Aluminum	14.0	J	5.67	50.0	ug/L
Q3765-12	MC0KG6	Water	Antimony	8.14	J	3.38	25.0	ug/L
Q3765-12	MC0KG6	Water	Barium	86.9		7.28	50.0	ug/L
Q3765-12	MC0KG6	Water	Calcium	77400		117	1000	ug/L
Q3765-12	MC0KG6	Water	Iron	108		11.7	50.0	ug/L
Q3765-12	MC0KG6	Water	Lead	22.8		1.15	6.00	ug/L
Q3765-12	MC0KG6	Water	Magnesium	18600		122	1000	ug/L
Q3765-12	MC0KG6	Water	Manganese	12.8		2.97	10.0	ug/L
Q3765-12	MC0KG6	Water	Potassium	5950		459	1000	ug/L
Q3765-12	MC0KG6	Water	Sodium	38200		434	1000	ug/L
Q3765-12	MC0KG6	Water	Zinc	16.2	J	8.33	20.0	ug/L
Q3765-12	MC0KG6	Water	Hardness, Total	270000		795	6620	ug/L
Client ID : MC0KG7								
Q3765-13	MC0KG7	Water	Aluminum	15.0	J	5.67	50.0	ug/L
Q3765-13	MC0KG7	Water	Antimony	11.1	J	3.38	25.0	ug/L
Q3765-13	MC0KG7	Water	Barium	17.8	J	7.28	50.0	ug/L
Q3765-13	MC0KG7	Water	Cadmium	0.60	J	0.25	3.00	ug/L
Q3765-13	MC0KG7	Water	Calcium	13300		117	1000	ug/L
Q3765-13	MC0KG7	Water	Chromium	2.52	J	1.06	5.00	ug/L
Q3765-13	MC0KG7	Water	Copper	4.65	J	2.30	10.0	ug/L
Q3765-13	MC0KG7	Water	Iron	239		11.7	50.0	ug/L
Q3765-13	MC0KG7	Water	Lead	117		1.15	6.00	ug/L
Q3765-13	MC0KG7	Water	Magnesium	1280		122	1000	ug/L
Q3765-13	MC0KG7	Water	Manganese	7.92	J	2.97	10.0	ug/L
Q3765-13	MC0KG7	Water	Potassium	777	J	459	1000	ug/L
Q3765-13	MC0KG7	Water	Selenium	6.09	J	4.82	10.0	ug/L
Q3765-13	MC0KG7	Water	Zinc	13.6	J	8.33	20.0	ug/L
Q3765-13	MC0KG7	Water	Hardness, Total	38500		795	6620	ug/L
Client ID : MC0KG8								
Q3765-14	MC0KG8	Water	Aluminum	17.3	J	5.67	50.0	ug/L
Q3765-14	MC0KG8	Water	Antimony	10.8	J	3.38	25.0	ug/L
Q3765-14	MC0KG8	Water	Barium	16.7	J	7.28	50.0	ug/L
Q3765-14	MC0KG8	Water	Cadmium	0.66	J	0.25	3.00	ug/L

Hit Summary Sheet
SW-846

SDG No.:	Q3765	Order ID:	Q3765
Client:	Tetra Tech, EMI	Project ID:	R37106

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3765-14	MC0KG8	Water	Calcium	12900		117	1000	ug/L
Q3765-14	MC0KG8	Water	Copper	4.88	J	2.30	10.0	ug/L
Q3765-14	MC0KG8	Water	Iron	245		11.7	50.0	ug/L
Q3765-14	MC0KG8	Water	Lead	118		1.15	6.00	ug/L
Q3765-14	MC0KG8	Water	Magnesium	1260		122	1000	ug/L
Q3765-14	MC0KG8	Water	Manganese	7.34	J	2.97	10.0	ug/L
Q3765-14	MC0KG8	Water	Potassium	768	J	459	1000	ug/L
Q3765-14	MC0KG8	Water	Thallium	3.71	J	2.19	20.0	ug/L
Q3765-14	MC0KG8	Water	Zinc	13.3	J	8.33	20.0	ug/L
Q3765-14	MC0KG8	Water	Hardness, Total	37400		795	6620	ug/L



SAMPLE DATA

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

Report of Analysis

Client: Tetra Tech, EMI
Project: R37106
Client Sample ID: MC0KF5
Lab Sample ID: Q3765-01
Level (low/med): low

Date Collected: 12/01/25
Date Received: 12/03/25
SDG No.: Q3765
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	25.7	J	1	5.67	50.0	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7440-36-0	Antimony	21.5	J	1	3.38	25.0	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7440-38-2	Arsenic	2.56	U	1	2.56	10.0	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7440-39-3	Barium	32.2	JN	1	7.28	50.0	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7440-41-7	Beryllium	0.28	UN	1	0.28	3.00	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7440-43-9	Cadmium	18.4	N	1	0.25	3.00	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7440-70-2	Calcium	48100		1	117	1000	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7440-47-3	Chromium	1.12	J	1	1.06	5.00	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7440-48-4	Cobalt	1.13	UN	1	1.13	15.0	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7440-50-8	Copper	3.92	J	1	2.30	10.0	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
Hardness	Hardness, Total	158000		1	795	6620	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7439-89-6	Iron	97.2		1	11.7	50.0	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7439-92-1	Lead	82.2		1	1.15	6.00	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7439-95-4	Magnesium	9120	N	1	122	1000	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7439-96-5	Manganese	42.7	N	1	2.97	10.0	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7440-02-0	Nickel	2.39	J	1	1.53	20.0	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7440-09-7	Potassium	1840	N	1	459	1000	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7782-49-2	Selenium	5.81	J	1	4.82	10.0	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7440-22-4	Silver	0.81	UN	1	0.81	5.00	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7440-23-5	Sodium	10100	N	1	434	1000	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7440-28-0	Thallium	2.51	JN	1	2.19	20.0	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7440-62-2	Vanadium	3.13	U	1	3.13	20.0	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A
7440-66-6	Zinc	47.3		1	8.33	20.0	ug/L	12/05/25 10:40	12/09/25 18:14	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: Tetra Tech, EMI
Project: R37106
Client Sample ID: MC0KF7
Lab Sample ID: Q3765-02
Level (low/med): low

Date Collected: 12/01/25
Date Received: 12/03/25
SDG No.: Q3765
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	29.2	J	1	5.67	50.0	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7440-36-0	Antimony	47.9		1	3.38	25.0	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7440-38-2	Arsenic	2.56	U	1	2.56	10.0	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7440-39-3	Barium	24.6	JN	1	7.28	50.0	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7440-41-7	Beryllium	0.28	UN	1	0.28	3.00	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7440-43-9	Cadmium	41.5	N	1	0.25	3.00	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7440-70-2	Calcium	45800		1	117	1000	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7440-47-3	Chromium	1.10	J	1	1.06	5.00	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7440-48-4	Cobalt	1.13	UN	1	1.13	15.0	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7440-50-8	Copper	9.74	J	1	2.30	10.0	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
Hardness	Hardness, Total	151000		1	795	6620	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7439-89-6	Iron	213		1	11.7	50.0	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7439-92-1	Lead	186		1	1.15	6.00	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7439-95-4	Magnesium	8960	N	1	122	1000	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7439-96-5	Manganese	15.1	N	1	2.97	10.0	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7440-02-0	Nickel	4.62	J	1	1.53	20.0	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7440-09-7	Potassium	1760	N	1	459	1000	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7782-49-2	Selenium	23.4		1	4.82	10.0	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7440-22-4	Silver	0.81	UN	1	0.81	5.00	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7440-23-5	Sodium	5050	N	1	434	1000	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7440-28-0	Thallium	2.19	UN	1	2.19	20.0	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7440-62-2	Vanadium	3.13	U	1	3.13	20.0	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A
7440-66-6	Zinc	60.7		1	8.33	20.0	ug/L	12/05/25 10:40	12/09/25 18:19	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: Tetra Tech, EMI
Project: R37106
Client Sample ID: MC0KF9
Lab Sample ID: Q3765-03
Level (low/med): low

Date Collected: 12/01/25
Date Received: 12/03/25
SDG No.: Q3765
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	15.2	J	1	5.67	50.0	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7440-36-0	Antimony	5.43	J	1	3.38	25.0	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7440-38-2	Arsenic	2.56	U	1	2.56	10.0	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7440-39-3	Barium	15.4	JN	1	7.28	50.0	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7440-41-7	Beryllium	0.28	UN	1	0.28	3.00	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7440-43-9	Cadmium	0.25	UN	1	0.25	3.00	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7440-70-2	Calcium	63100		1	117	1000	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7440-47-3	Chromium	1.81	J	1	1.06	5.00	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7440-48-4	Cobalt	1.13	UN	1	1.13	15.0	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7440-50-8	Copper	2.30	U	1	2.30	10.0	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
Hardness	Hardness, Total	208000		1	795	6620	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7439-89-6	Iron	11.7	U	1	11.7	50.0	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7439-92-1	Lead	1.22	J	1	1.15	6.00	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7439-95-4	Magnesium	12200	N	1	122	1000	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7439-96-5	Manganese	4.89	JN	1	2.97	10.0	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7440-02-0	Nickel	1.53	U	1	1.53	20.0	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7440-09-7	Potassium	4330	N	1	459	1000	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7782-49-2	Selenium	4.82	U	1	4.82	10.0	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7440-22-4	Silver	0.81	UN	1	0.81	5.00	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7440-23-5	Sodium	10600	N	1	434	1000	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7440-28-0	Thallium	2.19	UN	1	2.19	20.0	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7440-62-2	Vanadium	3.13	U	1	3.13	20.0	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A
7440-66-6	Zinc	10.5	J	1	8.33	20.0	ug/L	12/05/25 10:40	12/09/25 18:23	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: Tetra Tech, EMI
Project: R37106
Client Sample ID: MC0KG0
Lab Sample ID: Q3765-04
Level (low/med): low

Date Collected: 12/01/25
Date Received: 12/03/25
SDG No.: Q3765
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	74.1		1	5.67	50.0	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7440-36-0	Antimony	6.41	J	1	3.38	25.0	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7440-38-2	Arsenic	3.55	J	1	2.56	10.0	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7440-39-3	Barium	54.3	N	1	7.28	50.0	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7440-41-7	Beryllium	0.28	UN	1	0.28	3.00	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7440-43-9	Cadmium	37.9	N	1	0.25	3.00	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7440-70-2	Calcium	11100		1	117	1000	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7440-47-3	Chromium	8.53		1	1.06	5.00	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7440-48-4	Cobalt	1.13	UN	1	1.13	15.0	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7440-50-8	Copper	47.8		1	2.30	10.0	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
Hardness	Hardness, Total	29800		1	795	6620	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7439-89-6	Iron	1930		1	11.7	50.0	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7439-92-1	Lead	7110		1	1.15	6.00	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7439-95-4	Magnesium	503	JN	1	122	1000	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7439-96-5	Manganese	150	N	1	2.97	10.0	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7440-02-0	Nickel	24.2		1	1.53	20.0	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7440-09-7	Potassium	2320	N	1	459	1000	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7782-49-2	Selenium	4.82	U	1	4.82	10.0	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7440-22-4	Silver	0.81	UN	1	0.81	5.00	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7440-23-5	Sodium	1270	N	1	434	1000	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7440-28-0	Thallium	2.19	UN	1	2.19	20.0	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7440-62-2	Vanadium	3.13	U	1	3.13	20.0	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A
7440-66-6	Zinc	230		1	8.33	20.0	ug/L	12/05/25 10:40	12/09/25 18:27	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: Tetra Tech, EMI
Project: R37106
Client Sample ID: MC0KG1
Lab Sample ID: Q3765-05
Level (low/med): low

Date Collected: 12/01/25
Date Received: 12/03/25
SDG No.: Q3765
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	150		1	5.67	50.0	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7440-36-0	Antimony	69.0		1	3.38	25.0	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7440-38-2	Arsenic	16.8		1	2.56	10.0	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7440-39-3	Barium	22.1	JN	1	7.28	50.0	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7440-41-7	Beryllium	0.28	UN	1	0.28	3.00	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7440-43-9	Cadmium	363	N	1	0.25	3.00	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7440-70-2	Calcium	6350		1	117	1000	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7440-47-3	Chromium	6.20		1	1.06	5.00	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7440-48-4	Cobalt	1.13	UN	1	1.13	15.0	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7440-50-8	Copper	101		1	2.30	10.0	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
Hardness	Hardness, Total	21700		1	795	6620	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7439-89-6	Iron	1350		1	11.7	50.0	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7439-92-1	Lead	9120		1	1.15	6.00	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7439-95-4	Magnesium	1420	N	1	122	1000	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7439-96-5	Manganese	57.0	N	1	2.97	10.0	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7440-02-0	Nickel	23.3		1	1.53	20.0	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7440-09-7	Potassium	1580	N	1	459	1000	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7782-49-2	Selenium	5.45	J	1	4.82	10.0	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7440-22-4	Silver	0.81	UN	1	0.81	5.00	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7440-23-5	Sodium	1310	N	1	434	1000	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7440-28-0	Thallium	5.50	JN	1	2.19	20.0	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7440-62-2	Vanadium	3.13	U	1	3.13	20.0	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A
7440-66-6	Zinc	421		1	8.33	20.0	ug/L	12/05/25 10:40	12/09/25 18:40	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: Tetra Tech, EMI
Project: R37106
Client Sample ID: MC0KG2
Lab Sample ID: Q3765-08
Level (low/med): low

Date Collected: 12/01/25
Date Received: 12/03/25
SDG No.: Q3765
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	5.67	U	1	5.67	50.0	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7440-36-0	Antimony	16.5	J	1	3.38	25.0	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7440-38-2	Arsenic	3.68	J	1	2.56	10.0	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7440-39-3	Barium	16.0	JN	1	7.28	50.0	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7440-41-7	Beryllium	0.28	UN	1	0.28	3.00	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7440-43-9	Cadmium	32.7	N	1	0.25	3.00	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7440-70-2	Calcium	14100		1	117	1000	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7440-47-3	Chromium	2.73	J	1	1.06	5.00	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7440-48-4	Cobalt	2.52	JN	1	1.13	15.0	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7440-50-8	Copper	4.16	J	1	2.30	10.0	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
Hardness	Hardness, Total	43800		1	795	6620	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7439-89-6	Iron	449		1	11.7	50.0	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7439-92-1	Lead	74.7		1	1.15	6.00	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7439-95-4	Magnesium	2090	N	1	122	1000	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7439-96-5	Manganese	855	N	1	2.97	10.0	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7440-02-0	Nickel	4.71	J	1	1.53	20.0	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7440-09-7	Potassium	2270	N	1	459	1000	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7782-49-2	Selenium	4.94	J	1	4.82	10.0	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7440-22-4	Silver	0.81	UN	1	0.81	5.00	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7440-23-5	Sodium	2800	N	1	434	1000	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7440-28-0	Thallium	4.23	JN	1	2.19	20.0	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7440-62-2	Vanadium	3.13	U	1	3.13	20.0	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A
7440-66-6	Zinc	168		1	8.33	20.0	ug/L	12/05/25 10:40	12/09/25 19:05	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: Tetra Tech, EMI
Project: R37106
Client Sample ID: MC0KG3
Lab Sample ID: Q3765-09
Level (low/med): low

Date Collected: 12/01/25
Date Received: 12/03/25
SDG No.: Q3765
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	2300		1	5.67	50.0	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7440-36-0	Antimony	15.4	J	1	3.38	25.0	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7440-38-2	Arsenic	12.8		1	2.56	10.0	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7440-39-3	Barium	26.2	JN	1	7.28	50.0	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7440-41-7	Beryllium	0.28	UN	1	0.28	3.00	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7440-43-9	Cadmium	32.9	N	1	0.25	3.00	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7440-70-2	Calcium	14000		1	117	1000	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7440-47-3	Chromium	6.24		1	1.06	5.00	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7440-48-4	Cobalt	3.28	JN	1	1.13	15.0	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7440-50-8	Copper	13.3		1	2.30	10.0	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
Hardness	Hardness, Total	63200		1	795	6620	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7439-89-6	Iron	4300		1	11.7	50.0	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7439-92-1	Lead	2900		1	1.15	6.00	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7439-95-4	Magnesium	6870	N	1	122	1000	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7439-96-5	Manganese	67.6	N	1	2.97	10.0	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7440-02-0	Nickel	21.7		1	1.53	20.0	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7440-09-7	Potassium	2390	N	1	459	1000	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7782-49-2	Selenium	4.82	U	1	4.82	10.0	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7440-22-4	Silver	0.81	UN	1	0.81	5.00	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7440-23-5	Sodium	940	JN	1	434	1000	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7440-28-0	Thallium	2.19	UN	1	2.19	20.0	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7440-62-2	Vanadium	3.13	U	1	3.13	20.0	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A
7440-66-6	Zinc	189		1	8.33	20.0	ug/L	12/05/25 10:40	12/09/25 19:09	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: Tetra Tech, EMI
Project: R37106
Client Sample ID: MC0KG4
Lab Sample ID: Q3765-10
Level (low/med): low

Date Collected: 12/01/25
Date Received: 12/03/25
SDG No.: Q3765
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	306		1	5.67	50.0	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7440-36-0	Antimony	32.2		1	3.38	25.0	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7440-38-2	Arsenic	12.7		1	2.56	10.0	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7440-39-3	Barium	55.2	N	1	7.28	50.0	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7440-41-7	Beryllium	0.28	UN	1	0.28	3.00	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7440-43-9	Cadmium	6.05	N	1	0.25	3.00	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7440-70-2	Calcium	93500		1	117	1000	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7440-47-3	Chromium	4.15	J	1	1.06	5.00	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7440-48-4	Cobalt	1.61	JN	1	1.13	15.0	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7440-50-8	Copper	45.5		1	2.30	10.0	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
Hardness	Hardness, Total	304000		1	795	6620	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7439-89-6	Iron	1920		1	11.7	50.0	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7439-92-1	Lead	5800		1	1.15	6.00	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7439-95-4	Magnesium	17200	N	1	122	1000	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7439-96-5	Manganese	230	N	1	2.97	10.0	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7440-02-0	Nickel	6.55	J	1	1.53	20.0	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7440-09-7	Potassium	2650	N	1	459	1000	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7782-49-2	Selenium	4.82	U	1	4.82	10.0	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7440-22-4	Silver	0.81	UN	1	0.81	5.00	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7440-23-5	Sodium	20200	N	1	434	1000	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7440-28-0	Thallium	4.83	JN	1	2.19	20.0	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7440-62-2	Vanadium	3.13	U	1	3.13	20.0	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A
7440-66-6	Zinc	129		1	8.33	20.0	ug/L	12/05/25 10:40	12/09/25 19:13	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: Tetra Tech, EMI
Project: R37106
Client Sample ID: MC0KG5
Lab Sample ID: Q3765-11
Level (low/med): low

Date Collected: 12/01/25
Date Received: 12/03/25
SDG No.: Q3765
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	17.1	J	1	5.67	50.0	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7440-36-0	Antimony	7.61	J	1	3.38	25.0	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7440-38-2	Arsenic	2.56	U	1	2.56	10.0	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7440-39-3	Barium	37.4	JN	1	7.28	50.0	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7440-41-7	Beryllium	0.28	UN	1	0.28	3.00	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7440-43-9	Cadmium	0.25	UN	1	0.25	3.00	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7440-70-2	Calcium	77600		1	117	1000	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7440-47-3	Chromium	1.06	U	1	1.06	5.00	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7440-48-4	Cobalt	1.13	UN	1	1.13	15.0	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7440-50-8	Copper	2.30	U	1	2.30	10.0	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
Hardness	Hardness, Total	258000		1	795	6620	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7439-89-6	Iron	11.7	U	1	11.7	50.0	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7439-92-1	Lead	45.9		1	1.15	6.00	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7439-95-4	Magnesium	15600	N	1	122	1000	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7439-96-5	Manganese	2.97	UN	1	2.97	10.0	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7440-02-0	Nickel	1.53	U	1	1.53	20.0	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7440-09-7	Potassium	2220	N	1	459	1000	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7782-49-2	Selenium	4.82	U	1	4.82	10.0	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7440-22-4	Silver	0.81	UN	1	0.81	5.00	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7440-23-5	Sodium	25800	N	1	434	1000	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7440-28-0	Thallium	3.93	JN	1	2.19	20.0	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7440-62-2	Vanadium	3.13	U	1	3.13	20.0	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A
7440-66-6	Zinc	8.33	U	1	8.33	20.0	ug/L	12/05/25 10:40	12/09/25 19:17	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: Tetra Tech, EMI
Project: R37106
Client Sample ID: MC0KG6
Lab Sample ID: Q3765-12
Level (low/med): low

Date Collected: 12/01/25
Date Received: 12/03/25
SDG No.: Q3765
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	14.0	J	1	5.67	50.0	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7440-36-0	Antimony	8.14	J	1	3.38	25.0	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7440-38-2	Arsenic	2.56	U	1	2.56	10.0	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7440-39-3	Barium	86.9	N	1	7.28	50.0	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7440-41-7	Beryllium	0.28	UN	1	0.28	3.00	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7440-43-9	Cadmium	0.25	UN	1	0.25	3.00	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7440-70-2	Calcium	77400		1	117	1000	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7440-47-3	Chromium	1.06	U	1	1.06	5.00	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7440-48-4	Cobalt	1.13	UN	1	1.13	15.0	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7440-50-8	Copper	2.30	U	1	2.30	10.0	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
Hardness	Hardness, Total	270000		1	795	6620	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7439-89-6	Iron	108		1	11.7	50.0	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7439-92-1	Lead	22.8		1	1.15	6.00	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7439-95-4	Magnesium	18600	N	1	122	1000	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7439-96-5	Manganese	12.8	N	1	2.97	10.0	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7440-02-0	Nickel	1.53	U	1	1.53	20.0	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7440-09-7	Potassium	5950	N	1	459	1000	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7782-49-2	Selenium	4.82	U	1	4.82	10.0	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7440-22-4	Silver	0.81	UN	1	0.81	5.00	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7440-23-5	Sodium	38200	N	1	434	1000	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7440-28-0	Thallium	2.19	UN	1	2.19	20.0	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7440-62-2	Vanadium	3.13	U	1	3.13	20.0	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A
7440-66-6	Zinc	16.2	J	1	8.33	20.0	ug/L	12/05/25 10:40	12/09/25 19:38	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: Tetra Tech, EMI
Project: R37106
Client Sample ID: MC0KG7
Lab Sample ID: Q3765-13
Level (low/med): low

Date Collected: 12/01/25
Date Received: 12/03/25
SDG No.: Q3765
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	15.0	J	1	5.67	50.0	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7440-36-0	Antimony	11.1	J	1	3.38	25.0	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7440-38-2	Arsenic	2.56	U	1	2.56	10.0	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7440-39-3	Barium	17.8	JN	1	7.28	50.0	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7440-41-7	Beryllium	0.28	UN	1	0.28	3.00	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7440-43-9	Cadmium	0.60	JN	1	0.25	3.00	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7440-70-2	Calcium	13300		1	117	1000	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7440-47-3	Chromium	2.52	J	1	1.06	5.00	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7440-48-4	Cobalt	1.13	UN	1	1.13	15.0	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7440-50-8	Copper	4.65	J	1	2.30	10.0	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
Hardness	Hardness, Total	38500		1	795	6620	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7439-89-6	Iron	239		1	11.7	50.0	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7439-92-1	Lead	117		1	1.15	6.00	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7439-95-4	Magnesium	1280	N	1	122	1000	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7439-96-5	Manganese	7.92	JN	1	2.97	10.0	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7440-02-0	Nickel	1.53	U	1	1.53	20.0	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7440-09-7	Potassium	777	JN	1	459	1000	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7782-49-2	Selenium	6.09	J	1	4.82	10.0	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7440-22-4	Silver	0.81	UN	1	0.81	5.00	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7440-23-5	Sodium	434	UN	1	434	1000	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7440-28-0	Thallium	2.19	UN	1	2.19	20.0	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7440-62-2	Vanadium	3.13	U	1	3.13	20.0	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A
7440-66-6	Zinc	13.6	J	1	8.33	20.0	ug/L	12/05/25 10:40	12/09/25 19:43	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: Tetra Tech, EMI
Project: R37106
Client Sample ID: MC0KG8
Lab Sample ID: Q3765-14
Level (low/med): low

Date Collected: 12/01/25
Date Received: 12/03/25
SDG No.: Q3765
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	17.3	J	1	5.67	50.0	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7440-36-0	Antimony	10.8	J	1	3.38	25.0	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7440-38-2	Arsenic	2.56	U	1	2.56	10.0	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7440-39-3	Barium	16.7	JN	1	7.28	50.0	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7440-41-7	Beryllium	0.28	UN	1	0.28	3.00	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7440-43-9	Cadmium	0.66	JN	1	0.25	3.00	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7440-70-2	Calcium	12900		1	117	1000	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7440-47-3	Chromium	1.06	U	1	1.06	5.00	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7440-48-4	Cobalt	1.13	UN	1	1.13	15.0	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7440-50-8	Copper	4.88	J	1	2.30	10.0	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
Hardness	Hardness, Total	37400		1	795	6620	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7439-89-6	Iron	245		1	11.7	50.0	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7439-92-1	Lead	118		1	1.15	6.00	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7439-95-4	Magnesium	1260	N	1	122	1000	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7439-96-5	Manganese	7.34	JN	1	2.97	10.0	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7440-02-0	Nickel	1.53	U	1	1.53	20.0	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7440-09-7	Potassium	768	JN	1	459	1000	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7782-49-2	Selenium	4.82	U	1	4.82	10.0	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7440-22-4	Silver	0.81	UN	1	0.81	5.00	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7440-23-5	Sodium	434	UN	1	434	1000	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7440-28-0	Thallium	3.71	JN	1	2.19	20.0	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7440-62-2	Vanadium	3.13	U	1	3.13	20.0	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A
7440-66-6	Zinc	13.3	J	1	8.33	20.0	ug/L	12/05/25 10:40	12/09/25 19:47	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits



METAL CALIBRATION DATA

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
ICV01	Aluminum	7590	8000	95	90 - 110	P	12/09/2025	12:15	LB138174
	Antimony	3970	4000	99	90 - 110	P	12/09/2025	12:15	LB138174
	Arsenic	3860	4000	96	90 - 110	P	12/09/2025	12:15	LB138174
	Barium	7460	8000	93	90 - 110	P	12/09/2025	12:15	LB138174
	Beryllium	189	200	94	90 - 110	P	12/09/2025	12:15	LB138174
	Cadmium	1900	2000	95	90 - 110	P	12/09/2025	12:15	LB138174
	Calcium	19000	20000	95	90 - 110	P	12/09/2025	12:15	LB138174
	Chromium	788	800	98	90 - 110	P	12/09/2025	12:15	LB138174
	Cobalt	1890	2000	94	90 - 110	P	12/09/2025	12:15	LB138174
	Copper	975	1000	98	90 - 110	P	12/09/2025	12:15	LB138174
	Iron	3830	4000	96	90 - 110	P	12/09/2025	12:15	LB138174
	Lead	3750	4000	94	90 - 110	P	12/09/2025	12:15	LB138174
	Magnesium	19000	20000	95	90 - 110	P	12/09/2025	12:15	LB138174
	Manganese	1870	2000	94	90 - 110	P	12/09/2025	12:15	LB138174
	Nickel	1890	2000	94	90 - 110	P	12/09/2025	12:15	LB138174
	Potassium	19100	20000	96	90 - 110	P	12/09/2025	12:15	LB138174
	Selenium	3930	4000	98	90 - 110	P	12/09/2025	12:15	LB138174
	Silver	938	1000	94	90 - 110	P	12/09/2025	12:15	LB138174
	Sodium	18500	20000	92	90 - 110	P	12/09/2025	12:15	LB138174
	Thallium	3760	4000	94	90 - 110	P	12/09/2025	12:15	LB138174
	Vanadium	1930	2000	97	90 - 110	P	12/09/2025	12:15	LB138174
	Zinc	1980	2000	99	90 - 110	P	12/09/2025	12:15	LB138174

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
LLICV01	Aluminum	99.7	100	100	80 - 120	P	12/09/2025	12:19	LB138174
	Antimony	55.1	50.0	110	80 - 120	P	12/09/2025	12:19	LB138174
	Arsenic	21.2	20.0	106	80 - 120	P	12/09/2025	12:19	LB138174
	Barium	99.5	100	100	80 - 120	P	12/09/2025	12:19	LB138174
	Beryllium	6.04	6.0	101	80 - 120	P	12/09/2025	12:19	LB138174
	Cadmium	5.98	6.0	100	80 - 120	P	12/09/2025	12:19	LB138174
	Calcium	2030	2000	102	80 - 120	P	12/09/2025	12:19	LB138174
	Chromium	10.0	10.0	100	80 - 120	P	12/09/2025	12:19	LB138174
	Cobalt	29.5	30.0	98	80 - 120	P	12/09/2025	12:19	LB138174
	Copper	21.1	20.0	106	80 - 120	P	12/09/2025	12:19	LB138174
	Iron	99.9	100	100	80 - 120	P	12/09/2025	12:19	LB138174
	Lead	10.6	12.0	88	80 - 120	P	12/09/2025	12:19	LB138174
	Magnesium	2100	2000	105	80 - 120	P	12/09/2025	12:19	LB138174
	Manganese	20.7	20.0	103	80 - 120	P	12/09/2025	12:19	LB138174
	Nickel	40.1	40.0	100	80 - 120	P	12/09/2025	12:19	LB138174
	Potassium	2050	2000	103	80 - 120	P	12/09/2025	12:19	LB138174
	Selenium	22.0	20.0	110	80 - 120	P	12/09/2025	12:19	LB138174
	Silver	10.4	10.0	104	80 - 120	P	12/09/2025	12:19	LB138174
	Sodium	2030	2000	101	80 - 120	P	12/09/2025	12:19	LB138174
	Thallium	43.8	40.0	110	80 - 120	P	12/09/2025	12:19	LB138174
	Vanadium	41.1	40.0	103	80 - 120	P	12/09/2025	12:19	LB138174
	Zinc	42.9	40.0	107	80 - 120	P	12/09/2025	12:19	LB138174

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI

Contract: TETR16

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

SDG No.: Q3765

Lab Code: ACE

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV01	Aluminum	9680	10000	97	90 - 110	P	12/09/2025	12:49	LB138174
	Antimony	4920	5000	98	90 - 110	P	12/09/2025	12:49	LB138174
	Arsenic	4920	5000	98	90 - 110	P	12/09/2025	12:49	LB138174
	Barium	9670	10000	97	90 - 110	P	12/09/2025	12:49	LB138174
	Beryllium	237	250	95	90 - 110	P	12/09/2025	12:49	LB138174
	Cadmium	2430	2500	97	90 - 110	P	12/09/2025	12:49	LB138174
	Calcium	24200	25000	97	90 - 110	P	12/09/2025	12:49	LB138174
	Chromium	990	1000	99	90 - 110	P	12/09/2025	12:49	LB138174
	Cobalt	2430	2500	97	90 - 110	P	12/09/2025	12:49	LB138174
	Copper	1230	1250	99	90 - 110	P	12/09/2025	12:49	LB138174
	Iron	5110	5000	102	90 - 110	P	12/09/2025	12:49	LB138174
	Lead	4870	5000	97	90 - 110	P	12/09/2025	12:49	LB138174
	Magnesium	24200	25000	97	90 - 110	P	12/09/2025	12:49	LB138174
	Manganese	2430	2500	97	90 - 110	P	12/09/2025	12:49	LB138174
	Nickel	2430	2500	97	90 - 110	P	12/09/2025	12:49	LB138174
	Potassium	25200	25000	101	90 - 110	P	12/09/2025	12:49	LB138174
	Selenium	4950	5000	99	90 - 110	P	12/09/2025	12:49	LB138174
	Silver	1250	1250	100	90 - 110	P	12/09/2025	12:49	LB138174
	Sodium	25100	25000	100	90 - 110	P	12/09/2025	12:49	LB138174
	Thallium	5110	5000	102	90 - 110	P	12/09/2025	12:49	LB138174
	Vanadium	2430	2500	97	90 - 110	P	12/09/2025	12:49	LB138174
	Zinc	2510	2500	100	90 - 110	P	12/09/2025	12:49	LB138174
CCV02	Aluminum	9650	10000	96	90 - 110	P	12/09/2025	13:41	LB138174
	Antimony	5030	5000	101	90 - 110	P	12/09/2025	13:41	LB138174
	Arsenic	5030	5000	100	90 - 110	P	12/09/2025	13:41	LB138174
	Barium	9370	10000	94	90 - 110	P	12/09/2025	13:41	LB138174
	Beryllium	235	250	94	90 - 110	P	12/09/2025	13:41	LB138174
	Cadmium	2440	2500	98	90 - 110	P	12/09/2025	13:41	LB138174
	Calcium	23700	25000	95	90 - 110	P	12/09/2025	13:41	LB138174
	Chromium	981	1000	98	90 - 110	P	12/09/2025	13:41	LB138174
	Cobalt	2450	2500	98	90 - 110	P	12/09/2025	13:41	LB138174
	Copper	1250	1250	100	90 - 110	P	12/09/2025	13:41	LB138174
	Iron	4830	5000	96	90 - 110	P	12/09/2025	13:41	LB138174
	Lead	4900	5000	98	90 - 110	P	12/09/2025	13:41	LB138174

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI
Contract: TETR16
Initial Calibration Source: EPA
Continuing Calibration Source: Inorganic Ventures

SDG No.: Q3765
Lab Code: ACE

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV02	Magnesium	23800	25000	95	90 - 110	P	12/09/2025	13:41	LB138174
	Manganese	2330	2500	93	90 - 110	P	12/09/2025	13:41	LB138174
	Nickel	2450	2500	98	90 - 110	P	12/09/2025	13:41	LB138174
	Potassium	24600	25000	98	90 - 110	P	12/09/2025	13:41	LB138174
	Selenium	5090	5000	102	90 - 110	P	12/09/2025	13:41	LB138174
	Silver	1230	1250	99	90 - 110	P	12/09/2025	13:41	LB138174
	Sodium	24400	25000	97	90 - 110	P	12/09/2025	13:41	LB138174
	Thallium	5160	5000	103	90 - 110	P	12/09/2025	13:41	LB138174
	Vanadium	2390	2500	96	90 - 110	P	12/09/2025	13:41	LB138174
	Zinc	2490	2500	100	90 - 110	P	12/09/2025	13:41	LB138174
CCV03	Aluminum	9660	10000	97	90 - 110	P	12/09/2025	15:09	LB138174
	Antimony	5000	5000	100	90 - 110	P	12/09/2025	15:09	LB138174
	Arsenic	4910	5000	98	90 - 110	P	12/09/2025	15:09	LB138174
	Barium	9800	10000	98	90 - 110	P	12/09/2025	15:09	LB138174
	Beryllium	226	250	90	90 - 110	P	12/09/2025	15:09	LB138174
	Cadmium	2410	2500	96	90 - 110	P	12/09/2025	15:09	LB138174
	Calcium	24200	25000	97	90 - 110	P	12/09/2025	15:09	LB138174
	Chromium	953	1000	95	90 - 110	P	12/09/2025	15:09	LB138174
	Cobalt	2430	2500	97	90 - 110	P	12/09/2025	15:09	LB138174
	Copper	1250	1250	100	90 - 110	P	12/09/2025	15:09	LB138174
	Iron	5110	5000	102	90 - 110	P	12/09/2025	15:09	LB138174
	Lead	4850	5000	97	90 - 110	P	12/09/2025	15:09	LB138174
	Magnesium	23800	25000	95	90 - 110	P	12/09/2025	15:09	LB138174
	Manganese	2450	2500	98	90 - 110	P	12/09/2025	15:09	LB138174
	Nickel	2430	2500	97	90 - 110	P	12/09/2025	15:09	LB138174
	Potassium	25300	25000	101	90 - 110	P	12/09/2025	15:09	LB138174
	Selenium	4990	5000	100	90 - 110	P	12/09/2025	15:09	LB138174
	Silver	1210	1250	97	90 - 110	P	12/09/2025	15:09	LB138174
	Sodium	25800	25000	103	90 - 110	P	12/09/2025	15:09	LB138174
	Thallium	4790	5000	96	90 - 110	P	12/09/2025	15:09	LB138174
	Vanadium	2440	2500	98	90 - 110	P	12/09/2025	15:09	LB138174
	Zinc	2410	2500	97	90 - 110	P	12/09/2025	15:09	LB138174
CCV04	Aluminum	9320	10000	93	90 - 110	P	12/09/2025	16:00	LB138174
	Antimony	4960	5000	99	90 - 110	P	12/09/2025	16:00	LB138174

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI
Contract: TETR16
Initial Calibration Source: EPA
Continuing Calibration Source: Inorganic Ventures

SDG No.: Q3765
Lab Code: ACE

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV04	Arsenic	4910	5000	98	90 - 110	P	12/09/2025	16:00	LB138174
	Barium	9210	10000	92	90 - 110	P	12/09/2025	16:00	LB138174
	Beryllium	228	250	91	90 - 110	P	12/09/2025	16:00	LB138174
	Cadmium	2400	2500	96	90 - 110	P	12/09/2025	16:00	LB138174
	Calcium	23100	25000	92	90 - 110	P	12/09/2025	16:00	LB138174
	Chromium	993	1000	99	90 - 110	P	12/09/2025	16:00	LB138174
	Cobalt	2410	2500	97	90 - 110	P	12/09/2025	16:00	LB138174
	Copper	1240	1250	99	90 - 110	P	12/09/2025	16:00	LB138174
	Iron	4980	5000	100	90 - 110	P	12/09/2025	16:00	LB138174
	Lead	4820	5000	96	90 - 110	P	12/09/2025	16:00	LB138174
	Magnesium	22900	25000	92	90 - 110	P	12/09/2025	16:00	LB138174
	Manganese	2300	2500	92	90 - 110	P	12/09/2025	16:00	LB138174
	Nickel	2410	2500	96	90 - 110	P	12/09/2025	16:00	LB138174
	Potassium	25100	25000	100	90 - 110	P	12/09/2025	16:00	LB138174
	Selenium	4990	5000	100	90 - 110	P	12/09/2025	16:00	LB138174
	Silver	1260	1250	101	90 - 110	P	12/09/2025	16:00	LB138174
	Sodium	25200	25000	101	90 - 110	P	12/09/2025	16:00	LB138174
	Thallium	4920	5000	98	90 - 110	P	12/09/2025	16:00	LB138174
	Vanadium	2330	2500	93	90 - 110	P	12/09/2025	16:00	LB138174
	Zinc	2510	2500	100	90 - 110	P	12/09/2025	16:00	LB138174
CCV05	Aluminum	9810	10000	98	90 - 110	P	12/09/2025	16:50	LB138174
	Antimony	4970	5000	99	90 - 110	P	12/09/2025	16:50	LB138174
	Arsenic	4940	5000	99	90 - 110	P	12/09/2025	16:50	LB138174
	Barium	9410	10000	94	90 - 110	P	12/09/2025	16:50	LB138174
	Beryllium	229	250	92	90 - 110	P	12/09/2025	16:50	LB138174
	Cadmium	2420	2500	97	90 - 110	P	12/09/2025	16:50	LB138174
	Calcium	24200	25000	97	90 - 110	P	12/09/2025	16:50	LB138174
	Chromium	987	1000	99	90 - 110	P	12/09/2025	16:50	LB138174
	Cobalt	2430	2500	97	90 - 110	P	12/09/2025	16:50	LB138174
	Copper	1240	1250	99	90 - 110	P	12/09/2025	16:50	LB138174
	Iron	4980	5000	100	90 - 110	P	12/09/2025	16:50	LB138174
	Lead	4840	5000	97	90 - 110	P	12/09/2025	16:50	LB138174
	Magnesium	24200	25000	97	90 - 110	P	12/09/2025	16:50	LB138174
	Manganese	2370	2500	95	90 - 110	P	12/09/2025	16:50	LB138174

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI
Contract: TETR16
Initial Calibration Source: EPA
Continuing Calibration Source: Inorganic Ventures

SDG No.: Q3765
Lab Code: ACE

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV05	Nickel	2420	2500	97	90 - 110	P	12/09/2025	16:50	LB138174
	Potassium	24700	25000	99	90 - 110	P	12/09/2025	16:50	LB138174
	Selenium	5000	5000	100	90 - 110	P	12/09/2025	16:50	LB138174
	Silver	1210	1250	97	90 - 110	P	12/09/2025	16:50	LB138174
	Sodium	24200	25000	97	90 - 110	P	12/09/2025	16:50	LB138174
	Thallium	4980	5000	100	90 - 110	P	12/09/2025	16:50	LB138174
	Vanadium	2450	2500	98	90 - 110	P	12/09/2025	16:50	LB138174
	Zinc	2450	2500	98	90 - 110	P	12/09/2025	16:50	LB138174
CCV06	Aluminum	9660	10000	97	90 - 110	P	12/09/2025	17:41	LB138174
	Antimony	5010	5000	100	90 - 110	P	12/09/2025	17:41	LB138174
	Arsenic	4970	5000	99	90 - 110	P	12/09/2025	17:41	LB138174
	Barium	9340	10000	93	90 - 110	P	12/09/2025	17:41	LB138174
	Beryllium	232	250	93	90 - 110	P	12/09/2025	17:41	LB138174
	Cadmium	2410	2500	97	90 - 110	P	12/09/2025	17:41	LB138174
	Calcium	23700	25000	95	90 - 110	P	12/09/2025	17:41	LB138174
	Chromium	986	1000	99	90 - 110	P	12/09/2025	17:41	LB138174
	Cobalt	2430	2500	97	90 - 110	P	12/09/2025	17:41	LB138174
	Copper	1250	1250	100	90 - 110	P	12/09/2025	17:41	LB138174
	Iron	4900	5000	98	90 - 110	P	12/09/2025	17:41	LB138174
	Lead	4840	5000	97	90 - 110	P	12/09/2025	17:41	LB138174
	Magnesium	23700	25000	95	90 - 110	P	12/09/2025	17:41	LB138174
	Manganese	2320	2500	93	90 - 110	P	12/09/2025	17:41	LB138174
	Nickel	2420	2500	97	90 - 110	P	12/09/2025	17:41	LB138174
	Potassium	24800	25000	99	90 - 110	P	12/09/2025	17:41	LB138174
	Selenium	5050	5000	101	90 - 110	P	12/09/2025	17:41	LB138174
	Silver	1240	1250	99	90 - 110	P	12/09/2025	17:41	LB138174
	Sodium	24400	25000	98	90 - 110	P	12/09/2025	17:41	LB138174
	Thallium	4800	5000	96	90 - 110	P	12/09/2025	17:41	LB138174
	Vanadium	2400	2500	96	90 - 110	P	12/09/2025	17:41	LB138174
	Zinc	2490	2500	100	90 - 110	P	12/09/2025	17:41	LB138174
CCV07	Aluminum	9570	10000	96	90 - 110	P	12/09/2025	18:31	LB138174
	Antimony	4890	5000	98	90 - 110	P	12/09/2025	18:31	LB138174
	Arsenic	4800	5000	96	90 - 110	P	12/09/2025	18:31	LB138174
	Barium	9690	10000	97	90 - 110	P	12/09/2025	18:31	LB138174

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV07	Beryllium	227	250	91	90 - 110	P	12/09/2025	18:31	LB138174
	Cadmium	2350	2500	94	90 - 110	P	12/09/2025	18:31	LB138174
	Calcium	23800	25000	95	90 - 110	P	12/09/2025	18:31	LB138174
	Chromium	951	1000	95	90 - 110	P	12/09/2025	18:31	LB138174
	Cobalt	2380	2500	95	90 - 110	P	12/09/2025	18:31	LB138174
	Copper	1220	1250	98	90 - 110	P	12/09/2025	18:31	LB138174
	Iron	5080	5000	102	90 - 110	P	12/09/2025	18:31	LB138174
	Lead	4730	5000	95	90 - 110	P	12/09/2025	18:31	LB138174
	Magnesium	23500	25000	94	90 - 110	P	12/09/2025	18:31	LB138174
	Manganese	2410	2500	96	90 - 110	P	12/09/2025	18:31	LB138174
	Nickel	2370	2500	95	90 - 110	P	12/09/2025	18:31	LB138174
	Potassium	25100	25000	100	90 - 110	P	12/09/2025	18:31	LB138174
	Selenium	4870	5000	97	90 - 110	P	12/09/2025	18:31	LB138174
	Silver	1220	1250	98	90 - 110	P	12/09/2025	18:31	LB138174
	Sodium	25500	25000	102	90 - 110	P	12/09/2025	18:31	LB138174
	Thallium	4650	5000	93	90 - 110	P	12/09/2025	18:31	LB138174
	Vanadium	2400	2500	96	90 - 110	P	12/09/2025	18:31	LB138174
	Zinc	2460	2500	98	90 - 110	P	12/09/2025	18:31	LB138174
CCV08	Aluminum	9450	10000	94	90 - 110	P	12/09/2025	19:30	LB138174
	Antimony	4850	5000	97	90 - 110	P	12/09/2025	19:30	LB138174
	Arsenic	4790	5000	96	90 - 110	P	12/09/2025	19:30	LB138174
	Barium	9180	10000	92	90 - 110	P	12/09/2025	19:30	LB138174
	Beryllium	225	250	90	90 - 110	P	12/09/2025	19:30	LB138174
	Cadmium	2350	2500	94	90 - 110	P	12/09/2025	19:30	LB138174
	Calcium	23400	25000	94	90 - 110	P	12/09/2025	19:30	LB138174
	Chromium	956	1000	96	90 - 110	P	12/09/2025	19:30	LB138174
	Cobalt	2370	2500	95	90 - 110	P	12/09/2025	19:30	LB138174
	Copper	1210	1250	97	90 - 110	P	12/09/2025	19:30	LB138174
	Iron	4910	5000	98	90 - 110	P	12/09/2025	19:30	LB138174
	Lead	4740	5000	95	90 - 110	P	12/09/2025	19:30	LB138174
	Magnesium	23300	25000	93	90 - 110	P	12/09/2025	19:30	LB138174
	Manganese	2320	2500	93	90 - 110	P	12/09/2025	19:30	LB138174
	Nickel	2360	2500	95	90 - 110	P	12/09/2025	19:30	LB138174
	Potassium	24300	25000	97	90 - 110	P	12/09/2025	19:30	LB138174

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI
Contract: TETR16
Initial Calibration Source: EPA
Continuing Calibration Source: Inorganic Ventures

SDG No.: Q3765
Lab Code: ACE

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV08	Selenium	4840	5000	97	90 - 110	P	12/09/2025	19:30	LB138174
	Silver	1200	1250	96	90 - 110	P	12/09/2025	19:30	LB138174
	Sodium	24100	25000	96	90 - 110	P	12/09/2025	19:30	LB138174
	Thallium	4690	5000	94	90 - 110	P	12/09/2025	19:30	LB138174
	Vanadium	2360	2500	94	90 - 110	P	12/09/2025	19:30	LB138174
	Zinc	2410	2500	96	90 - 110	P	12/09/2025	19:30	LB138174
CCV09	Aluminum	9360	10000	94	90 - 110	P	12/09/2025	20:37	LB138174
	Antimony	4880	5000	98	90 - 110	P	12/09/2025	20:37	LB138174
	Arsenic	4800	5000	96	90 - 110	P	12/09/2025	20:37	LB138174
	Barium	9610	10000	96	90 - 110	P	12/09/2025	20:37	LB138174
	Beryllium	241	250	96	90 - 110	P	12/09/2025	20:37	LB138174
	Cadmium	2350	2500	94	90 - 110	P	12/09/2025	20:37	LB138174
	Calcium	23200	25000	93	90 - 110	P	12/09/2025	20:37	LB138174
	Chromium	962	1000	96	90 - 110	P	12/09/2025	20:37	LB138174
	Cobalt	2380	2500	95	90 - 110	P	12/09/2025	20:37	LB138174
	Copper	1220	1250	98	90 - 110	P	12/09/2025	20:37	LB138174
	Iron	5130	5000	103	90 - 110	P	12/09/2025	20:37	LB138174
	Lead	4730	5000	95	90 - 110	P	12/09/2025	20:37	LB138174
	Magnesium	22900	25000	92	90 - 110	P	12/09/2025	20:37	LB138174
	Manganese	2320	2500	93	90 - 110	P	12/09/2025	20:37	LB138174
	Nickel	2370	2500	95	90 - 110	P	12/09/2025	20:37	LB138174
	Potassium	25300	25000	101	90 - 110	P	12/09/2025	20:37	LB138174
	Selenium	4850	5000	97	90 - 110	P	12/09/2025	20:37	LB138174
	Silver	1220	1250	98	90 - 110	P	12/09/2025	20:37	LB138174
	Sodium	25200	25000	101	90 - 110	P	12/09/2025	20:37	LB138174
	Thallium	5060	5000	101	90 - 110	P	12/09/2025	20:37	LB138174
	Vanadium	2360	2500	94	90 - 110	P	12/09/2025	20:37	LB138174
	Zinc	2460	2500	98	90 - 110	P	12/09/2025	20:37	LB138174
CCV10	Aluminum	9390	10000	94	90 - 110	P	12/09/2025	21:27	LB138174
	Antimony	4960	5000	99	90 - 110	P	12/09/2025	21:27	LB138174
	Arsenic	4890	5000	98	90 - 110	P	12/09/2025	21:27	LB138174
	Barium	9460	10000	95	90 - 110	P	12/09/2025	21:27	LB138174
	Beryllium	239	250	96	90 - 110	P	12/09/2025	21:27	LB138174
	Cadmium	2360	2500	94	90 - 110	P	12/09/2025	21:27	LB138174

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI
Contract: TETR16
Initial Calibration Source: EPA
Continuing Calibration Source: Inorganic Ventures

SDG No.: Q3765
Lab Code: ACE

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV10	Calcium	23100	25000	92	90 - 110	P	12/09/2025	21:27	LB138174
	Chromium	948	1000	95	90 - 110	P	12/09/2025	21:27	LB138174
	Cobalt	2380	2500	95	90 - 110	P	12/09/2025	21:27	LB138174
	Copper	1230	1250	98	90 - 110	P	12/09/2025	21:27	LB138174
	Iron	4950	5000	99	90 - 110	P	12/09/2025	21:27	LB138174
	Lead	4760	5000	95	90 - 110	P	12/09/2025	21:27	LB138174
	Magnesium	22900	25000	91	90 - 110	P	12/09/2025	21:27	LB138174
	Manganese	2280	2500	91	90 - 110	P	12/09/2025	21:27	LB138174
	Nickel	2370	2500	95	90 - 110	P	12/09/2025	21:27	LB138174
	Potassium	24600	25000	98	90 - 110	P	12/09/2025	21:27	LB138174
	Selenium	4990	5000	100	90 - 110	P	12/09/2025	21:27	LB138174
	Silver	1190	1250	95	90 - 110	P	12/09/2025	21:27	LB138174
	Sodium	24400	25000	98	90 - 110	P	12/09/2025	21:27	LB138174
	Thallium	5230	5000	105	90 - 110	P	12/09/2025	21:27	LB138174
	Vanadium	2330	2500	93	90 - 110	P	12/09/2025	21:27	LB138174
	Zinc	2430	2500	97	90 - 110	P	12/09/2025	21:27	LB138174
CCV11	Aluminum	9410	10000	94	90 - 110	P	12/09/2025	22:17	LB138174
	Antimony	4930	5000	99	90 - 110	P	12/09/2025	22:17	LB138174
	Arsenic	4850	5000	97	90 - 110	P	12/09/2025	22:17	LB138174
	Barium	9600	10000	96	90 - 110	P	12/09/2025	22:17	LB138174
	Beryllium	248	250	99	90 - 110	P	12/09/2025	22:17	LB138174
	Cadmium	2370	2500	95	90 - 110	P	12/09/2025	22:17	LB138174
	Calcium	23200	25000	93	90 - 110	P	12/09/2025	22:17	LB138174
	Chromium	963	1000	96	90 - 110	P	12/09/2025	22:17	LB138174
	Cobalt	2400	2500	96	90 - 110	P	12/09/2025	22:17	LB138174
	Copper	1230	1250	98	90 - 110	P	12/09/2025	22:17	LB138174
	Iron	4940	5000	99	90 - 110	P	12/09/2025	22:17	LB138174
	Lead	4760	5000	95	90 - 110	P	12/09/2025	22:17	LB138174
	Magnesium	23000	25000	92	90 - 110	P	12/09/2025	22:17	LB138174
	Manganese	2280	2500	91	90 - 110	P	12/09/2025	22:17	LB138174
	Nickel	2390	2500	95	90 - 110	P	12/09/2025	22:17	LB138174
	Potassium	24500	25000	98	90 - 110	P	12/09/2025	22:17	LB138174
	Selenium	4920	5000	98	90 - 110	P	12/09/2025	22:17	LB138174
	Silver	1190	1250	95	90 - 110	P	12/09/2025	22:17	LB138174

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI
Contract: TETR16
Initial Calibration Source: EPA
Continuing Calibration Source: Inorganic Ventures

SDG No.: Q3765
Lab Code: ACE

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV11	Sodium	24100	25000	96	90 - 110	P	12/09/2025	22:17	LB138174
	Thallium	5240	5000	105	90 - 110	P	12/09/2025	22:17	LB138174
	Vanadium	2350	2500	94	90 - 110	P	12/09/2025	22:17	LB138174
	Zinc	2440	2500	97	90 - 110	P	12/09/2025	22:17	LB138174
CCV12	Aluminum	9590	10000	96	90 - 110	P	12/09/2025	23:20	LB138174
	Antimony	4970	5000	100	90 - 110	P	12/09/2025	23:20	LB138174
	Arsenic	4830	5000	97	90 - 110	P	12/09/2025	23:20	LB138174
	Barium	9960	10000	100	90 - 110	P	12/09/2025	23:20	LB138174
	Beryllium	251	250	100	90 - 110	P	12/09/2025	23:20	LB138174
	Cadmium	2370	2500	95	90 - 110	P	12/09/2025	23:20	LB138174
	Calcium	23700	25000	95	90 - 110	P	12/09/2025	23:20	LB138174
	Chromium	943	1000	94	90 - 110	P	12/09/2025	23:20	LB138174
	Cobalt	2410	2500	96	90 - 110	P	12/09/2025	23:20	LB138174
	Copper	1240	1250	99	90 - 110	P	12/09/2025	23:20	LB138174
	Iron	5040	5000	101	90 - 110	P	12/09/2025	23:20	LB138174
	Lead	4790	5000	96	90 - 110	P	12/09/2025	23:20	LB138174
	Magnesium	23400	25000	94	90 - 110	P	12/09/2025	23:20	LB138174
	Manganese	2400	2500	96	90 - 110	P	12/09/2025	23:20	LB138174
	Nickel	2400	2500	96	90 - 110	P	12/09/2025	23:20	LB138174
	Potassium	25000	25000	100	90 - 110	P	12/09/2025	23:20	LB138174
	Selenium	4920	5000	98	90 - 110	P	12/09/2025	23:20	LB138174
	Silver	1220	1250	98	90 - 110	P	12/09/2025	23:20	LB138174
	Sodium	25500	25000	102	90 - 110	P	12/09/2025	23:20	LB138174
	Thallium	5030	5000	101	90 - 110	P	12/09/2025	23:20	LB138174
	Vanadium	2400	2500	96	90 - 110	P	12/09/2025	23:20	LB138174
	Zinc	2470	2500	99	90 - 110	P	12/09/2025	23:20	LB138174
CCV13	Aluminum	9730	10000	97	90 - 110	P	12/09/2025	23:41	LB138174
	Antimony	5110	5000	102	90 - 110	P	12/09/2025	23:41	LB138174
	Arsenic	5020	5000	100	90 - 110	P	12/09/2025	23:41	LB138174
	Barium	9690	10000	97	90 - 110	P	12/09/2025	23:41	LB138174
	Beryllium	252	250	101	90 - 110	P	12/09/2025	23:41	LB138174
	Cadmium	2440	2500	97	90 - 110	P	12/09/2025	23:41	LB138174
	Calcium	23800	25000	95	90 - 110	P	12/09/2025	23:41	LB138174
	Chromium	966	1000	97	90 - 110	P	12/09/2025	23:41	LB138174

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV13	Cobalt	2470	2500	99	90 - 110	P	12/09/2025	23:41	LB138174
	Copper	1270	1250	102	90 - 110	P	12/09/2025	23:41	LB138174
	Iron	4960	5000	99	90 - 110	P	12/09/2025	23:41	LB138174
	Lead	4900	5000	98	90 - 110	P	12/09/2025	23:41	LB138174
	Magnesium	23700	25000	95	90 - 110	P	12/09/2025	23:41	LB138174
	Manganese	2350	2500	94	90 - 110	P	12/09/2025	23:41	LB138174
	Nickel	2450	2500	98	90 - 110	P	12/09/2025	23:41	LB138174
	Potassium	24800	25000	99	90 - 110	P	12/09/2025	23:41	LB138174
	Selenium	5120	5000	102	90 - 110	P	12/09/2025	23:41	LB138174
	Silver	1220	1250	98	90 - 110	P	12/09/2025	23:41	LB138174
	Sodium	24800	25000	99	90 - 110	P	12/09/2025	23:41	LB138174
	Thallium	5350	5000	107	90 - 110	P	12/09/2025	23:41	LB138174
	Vanadium	2420	2500	97	90 - 110	P	12/09/2025	23:41	LB138174
	Zinc	2490	2500	100	90 - 110	P	12/09/2025	23:41	LB138174

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
ICV01	Aluminum	7670	8000	96	90 - 110	P	12/11/2025	11:30	LB138198
	Antimony	3920	4000	98	90 - 110	P	12/11/2025	11:30	LB138198
	Arsenic	3860	4000	96	90 - 110	P	12/11/2025	11:30	LB138198
	Barium	7640	8000	96	90 - 110	P	12/11/2025	11:30	LB138198
	Beryllium	195	200	97	90 - 110	P	12/11/2025	11:30	LB138198
	Cadmium	1910	2000	96	90 - 110	P	12/11/2025	11:30	LB138198
	Calcium	19300	20000	96	90 - 110	P	12/11/2025	11:30	LB138198
	Chromium	797	800	100	90 - 110	P	12/11/2025	11:30	LB138198
	Cobalt	1940	2000	97	90 - 110	P	12/11/2025	11:30	LB138198
	Copper	994	1000	99	90 - 110	P	12/11/2025	11:30	LB138198
	Iron	3940	4000	98	90 - 110	P	12/11/2025	11:30	LB138198
	Lead	3800	4000	95	90 - 110	P	12/11/2025	11:30	LB138198
	Magnesium	19300	20000	96	90 - 110	P	12/11/2025	11:30	LB138198
	Manganese	1910	2000	96	90 - 110	P	12/11/2025	11:30	LB138198
	Nickel	1950	2000	98	90 - 110	P	12/11/2025	11:30	LB138198
	Potassium	19700	20000	98	90 - 110	P	12/11/2025	11:30	LB138198
	Selenium	3900	4000	98	90 - 110	P	12/11/2025	11:30	LB138198
	Silver	1010	1000	101	90 - 110	P	12/11/2025	11:30	LB138198
	Sodium	19100	20000	95	90 - 110	P	12/11/2025	11:30	LB138198
	Thallium	3940	4000	98	90 - 110	P	12/11/2025	11:30	LB138198
	Vanadium	1930	2000	96	90 - 110	P	12/11/2025	11:30	LB138198
	Zinc	2040	2000	102	90 - 110	P	12/11/2025	11:30	LB138198

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
LLICV01	Aluminum	112	100	112	80 - 120	P	12/11/2025	11:41	LB138198
	Antimony	51.5	50.0	103	80 - 120	P	12/11/2025	11:41	LB138198
	Arsenic	19.7	20.0	98	80 - 120	P	12/11/2025	11:41	LB138198
	Barium	104	100	104	80 - 120	P	12/11/2025	11:41	LB138198
	Beryllium	6.49	6.0	108	80 - 120	P	12/11/2025	11:41	LB138198
	Cadmium	6.06	6.0	101	80 - 120	P	12/11/2025	11:41	LB138198
	Calcium	2100	2000	105	80 - 120	P	12/11/2025	11:41	LB138198
	Chromium	10.6	10.0	106	80 - 120	P	12/11/2025	11:41	LB138198
	Cobalt	30.7	30.0	102	80 - 120	P	12/11/2025	11:41	LB138198
	Copper	22.0	20.0	110	80 - 120	P	12/11/2025	11:41	LB138198
	Iron	112	100	112	80 - 120	P	12/11/2025	11:41	LB138198
	Lead	13.6	12.0	113	80 - 120	P	12/11/2025	11:41	LB138198
	Magnesium	2150	2000	107	80 - 120	P	12/11/2025	11:41	LB138198
	Manganese	21.7	20.0	108	80 - 120	P	12/11/2025	11:41	LB138198
	Nickel	42.0	40.0	105	80 - 120	P	12/11/2025	11:41	LB138198
	Potassium	2120	2000	106	80 - 120	P	12/11/2025	11:41	LB138198
	Selenium	21.2	20.0	106	80 - 120	P	12/11/2025	11:41	LB138198
	Silver	11.1	10.0	111	80 - 120	P	12/11/2025	11:41	LB138198
	Sodium	2070	2000	103	80 - 120	P	12/11/2025	11:41	LB138198
	Thallium	35.4	40.0	88	80 - 120	P	12/11/2025	11:41	LB138198
	Vanadium	40.4	40.0	101	80 - 120	P	12/11/2025	11:41	LB138198
	Zinc	44.5	40.0	111	80 - 120	P	12/11/2025	11:41	LB138198

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI
Contract: TETR16
Initial Calibration Source: EPA
Continuing Calibration Source: Inorganic Ventures

SDG No.: Q3765
Lab Code: ACE

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV01	Aluminum	10100	10000	101	90 - 110	P	12/11/2025	12:14	LB138198
	Antimony	5050	5000	101	90 - 110	P	12/11/2025	12:14	LB138198
	Arsenic	5000	5000	100	90 - 110	P	12/11/2025	12:14	LB138198
	Barium	9950	10000	100	90 - 110	P	12/11/2025	12:14	LB138198
	Beryllium	243	250	97	90 - 110	P	12/11/2025	12:14	LB138198
	Cadmium	2490	2500	100	90 - 110	P	12/11/2025	12:14	LB138198
	Calcium	25000	25000	100	90 - 110	P	12/11/2025	12:14	LB138198
	Chromium	988	1000	99	90 - 110	P	12/11/2025	12:14	LB138198
	Cobalt	2490	2500	100	90 - 110	P	12/11/2025	12:14	LB138198
	Copper	1260	1250	101	90 - 110	P	12/11/2025	12:14	LB138198
	Iron	4960	5000	99	90 - 110	P	12/11/2025	12:14	LB138198
	Lead	5000	5000	100	90 - 110	P	12/11/2025	12:14	LB138198
	Magnesium	25000	25000	100	90 - 110	P	12/11/2025	12:14	LB138198
	Manganese	2470	2500	99	90 - 110	P	12/11/2025	12:14	LB138198
	Nickel	2490	2500	100	90 - 110	P	12/11/2025	12:14	LB138198
	Potassium	24800	25000	99	90 - 110	P	12/11/2025	12:14	LB138198
	Selenium	5030	5000	101	90 - 110	P	12/11/2025	12:14	LB138198
	Silver	1240	1250	99	90 - 110	P	12/11/2025	12:14	LB138198
	Sodium	24200	25000	97	90 - 110	P	12/11/2025	12:14	LB138198
	Thallium	5140	5000	103	90 - 110	P	12/11/2025	12:14	LB138198
	Vanadium	2510	2500	100	90 - 110	P	12/11/2025	12:14	LB138198
	Zinc	2540	2500	102	90 - 110	P	12/11/2025	12:14	LB138198
CCV02	Aluminum	10200	10000	102	90 - 110	P	12/11/2025	13:04	LB138198
	Antimony	5070	5000	102	90 - 110	P	12/11/2025	13:04	LB138198
	Arsenic	5060	5000	101	90 - 110	P	12/11/2025	13:04	LB138198
	Barium	10400	10000	104	90 - 110	P	12/11/2025	13:04	LB138198
	Beryllium	255	250	102	90 - 110	P	12/11/2025	13:04	LB138198
	Cadmium	2480	2500	99	90 - 110	P	12/11/2025	13:04	LB138198
	Calcium	25400	25000	102	90 - 110	P	12/11/2025	13:04	LB138198
	Chromium	1040	1000	104	90 - 110	P	12/11/2025	13:04	LB138198
	Cobalt	2490	2500	100	90 - 110	P	12/11/2025	13:04	LB138198
	Copper	1260	1250	101	90 - 110	P	12/11/2025	13:04	LB138198
	Iron	5040	5000	101	90 - 110	P	12/11/2025	13:04	LB138198
	Lead	5000	5000	100	90 - 110	P	12/11/2025	13:04	LB138198

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV02	Magnesium	25300	25000	101	90 - 110	P	12/11/2025	13:04	LB138198
	Manganese	2580	2500	103	90 - 110	P	12/11/2025	13:04	LB138198
	Nickel	2490	2500	100	90 - 110	P	12/11/2025	13:04	LB138198
	Potassium	25200	25000	101	90 - 110	P	12/11/2025	13:04	LB138198
	Selenium	5060	5000	101	90 - 110	P	12/11/2025	13:04	LB138198
	Silver	1270	1250	102	90 - 110	P	12/11/2025	13:04	LB138198
	Sodium	25500	25000	102	90 - 110	P	12/11/2025	13:04	LB138198
	Thallium	5350	5000	107	90 - 110	P	12/11/2025	13:04	LB138198
	Vanadium	2550	2500	102	90 - 110	P	12/11/2025	13:04	LB138198
	Zinc	2570	2500	103	90 - 110	P	12/11/2025	13:04	LB138198
CCV03	Aluminum	9670	10000	97	90 - 110	P	12/11/2025	13:55	LB138198
	Antimony	4890	5000	98	90 - 110	P	12/11/2025	13:55	LB138198
	Arsenic	4870	5000	98	90 - 110	P	12/11/2025	13:55	LB138198
	Barium	9540	10000	95	90 - 110	P	12/11/2025	13:55	LB138198
	Beryllium	247	250	99	90 - 110	P	12/11/2025	13:55	LB138198
	Cadmium	2380	2500	95	90 - 110	P	12/11/2025	13:55	LB138198
	Calcium	23800	25000	95	90 - 110	P	12/11/2025	13:55	LB138198
	Chromium	958	1000	96	90 - 110	P	12/11/2025	13:55	LB138198
	Cobalt	2380	2500	95	90 - 110	P	12/11/2025	13:55	LB138198
	Copper	1220	1250	97	90 - 110	P	12/11/2025	13:55	LB138198
	Iron	4590	5000	92	90 - 110	P	12/11/2025	13:55	LB138198
	Lead	4790	5000	96	90 - 110	P	12/11/2025	13:55	LB138198
	Magnesium	23800	25000	95	90 - 110	P	12/11/2025	13:55	LB138198
	Manganese	2360	2500	94	90 - 110	P	12/11/2025	13:55	LB138198
	Nickel	2390	2500	96	90 - 110	P	12/11/2025	13:55	LB138198
	Potassium	23300	25000	93	90 - 110	P	12/11/2025	13:55	LB138198
	Selenium	4940	5000	99	90 - 110	P	12/11/2025	13:55	LB138198
	Silver	1210	1250	97	90 - 110	P	12/11/2025	13:55	LB138198
	Sodium	23200	25000	93	90 - 110	P	12/11/2025	13:55	LB138198
	Thallium	5070	5000	101	90 - 110	P	12/11/2025	13:55	LB138198
	Vanadium	2390	2500	96	90 - 110	P	12/11/2025	13:55	LB138198
	Zinc	2450	2500	98	90 - 110	P	12/11/2025	13:55	LB138198
CCV04	Aluminum	9980	10000	100	90 - 110	P	12/11/2025	14:59	LB138198
	Antimony	5090	5000	102	90 - 110	P	12/11/2025	14:59	LB138198

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV04	Arsenic	5030	5000	100	90 - 110	P	12/11/2025	14:59	LB138198
	Barium	10300	10000	103	90 - 110	P	12/11/2025	14:59	LB138198
	Beryllium	242	250	97	90 - 110	P	12/11/2025	14:59	LB138198
	Cadmium	2440	2500	98	90 - 110	P	12/11/2025	14:59	LB138198
	Calcium	25000	25000	100	90 - 110	P	12/11/2025	14:59	LB138198
	Chromium	1020	1000	102	90 - 110	P	12/11/2025	14:59	LB138198
	Cobalt	2460	2500	98	90 - 110	P	12/11/2025	14:59	LB138198
	Copper	1260	1250	100	90 - 110	P	12/11/2025	14:59	LB138198
	Iron	5200	5000	104	90 - 110	P	12/11/2025	14:59	LB138198
	Lead	4940	5000	99	90 - 110	P	12/11/2025	14:59	LB138198
	Magnesium	24600	25000	98	90 - 110	P	12/11/2025	14:59	LB138198
	Manganese	2570	2500	103	90 - 110	P	12/11/2025	14:59	LB138198
	Nickel	2470	2500	99	90 - 110	P	12/11/2025	14:59	LB138198
	Potassium	25700	25000	103	90 - 110	P	12/11/2025	14:59	LB138198
	Selenium	5030	5000	101	90 - 110	P	12/11/2025	14:59	LB138198
	Silver	1250	1250	100	90 - 110	P	12/11/2025	14:59	LB138198
	Sodium	26500	25000	106	90 - 110	P	12/11/2025	14:59	LB138198
	Thallium	4740	5000	95	90 - 110	P	12/11/2025	14:59	LB138198
	Vanadium	2520	2500	101	90 - 110	P	12/11/2025	14:59	LB138198
	Zinc	2530	2500	101	90 - 110	P	12/11/2025	14:59	LB138198
CCV05	Aluminum	9820	10000	98	90 - 110	P	12/11/2025	15:50	LB138198
	Antimony	5060	5000	101	90 - 110	P	12/11/2025	15:50	LB138198
	Arsenic	5020	5000	100	90 - 110	P	12/11/2025	15:50	LB138198
	Barium	9770	10000	98	90 - 110	P	12/11/2025	15:50	LB138198
	Beryllium	236	250	94	90 - 110	P	12/11/2025	15:50	LB138198
	Cadmium	2460	2500	98	90 - 110	P	12/11/2025	15:50	LB138198
	Calcium	24300	25000	97	90 - 110	P	12/11/2025	15:50	LB138198
	Chromium	968	1000	97	90 - 110	P	12/11/2025	15:50	LB138198
	Cobalt	2460	2500	98	90 - 110	P	12/11/2025	15:50	LB138198
	Copper	1260	1250	100	90 - 110	P	12/11/2025	15:50	LB138198
	Iron	5050	5000	101	90 - 110	P	12/11/2025	15:50	LB138198
	Lead	4930	5000	99	90 - 110	P	12/11/2025	15:50	LB138198
	Magnesium	24200	25000	97	90 - 110	P	12/11/2025	15:50	LB138198
	Manganese	2400	2500	96	90 - 110	P	12/11/2025	15:50	LB138198

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI
Contract: TETR16
Initial Calibration Source: EPA
Continuing Calibration Source: Inorganic Ventures

SDG No.: Q3765
Lab Code: ACE

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV05	Nickel	2460	2500	98	90 - 110	P	12/11/2025	15:50	LB138198
	Potassium	25200	25000	101	90 - 110	P	12/11/2025	15:50	LB138198
	Selenium	5090	5000	102	90 - 110	P	12/11/2025	15:50	LB138198
	Silver	1240	1250	99	90 - 110	P	12/11/2025	15:50	LB138198
	Sodium	24700	25000	99	90 - 110	P	12/11/2025	15:50	LB138198
	Thallium	4800	5000	96	90 - 110	P	12/11/2025	15:50	LB138198
	Vanadium	2450	2500	98	90 - 110	P	12/11/2025	15:50	LB138198
	Zinc	2490	2500	100	90 - 110	P	12/11/2025	15:50	LB138198
CCV06	Aluminum	10100	10000	101	90 - 110	P	12/11/2025	16:40	LB138198
	Antimony	5010	5000	100	90 - 110	P	12/11/2025	16:40	LB138198
	Arsenic	4990	5000	100	90 - 110	P	12/11/2025	16:40	LB138198
	Barium	10400	10000	104	90 - 110	P	12/11/2025	16:40	LB138198
	Beryllium	249	250	99	90 - 110	P	12/11/2025	16:40	LB138198
	Cadmium	2430	2500	97	90 - 110	P	12/11/2025	16:40	LB138198
	Calcium	24900	25000	100	90 - 110	P	12/11/2025	16:40	LB138198
	Chromium	1020	1000	102	90 - 110	P	12/11/2025	16:40	LB138198
	Cobalt	2450	2500	98	90 - 110	P	12/11/2025	16:40	LB138198
	Copper	1260	1250	100	90 - 110	P	12/11/2025	16:40	LB138198
	Iron	5030	5000	100	90 - 110	P	12/11/2025	16:40	LB138198
	Lead	4880	5000	98	90 - 110	P	12/11/2025	16:40	LB138198
	Magnesium	24500	25000	98	90 - 110	P	12/11/2025	16:40	LB138198
	Manganese	2530	2500	101	90 - 110	P	12/11/2025	16:40	LB138198
	Nickel	2450	2500	98	90 - 110	P	12/11/2025	16:40	LB138198
	Potassium	25000	25000	100	90 - 110	P	12/11/2025	16:40	LB138198
	Selenium	4950	5000	99	90 - 110	P	12/11/2025	16:40	LB138198
	Silver	1260	1250	101	90 - 110	P	12/11/2025	16:40	LB138198
	Sodium	25600	25000	102	90 - 110	P	12/11/2025	16:40	LB138198
	Thallium	4660	5000	93	90 - 110	P	12/11/2025	16:40	LB138198
	Vanadium	2500	2500	100	90 - 110	P	12/11/2025	16:40	LB138198
	Zinc	2510	2500	100	90 - 110	P	12/11/2025	16:40	LB138198
CCV07	Aluminum	9680	10000	97	90 - 110	P	12/11/2025	17:53	LB138198
	Antimony	4780	5000	96	90 - 110	P	12/11/2025	17:53	LB138198
	Arsenic	4800	5000	96	90 - 110	P	12/11/2025	17:53	LB138198
	Barium	9980	10000	100	90 - 110	P	12/11/2025	17:53	LB138198

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI
Contract: TETR16
Initial Calibration Source: EPA
Continuing Calibration Source: Inorganic Ventures

SDG No.: Q3765
Lab Code: ACE

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV07	Beryllium	236	250	95	90 - 110	P	12/11/2025	17:53	LB138198
	Cadmium	2360	2500	94	90 - 110	P	12/11/2025	17:53	LB138198
	Calcium	24400	25000	98	90 - 110	P	12/11/2025	17:53	LB138198
	Chromium	969	1000	97	90 - 110	P	12/11/2025	17:53	LB138198
	Cobalt	2350	2500	94	90 - 110	P	12/11/2025	17:53	LB138198
	Copper	1200	1250	96	90 - 110	P	12/11/2025	17:53	LB138198
	Iron	4600	5000	92	90 - 110	P	12/11/2025	17:53	LB138198
	Lead	4680	5000	94	90 - 110	P	12/11/2025	17:53	LB138198
	Magnesium	23900	25000	96	90 - 110	P	12/11/2025	17:53	LB138198
	Manganese	2430	2500	97	90 - 110	P	12/11/2025	17:53	LB138198
	Nickel	2330	2500	93	90 - 110	P	12/11/2025	17:53	LB138198
	Potassium	23500	25000	94	90 - 110	P	12/11/2025	17:53	LB138198
	Selenium	4750	5000	95	90 - 110	P	12/11/2025	17:53	LB138198
	Silver	1180	1250	95	90 - 110	P	12/11/2025	17:53	LB138198
	Sodium	23400	25000	94	90 - 110	P	12/11/2025	17:53	LB138198
	Thallium	4600	5000	92	90 - 110	P	12/11/2025	17:53	LB138198
	Vanadium	2440	2500	98	90 - 110	P	12/11/2025	17:53	LB138198
	Zinc	2430	2500	97	90 - 110	P	12/11/2025	17:53	LB138198
CCV08	Aluminum	9550	10000	96	90 - 110	P	12/11/2025	18:48	LB138198
	Antimony	4740	5000	95	90 - 110	P	12/11/2025	18:48	LB138198
	Arsenic	4800	5000	96	90 - 110	P	12/11/2025	18:48	LB138198
	Barium	9680	10000	97	90 - 110	P	12/11/2025	18:48	LB138198
	Beryllium	244	250	97	90 - 110	P	12/11/2025	18:48	LB138198
	Cadmium	2350	2500	94	90 - 110	P	12/11/2025	18:48	LB138198
	Calcium	23800	25000	95	90 - 110	P	12/11/2025	18:48	LB138198
	Chromium	946	1000	95	90 - 110	P	12/11/2025	18:48	LB138198
	Cobalt	2330	2500	93	90 - 110	P	12/11/2025	18:48	LB138198
	Copper	1190	1250	95	90 - 110	P	12/11/2025	18:48	LB138198
	Iron	4840	5000	97	90 - 110	P	12/11/2025	18:48	LB138198
	Lead	5040	5000	101	90 - 110	P	12/11/2025	18:48	LB138198
	Magnesium	23500	25000	94	90 - 110	P	12/11/2025	18:48	LB138198
	Manganese	2360	2500	95	90 - 110	P	12/11/2025	18:48	LB138198
	Nickel	2590	2500	104	90 - 110	P	12/11/2025	18:48	LB138198
	Potassium	23100	25000	92	90 - 110	P	12/11/2025	18:48	LB138198

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI

Contract: TETR16

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

SDG No.: Q3765

Lab Code: ACE

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV08	Selenium	4760	5000	95	90 - 110	P	12/11/2025	18:48	LB138198
	Silver	1180	1250	94	90 - 110	P	12/11/2025	18:48	LB138198
	Sodium	26800	25000	107	90 - 110	P	12/11/2025	18:48	LB138198
	Thallium	4880	5000	98	90 - 110	P	12/11/2025	18:48	LB138198
	Vanadium	2400	2500	96	90 - 110	P	12/11/2025	18:48	LB138198
	Zinc	2410	2500	96	90 - 110	P	12/11/2025	18:48	LB138198
CCV09	Aluminum	9330	10000	93	90 - 110	P	12/11/2025	19:41	LB138198
	Antimony	4630	5000	92	90 - 110	P	12/11/2025	19:41	LB138198
	Arsenic	4680	5000	94	90 - 110	P	12/11/2025	19:41	LB138198
	Barium	9790	10000	98	90 - 110	P	12/11/2025	19:41	LB138198
	Beryllium	239	250	95	90 - 110	P	12/11/2025	19:41	LB138198
	Cadmium	2290	2500	92	90 - 110	P	12/11/2025	19:41	LB138198
	Calcium	23600	25000	94	90 - 110	P	12/11/2025	19:41	LB138198
	Chromium	951	1000	95	90 - 110	P	12/11/2025	19:41	LB138198
	Cobalt	2280	2500	91	90 - 110	P	12/11/2025	19:41	LB138198
	Copper	1150	1250	92	90 - 110	P	12/11/2025	19:41	LB138198
	Iron	4780	5000	96	90 - 110	P	12/11/2025	19:41	LB138198
	Lead	4930	5000	98	90 - 110	P	12/11/2025	19:41	LB138198
	Magnesium	23100	25000	92	90 - 110	P	12/11/2025	19:41	LB138198
	Manganese	2380	2500	95	90 - 110	P	12/11/2025	19:41	LB138198
	Nickel	2530	2500	101	90 - 110	P	12/11/2025	19:41	LB138198
	Potassium	22700	25000	91	90 - 110	P	12/11/2025	19:41	LB138198
	Selenium	4600	5000	92	90 - 110	P	12/11/2025	19:41	LB138198
	Silver	1140	1250	91	90 - 110	P	12/11/2025	19:41	LB138198
	Sodium	27400	25000	110	90 - 110	P	12/11/2025	19:41	LB138198
	Thallium	4800	5000	96	90 - 110	P	12/11/2025	19:41	LB138198
	Vanadium	2360	2500	94	90 - 110	P	12/11/2025	19:41	LB138198
	Zinc	2350	2500	94	90 - 110	P	12/11/2025	19:41	LB138198
CCV10	Aluminum	9150	10000	92	90 - 110	P	12/11/2025	20:33	LB138198
	Antimony	4750	5000	95	90 - 110	P	12/11/2025	20:33	LB138198
	Arsenic	4830	5000	97	90 - 110	P	12/11/2025	20:33	LB138198
	Barium	9290	10000	93	90 - 110	P	12/11/2025	20:33	LB138198
	Beryllium	231	250	92	90 - 110	P	12/11/2025	20:33	LB138198
	Cadmium	2350	2500	94	90 - 110	P	12/11/2025	20:33	LB138198

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI
Contract: TETR16
Initial Calibration Source: EPA
Continuing Calibration Source: Inorganic Ventures

SDG No.: Q3765
Lab Code: ACE

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV10	Calcium	23000	25000	92	90 - 110	P	12/11/2025	20:33	LB138198
	Chromium	931	1000	93	90 - 110	P	12/11/2025	20:33	LB138198
	Cobalt	2330	2500	93	90 - 110	P	12/11/2025	20:33	LB138198
	Copper	1180	1250	94	90 - 110	P	12/11/2025	20:33	LB138198
	Iron	4930	5000	99	90 - 110	P	12/11/2025	20:33	LB138198
	Lead	5010	5000	100	90 - 110	P	12/11/2025	20:33	LB138198
	Magnesium	22600	25000	91	90 - 110	P	12/11/2025	20:33	LB138198
	Manganese	2260	2500	90	90 - 110	P	12/11/2025	20:33	LB138198
	Nickel	2580	2500	103	90 - 110	P	12/11/2025	20:33	LB138198
	Potassium	23500	25000	94	90 - 110	P	12/11/2025	20:33	LB138198
	Selenium	4820	5000	96	90 - 110	P	12/11/2025	20:33	LB138198
	Silver	1170	1250	94	90 - 110	P	12/11/2025	20:33	LB138198
	Sodium	27400	25000	110	90 - 110	P	12/11/2025	20:33	LB138198
	Thallium	4940	5000	99	90 - 110	P	12/11/2025	20:33	LB138198
	Vanadium	2320	2500	93	90 - 110	P	12/11/2025	20:33	LB138198
	Zinc	2410	2500	96	90 - 110	P	12/11/2025	20:33	LB138198
CCV11	Aluminum	9200	10000	92	90 - 110	P	12/11/2025	20:55	LB138198
	Antimony	4540	5000	91	90 - 110	P	12/11/2025	20:55	LB138198
	Arsenic	4600	5000	92	90 - 110	P	12/11/2025	20:55	LB138198
	Barium	9320	10000	93	90 - 110	P	12/11/2025	20:55	LB138198
	Beryllium	232	250	93	90 - 110	P	12/11/2025	20:55	LB138198
	Cadmium	2270	2500	91	90 - 110	P	12/11/2025	20:55	LB138198
	Calcium	23100	25000	92	90 - 110	P	12/11/2025	20:55	LB138198
	Chromium	913	1000	91	90 - 110	P	12/11/2025	20:55	LB138198
	Cobalt	2250	2500	90	90 - 110	P	12/11/2025	20:55	LB138198
	Copper	1140	1250	91	90 - 110	P	12/11/2025	20:55	LB138198
	Iron	4740	5000	95	90 - 110	P	12/11/2025	20:55	LB138198
	Lead	4830	5000	96	90 - 110	P	12/11/2025	20:55	LB138198
	Magnesium	22600	25000	91	90 - 110	P	12/11/2025	20:55	LB138198
	Manganese	2250	2500	90	90 - 110	P	12/11/2025	20:55	LB138198
	Nickel	2500	2500	100	90 - 110	P	12/11/2025	20:55	LB138198
	Potassium	22700	25000	91	90 - 110	P	12/11/2025	20:55	LB138198
	Selenium	4520	5000	90	90 - 110	P	12/11/2025	20:55	LB138198
	Silver	1130	1250	91	90 - 110	P	12/11/2025	20:55	LB138198

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Tetra Tech, EMI
Contract: TETR16
Initial Calibration Source: EPA
Continuing Calibration Source: Inorganic Ventures

SDG No.: Q3765
Lab Code: ACE

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV11	Sodium	26300	25000	105	90 - 110	P	12/11/2025	20:55	LB138198
	Thallium	4560	5000	91	90 - 110	P	12/11/2025	20:55	LB138198
	Vanadium	2320	2500	93	90 - 110	P	12/11/2025	20:55	LB138198
	Zinc	2330	2500	93	90 - 110	P	12/11/2025	20:55	LB138198

Metals

- 2b -

CRDL STANDARD FOR AA & ICP

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Initial Calibration Source: _____

Continuing Calibration Source: _____

Sample ID	Analyte	Result ug/L	True Value ug/L	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CRI01	Aluminum	104	100	104	65 - 135	P	12/09/2025	12:28	LB138174
	Antimony	54.0	50.0	108	65 - 135	P	12/09/2025	12:28	LB138174
	Arsenic	19.1	20.0	96	65 - 135	P	12/09/2025	12:28	LB138174
	Barium	96.1	100	96	65 - 135	P	12/09/2025	12:28	LB138174
	Beryllium	6.05	6.0	101	65 - 135	P	12/09/2025	12:28	LB138174
	Cadmium	5.84	6.0	97	65 - 135	P	12/09/2025	12:28	LB138174
	Calcium	2020	2000	101	65 - 135	P	12/09/2025	12:28	LB138174
	Chromium	10.4	10.0	104	65 - 135	P	12/09/2025	12:28	LB138174
	Cobalt	29.3	30.0	98	65 - 135	P	12/09/2025	12:28	LB138174
	Copper	21.5	20.0	107	65 - 135	P	12/09/2025	12:28	LB138174
	Iron	86.6	100	87	65 - 135	P	12/09/2025	12:28	LB138174
	Lead	12.0	12.0	100	65 - 135	P	12/09/2025	12:28	LB138174
	Magnesium	2090	2000	104	65 - 135	P	12/09/2025	12:28	LB138174
	Manganese	19.8	20.0	99	65 - 135	P	12/09/2025	12:28	LB138174
	Nickel	39.7	40.0	99	65 - 135	P	12/09/2025	12:28	LB138174
	Potassium	1970	2000	98	65 - 135	P	12/09/2025	12:28	LB138174
	Selenium	19.3	20.0	97	65 - 135	P	12/09/2025	12:28	LB138174
	Silver	10.0	10.0	100	65 - 135	P	12/09/2025	12:28	LB138174
	Sodium	1860	2000	93	65 - 135	P	12/09/2025	12:28	LB138174
	Thallium	44.4	40.0	111	65 - 135	P	12/09/2025	12:28	LB138174
	Vanadium	38.4	40.0	96	65 - 135	P	12/09/2025	12:28	LB138174
	Zinc	41.9	40.0	105	65 - 135	P	12/09/2025	12:28	LB138174
CRI01	Aluminum	113	100	113	65 - 135	P	12/11/2025	11:50	LB138198
	Antimony	51.9	50.0	104	65 - 135	P	12/11/2025	11:50	LB138198
	Arsenic	21.2	20.0	106	65 - 135	P	12/11/2025	11:50	LB138198
	Barium	97.8	100	98	65 - 135	P	12/11/2025	11:50	LB138198
	Beryllium	6.39	6.0	106	65 - 135	P	12/11/2025	11:50	LB138198
	Cadmium	5.86	6.0	98	65 - 135	P	12/11/2025	11:50	LB138198
	Calcium	2040	2000	102	65 - 135	P	12/11/2025	11:50	LB138198
	Chromium	10.3	10.0	103	65 - 135	P	12/11/2025	11:50	LB138198
	Cobalt	29.9	30.0	100	65 - 135	P	12/11/2025	11:50	LB138198
	Copper	21.8	20.0	109	65 - 135	P	12/11/2025	11:50	LB138198
	Iron	109	100	109	65 - 135	P	12/11/2025	11:50	LB138198
	Lead	13.7	12.0	114	65 - 135	P	12/11/2025	11:50	LB138198
	Magnesium	2130	2000	106	65 - 135	P	12/11/2025	11:50	LB138198
	Manganese	20.3	20.0	102	65 - 135	P	12/11/2025	11:50	LB138198

Metals

- 2b -

CRDL STANDARD FOR AA & ICP

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Initial Calibration Source:

Continuing Calibration Source:

Sample ID	Analyte	Result ug/L	True Value ug/L	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CRI01	Nickel	41.1	40.0	103	65 - 135	P	12/11/2025	11:50	LB138198
	Potassium	2030	2000	102	65 - 135	P	12/11/2025	11:50	LB138198
	Selenium	20.9	20.0	105	65 - 135	P	12/11/2025	11:50	LB138198
	Silver	11.3	10.0	113	65 - 135	P	12/11/2025	11:50	LB138198
	Sodium	1920	2000	96	65 - 135	P	12/11/2025	11:50	LB138198
	Thallium	39.1	40.0	98	65 - 135	P	12/11/2025	11:50	LB138198
	Vanadium	41.2	40.0	103	65 - 135	P	12/11/2025	11:50	LB138198
	Zinc	43.9	40.0	110	65 - 135	P	12/11/2025	11:50	LB138198

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
ICB01	Aluminum	11.3	+/-50	U	100	P	12/09/2025	12:24	LB138174
	Antimony	6.76	+/-25	U	50.0	P	12/09/2025	12:24	LB138174
	Arsenic	5.12	+/-10	U	20.0	P	12/09/2025	12:24	LB138174
	Barium	14.6	+/-50	U	100	P	12/09/2025	12:24	LB138174
	Beryllium	0.56	+/-3	U	6.00	P	12/09/2025	12:24	LB138174
	Cadmium	0.50	+/-3	U	6.00	P	12/09/2025	12:24	LB138174
	Calcium	234	+/-1000	U	2000	P	12/09/2025	12:24	LB138174
	Chromium	2.12	+/-5	U	10.0	P	12/09/2025	12:24	LB138174
	Cobalt	2.26	+/-15	U	30.0	P	12/09/2025	12:24	LB138174
	Copper	4.60	+/-10	U	20.0	P	12/09/2025	12:24	LB138174
	Iron	23.4	+/-50	U	100	P	12/09/2025	12:24	LB138174
	Lead	2.30	+/-6	U	12.0	P	12/09/2025	12:24	LB138174
	Magnesium	244	+/-1000	U	2000	P	12/09/2025	12:24	LB138174
	Manganese	5.94	+/-10	U	20.0	P	12/09/2025	12:24	LB138174
	Nickel	3.06	+/-20	U	40.0	P	12/09/2025	12:24	LB138174
	Potassium	918	+/-1000	U	2000	P	12/09/2025	12:24	LB138174
	Selenium	9.64	+/-10	U	20.0	P	12/09/2025	12:24	LB138174
	Silver	1.62	+/-5	U	10.0	P	12/09/2025	12:24	LB138174
	Sodium	868	+/-1000	U	2000	P	12/09/2025	12:24	LB138174
	Thallium	4.38	+/-20	U	40.0	P	12/09/2025	12:24	LB138174
	Vanadium	6.26	+/-20	U	40.0	P	12/09/2025	12:24	LB138174
	Zinc	16.7	+/-20	U	40.0	P	12/09/2025	12:24	LB138174

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client:	Tetra Tech, EMI	SDG No.:	Q3765
Contract:	TETR16	Lab Code:	ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB01	Aluminum	11.3	+/-50	U	100	P	12/09/2025	12:53	LB138174
	Antimony	6.76	+/-25	U	50.0	P	12/09/2025	12:53	LB138174
	Arsenic	5.12	+/-10	U	20.0	P	12/09/2025	12:53	LB138174
	Barium	14.6	+/-50	U	100	P	12/09/2025	12:53	LB138174
	Beryllium	0.56	+/-3	U	6.00	P	12/09/2025	12:53	LB138174
	Cadmium	0.50	+/-3	U	6.00	P	12/09/2025	12:53	LB138174
	Calcium	234	+/-1000	U	2000	P	12/09/2025	12:53	LB138174
	Chromium	2.12	+/-5	U	10.0	P	12/09/2025	12:53	LB138174
	Cobalt	2.26	+/-15	U	30.0	P	12/09/2025	12:53	LB138174
	Copper	4.60	+/-10	U	20.0	P	12/09/2025	12:53	LB138174
	Iron	23.4	+/-50	U	100	P	12/09/2025	12:53	LB138174
	Lead	2.30	+/-6	U	12.0	P	12/09/2025	12:53	LB138174
	Magnesium	244	+/-1000	U	2000	P	12/09/2025	12:53	LB138174
	Manganese	5.94	+/-10	U	20.0	P	12/09/2025	12:53	LB138174
	Nickel	3.06	+/-20	U	40.0	P	12/09/2025	12:53	LB138174
	Potassium	918	+/-1000	U	2000	P	12/09/2025	12:53	LB138174
	Selenium	9.64	+/-10	U	20.0	P	12/09/2025	12:53	LB138174
	Silver	1.62	+/-5	U	10.0	P	12/09/2025	12:53	LB138174
	Sodium	868	+/-1000	U	2000	P	12/09/2025	12:53	LB138174
	Thallium	4.38	+/-20	U	40.0	P	12/09/2025	12:53	LB138174
	Vanadium	6.26	+/-20	U	40.0	P	12/09/2025	12:53	LB138174
	Zinc	16.7	+/-20	U	40.0	P	12/09/2025	12:53	LB138174
CCB02	Aluminum	11.3	+/-50	U	100	P	12/09/2025	13:45	LB138174
	Antimony	6.76	+/-25	U	50.0	P	12/09/2025	13:45	LB138174
	Arsenic	5.12	+/-10	U	20.0	P	12/09/2025	13:45	LB138174
	Barium	14.6	+/-50	U	100	P	12/09/2025	13:45	LB138174
	Beryllium	0.56	+/-3	U	6.00	P	12/09/2025	13:45	LB138174
	Cadmium	0.50	+/-3	U	6.00	P	12/09/2025	13:45	LB138174
	Calcium	234	+/-1000	U	2000	P	12/09/2025	13:45	LB138174
	Chromium	2.12	+/-5	U	10.0	P	12/09/2025	13:45	LB138174
	Cobalt	2.26	+/-15	U	30.0	P	12/09/2025	13:45	LB138174
	Copper	4.60	+/-10	U	20.0	P	12/09/2025	13:45	LB138174
	Iron	23.4	+/-50	U	100	P	12/09/2025	13:45	LB138174
	Lead	2.30	+/-6	U	12.0	P	12/09/2025	13:45	LB138174
	Magnesium	244	+/-1000	U	2000	P	12/09/2025	13:45	LB138174
	Manganese	5.94	+/-10	U	20.0	P	12/09/2025	13:45	LB138174
	Nickel	3.06	+/-20	U	40.0	P	12/09/2025	13:45	LB138174
	Potassium	918	+/-1000	U	2000	P	12/09/2025	13:45	LB138174
	Selenium	9.64	+/-10	U	20.0	P	12/09/2025	13:45	LB138174

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client:	Tetra Tech, EMI	SDG No.:	Q3765
Contract:	TETR16	Lab Code:	ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB02	Silver	1.62	+/-5	U	10.0	P	12/09/2025	13:45	LB138174
	Sodium	868	+/-1000	U	2000	P	12/09/2025	13:45	LB138174
	Thallium	5.85	+/-20	J	40.0	P	12/09/2025	13:45	LB138174
	Vanadium	6.26	+/-20	U	40.0	P	12/09/2025	13:45	LB138174
	Zinc	16.7	+/-20	U	40.0	P	12/09/2025	13:45	LB138174
CCB03	Aluminum	11.3	+/-50	U	100	P	12/09/2025	15:13	LB138174
	Antimony	6.76	+/-25	U	50.0	P	12/09/2025	15:13	LB138174
	Arsenic	5.12	+/-10	U	20.0	P	12/09/2025	15:13	LB138174
	Barium	14.6	+/-50	U	100	P	12/09/2025	15:13	LB138174
	Beryllium	0.56	+/-3	U	6.00	P	12/09/2025	15:13	LB138174
	Cadmium	0.50	+/-3	U	6.00	P	12/09/2025	15:13	LB138174
	Calcium	234	+/-1000	U	2000	P	12/09/2025	15:13	LB138174
	Chromium	2.12	+/-5	U	10.0	P	12/09/2025	15:13	LB138174
	Cobalt	2.26	+/-15	U	30.0	P	12/09/2025	15:13	LB138174
	Copper	4.60	+/-10	U	20.0	P	12/09/2025	15:13	LB138174
	Iron	23.4	+/-50	U	100	P	12/09/2025	15:13	LB138174
	Lead	2.30	+/-6	U	12.0	P	12/09/2025	15:13	LB138174
	Magnesium	244	+/-1000	U	2000	P	12/09/2025	15:13	LB138174
	Manganese	5.94	+/-10	U	20.0	P	12/09/2025	15:13	LB138174
	Nickel	3.06	+/-20	U	40.0	P	12/09/2025	15:13	LB138174
	Potassium	918	+/-1000	U	2000	P	12/09/2025	15:13	LB138174
	Selenium	9.64	+/-10	U	20.0	P	12/09/2025	15:13	LB138174
	Silver	1.62	+/-5	U	10.0	P	12/09/2025	15:13	LB138174
	Sodium	868	+/-1000	U	2000	P	12/09/2025	15:13	LB138174
	Thallium	5.03	+/-20	J	40.0	P	12/09/2025	15:13	LB138174
	Vanadium	6.26	+/-20	U	40.0	P	12/09/2025	15:13	LB138174
	Zinc	16.7	+/-20	U	40.0	P	12/09/2025	15:13	LB138174
CCB04	Aluminum	11.3	+/-50	U	100	P	12/09/2025	16:04	LB138174
	Antimony	6.76	+/-25	U	50.0	P	12/09/2025	16:04	LB138174
	Arsenic	5.12	+/-10	U	20.0	P	12/09/2025	16:04	LB138174
	Barium	14.6	+/-50	U	100	P	12/09/2025	16:04	LB138174
	Beryllium	0.56	+/-3	U	6.00	P	12/09/2025	16:04	LB138174
	Cadmium	0.50	+/-3	U	6.00	P	12/09/2025	16:04	LB138174
	Calcium	234	+/-1000	U	2000	P	12/09/2025	16:04	LB138174
	Chromium	2.12	+/-5	U	10.0	P	12/09/2025	16:04	LB138174
	Cobalt	2.26	+/-15	U	30.0	P	12/09/2025	16:04	LB138174
	Copper	4.60	+/-10	U	20.0	P	12/09/2025	16:04	LB138174
	Iron	23.4	+/-50	U	100	P	12/09/2025	16:04	LB138174
	Lead	2.30	+/-6	U	12.0	P	12/09/2025	16:04	LB138174

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB04	Magnesium	244	+/-1000	U	2000	P	12/09/2025	16:04	LB138174
	Manganese	5.94	+/-10	U	20.0	P	12/09/2025	16:04	LB138174
	Nickel	3.06	+/-20	U	40.0	P	12/09/2025	16:04	LB138174
	Potassium	918	+/-1000	U	2000	P	12/09/2025	16:04	LB138174
	Selenium	9.64	+/-10	U	20.0	P	12/09/2025	16:04	LB138174
	Silver	1.62	+/-5	U	10.0	P	12/09/2025	16:04	LB138174
	Sodium	868	+/-1000	U	2000	P	12/09/2025	16:04	LB138174
	Thallium	4.38	+/-20	U	40.0	P	12/09/2025	16:04	LB138174
	Vanadium	6.26	+/-20	U	40.0	P	12/09/2025	16:04	LB138174
	Zinc	16.7	+/-20	U	40.0	P	12/09/2025	16:04	LB138174
CCB05	Aluminum	11.3	+/-50	U	100	P	12/09/2025	16:54	LB138174
	Antimony	6.76	+/-25	U	50.0	P	12/09/2025	16:54	LB138174
	Arsenic	5.12	+/-10	U	20.0	P	12/09/2025	16:54	LB138174
	Barium	14.6	+/-50	U	100	P	12/09/2025	16:54	LB138174
	Beryllium	0.56	+/-3	U	6.00	P	12/09/2025	16:54	LB138174
	Cadmium	0.50	+/-3	U	6.00	P	12/09/2025	16:54	LB138174
	Calcium	234	+/-1000	U	2000	P	12/09/2025	16:54	LB138174
	Chromium	2.12	+/-5	U	10.0	P	12/09/2025	16:54	LB138174
	Cobalt	2.26	+/-15	U	30.0	P	12/09/2025	16:54	LB138174
	Copper	4.60	+/-10	U	20.0	P	12/09/2025	16:54	LB138174
	Iron	23.4	+/-50	U	100	P	12/09/2025	16:54	LB138174
	Lead	2.30	+/-6	U	12.0	P	12/09/2025	16:54	LB138174
	Magnesium	244	+/-1000	U	2000	P	12/09/2025	16:54	LB138174
	Manganese	5.94	+/-10	U	20.0	P	12/09/2025	16:54	LB138174
	Nickel	3.06	+/-20	U	40.0	P	12/09/2025	16:54	LB138174
	Potassium	918	+/-1000	U	2000	P	12/09/2025	16:54	LB138174
	Selenium	9.64	+/-10	U	20.0	P	12/09/2025	16:54	LB138174
	Silver	1.62	+/-5	U	10.0	P	12/09/2025	16:54	LB138174
	Sodium	868	+/-1000	U	2000	P	12/09/2025	16:54	LB138174
	Thallium	4.38	+/-20	U	40.0	P	12/09/2025	16:54	LB138174
	Vanadium	6.26	+/-20	U	40.0	P	12/09/2025	16:54	LB138174
	Zinc	16.7	+/-20	U	40.0	P	12/09/2025	16:54	LB138174
CCB06	Aluminum	11.3	+/-50	U	100	P	12/09/2025	17:45	LB138174
	Antimony	6.76	+/-25	U	50.0	P	12/09/2025	17:45	LB138174
	Arsenic	5.12	+/-10	U	20.0	P	12/09/2025	17:45	LB138174
	Barium	14.6	+/-50	U	100	P	12/09/2025	17:45	LB138174
	Beryllium	0.56	+/-3	U	6.00	P	12/09/2025	17:45	LB138174
	Cadmium	0.50	+/-3	U	6.00	P	12/09/2025	17:45	LB138174
	Calcium	234	+/-1000	U	2000	P	12/09/2025	17:45	LB138174

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB06	Chromium	2.12	+/-5	U	10.0	P	12/09/2025	17:45	LB138174
	Cobalt	2.26	+/-15	U	30.0	P	12/09/2025	17:45	LB138174
	Copper	4.60	+/-10	U	20.0	P	12/09/2025	17:45	LB138174
	Iron	23.4	+/-50	U	100	P	12/09/2025	17:45	LB138174
	Lead	2.30	+/-6	U	12.0	P	12/09/2025	17:45	LB138174
	Magnesium	244	+/-1000	U	2000	P	12/09/2025	17:45	LB138174
	Manganese	5.94	+/-10	U	20.0	P	12/09/2025	17:45	LB138174
	Nickel	3.06	+/-20	U	40.0	P	12/09/2025	17:45	LB138174
	Potassium	918	+/-1000	U	2000	P	12/09/2025	17:45	LB138174
	Selenium	9.64	+/-10	U	20.0	P	12/09/2025	17:45	LB138174
	Silver	1.62	+/-5	U	10.0	P	12/09/2025	17:45	LB138174
	Sodium	868	+/-1000	U	2000	P	12/09/2025	17:45	LB138174
	Thallium	5.28	+/-20	J	40.0	P	12/09/2025	17:45	LB138174
	Vanadium	6.26	+/-20	U	40.0	P	12/09/2025	17:45	LB138174
	Zinc	16.7	+/-20	U	40.0	P	12/09/2025	17:45	LB138174
CCB07	Aluminum	11.3	+/-50	U	100	P	12/09/2025	18:36	LB138174
	Antimony	6.76	+/-25	U	50.0	P	12/09/2025	18:36	LB138174
	Arsenic	5.12	+/-10	U	20.0	P	12/09/2025	18:36	LB138174
	Barium	14.6	+/-50	U	100	P	12/09/2025	18:36	LB138174
	Beryllium	0.56	+/-3	U	6.00	P	12/09/2025	18:36	LB138174
	Cadmium	0.50	+/-3	U	6.00	P	12/09/2025	18:36	LB138174
	Calcium	234	+/-1000	U	2000	P	12/09/2025	18:36	LB138174
	Chromium	2.12	+/-5	U	10.0	P	12/09/2025	18:36	LB138174
	Cobalt	2.26	+/-15	U	30.0	P	12/09/2025	18:36	LB138174
	Copper	4.60	+/-10	U	20.0	P	12/09/2025	18:36	LB138174
	Iron	23.4	+/-50	U	100	P	12/09/2025	18:36	LB138174
	Lead	2.30	+/-6	U	12.0	P	12/09/2025	18:36	LB138174
	Magnesium	244	+/-1000	U	2000	P	12/09/2025	18:36	LB138174
	Manganese	5.94	+/-10	U	20.0	P	12/09/2025	18:36	LB138174
	Nickel	3.06	+/-20	U	40.0	P	12/09/2025	18:36	LB138174
	Potassium	918	+/-1000	U	2000	P	12/09/2025	18:36	LB138174
	Selenium	9.64	+/-10	U	20.0	P	12/09/2025	18:36	LB138174
	Silver	1.62	+/-5	U	10.0	P	12/09/2025	18:36	LB138174
	Sodium	868	+/-1000	U	2000	P	12/09/2025	18:36	LB138174
	Thallium	4.38	+/-20	U	40.0	P	12/09/2025	18:36	LB138174
	Vanadium	6.26	+/-20	U	40.0	P	12/09/2025	18:36	LB138174
	Zinc	16.7	+/-20	U	40.0	P	12/09/2025	18:36	LB138174
CCB08	Aluminum	11.3	+/-50	U	100	P	12/09/2025	19:34	LB138174
	Antimony	6.76	+/-25	U	50.0	P	12/09/2025	19:34	LB138174

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB08	Arsenic	5.12	+/-10	U	20.0	P	12/09/2025	19:34	LB138174
	Barium	14.6	+/-50	U	100	P	12/09/2025	19:34	LB138174
	Beryllium	0.56	+/-3	U	6.00	P	12/09/2025	19:34	LB138174
	Cadmium	0.50	+/-3	U	6.00	P	12/09/2025	19:34	LB138174
	Calcium	234	+/-1000	U	2000	P	12/09/2025	19:34	LB138174
	Chromium	2.12	+/-5	U	10.0	P	12/09/2025	19:34	LB138174
	Cobalt	2.26	+/-15	U	30.0	P	12/09/2025	19:34	LB138174
	Copper	4.60	+/-10	U	20.0	P	12/09/2025	19:34	LB138174
	Iron	23.4	+/-50	U	100	P	12/09/2025	19:34	LB138174
	Lead	2.30	+/-6	U	12.0	P	12/09/2025	19:34	LB138174
	Magnesium	244	+/-1000	U	2000	P	12/09/2025	19:34	LB138174
	Manganese	5.94	+/-10	U	20.0	P	12/09/2025	19:34	LB138174
	Nickel	3.06	+/-20	U	40.0	P	12/09/2025	19:34	LB138174
	Potassium	918	+/-1000	U	2000	P	12/09/2025	19:34	LB138174
	Selenium	9.64	+/-10	U	20.0	P	12/09/2025	19:34	LB138174
	Silver	1.62	+/-5	U	10.0	P	12/09/2025	19:34	LB138174
	Sodium	868	+/-1000	U	2000	P	12/09/2025	19:34	LB138174
	Thallium	5.64	+/-20	J	40.0	P	12/09/2025	19:34	LB138174
	Vanadium	6.26	+/-20	U	40.0	P	12/09/2025	19:34	LB138174
	Zinc	16.7	+/-20	U	40.0	P	12/09/2025	19:34	LB138174
CCB09	Aluminum	11.3	+/-50	U	100	P	12/09/2025	20:41	LB138174
	Antimony	6.76	+/-25	U	50.0	P	12/09/2025	20:41	LB138174
	Arsenic	5.12	+/-10	U	20.0	P	12/09/2025	20:41	LB138174
	Barium	14.6	+/-50	U	100	P	12/09/2025	20:41	LB138174
	Beryllium	0.56	+/-3	U	6.00	P	12/09/2025	20:41	LB138174
	Cadmium	0.50	+/-3	U	6.00	P	12/09/2025	20:41	LB138174
	Calcium	234	+/-1000	U	2000	P	12/09/2025	20:41	LB138174
	Chromium	2.12	+/-5	U	10.0	P	12/09/2025	20:41	LB138174
	Cobalt	2.26	+/-15	U	30.0	P	12/09/2025	20:41	LB138174
	Copper	4.60	+/-10	U	20.0	P	12/09/2025	20:41	LB138174
	Iron	23.4	+/-50	U	100	P	12/09/2025	20:41	LB138174
	Lead	2.30	+/-6	U	12.0	P	12/09/2025	20:41	LB138174
	Magnesium	244	+/-1000	U	2000	P	12/09/2025	20:41	LB138174
	Manganese	5.94	+/-10	U	20.0	P	12/09/2025	20:41	LB138174
	Nickel	3.06	+/-20	U	40.0	P	12/09/2025	20:41	LB138174
	Potassium	918	+/-1000	U	2000	P	12/09/2025	20:41	LB138174
	Selenium	9.64	+/-10	U	20.0	P	12/09/2025	20:41	LB138174
	Silver	1.62	+/-5	U	10.0	P	12/09/2025	20:41	LB138174
	Sodium	868	+/-1000	U	2000	P	12/09/2025	20:41	LB138174

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client:	Tetra Tech, EMI	SDG No.:	Q3765
Contract:	TETR16	Lab Code:	ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB09	Thallium	7.51	+/-20	J	40.0	P	12/09/2025	20:41	LB138174
	Vanadium	6.26	+/-20	U	40.0	P	12/09/2025	20:41	LB138174
	Zinc	16.7	+/-20	U	40.0	P	12/09/2025	20:41	LB138174
CCB10	Aluminum	11.3	+/-50	U	100	P	12/09/2025	21:31	LB138174
	Antimony	6.76	+/-25	U	50.0	P	12/09/2025	21:31	LB138174
	Arsenic	5.12	+/-10	U	20.0	P	12/09/2025	21:31	LB138174
	Barium	14.6	+/-50	U	100	P	12/09/2025	21:31	LB138174
	Beryllium	0.56	+/-3	U	6.00	P	12/09/2025	21:31	LB138174
	Cadmium	0.50	+/-3	U	6.00	P	12/09/2025	21:31	LB138174
	Calcium	234	+/-1000	U	2000	P	12/09/2025	21:31	LB138174
	Chromium	2.12	+/-5	U	10.0	P	12/09/2025	21:31	LB138174
	Cobalt	2.26	+/-15	U	30.0	P	12/09/2025	21:31	LB138174
	Copper	4.60	+/-10	U	20.0	P	12/09/2025	21:31	LB138174
	Iron	23.4	+/-50	U	100	P	12/09/2025	21:31	LB138174
	Lead	2.30	+/-6	U	12.0	P	12/09/2025	21:31	LB138174
	Magnesium	244	+/-1000	U	2000	P	12/09/2025	21:31	LB138174
	Manganese	5.94	+/-10	U	20.0	P	12/09/2025	21:31	LB138174
	Nickel	3.06	+/-20	U	40.0	P	12/09/2025	21:31	LB138174
	Potassium	918	+/-1000	U	2000	P	12/09/2025	21:31	LB138174
	Selenium	9.64	+/-10	U	20.0	P	12/09/2025	21:31	LB138174
	Silver	1.62	+/-5	U	10.0	P	12/09/2025	21:31	LB138174
	Sodium	868	+/-1000	U	2000	P	12/09/2025	21:31	LB138174
	Thallium	8.81	+/-20	J	40.0	P	12/09/2025	21:31	LB138174
	Vanadium	6.26	+/-20	U	40.0	P	12/09/2025	21:31	LB138174
	Zinc	16.7	+/-20	U	40.0	P	12/09/2025	21:31	LB138174
	Aluminum	11.3	+/-50	U	100	P	12/09/2025	22:22	LB138174
	Antimony	6.76	+/-25	U	50.0	P	12/09/2025	22:22	LB138174
	Arsenic	5.12	+/-10	U	20.0	P	12/09/2025	22:22	LB138174
	Barium	14.6	+/-50	U	100	P	12/09/2025	22:22	LB138174
	Beryllium	0.56	+/-3	U	6.00	P	12/09/2025	22:22	LB138174
	Cadmium	0.50	+/-3	U	6.00	P	12/09/2025	22:22	LB138174
	Calcium	234	+/-1000	U	2000	P	12/09/2025	22:22	LB138174
	Chromium	2.12	+/-5	U	10.0	P	12/09/2025	22:22	LB138174
	Cobalt	2.26	+/-15	U	30.0	P	12/09/2025	22:22	LB138174
	Copper	4.60	+/-10	U	20.0	P	12/09/2025	22:22	LB138174
	Iron	23.4	+/-50	U	100	P	12/09/2025	22:22	LB138174
	Lead	2.30	+/-6	U	12.0	P	12/09/2025	22:22	LB138174
	Magnesium	244	+/-1000	U	2000	P	12/09/2025	22:22	LB138174
	Manganese	5.94	+/-10	U	20.0	P	12/09/2025	22:22	LB138174

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Tetra Tech, EMI SDG No.: Q3765
Contract: TETR16 Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB11	Nickel	3.06	+/-20	U	40.0	P	12/09/2025	22:22	LB138174
	Potassium	918	+/-1000	U	2000	P	12/09/2025	22:22	LB138174
	Selenium	9.64	+/-10	U	20.0	P	12/09/2025	22:22	LB138174
	Silver	1.62	+/-5	U	10.0	P	12/09/2025	22:22	LB138174
	Sodium	868	+/-1000	U	2000	P	12/09/2025	22:22	LB138174
	Thallium	4.38	+/-20	U	40.0	P	12/09/2025	22:22	LB138174
	Vanadium	6.26	+/-20	U	40.0	P	12/09/2025	22:22	LB138174
	Zinc	16.7	+/-20	U	40.0	P	12/09/2025	22:22	LB138174
CCB12	Aluminum	11.3	+/-50	U	100	P	12/09/2025	23:25	LB138174
	Antimony	6.76	+/-25	U	50.0	P	12/09/2025	23:25	LB138174
	Arsenic	5.12	+/-10	U	20.0	P	12/09/2025	23:25	LB138174
	Barium	14.6	+/-50	U	100	P	12/09/2025	23:25	LB138174
	Beryllium	0.56	+/-3	U	6.00	P	12/09/2025	23:25	LB138174
	Cadmium	0.50	+/-3	U	6.00	P	12/09/2025	23:25	LB138174
	Calcium	234	+/-1000	U	2000	P	12/09/2025	23:25	LB138174
	Chromium	2.12	+/-5	U	10.0	P	12/09/2025	23:25	LB138174
	Cobalt	2.26	+/-15	U	30.0	P	12/09/2025	23:25	LB138174
	Copper	4.60	+/-10	U	20.0	P	12/09/2025	23:25	LB138174
	Iron	23.4	+/-50	U	100	P	12/09/2025	23:25	LB138174
	Lead	2.30	+/-6	U	12.0	P	12/09/2025	23:25	LB138174
	Magnesium	244	+/-1000	U	2000	P	12/09/2025	23:25	LB138174
	Manganese	5.94	+/-10	U	20.0	P	12/09/2025	23:25	LB138174
	Nickel	3.06	+/-20	U	40.0	P	12/09/2025	23:25	LB138174
	Potassium	918	+/-1000	U	2000	P	12/09/2025	23:25	LB138174
	Selenium	9.64	+/-10	U	20.0	P	12/09/2025	23:25	LB138174
	Silver	1.62	+/-5	U	10.0	P	12/09/2025	23:25	LB138174
	Sodium	868	+/-1000	U	2000	P	12/09/2025	23:25	LB138174
	Thallium	5.46	+/-20	J	40.0	P	12/09/2025	23:25	LB138174
	Vanadium	6.26	+/-20	U	40.0	P	12/09/2025	23:25	LB138174
	Zinc	16.7	+/-20	U	40.0	P	12/09/2025	23:25	LB138174
CCB13	Aluminum	11.3	+/-50	U	100	P	12/09/2025	23:45	LB138174
	Antimony	6.76	+/-25	U	50.0	P	12/09/2025	23:45	LB138174
	Arsenic	5.12	+/-10	U	20.0	P	12/09/2025	23:45	LB138174
	Barium	14.6	+/-50	U	100	P	12/09/2025	23:45	LB138174
	Beryllium	0.56	+/-3	U	6.00	P	12/09/2025	23:45	LB138174
	Cadmium	0.50	+/-3	U	6.00	P	12/09/2025	23:45	LB138174
	Calcium	234	+/-1000	U	2000	P	12/09/2025	23:45	LB138174
	Chromium	2.12	+/-5	U	10.0	P	12/09/2025	23:45	LB138174
	Cobalt	2.26	+/-15	U	30.0	P	12/09/2025	23:45	LB138174

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB13	Copper	4.60	+/-10	U	20.0	P	12/09/2025	23:45	LB138174
	Iron	23.4	+/-50	U	100	P	12/09/2025	23:45	LB138174
	Lead	2.30	+/-6	U	12.0	P	12/09/2025	23:45	LB138174
	Magnesium	244	+/-1000	U	2000	P	12/09/2025	23:45	LB138174
	Manganese	5.94	+/-10	U	20.0	P	12/09/2025	23:45	LB138174
	Nickel	3.06	+/-20	U	40.0	P	12/09/2025	23:45	LB138174
	Potassium	918	+/-1000	U	2000	P	12/09/2025	23:45	LB138174
	Selenium	9.64	+/-10	U	20.0	P	12/09/2025	23:45	LB138174
	Silver	1.62	+/-5	U	10.0	P	12/09/2025	23:45	LB138174
	Sodium	868	+/-1000	U	2000	P	12/09/2025	23:45	LB138174
	Thallium	10.7	+/-20	J	40.0	P	12/09/2025	23:45	LB138174
	Vanadium	6.26	+/-20	U	40.0	P	12/09/2025	23:45	LB138174
	Zinc	16.7	+/-20	U	40.0	P	12/09/2025	23:45	LB138174

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
ICB01	Aluminum	11.3	+/-50	U	100	P	12/11/2025	11:46	LB138198
	Antimony	6.76	+/-25	U	50.0	P	12/11/2025	11:46	LB138198
	Arsenic	5.12	+/-10	U	20.0	P	12/11/2025	11:46	LB138198
	Barium	14.6	+/-50	U	100	P	12/11/2025	11:46	LB138198
	Beryllium	0.56	+/-3	U	6.00	P	12/11/2025	11:46	LB138198
	Cadmium	0.50	+/-3	U	6.00	P	12/11/2025	11:46	LB138198
	Calcium	234	+/-1000	U	2000	P	12/11/2025	11:46	LB138198
	Chromium	2.12	+/-5	U	10.0	P	12/11/2025	11:46	LB138198
	Cobalt	2.26	+/-15	U	30.0	P	12/11/2025	11:46	LB138198
	Copper	4.60	+/-10	U	20.0	P	12/11/2025	11:46	LB138198
	Iron	23.4	+/-50	U	100	P	12/11/2025	11:46	LB138198
	Lead	2.30	+/-6	U	12.0	P	12/11/2025	11:46	LB138198
	Magnesium	244	+/-1000	U	2000	P	12/11/2025	11:46	LB138198
	Manganese	5.94	+/-10	U	20.0	P	12/11/2025	11:46	LB138198
	Nickel	3.06	+/-20	U	40.0	P	12/11/2025	11:46	LB138198
	Potassium	918	+/-1000	U	2000	P	12/11/2025	11:46	LB138198
	Selenium	9.64	+/-10	U	20.0	P	12/11/2025	11:46	LB138198
	Silver	1.62	+/-5	U	10.0	P	12/11/2025	11:46	LB138198
	Sodium	868	+/-1000	U	2000	P	12/11/2025	11:46	LB138198
	Thallium	4.38	+/-20	U	40.0	P	12/11/2025	11:46	LB138198
	Vanadium	6.26	+/-20	U	40.0	P	12/11/2025	11:46	LB138198
	Zinc	16.7	+/-20	U	40.0	P	12/11/2025	11:46	LB138198

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB01	Aluminum	11.3	+/-50	U	100	P	12/11/2025	12:18	LB138198
	Antimony	6.76	+/-25	U	50.0	P	12/11/2025	12:18	LB138198
	Arsenic	5.12	+/-10	U	20.0	P	12/11/2025	12:18	LB138198
	Barium	14.6	+/-50	U	100	P	12/11/2025	12:18	LB138198
	Beryllium	0.56	+/-3	U	6.00	P	12/11/2025	12:18	LB138198
	Cadmium	0.50	+/-3	U	6.00	P	12/11/2025	12:18	LB138198
	Calcium	234	+/-1000	U	2000	P	12/11/2025	12:18	LB138198
	Chromium	2.12	+/-5	U	10.0	P	12/11/2025	12:18	LB138198
	Cobalt	2.26	+/-15	U	30.0	P	12/11/2025	12:18	LB138198
	Copper	4.60	+/-10	U	20.0	P	12/11/2025	12:18	LB138198
	Iron	23.4	+/-50	U	100	P	12/11/2025	12:18	LB138198
	Lead	2.30	+/-6	U	12.0	P	12/11/2025	12:18	LB138198
	Magnesium	244	+/-1000	U	2000	P	12/11/2025	12:18	LB138198
	Manganese	5.94	+/-10	U	20.0	P	12/11/2025	12:18	LB138198
	Nickel	3.06	+/-20	U	40.0	P	12/11/2025	12:18	LB138198
	Potassium	918	+/-1000	U	2000	P	12/11/2025	12:18	LB138198
	Selenium	9.64	+/-10	U	20.0	P	12/11/2025	12:18	LB138198
	Silver	1.62	+/-5	U	10.0	P	12/11/2025	12:18	LB138198
	Sodium	868	+/-1000	U	2000	P	12/11/2025	12:18	LB138198
	Thallium	4.38	+/-20	U	40.0	P	12/11/2025	12:18	LB138198
	Vanadium	6.26	+/-20	U	40.0	P	12/11/2025	12:18	LB138198
	Zinc	16.7	+/-20	U	40.0	P	12/11/2025	12:18	LB138198
CCB02	Aluminum	11.3	+/-50	U	100	P	12/11/2025	13:08	LB138198
	Antimony	6.76	+/-25	U	50.0	P	12/11/2025	13:08	LB138198
	Arsenic	5.12	+/-10	U	20.0	P	12/11/2025	13:08	LB138198
	Barium	14.6	+/-50	U	100	P	12/11/2025	13:08	LB138198
	Beryllium	0.56	+/-3	U	6.00	P	12/11/2025	13:08	LB138198
	Cadmium	0.50	+/-3	U	6.00	P	12/11/2025	13:08	LB138198
	Calcium	234	+/-1000	U	2000	P	12/11/2025	13:08	LB138198
	Chromium	2.12	+/-5	U	10.0	P	12/11/2025	13:08	LB138198
	Cobalt	2.26	+/-15	U	30.0	P	12/11/2025	13:08	LB138198
	Copper	4.60	+/-10	U	20.0	P	12/11/2025	13:08	LB138198
	Iron	23.4	+/-50	U	100	P	12/11/2025	13:08	LB138198
	Lead	2.30	+/-6	U	12.0	P	12/11/2025	13:08	LB138198
	Magnesium	244	+/-1000	U	2000	P	12/11/2025	13:08	LB138198
	Manganese	5.94	+/-10	U	20.0	P	12/11/2025	13:08	LB138198
	Nickel	3.06	+/-20	U	40.0	P	12/11/2025	13:08	LB138198
	Potassium	918	+/-1000	U	2000	P	12/11/2025	13:08	LB138198
	Selenium	9.64	+/-10	U	20.0	P	12/11/2025	13:08	LB138198

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB02	Silver	1.62	+/-5	U	10.0	P	12/11/2025	13:08	LB138198
	Sodium	868	+/-1000	U	2000	P	12/11/2025	13:08	LB138198
	Thallium	4.38	+/-20	U	40.0	P	12/11/2025	13:08	LB138198
	Vanadium	6.26	+/-20	U	40.0	P	12/11/2025	13:08	LB138198
	Zinc	16.7	+/-20	U	40.0	P	12/11/2025	13:08	LB138198
CCB03	Aluminum	11.3	+/-50	U	100	P	12/11/2025	13:59	LB138198
	Antimony	6.76	+/-25	U	50.0	P	12/11/2025	13:59	LB138198
	Arsenic	5.12	+/-10	U	20.0	P	12/11/2025	13:59	LB138198
	Barium	14.6	+/-50	U	100	P	12/11/2025	13:59	LB138198
	Beryllium	0.56	+/-3	U	6.00	P	12/11/2025	13:59	LB138198
	Cadmium	0.50	+/-3	U	6.00	P	12/11/2025	13:59	LB138198
	Calcium	234	+/-1000	U	2000	P	12/11/2025	13:59	LB138198
	Chromium	2.12	+/-5	U	10.0	P	12/11/2025	13:59	LB138198
	Cobalt	2.26	+/-15	U	30.0	P	12/11/2025	13:59	LB138198
	Copper	4.60	+/-10	U	20.0	P	12/11/2025	13:59	LB138198
	Iron	23.4	+/-50	U	100	P	12/11/2025	13:59	LB138198
	Lead	2.30	+/-6	U	12.0	P	12/11/2025	13:59	LB138198
	Magnesium	244	+/-1000	U	2000	P	12/11/2025	13:59	LB138198
	Manganese	5.94	+/-10	U	20.0	P	12/11/2025	13:59	LB138198
	Nickel	3.06	+/-20	U	40.0	P	12/11/2025	13:59	LB138198
	Potassium	918	+/-1000	U	2000	P	12/11/2025	13:59	LB138198
	Selenium	9.64	+/-10	U	20.0	P	12/11/2025	13:59	LB138198
	Silver	1.62	+/-5	U	10.0	P	12/11/2025	13:59	LB138198
	Sodium	868	+/-1000	U	2000	P	12/11/2025	13:59	LB138198
	Thallium	4.38	+/-20	U	40.0	P	12/11/2025	13:59	LB138198
	Vanadium	6.26	+/-20	U	40.0	P	12/11/2025	13:59	LB138198
	Zinc	16.7	+/-20	U	40.0	P	12/11/2025	13:59	LB138198
CCB04	Aluminum	20.3	+/-50	J	100	P	12/11/2025	15:04	LB138198
	Antimony	6.76	+/-25	U	50.0	P	12/11/2025	15:04	LB138198
	Arsenic	5.12	+/-10	U	20.0	P	12/11/2025	15:04	LB138198
	Barium	14.6	+/-50	U	100	P	12/11/2025	15:04	LB138198
	Beryllium	0.56	+/-3	U	6.00	P	12/11/2025	15:04	LB138198
	Cadmium	0.50	+/-3	U	6.00	P	12/11/2025	15:04	LB138198
	Calcium	234	+/-1000	U	2000	P	12/11/2025	15:04	LB138198
	Chromium	2.12	+/-5	U	10.0	P	12/11/2025	15:04	LB138198
	Cobalt	2.26	+/-15	U	30.0	P	12/11/2025	15:04	LB138198
	Copper	4.60	+/-10	U	20.0	P	12/11/2025	15:04	LB138198
	Iron	23.4	+/-50	U	100	P	12/11/2025	15:04	LB138198
	Lead	2.30	+/-6	U	12.0	P	12/11/2025	15:04	LB138198

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB04	Magnesium	244	+/-1000	U	2000	P	12/11/2025	15:04	LB138198
	Manganese	5.94	+/-10	U	20.0	P	12/11/2025	15:04	LB138198
	Nickel	3.06	+/-20	U	40.0	P	12/11/2025	15:04	LB138198
	Potassium	918	+/-1000	U	2000	P	12/11/2025	15:04	LB138198
	Selenium	9.64	+/-10	U	20.0	P	12/11/2025	15:04	LB138198
	Silver	1.62	+/-5	U	10.0	P	12/11/2025	15:04	LB138198
	Sodium	868	+/-1000	U	2000	P	12/11/2025	15:04	LB138198
	Thallium	4.38	+/-20	U	40.0	P	12/11/2025	15:04	LB138198
	Vanadium	6.26	+/-20	U	40.0	P	12/11/2025	15:04	LB138198
	Zinc	16.7	+/-20	U	40.0	P	12/11/2025	15:04	LB138198
CCB05	Aluminum	13.8	+/-50	J	100	P	12/11/2025	15:54	LB138198
	Antimony	6.76	+/-25	U	50.0	P	12/11/2025	15:54	LB138198
	Arsenic	5.12	+/-10	U	20.0	P	12/11/2025	15:54	LB138198
	Barium	14.6	+/-50	U	100	P	12/11/2025	15:54	LB138198
	Beryllium	0.56	+/-3	U	6.00	P	12/11/2025	15:54	LB138198
	Cadmium	0.50	+/-3	U	6.00	P	12/11/2025	15:54	LB138198
	Calcium	234	+/-1000	U	2000	P	12/11/2025	15:54	LB138198
	Chromium	2.12	+/-5	U	10.0	P	12/11/2025	15:54	LB138198
	Cobalt	2.26	+/-15	U	30.0	P	12/11/2025	15:54	LB138198
	Copper	4.60	+/-10	U	20.0	P	12/11/2025	15:54	LB138198
	Iron	23.4	+/-50	U	100	P	12/11/2025	15:54	LB138198
	Lead	2.30	+/-6	U	12.0	P	12/11/2025	15:54	LB138198
	Magnesium	244	+/-1000	U	2000	P	12/11/2025	15:54	LB138198
	Manganese	5.94	+/-10	U	20.0	P	12/11/2025	15:54	LB138198
	Nickel	3.06	+/-20	U	40.0	P	12/11/2025	15:54	LB138198
	Potassium	918	+/-1000	U	2000	P	12/11/2025	15:54	LB138198
	Selenium	9.64	+/-10	U	20.0	P	12/11/2025	15:54	LB138198
	Silver	1.62	+/-5	U	10.0	P	12/11/2025	15:54	LB138198
	Sodium	868	+/-1000	U	2000	P	12/11/2025	15:54	LB138198
	Thallium	4.38	+/-20	U	40.0	P	12/11/2025	15:54	LB138198
	Vanadium	6.26	+/-20	U	40.0	P	12/11/2025	15:54	LB138198
	Zinc	16.7	+/-20	U	40.0	P	12/11/2025	15:54	LB138198
CCB06	Aluminum	11.3	+/-50	U	100	P	12/11/2025	16:44	LB138198
	Antimony	6.76	+/-25	U	50.0	P	12/11/2025	16:44	LB138198
	Arsenic	5.12	+/-10	U	20.0	P	12/11/2025	16:44	LB138198
	Barium	14.6	+/-50	U	100	P	12/11/2025	16:44	LB138198
	Beryllium	0.56	+/-3	U	6.00	P	12/11/2025	16:44	LB138198
	Cadmium	0.50	+/-3	U	6.00	P	12/11/2025	16:44	LB138198
	Calcium	234	+/-1000	U	2000	P	12/11/2025	16:44	LB138198

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB06	Chromium	2.12	+/-5	U	10.0	P	12/11/2025	16:44	LB138198
	Cobalt	2.26	+/-15	U	30.0	P	12/11/2025	16:44	LB138198
	Copper	4.60	+/-10	U	20.0	P	12/11/2025	16:44	LB138198
	Iron	23.4	+/-50	U	100	P	12/11/2025	16:44	LB138198
	Lead	2.30	+/-6	U	12.0	P	12/11/2025	16:44	LB138198
	Magnesium	244	+/-1000	U	2000	P	12/11/2025	16:44	LB138198
	Manganese	5.94	+/-10	U	20.0	P	12/11/2025	16:44	LB138198
	Nickel	3.06	+/-20	U	40.0	P	12/11/2025	16:44	LB138198
	Potassium	918	+/-1000	U	2000	P	12/11/2025	16:44	LB138198
	Selenium	9.64	+/-10	U	20.0	P	12/11/2025	16:44	LB138198
	Silver	1.62	+/-5	U	10.0	P	12/11/2025	16:44	LB138198
	Sodium	868	+/-1000	U	2000	P	12/11/2025	16:44	LB138198
	Thallium	4.38	+/-20	U	40.0	P	12/11/2025	16:44	LB138198
	Vanadium	6.26	+/-20	U	40.0	P	12/11/2025	16:44	LB138198
	Zinc	16.7	+/-20	U	40.0	P	12/11/2025	16:44	LB138198
CCB07	Aluminum	11.3	+/-50	U	100	P	12/11/2025	17:57	LB138198
	Antimony	6.76	+/-25	U	50.0	P	12/11/2025	17:57	LB138198
	Arsenic	5.12	+/-10	U	20.0	P	12/11/2025	17:57	LB138198
	Barium	14.6	+/-50	U	100	P	12/11/2025	17:57	LB138198
	Beryllium	0.56	+/-3	U	6.00	P	12/11/2025	17:57	LB138198
	Cadmium	0.50	+/-3	U	6.00	P	12/11/2025	17:57	LB138198
	Calcium	234	+/-1000	U	2000	P	12/11/2025	17:57	LB138198
	Chromium	2.12	+/-5	U	10.0	P	12/11/2025	17:57	LB138198
	Cobalt	2.26	+/-15	U	30.0	P	12/11/2025	17:57	LB138198
	Copper	4.60	+/-10	U	20.0	P	12/11/2025	17:57	LB138198
	Iron	23.9	+/-50	J	100	P	12/11/2025	17:57	LB138198
	Lead	2.30	+/-6	U	12.0	P	12/11/2025	17:57	LB138198
	Magnesium	244	+/-1000	U	2000	P	12/11/2025	17:57	LB138198
	Manganese	5.94	+/-10	U	20.0	P	12/11/2025	17:57	LB138198
	Nickel	3.06	+/-20	U	40.0	P	12/11/2025	17:57	LB138198
	Potassium	918	+/-1000	U	2000	P	12/11/2025	17:57	LB138198
	Selenium	9.64	+/-10	U	20.0	P	12/11/2025	17:57	LB138198
	Silver	1.62	+/-5	U	10.0	P	12/11/2025	17:57	LB138198
	Sodium	868	+/-1000	U	2000	P	12/11/2025	17:57	LB138198
	Thallium	4.38	+/-20	U	40.0	P	12/11/2025	17:57	LB138198
	Vanadium	6.26	+/-20	U	40.0	P	12/11/2025	17:57	LB138198
	Zinc	16.7	+/-20	U	40.0	P	12/11/2025	17:57	LB138198
CCB08	Aluminum	11.3	+/-50	U	100	P	12/11/2025	18:52	LB138198
	Antimony	6.76	+/-25	U	50.0	P	12/11/2025	18:52	LB138198

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB08	Arsenic	5.12	+/-10	U	20.0	P	12/11/2025	18:52	LB138198
	Barium	14.6	+/-50	U	100	P	12/11/2025	18:52	LB138198
	Beryllium	0.56	+/-3	U	6.00	P	12/11/2025	18:52	LB138198
	Cadmium	0.50	+/-3	U	6.00	P	12/11/2025	18:52	LB138198
	Calcium	234	+/-1000	U	2000	P	12/11/2025	18:52	LB138198
	Chromium	2.12	+/-5	U	10.0	P	12/11/2025	18:52	LB138198
	Cobalt	2.26	+/-15	U	30.0	P	12/11/2025	18:52	LB138198
	Copper	4.60	+/-10	U	20.0	P	12/11/2025	18:52	LB138198
	Iron	23.4	+/-50	U	100	P	12/11/2025	18:52	LB138198
	Lead	2.30	+/-6	U	12.0	P	12/11/2025	18:52	LB138198
	Magnesium	244	+/-1000	U	2000	P	12/11/2025	18:52	LB138198
	Manganese	5.94	+/-10	U	20.0	P	12/11/2025	18:52	LB138198
	Nickel	3.06	+/-20	U	40.0	P	12/11/2025	18:52	LB138198
	Potassium	918	+/-1000	U	2000	P	12/11/2025	18:52	LB138198
	Selenium	9.64	+/-10	U	20.0	P	12/11/2025	18:52	LB138198
	Silver	1.62	+/-5	U	10.0	P	12/11/2025	18:52	LB138198
	Sodium	868	+/-1000	U	2000	P	12/11/2025	18:52	LB138198
	Thallium	4.38	+/-20	U	40.0	P	12/11/2025	18:52	LB138198
	Vanadium	6.26	+/-20	U	40.0	P	12/11/2025	18:52	LB138198
	Zinc	16.7	+/-20	U	40.0	P	12/11/2025	18:52	LB138198
CCB09	Aluminum	11.3	+/-50	U	100	P	12/11/2025	19:45	LB138198
	Antimony	6.76	+/-25	U	50.0	P	12/11/2025	19:45	LB138198
	Arsenic	5.12	+/-10	U	20.0	P	12/11/2025	19:45	LB138198
	Barium	14.6	+/-50	U	100	P	12/11/2025	19:45	LB138198
	Beryllium	0.56	+/-3	U	6.00	P	12/11/2025	19:45	LB138198
	Cadmium	0.50	+/-3	U	6.00	P	12/11/2025	19:45	LB138198
	Calcium	234	+/-1000	U	2000	P	12/11/2025	19:45	LB138198
	Chromium	2.12	+/-5	U	10.0	P	12/11/2025	19:45	LB138198
	Cobalt	2.26	+/-15	U	30.0	P	12/11/2025	19:45	LB138198
	Copper	4.60	+/-10	U	20.0	P	12/11/2025	19:45	LB138198
	Iron	23.4	+/-50	U	100	P	12/11/2025	19:45	LB138198
	Lead	3.43	+/-6	J	12.0	P	12/11/2025	19:45	LB138198
	Magnesium	244	+/-1000	U	2000	P	12/11/2025	19:45	LB138198
	Manganese	5.94	+/-10	U	20.0	P	12/11/2025	19:45	LB138198
	Nickel	3.06	+/-20	U	40.0	P	12/11/2025	19:45	LB138198
	Potassium	918	+/-1000	U	2000	P	12/11/2025	19:45	LB138198
	Selenium	9.64	+/-10	U	20.0	P	12/11/2025	19:45	LB138198
	Silver	1.62	+/-5	U	10.0	P	12/11/2025	19:45	LB138198
	Sodium	868	+/-1000	U	2000	P	12/11/2025	19:45	LB138198

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB09	Thallium	4.38	+/-20	U	40.0	P	12/11/2025	19:45	LB138198
	Vanadium	6.26	+/-20	U	40.0	P	12/11/2025	19:45	LB138198
	Zinc	16.7	+/-20	U	40.0	P	12/11/2025	19:45	LB138198
CCB10	Aluminum	11.3	+/-50	U	100	P	12/11/2025	20:37	LB138198
	Antimony	6.76	+/-25	U	50.0	P	12/11/2025	20:37	LB138198
	Arsenic	5.12	+/-10	U	20.0	P	12/11/2025	20:37	LB138198
	Barium	14.6	+/-50	U	100	P	12/11/2025	20:37	LB138198
	Beryllium	0.56	+/-3	U	6.00	P	12/11/2025	20:37	LB138198
	Cadmium	0.50	+/-3	U	6.00	P	12/11/2025	20:37	LB138198
	Calcium	234	+/-1000	U	2000	P	12/11/2025	20:37	LB138198
	Chromium	2.12	+/-5	U	10.0	P	12/11/2025	20:37	LB138198
	Cobalt	2.26	+/-15	U	30.0	P	12/11/2025	20:37	LB138198
	Copper	4.60	+/-10	U	20.0	P	12/11/2025	20:37	LB138198
	Iron	23.4	+/-50	U	100	P	12/11/2025	20:37	LB138198
	Lead	2.34	+/-6	J	12.0	P	12/11/2025	20:37	LB138198
	Magnesium	244	+/-1000	U	2000	P	12/11/2025	20:37	LB138198
	Manganese	5.94	+/-10	U	20.0	P	12/11/2025	20:37	LB138198
	Nickel	3.06	+/-20	U	40.0	P	12/11/2025	20:37	LB138198
	Potassium	918	+/-1000	U	2000	P	12/11/2025	20:37	LB138198
	Selenium	9.64	+/-10	U	20.0	P	12/11/2025	20:37	LB138198
	Silver	1.62	+/-5	U	10.0	P	12/11/2025	20:37	LB138198
	Sodium	868	+/-1000	U	2000	P	12/11/2025	20:37	LB138198
	Thallium	4.38	+/-20	U	40.0	P	12/11/2025	20:37	LB138198
	Vanadium	6.26	+/-20	U	40.0	P	12/11/2025	20:37	LB138198
	Zinc	16.7	+/-20	U	40.0	P	12/11/2025	20:37	LB138198
	Aluminum	17.9	+/-50	J	100	P	12/11/2025	20:59	LB138198
	Antimony	6.76	+/-25	U	50.0	P	12/11/2025	20:59	LB138198
	Arsenic	5.12	+/-10	U	20.0	P	12/11/2025	20:59	LB138198
	Barium	14.6	+/-50	U	100	P	12/11/2025	20:59	LB138198
	Beryllium	0.56	+/-3	U	6.00	P	12/11/2025	20:59	LB138198
	Cadmium	0.50	+/-3	U	6.00	P	12/11/2025	20:59	LB138198
	Calcium	234	+/-1000	U	2000	P	12/11/2025	20:59	LB138198
	Chromium	2.12	+/-5	U	10.0	P	12/11/2025	20:59	LB138198
	Cobalt	2.26	+/-15	U	30.0	P	12/11/2025	20:59	LB138198
	Copper	4.60	+/-10	U	20.0	P	12/11/2025	20:59	LB138198
	Iron	23.4	+/-50	U	100	P	12/11/2025	20:59	LB138198
	Lead	2.32	+/-6	J	12.0	P	12/11/2025	20:59	LB138198
	Magnesium	244	+/-1000	U	2000	P	12/11/2025	20:59	LB138198
	Manganese	5.94	+/-10	U	20.0	P	12/11/2025	20:59	LB138198

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB11	Nickel	3.06	+/-20	U	40.0	P	12/11/2025	20:59	LB138198
	Potassium	918	+/-1000	U	2000	P	12/11/2025	20:59	LB138198
	Selenium	9.64	+/-10	U	20.0	P	12/11/2025	20:59	LB138198
	Silver	1.62	+/-5	U	10.0	P	12/11/2025	20:59	LB138198
	Sodium	868	+/-1000	U	2000	P	12/11/2025	20:59	LB138198
	Thallium	4.38	+/-20	U	40.0	P	12/11/2025	20:59	LB138198
	Vanadium	6.26	+/-20	U	40.0	P	12/11/2025	20:59	LB138198
	Zinc	16.7	+/-20	U	40.0	P	12/11/2025	20:59	LB138198

Metals
- 3b -
PREPARATION BLANK SUMMARY

Client: Tetra Tech, EMI

SDG No.: Q3765

Instrument: P4

Sample ID	Analyte	Result (ug/L)	Acceptance Limit	Conc Qual	CRQL ug/L	M	Analysis Date	Analysis Time	Run
PB170841BL	WATER			Batch Number:	PB170841		Prep Date:	12/05/2025	
	Aluminum	5.67	<25	U	50.0	P	12/11/2025	12:31	LB138198
	Antimony	3.38	<12.5	U	25.0	P	12/11/2025	12:31	LB138198
	Arsenic	2.56	<5	U	10.0	P	12/11/2025	12:31	LB138198
	Barium	7.28	<25	U	50.0	P	12/11/2025	12:31	LB138198
	Beryllium	0.28	<1.5	U	3.00	P	12/11/2025	12:31	LB138198
	Cadmium	0.25	<1.5	U	3.00	P	12/11/2025	12:31	LB138198
	Calcium	117	<500	U	1000	P	12/11/2025	12:31	LB138198
	Chromium	1.06	<2.5	U	5.00	P	12/11/2025	12:31	LB138198
	Cobalt	1.13	<7.5	U	15.0	P	12/11/2025	12:31	LB138198
	Copper	2.30	<5	U	10.0	P	12/11/2025	12:31	LB138198
	Iron	11.7	<25	U	50.0	P	12/11/2025	12:31	LB138198
	Lead	1.15	<3	U	6.00	P	12/11/2025	12:31	LB138198
	Magnesium	122	<500	U	1000	P	12/11/2025	12:31	LB138198
	Manganese	2.97	<5	U	10.0	P	12/11/2025	12:31	LB138198
	Nickel	1.53	<10	U	20.0	P	12/11/2025	12:31	LB138198
	Potassium	459	<500	U	1000	P	12/11/2025	12:31	LB138198
	Selenium	4.82	<5	U	10.0	P	12/11/2025	12:31	LB138198
	Silver	0.81	<2.5	U	5.00	P	12/11/2025	12:31	LB138198
	Sodium	434	<500	U	1000	P	12/11/2025	12:31	LB138198
	Thallium	2.19	<10	U	20.0	P	12/11/2025	12:31	LB138198
	Vanadium	3.13	<10	U	20.0	P	12/11/2025	12:31	LB138198
	Zinc	8.33	<10	U	20.0	P	12/11/2025	12:31	LB138198

Metals
- 4 -
INTERFERENCE CHECK SAMPLE

Client: <u>Tetra Tech, EMI</u>	SDG No.: <u>Q3765</u>
Contract: <u>TETR16</u>	Lab Code: <u>ACE</u>
ICS Source: <u>EPA</u>	Instrument ID: <u>P4</u>

Sample ID	Analyte	Result ug/L	True Value ug/L	% Recovery	Low Limit (ug/L)	High Limit (ug/L)	Analysis Date	Analysis Time	Run Number
ICSA01	Aluminum	239000	255000	94	216000	294000	12/09/2025	12:32	LB138174
	Antimony	2.17			-50	50	12/09/2025	12:32	LB138174
	Arsenic	5.20			-20	20	12/09/2025	12:32	LB138174
	Barium	5.08	6.0	85	-94	106	12/09/2025	12:32	LB138174
	Beryllium	1.40			-6	6	12/09/2025	12:32	LB138174
	Cadmium	4.58	1.0	458	-5	7	12/09/2025	12:32	LB138174
	Calcium	225000	245000	92	208000	282000	12/09/2025	12:32	LB138174
	Chromium	45.9	52.0	88	42	62	12/09/2025	12:32	LB138174
	Cobalt	2.34			-30	30	12/09/2025	12:32	LB138174
	Copper	-2.36	2.0	118	-18	22	12/09/2025	12:32	LB138174
	Iron	94200	101000	93	85600	116500	12/09/2025	12:32	LB138174
	Lead	3.51			-12	12	12/09/2025	12:32	LB138174
	Magnesium	243000	255000	95	216000	294000	12/09/2025	12:32	LB138174
	Manganese	8.08	7.0	115	-13	27	12/09/2025	12:32	LB138174
	Nickel	6.00	2.0	300	-38	42	12/09/2025	12:32	LB138174
	Potassium	101			0	0	12/09/2025	12:32	LB138174
	Selenium	1.24			-20	20	12/09/2025	12:32	LB138174
	Silver	-1.30			-10	10	12/09/2025	12:32	LB138174
	Sodium	64.9			0	0	12/09/2025	12:32	LB138174
	Thallium	28.4			-40	40	12/09/2025	12:32	LB138174
	Vanadium	5.43			-40	40	12/09/2025	12:32	LB138174
	Zinc	5.79			-40	40	12/09/2025	12:32	LB138174
ICSAB01	Aluminum	239000	247000	97	209000	285000	12/09/2025	12:37	LB138174
	Antimony	595	618	96	525	711	12/09/2025	12:37	LB138174
	Arsenic	107	104	103	88.4	120	12/09/2025	12:37	LB138174
	Barium	456	537	85	437	637	12/09/2025	12:37	LB138174
	Beryllium	468	495	94	420	570	12/09/2025	12:37	LB138174
	Cadmium	979	972	101	826	1120	12/09/2025	12:37	LB138174
	Calcium	225000	235000	96	199000	271000	12/09/2025	12:37	LB138174
	Chromium	545	542	101	460	624	12/09/2025	12:37	LB138174
	Cobalt	487	476	102	404	548	12/09/2025	12:37	LB138174
	Copper	464	511	91	434	588	12/09/2025	12:37	LB138174
	Iron	95200	99300	96	84400	114500	12/09/2025	12:37	LB138174
	Lead	53.9	49.0	110	37	61	12/09/2025	12:37	LB138174
	Magnesium	243000	248000	98	210000	286000	12/09/2025	12:37	LB138174
	Manganese	457	507	90	430	584	12/09/2025	12:37	LB138174
	Nickel	965	954	101	810	1100	12/09/2025	12:37	LB138174
	Potassium	42.5			0	0	12/09/2025	12:37	LB138174
	Selenium	49.8	46.0	108	26	66	12/09/2025	12:37	LB138174
	Silver	180	201	90	170	232	12/09/2025	12:37	LB138174
	Sodium	87.5			0	0	12/09/2025	12:37	LB138174
	Thallium	148	108	137	68	148	12/09/2025	12:37	LB138174

Metals
- 4 -
INTERFERENCE CHECK SAMPLE

Client: <u>Tetra Tech, EMI</u>	SDG No.: <u>Q3765</u>
Contract: <u>TETR16</u>	Lab Code: <u>ACE</u>
ICS Source: <u>EPA</u>	Instrument ID: <u>P4</u>

Sample ID	Analyte	Result ug/L	True Value ug/L	% Recovery	Low Limit (ug/L)	High Limit (ug/L)	Analysis Date	Analysis Time	Run Number
ICSAB01	Vanadium	465	491	95	417	565	12/09/2025	12:37	LB138174
	Zinc	1040	952	109	809	1095	12/09/2025	12:37	LB138174
ICSA01	Aluminum	249000	255000	98	216000	294000	12/11/2025	11:54	LB138198
	Antimony	4.13			-50	50	12/11/2025	11:54	LB138198
	Arsenic	2.67			-20	20	12/11/2025	11:54	LB138198
	Barium	4.34	6.0	72	-94	106	12/11/2025	11:54	LB138198
	Beryllium	1.04			-6	6	12/11/2025	11:54	LB138198
	Cadmium	3.39	1.0	339	-5	7	12/11/2025	11:54	LB138198
	Calcium	235000	245000	96	208000	282000	12/11/2025	11:54	LB138198
	Chromium	52.4	52.0	101	42	62	12/11/2025	11:54	LB138198
	Cobalt	2.61			-30	30	12/11/2025	11:54	LB138198
	Copper	2.84	2.0	142	-18	22	12/11/2025	11:54	LB138198
	Iron	91200	101000	90	85600	116500	12/11/2025	11:54	LB138198
	Lead	7.82			-12	12	12/11/2025	11:54	LB138198
	Magnesium	254000	255000	100	216000	294000	12/11/2025	11:54	LB138198
	Manganese	9.15	7.0	131	-13	27	12/11/2025	11:54	LB138198
	Nickel	6.93	2.0	346	-38	42	12/11/2025	11:54	LB138198
	Potassium	120			0	0	12/11/2025	11:54	LB138198
	Selenium	1.32			-20	20	12/11/2025	11:54	LB138198
	Silver	7.73			-10	10	12/11/2025	11:54	LB138198
	Sodium	84.2			0	0	12/11/2025	11:54	LB138198
	Thallium	14.0			-40	40	12/11/2025	11:54	LB138198
	Vanadium	5.97			-40	40	12/11/2025	11:54	LB138198
	Zinc	5.57			-40	40	12/11/2025	11:54	LB138198
ICSAB01	Aluminum	240000	247000	97	209000	285000	12/11/2025	11:59	LB138198
	Antimony	583	618	94	525	711	12/11/2025	11:59	LB138198
	Arsenic	105	104	101	88.4	120	12/11/2025	11:59	LB138198
	Barium	502	537	94	437	637	12/11/2025	11:59	LB138198
	Beryllium	485	495	98	420	570	12/11/2025	11:59	LB138198
	Cadmium	946	972	97	826	1120	12/11/2025	11:59	LB138198
	Calcium	229000	235000	97	199000	271000	12/11/2025	11:59	LB138198
	Chromium	535	542	99	460	624	12/11/2025	11:59	LB138198
	Cobalt	475	476	100	404	548	12/11/2025	11:59	LB138198
	Copper	458	511	90	434	588	12/11/2025	11:59	LB138198
	Iron	89800	99300	90	84400	114500	12/11/2025	11:59	LB138198
	Lead	58.0	49.0	118	37	61	12/11/2025	11:59	LB138198
	Magnesium	243000	248000	98	210000	286000	12/11/2025	11:59	LB138198
	Manganese	494	507	97	430	584	12/11/2025	11:59	LB138198
	Nickel	944	954	99	810	1100	12/11/2025	11:59	LB138198
	Potassium	58.7			0	0	12/11/2025	11:59	LB138198
	Selenium	46.2	46.0	100	26	66	12/11/2025	11:59	LB138198
	Silver	180	201	90	170	232	12/11/2025	11:59	LB138198

Metals
- 4 -
INTERFERENCE CHECK SAMPLE

Client: <u>Tetra Tech, EMI</u>	SDG No.: <u>Q3765</u>
Contract: <u>TETR16</u>	Lab Code: <u>ACE</u>
ICS Source: <u>EPA</u>	Instrument ID: <u>P4</u>

Sample ID	Analyte	Result ug/L	True Value ug/L	% Recovery	Low Limit (ug/L)	High Limit (ug/L)	Analysis Date	Analysis Time	Run Number
ICSAB01	Sodium	100			0	0	12/11/2025	11:59	LB138198
	Thallium	119	108	110	68	148	12/11/2025	11:59	LB138198
	Vanadium	470	491	96	417	565	12/11/2025	11:59	LB138198
	Zinc	987	952	104	809	1095	12/11/2025	11:59	LB138198



METAL QC DATA

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

metals
- 5a -
MATRIX SPIKE SUMMARY

client: <u>Tetra Tech, EMI</u>	level: <u>low</u>	sdg no.: <u>Q3765</u>
contract: <u>TETR16</u>		lab code: <u>ACE</u>
matrix: <u>Water</u>	sample id: <u>Q3765-05</u>	client id: <u>MC0KG1MS</u>
Percent Solids for Sample: <u>NA</u>	Spiked ID: <u>Q3765-06</u>	Percent Solids for Spike Sample: <u>NA</u>

Analyte	Units	Acceptance Limit %R	Spiked Result	C	Sample Result	C	Spike Added	% Recovery	Qual	M
Aluminum	ug/L	86 - 115	1070		150		1000	92		P
Antimony	ug/L	88 - 113	446		69.0		400	94		P
Arsenic	ug/L	87 - 113	389		16.8		400	93		P
Barium	ug/L	88 - 113	115		22.1	J	100	92		P
Beryllium	ug/L	89 - 112	85.2		3.00	U	100	85	N	P
Cadmium	ug/L	88 - 113	405		363		100	41	N	P
Calcium	ug/L	87 - 113	7060		6350		500	142		P
Chromium	ug/L	90 - 113	197		6.20		200	96		P
Cobalt	ug/L	89 - 114	91.0		15.0	U	100	91		P
Copper	ug/L	86 - 114	238		101		150	91		P
Iron	ug/L	87 - 115	2650		1350		1500	87		P
Lead	ug/L	86 - 113	6310		9120		500	-563		P
Magnesium	ug/L	85 - 113	2340		1420		1000	92		P
Manganese	ug/L	90 - 114	167		57.0		100	110		P
Nickel	ug/L	88 - 113	245		23.3		250	89		P
Potassium	ug/L	86 - 114	6140		1580		5000	91		P
Selenium	ug/L	83 - 114	911		5.45	J	1000	91		P
Silver	ug/L	84 - 115	9.14		5.00	U	37.5	24	N	P
Sodium	ug/L	87 - 115	2630		1310		1500	88		P
Thallium	ug/L	85 - 114	840		5.50	J	1000	83	N	P
Vanadium	ug/L	90 - 111	143		20.0	U	150	95		P
Zinc	ug/L	87 - 115	516		421		100	94		P

metals
- 5a -
MATRIX SPIKE DUPLICATE SUMMARY

client: <u>Tetra Tech, EMI</u>	level: <u>low</u>	sdg no.: <u>Q3765</u>
contract: <u>TETR16</u>		lab code: <u>ACE</u>
matrix: <u>Water</u>	sample id: <u>Q3765-05</u>	client id: <u>MC0KG1MSD</u>
Percent Solids for Sample: <u>NA</u>	Spiked ID: <u>Q3765-07</u>	Percent Solids for Spike Sample: <u>NA</u>

Analyte	Units	Acceptance Limit %R	MSD Result	C	Sample Result	C	Spike Added	% Recovery	Qual	M
Aluminum	ug/L	86 - 115	1040		150		1000	89		P
Antimony	ug/L	88 - 113	431		69.0		400	90		P
Arsenic	ug/L	87 - 113	373		16.8		400	89		P
Barium	ug/L	88 - 113	109		22.1	J	100	87	N	P
Beryllium	ug/L	89 - 112	82.4		3.00	U	100	82	N	P
Cadmium	ug/L	88 - 113	387		363		100	24	N	P
Calcium	ug/L	87 - 113	6670		6350		500	64		P
Chromium	ug/L	90 - 113	221		6.20		200	107		P
Cobalt	ug/L	89 - 114	87.4		15.0	U	100	87	N	P
Copper	ug/L	86 - 114	230		101		150	86		P
Iron	ug/L	87 - 115	2670		1350		1500	88		P
Lead	ug/L	86 - 113	6040		9120		500	-616		P
Magnesium	ug/L	85 - 113	2230		1420		1000	81	N	P
Manganese	ug/L	90 - 114	146		57.0		100	89	N	P
Nickel	ug/L	88 - 113	250		23.3		250	91		P
Potassium	ug/L	86 - 114	5730		1580		5000	83	N	P
Selenium	ug/L	83 - 114	879		5.45	J	1000	87		P
Silver	ug/L	84 - 115	10.1		5.00	U	37.5	27	N	P
Sodium	ug/L	87 - 115	2430		1310		1500	75	N	P
Thallium	ug/L	85 - 114	800		5.50	J	1000	79	N	P
Vanadium	ug/L	90 - 111	136		20.0	U	150	91		P
Zinc	ug/L	87 - 115	488		421		100	67		P

Metals
- 5b -
POST DIGEST SPIKE SUMMARY

Client: <u>Tetra Tech, EMI</u>	SDG No.: <u>Q3765</u>	
Contract: <u>TETR16</u>	Lab Code: <u>ACE</u>	
Matrix: <u>Water</u>	Level: <u>LOW</u>	Client ID: <u>MC0KG1A</u>
Sample ID: <u>Q3765-05</u>	Spiked ID: <u>Q3765-05A</u>	

Analyte	Units	Acceptance Limit %R	Spiked Result	C	Sample Result	C	Spike Added	% Recovery	Qual	M
Barium	ug/L	88 - 113	108		22.1	J	100	86	N	P
Beryllium	ug/L	89 - 112	82.6		3.00	U	100	83	N	P
Cadmium	ug/L	88 - 113	449		363		100	86	N	P
Cobalt	ug/L	89 - 114	88.6		15.0	U	100	89	N	P
Magnesium	ug/L	85 - 113	2260		1420		1000	84	N	P
Manganese	ug/L	90 - 114	143		57.0		100	86	N	P
Potassium	ug/L	86 - 114	5840		1580		5000	85	N	P
Silver	ug/L	84 - 115	32.4		5.00	U	37.5	86		P
Sodium	ug/L	87 - 115	2480		1310		1500	78	N	P
Thallium	ug/L	85 - 114	795		5.50	J	1000	79	N	P

Metals

- 6 -

DUPLICATE SAMPLE SUMMARY

Client: Tetra Tech, EMI **Level:** LOW **SDG No.:** Q3765
Contract: TETR16 **Lab Code:** ACE
Matrix: Water **Sample ID:** Q3765-05 **Client ID:** MC0KG1DUP
Percent Solids for Sample: NA **Duplicate ID** Q3765-05DUP **Percent Solids for Spike Sample:** NA

Analyte	Units	Acceptance Limit	Sample Result	C	Duplicate Result	C	RPD	Qual	M
Aluminum	ug/L	20	150		154		3		P
Antimony	ug/L	20	69.0		70.1		2		P
Arsenic	ug/L	20	16.8		19.1		13		P
Barium	ug/L	20	22.1	J	22.6	J	2		P
Beryllium	ug/L	20	3.00	U	3.00	U			P
Cadmium	ug/L	20	363		369		2		P
Calcium	ug/L	20	6350		6420		1		P
Chromium	ug/L	20	6.20		6.08		2		P
Cobalt	ug/L	20	15.0	U	15.0	U			P
Copper	ug/L	20	101		102		1		P
Iron	ug/L	20	1350		1290		5		P
Lead	ug/L	20	9120		9260		2		P
Magnesium	ug/L	20	1420		1440		1		P
Manganese	ug/L	20	57.0		58.1		2		P
Nickel	ug/L	20	23.3		24.0		3		P
Potassium	ug/L	20	1580		1490		6		P
Selenium	ug/L	20	5.45	J	6.67	J	20		P
Silver	ug/L	20	5.00	U	5.00	U			P
Sodium	ug/L	20	1310		1230		6		P
Thallium	ug/L	20	5.50	J	4.96	J	10		P
Vanadium	ug/L	20	20.0	U	20.0	U			P
Zinc	ug/L	20	421		415		1		P

“A control limit of $\pm 20\%$ RPD for each matrix applies for sample values greater than 10 times Detection Limit”

Metals

- 6 -

DUPLICATE SAMPLE SUMMARY

Client:	<u>Tetra Tech, EMI</u>	Level:	<u>LOW</u>	SDG No.:	<u>Q3765</u>
Contract:	<u>TETR16</u>			Lab Code:	<u>ACE</u>
Matrix:	<u>Water</u>	Sample ID:	<u>Q3765-06</u>	Client ID:	<u>MC0KG1MSD</u>
Percent Solids for Sample:	NA	Duplicate ID	Q3765-07	Percent Solids for Spike Sample:	NA

Analyte	Units	Acceptance Limit	Sample Result	C	Duplicate Result	C	RPD	Qual	M
Aluminum	ug/L	20	1070		1040		3		P
Antimony	ug/L	20	446		431		3		P
Arsenic	ug/L	20	389		373		4		P
Barium	ug/L	20	115		109		5		P
Beryllium	ug/L	20	85.2		82.4		3		P
Cadmium	ug/L	20	405		387		5		P
Calcium	ug/L	20	7060		6670		6		P
Chromium	ug/L	20	197		221		11		P
Cobalt	ug/L	20	91.0		87.4		4		P
Copper	ug/L	20	238		230		3		P
Iron	ug/L	20	2650		2670		1		P
Lead	ug/L	20	6310		6040		4		P
Magnesium	ug/L	20	2340		2230		5		P
Manganese	ug/L	20	167		146		13		P
Nickel	ug/L	20	245		250		2		P
Potassium	ug/L	20	6140		5730		7		P
Selenium	ug/L	20	911		879		4		P
Silver	ug/L	20	9.14		10.1		10		P
Sodium	ug/L	20	2630		2430		8		P
Thallium	ug/L	20	840		800		5		P
Vanadium	ug/L	20	143		136		5		P
Zinc	ug/L	20	516		488		6		P

“A control limit of $\pm 20\%$ RPD for each matrix applies for sample values greater than 10 times Detection Limit”

Metals

- 7 -

LABORATORY CONTROL SAMPLE SUMMARY

Client:	<u>Tetra Tech, EMI</u>	SDG No.:	<u>Q3765</u>
Contract:	<u>TETR16</u>	Lab Code:	<u>ACE</u>

Analyte	Units	True Value	Result	C	% Recovery	Acceptance Limits	M
PB170841BS							
Aluminum	ug/L	1000	1040		104	86 - 115	P
Antimony	ug/L	400	418		104	88 - 113	P
Arsenic	ug/L	400	412		103	87 - 113	P
Barium	ug/L	100	101		101	88 - 113	P
Beryllium	ug/L	100	107		107	89 - 112	P
Cadmium	ug/L	100	102		102	88 - 113	P
Calcium	ug/L	500	528	J	106	87 - 113	P
Chromium	ug/L	200	201		100	90 - 113	P
Cobalt	ug/L	100	101		101	89 - 114	P
Copper	ug/L	150	160		107	86 - 114	P
Iron	ug/L	1500	1460		97	87 - 115	P
Lead	ug/L	500	501		100	86 - 113	P
Magnesium	ug/L	1000	1050		105	85 - 113	P
Manganese	ug/L	100	103		103	90 - 114	P
Nickel	ug/L	250	256		102	88 - 113	P
Potassium	ug/L	5000	4860		97	86 - 114	P
Selenium	ug/L	1000	1070		107	83 - 114	P
Silver	ug/L	37.5	37.7		100	84 - 115	P
Sodium	ug/L	1500	1460		97	87 - 115	P
Thallium	ug/L	1000	1040		104	85 - 114	P
Vanadium	ug/L	150	155		103	90 - 111	P
Zinc	ug/L	100	109		109	87 - 115	P

Metals
-9 -
ICP SERIAL DILUTIONS

SAMPLE NO.

MC0KG1L

Lab Name: Alliance **Contract:** TETR16
Lab Code: ACE **Lb No.:** lb138174 **Lab Sample ID :** Q3765-05L **SDG No.:** Q3765
Matrix (soil/water): Water **Level (low/med):** LOW
Concentration Units: ug/L

Analyte	Initial Sample Result (I)		Serial Dilution Result (S)		% Differ-ence	Q	M
Aluminum	150		133	J	11		P
Antimony	69.0		70.3	J	2		P
Arsenic	16.8		17.6	J	5		P
Barium	22.1	J	250	U	100.0		P
Beryllium	3.00	U	15.0	U			P
Cadmium	363		379		5		P
Calcium	6350		6250		2		P
Chromium	6.20		5.68	J	9		P
Cobalt	15.0	U	75.0	U			P
Copper	101		103		1		P
Iron	1350		1270		6		P
Lead	9120		9380		3		P
Magnesium	1420		1340	J	6		P
Manganese	57.0		56.1		2		P
Nickel	23.3		24.9	J	7		P
Potassium	1580		5000	U	100.0		P
Selenium	5.45	J	50.0	U	100.0		P
Silver	5.00	U	25.0	U			P
Sodium	1310		5000	U	100.0		P
Thallium	5.50	J	20.1	J	266		P
Vanadium	20.0	U	100	U			P
Zinc	421		417		1		P



METAL PREPARATION & INSTRUMENT DATA

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

Metals

- 11 -

ICP INTERELEMENT CORRECTION FACTORS

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Instrument ID:

Date:

Interelement Correction Factors (apparent ppb analyte/ppm interferent)

Analyte	Wave- Length (nm)	ICP Interelement Correction Factors For:				
		Al	Ca	Fe	Mg	Ag
Aluminum	396.100	0.0000000	-0.0002060	0.0000000	0.0000000	0.0000000
Antimony	206.833	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Arsenic	193.759	0.0000000	0.0000000	-0.0000440	0.0000000	0.0000000
Barium	493.409	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Beryllium	234.861	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Cadmium	226.502	0.0000000	0.0000000	0.0000930	0.0000000	0.0000000
Calcium	373.690	0.0000000	0.0000000	-0.0075970	0.0000000	0.0000000
Chromium	267.716	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Cobalt	228.616	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Copper	224.700	0.0000000	0.0000000	0.0007850	0.0000000	0.0000000
Iron	240.488	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Lead	220.353	-0.0000920	0.0000000	0.0000380	0.0000000	0.0000000
Magnesium	279.079	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Manganese	257.610	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Nickel	231.604	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Potassium	766.490	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Selenium	196.090	0.0000000	0.0000000	-0.0001440	0.0000000	0.0000000
Silver	328.068	0.0000000	0.0000000	-0.0001490	0.0000000	0.0000000
Sodium	589.592	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Thallium	190.856	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Vanadium	292.402	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Zinc	213.800	0.0000000	0.0000000	0.0001050	0.0000000	0.0000000

Metals

- 11 -

ICP INTERELEMENT CORRECTION FACTORS

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Instrument ID:

Date:

Interelement Correction Factors (apparent ppb analyte/ppm interferent)

Analyte	Wave- Length (nm)	ICP Interelement Correction Factors For:				
		As	Ba	Be	Cd	Co
Aluminum	396.100	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Antimony	206.833	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Arsenic	193.759	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Barium	493.409	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Beryllium	234.861	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Cadmium	226.502	0.0000000	0.0000000	0.0000000	0.0000000	0.0002870
Calcium	373.690	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Chromium	267.716	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Cobalt	228.616	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Copper	224.700	0.0000000	0.0000000	0.0000000	0.0000000	0.0009530
Iron	240.488	0.0000000	0.0000000	0.0000000	0.0000000	-0.0039600
Lead	220.353	0.0000000	0.0003170	0.0000000	0.0000000	0.0000000
Magnesium	279.079	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Manganese	257.610	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Nickel	231.604	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Potassium	766.490	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Selenium	196.090	0.0000000	0.0000000	0.0000000	0.0000000	-0.0003570
Silver	328.068	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Sodium	589.592	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Thallium	190.856	0.0000000	0.0000000	0.0000000	0.0000000	0.0054900
Vanadium	292.402	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Zinc	213.800	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000

Metals

- 11 -

ICP INTERELEMENT CORRECTION FACTORS

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Instrument ID:

Date:

Interelement Correction Factors (apparent ppb analyte/ppm interferent)

Analyte	Wave- Length (nm)	ICP Interelement Correction Factors For:				
		Cr	Cu	K	Mn	Mo
Aluminum	396.100	0.0000000	0.0000000	0.0000590	0.0000000	0.0396900
Antimony	206.833	0.0122000	0.0000000	0.0000000	0.0000000	0.0000000
Arsenic	193.759	-0.0029000	0.0000000	0.0000000	0.0000000	0.0004900
Barium	493.409	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Beryllium	234.861	0.0000000	0.0000000	0.0000000	-0.0000710	-0.0003400
Cadmium	226.502	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Calcium	373.690	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Chromium	267.716	0.0000000	0.0000000	0.0000070	0.0002200	0.0000000
Cobalt	228.616	0.0000000	0.0000000	0.0000000	0.0000000	-0.0007860
Copper	224.700	0.0000000	0.0000000	0.0000000	0.0006510	0.0020500
Iron	240.488	0.0000000	0.0000000	0.0000730	0.0000000	-0.0015250
Lead	220.353	0.0000000	0.0000000	0.0000000	0.0001400	-0.0008600
Magnesium	279.079	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Manganese	257.610	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Nickel	231.604	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Potassium	766.490	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Selenium	196.090	0.0000000	0.0000000	0.0000000	0.0007460	0.0000000
Silver	328.068	0.0000000	0.0000000	0.0000000	0.0000000	-0.0000120
Sodium	589.592	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Thallium	190.856	0.0000000	0.0000000	0.0000000	0.0017400	-0.0100400
Vanadium	292.402	-0.0025100	0.0000000	0.0000000	0.0000000	-0.0072000
Zinc	213.800	0.0000000	0.0009010	0.0000000	0.0000000	0.0000000

Metals

- 11 -

ICP INTERELEMENT CORRECTION FACTORS

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Instrument ID:

Date:

Interelement Correction Factors (apparent ppb analyte/ppm interferent)

Analyte	Wave- Length (nm)	ICP Interelement Correction Factors For:				
		Na	Ni	Pb	Sb	Se
Aluminum	396.100	0.0000000	0.0000000	0.0012800	0.0000000	0.0000000
Antimony	206.833	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Arsenic	193.759	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Barium	493.409	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Beryllium	234.861	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Cadmium	226.502	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Calcium	373.690	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Chromium	267.716	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Cobalt	228.616	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Copper	224.700	0.0000000	-0.0047000	0.0036100	0.0000000	0.0000000
Iron	240.488	0.0000000	-0.0017000	0.0000000	0.0000000	0.0000000
Lead	220.353	0.0000000	0.0006580	0.0000000	0.0000000	0.0001290
Magnesium	279.079	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Manganese	257.610	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Nickel	231.604	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Potassium	766.490	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Selenium	196.090	0.0000000	0.0000000	0.0003330	0.0000000	0.0000000
Silver	328.068	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Sodium	589.592	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Thallium	190.856	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Vanadium	292.402	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Zinc	213.800	0.0000000	0.0067600	0.0000000	0.0000000	0.0000000

Metals

- 11 -

ICP INTERELEMENT CORRECTION FACTORS

Client: Tetra Tech, EMI

SDG No.: Q3765

Contract: TETR16

Lab Code: ACE

Instrument ID:

Date:

Interelement Correction Factors (apparent ppb analyte/ppm interferent)

Analyte	Wave- Length (nm)	ICP Interelement Correction Factors For:				
		Sn	Ti	Tl	V	Zn
Aluminum	396.100	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Antimony	206.833	-0.0035600	-0.0007970	0.0000000	-0.0018900	0.0000000
Arsenic	193.759	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Barium	493.409	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Beryllium	234.861	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Cadmium	226.502	0.0000000	0.0000630	0.0001280	0.0000000	0.0000000
Calcium	373.690	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Chromium	267.716	0.0000000	0.0000000	0.0000000	0.0001110	0.0000000
Cobalt	228.616	0.0000000	0.0018800	0.0000000	0.0000000	0.0000000
Copper	224.700	0.0000000	0.0003840	0.0000000	0.0000000	0.0000000
Iron	240.488	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Lead	220.353	0.0000000	-0.0003610	0.0000000	0.0000000	0.0000000
Magnesium	279.079	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Manganese	257.610	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Nickel	231.604	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Potassium	766.490	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Selenium	196.090	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Silver	328.068	0.0000000	-0.0007420	0.0000000	0.0000000	0.0000000
Sodium	589.592	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Thallium	190.856	0.0000000	-0.0039700	0.0000000	-0.0115600	0.0000000
Vanadium	292.402	0.0000000	0.0005320	0.0000000	0.0000000	0.0000000
Zinc	213.800	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000

METAL PREPARATION & ANALYICAL SUMMARY

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

Metals
- 13 -

SAMPLE PREPARATION SUMMARY

Client: Tetra Tech, EMI
Contract: TETR16

SDG No.: Q3765
Lab Code: ACE

Method: _____

Sample ID	Client ID	Sample Type	Matrix	Prep Date	Initial Sample Size(mL)	Final Sample Volume (mL)	Percent Solids
Batch Number: PB170841							
PB170841BL	PB170841BL	MB	WATER	12/05/2025	50.0	25.0	
PB170841BS	PB170841BS	LCS	WATER	12/05/2025	50.0	25.0	
Q3765-01	MC0KF5	SAM	WATER	12/05/2025	50.0	25.0	
Q3765-02	MC0KF7	SAM	WATER	12/05/2025	50.0	25.0	
Q3765-03	MC0KF9	SAM	WATER	12/05/2025	50.0	25.0	
Q3765-04	MC0KG0	SAM	WATER	12/05/2025	50.0	25.0	
Q3765-05	MC0KG1	SAM	WATER	12/05/2025	50.0	25.0	
Q3765-05DUP	MC0KG1DUP	DUP	WATER	12/05/2025	50.0	25.0	
Q3765-06	MC0KG1MS	MS	WATER	12/05/2025	50.0	25.0	
Q3765-07	MC0KG1MSD	MSD	WATER	12/05/2025	50.0	25.0	
Q3765-08	MC0KG2	SAM	WATER	12/05/2025	50.0	25.0	
Q3765-09	MC0KG3	SAM	WATER	12/05/2025	50.0	25.0	
Q3765-10	MC0KG4	SAM	WATER	12/05/2025	50.0	25.0	
Q3765-11	MC0KG5	SAM	WATER	12/05/2025	50.0	25.0	
Q3765-12	MC0KG6	SAM	WATER	12/05/2025	50.0	25.0	
Q3765-13	MC0KG7	SAM	WATER	12/05/2025	50.0	25.0	
Q3765-14	MC0KG8	SAM	WATER	12/05/2025	50.0	25.0	

metals
- 14 -
ANALYSIS RUN LOG

Client: Tetra Tech, EMI

Contract: TETR16

Lab code: ACE

Sdg no.: Q3765

Instrument id number:

Method:

Run number: LB138174

Start date: 12/09/2025

End date: 12/09/2025

Lab sample id.	Client Sample Id	d/f	Time	Parameter list
S0	S0	1	1138	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
S1	S1	1	1143	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
S2	S2	1	1147	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
S3	S3	1	1151	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
S4	S4	1	1155	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
S5	S5	1	1159	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
ICV01	ICV01	1	1215	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
LLICV01	LLICV01	1	1219	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
ICB01	ICB01	1	1224	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CRI01	CRI01	1	1228	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
ICSA01	ICSA01	1	1232	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
ICSAB01	ICSAB01	1	1237	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV01	CCV01	1	1249	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB01	CCB01	1	1253	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV02	CCV02	1	1341	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB02	CCB02	1	1345	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV03	CCV03	1	1509	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB03	CCB03	1	1513	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV04	CCV04	1	1600	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB04	CCB04	1	1604	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV05	CCV05	1	1650	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB05	CCB05	1	1654	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV06	CCV06	1	1741	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB06	CCB06	1	1745	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q3765-01	MC0KF5	1	1814	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q3765-02	MC0KF7	1	1819	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q3765-03	MC0KF9	1	1823	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q3765-04	MC0KG0	1	1827	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV07	CCV07	1	1831	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB07	CCB07	1	1836	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q3765-05	MC0KG1	1	1840	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q3765-05DUP	MC0KG1DUP	1	1844	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q3765-05L	MC0KG1L	5	1848	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q3765-06	MC0KG1MS	1	1852	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q3765-07	MC0KG1MSD	1	1856	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q3765-05A	MC0KG1A	1	1901	Ag,Ba,Be,Cd,Co,K,Mg,Mn,Na,Tl
Q3765-08	MC0KG2	1	1905	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q3765-09	MC0KG3	1	1909	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q3765-10	MC0KG4	1	1913	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q3765-11	MC0KG5	1	1917	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV08	CCV08	1	1930	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn

metals
- 14 -
ANALYSIS RUN LOG

Client: Tetra Tech, EMI

Contract: TETR16

Lab code: ACE

Sdg no.: Q3765

Instrument id number:

Method:

Run number: LB138174

Start date: 12/09/2025

End date: 12/09/2025

Lab sample id.	Client Sample Id	d/f	Time	Parameter list
CCB08	CCB08	1	1934	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q3765-12	MC0KG6	1	1938	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q3765-13	MC0KG7	1	1943	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q3765-14	MC0KG8	1	1947	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV09	CCV09	1	2037	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB09	CCB09	1	2041	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV10	CCV10	1	2127	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB10	CCB10	1	2131	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV11	CCV11	1	2217	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB11	CCB11	1	2222	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV12	CCV12	1	2320	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB12	CCB12	1	2325	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV13	CCV13	1	2341	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB13	CCB13	1	2345	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn

metals
- 14 -
ANALYSIS RUN LOG

Client: Tetra Tech, EMI

Contract: TETR16

Lab code: ACE

Sdg no.: Q3765

Instrument id number:

Method:

Run number: LB138198

Start date: 12/11/2025


End date: 12/11/2025


Lab sample id.	Client Sample Id	d/f	Time	Parameter list
S0	S0	1	1104	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
S1	S1	1	1109	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
S2	S2	1	1113	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
S3	S3	1	1117	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
S4	S4	1	1121	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
S5	S5	1	1126	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
ICV01	ICV01	1	1130	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
LLICV01	LLICV01	1	1141	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
ICB01	ICB01	1	1146	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CRI01	CRI01	1	1150	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
ICSA01	ICSA01	1	1154	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
ICSAB01	ICSAB01	1	1159	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV01	CCV01	1	1214	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB01	CCB01	1	1218	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
PB170841BL	PB170841BL	1	1231	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
PB170841BS	PB170841BS	1	1235	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV02	CCV02	1	1304	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB02	CCB02	1	1308	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV03	CCV03	1	1355	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB03	CCB03	1	1359	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV04	CCV04	1	1459	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB04	CCB04	1	1504	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV05	CCV05	1	1550	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB05	CCB05	1	1554	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV06	CCV06	1	1640	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB06	CCB06	1	1644	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV07	CCV07	1	1753	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB07	CCB07	1	1757	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV08	CCV08	1	1848	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB08	CCB08	1	1852	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV09	CCV09	1	1941	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB09	CCB09	1	1945	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV10	CCV10	1	2033	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB10	CCB10	1	2037	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV11	CCV11	1	2055	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB11	CCB11	1	2059	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn





METAL RAW DATA


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17











































































































Sample Name: S0 Acquired: 12/9/2025 11:38:27 Type: Cal
Method: 6010-200.7 NEW(v394) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934	Be2348
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	-.00015	.00020	.00023	.00067	.00089	.00025	.02508	-.00237
Stddev	.00009	.00012	.00033	.00009	.00032	.00027	.00172	.00055
%RSD	60.515	60.394	146.46	14.083	35.644	109.88	6.8626	23.426
#1	-.00024	.00011	.00025	.00064	.00123	.00055	.02318	-.00278
#2	-.00007	.00015	.00055	.00059	.00081	.00014	.02553	-.00174
#3	-.00013	.00034	-.00012	.00077	.00061	.00004	.02653	-.00259
Elem	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404	Mn2576	Mg2790
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	-.00080	.00127	.00013	-.00018	.00057	.00007	.00019	-.00002
Stddev	.00005	.00027	.00004	.00027	.00028	.00001	.00015	.00021
%RSD	6.5750	21.013	31.729	152.53	48.163	19.493	77.256	1208.3
#1	-.00081	.00157	.00008	-.00043	.00078	.00007	.00016	.00021
#2	-.00074	.00120	.00016	.00011	.00026	.00005	.00036	-.00005
#3	-.00084	.00105	.00015	-.00020	.00068	.00007	.00007	-.00021
Elem	Ni2316	Ag3280	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	-.00118	-.00070	.00154	-.00034	.00863	-.00134	.00474	.00075
Stddev	.00017	.00007	.00027	.00025	.00055	.00013	.00014	.00012
%RSD	14.297	9.8605	17.437	74.568	6.3389	9.7363	3.0116	15.698
#1	-.00137	-.00072	.00126	-.00005	.00804	-.00148	.00490	.00087
#2	-.00113	-.00076	.00158	-.00053	.00912	-.00129	.00464	.00075
#3	-.00104	-.00063	.00179	-.00043	.00872	-.00123	.00468	.00064
Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707	Sr4077	
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	
Avg	.00312	.00149	.00012	-.00085	.00088	.00721	.00039	
Stddev	.00007	.00067	.00003	.00012	.00014	.00202	.00060	
%RSD	2.3021	44.901	23.446	13.852	15.434	27.978	153.95	
#1	.00315	.00085	.00016	-.00092	.00079	.00813	-.00018	
#2	.00318	.00143	.00011	-.00091	.00080	.00861	.00101	
#3	.00304	.00219	.00011	-.00071	.00103	.00490	.00033	

Sample Name: S0 Acquired: 12/9/2025 11:38:27 Type: Cal
Method: 6010-200.7 NEW(v394) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2980.4	57120.	7234.2	2199.0	4152.5
Stddev	3.3	59.	8.7	15.8	6.4
%RSD	.11209	.10310	.12086	.71965	.15459
#1	2984.2	57067.	7242.7	2180.8	4156.0
#2	2977.8	57110.	7234.7	2209.3	4145.1
#3	2979.3	57183.	7225.2	2207.0	4156.4

Sample Name: S1 Acquired: 12/9/2025 11:43:16 Type: Cal
Method: 6010-200.7 NEW(v394) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934	Be2348
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.00085	.00195	.00213	.00147	.00585	.01038	.28036	.03530
Stddev	.00003	.00007	.00035	.00011	.00009	.00053	.00227	.00013
%RSD	3.6244	3.5443	16.328	7.2798	1.6068	5.1297	.80965	.37209
#1	.00082	.00202	.00234	.00149	.00596	.01021	.28251	.03515
#2	.00088	.00195	.00232	.00135	.00578	.00996	.28058	.03539
#3	.00084	.00188	.00173	.00156	.00581	.01098	.27799	.03536
Elem	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404	Mn2576	Mg2790
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.01493	.11749	.00213	.02816	.01615	.00045	.00838	.02191
Stddev	.00033	.00111	.00006	.00023	.00026	.00003	.00035	.00021
%RSD	2.1972	.94758	2.7957	.81249	1.6028	5.7080	4.1927	.93952
#1	.01529	.11645	.00210	.02826	.01640	.00042	.00827	.02207
#2	.01486	.11866	.00210	.02832	.01616	.00046	.00877	.02168
#3	.01464	.11736	.00220	.02789	.01588	.00047	.00809	.02198
Elem	Ni2316	Ag3280	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.02100	.00152	.02366	.00474	.12823	.01036	.06316	.13350
Stddev	.00011	.00014	.00036	.00027	.00088	.00013	.00056	.00067
%RSD	.51895	9.3088	1.5237	5.6096	.68571	1.2854	.89049	.50532
#1	.02095	.00143	.02330	.00448	.12923	.01045	.06273	.13289
#2	.02093	.00169	.02366	.00501	.12787	.01021	.06295	.13339
#3	.02113	.00145	.02402	.00473	.12758	.01043	.06379	.13422
Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707	Sr4077	
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	
Avg	.00672	.01331	.00150	-.00007	.00128	.02985	.17239	
Stddev	.00012	.00038	.00004	.00011	.00003	.00052	.00116	
%RSD	1.7270	2.8610	2.6030	153.67	2.1814	1.7297	.67465	
#1	.00666	.01315	.00154	-.00005	.00130	.03045	.17105	
#2	.00664	.01375	.00146	-.00019	.00125	.02958	.17305	
#3	.00685	.01304	.00148	.00003	.00129	.02952	.17308	

Sample Name: S1 Acquired: 12/9/2025 11:43:16 Type: Cal
Method: 6010-200.7 NEW(v394) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2980.3	56195.	7058.7	2182.2	4124.8
Stddev	10.5	76.	13.4	4.1	10.0
%RSD	.35323	.13506	.18921	.18872	.24273
#1	2988.9	56112.	7070.9	2186.1	4129.8
#2	2983.5	56261.	7044.4	2182.5	4131.2
#3	2968.6	56213.	7060.8	2177.9	4113.2

Sample Name: S2 Acquired: 12/9/2025 11:47:39 Type: Cal
Method: 6010-200.7 NEW(v394) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934	Be2348	Cd2265
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.03864	.03213	.13708	.03198	.07907	.14537	4.0885	.23968	1.0369
Stddev	.00025	.00033	.00089	.00044	.00055	.00115	.0308	.00266	.0069
%RSD	.64072	1.0221	.64805	1.3883	.69512	.79083	.75310	1.1088	.66319
#1	.03891	.03194	.13808	.03233	.07970	.14536	4.0680	.23848	1.0448
#2	.03843	.03195	.13637	.03212	.07866	.14652	4.1239	.24273	1.0321
#3	.03858	.03251	.13680	.03148	.07886	.14423	4.0737	.23784	1.0339
Elem	Ca3736	Cr2677	Co2286	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.23195	.03221	.38198	.15257	.00304	.15919	.04242	.21872	.04521
Stddev	.00344	.00018	.00286	.00128	.00005	.00117	.00039	.00162	.00032
%RSD	1.4829	.54384	.74955	.83650	1.5450	.73269	.92354	.73979	.71271
#1	.22936	.03240	.38520	.15405	.00308	.15874	.04200	.22032	.04558
#2	.23585	.03216	.37971	.15187	.00299	.16051	.04278	.21708	.04496
#3	.23062	.03206	.38104	.15180	.00306	.15832	.04248	.21877	.04510
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.04535	.05069	1.1499	.02194	.46820	.55002	.09905	.24654	.00328
Stddev	.00038	.00042	.0029	.00021	.00630	.00518	.00081	.00170	.00008
%RSD	.83290	.82682	.25483	.94739	1.3449	.94201	.81550	.68847	2.3590
#1	.04551	.05059	1.1526	.02185	.46568	.55600	.09993	.24556	.00322
#2	.04491	.05114	1.1468	.02180	.47536	.54700	.09835	.24850	.00337
#3	.04562	.05032	1.1503	.02218	.46355	.54706	.09885	.24556	.00325
Elem	P_1774	S_1820	Li6707	Sr4077					
Units	Cts/S	Cts/S	Cts/S	Cts/S					
Avg	.28263	.01926	.75983	6.5684					
Stddev	.00203	.00009	.00654	.0565					
%RSD	.71917	.48391	.86079	.86012					
#1	.28482	.01928	.75528	6.5419					
#2	.28080	.01915	.76733	6.6333					
#3	.28227	.01933	.75688	6.5300					

Sample Name: S2 Acquired: 12/9/2025 11:47:39 Type: Cal
Method: 6010-200.7 NEW(v394) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2953.6	55952.	7144.3	2159.7	4021.9
Stddev	27.0	368.	72.2	11.3	32.7
%RSD	.91456	.65735	1.0100	.52205	.81272
#1	2922.9	55535.	7180.5	2147.6	3986.2
#2	2973.7	56230.	7061.2	2169.8	4050.3
#3	2964.3	56093.	7191.2	2161.9	4029.1

Sample Name: S3 Acquired: 12/9/2025 11:51:43 Type: Cal
Method: 6010-200.7 NEW(v394) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934	Be2348	Cd2265
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.11727	.09760	.42779	.09328	.24066	.45599	13.387	.75677	3.2104
Stddev	.00043	.00173	.00012	.00012	.00073	.00534	.155	.00690	.0017
%RSD	.36455	1.7746	.02848	.13296	.30233	1.1718	1.1574	.91209	.05311
#1	.11762	.09702	.42788	.09341	.24150	.45513	13.439	.75962	3.2122
#2	.11739	.09954	.42765	.09317	.24027	.45112	13.213	.74890	3.2089
#3	.11679	.09623	.42784	.09325	.24021	.46171	13.510	.76179	3.2101
Elem	Ca3736	Cr2677	Co2286	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.72062	.09842	1.1981	.47521	.00952	.51260	.13255	.68728	.14087
Stddev	.00871	.00039	.0013	.00079	.00009	.00570	.00181	.00050	.00051
%RSD	1.2085	.39519	.10796	.16572	.89706	1.1115	1.3686	.07205	.35955
#1	.72098	.09844	1.1969	.47602	.00950	.51268	.13269	.68690	.14072
#2	.71174	.09802	1.1979	.47445	.00944	.50686	.13067	.68710	.14045
#3	.72915	.09880	1.1995	.47515	.00961	.51825	.13429	.68784	.14143
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.14133	.16233	3.4380	.07096	1.4970	1.6906	.30457	.78781	.00970
Stddev	.00066	.00238	.0057	.00039	.0095	.0010	.00027	.00982	.00009
%RSD	.46464	1.4652	.16468	.55053	.63581	.06238	.08815	1.2470	.95864
#1	.14115	.16235	3.4441	.07074	1.5025	1.6909	.30488	.78911	.00966
#2	.14078	.15994	3.4369	.07074	1.4860	1.6894	.30445	.77740	.00962
#3	.14206	.16469	3.4329	.07141	1.5024	1.6915	.30438	.79692	.00980
Elem	P_1774	S_1820	Li6707	Sr4077					
Units	Cts/S	Cts/S	Cts/S	Cts/S					
Avg	.88461	.05914	2.4352	21.218					
Stddev	.00566	.00020	.0262	.253					
%RSD	.63940	.34552	1.0781	1.1908					
#1	.87826	.05894	2.4385	21.312					
#2	.88648	.05935	2.4075	20.931					
#3	.88910	.05912	2.4597	21.409					

Sample Name: S3 Acquired: 12/9/2025 11:51:43 Type: Cal
Method: 6010-200.7 NEW(v394) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2912.7	55062.	6853.1	2181.3	3869.1
Stddev	7.1	160.	70.6	10.8	5.3
%RSD	.24437	.29103	1.0298	.49309	.13824
#1	2907.2	55044.	6820.5	2173.3	3863.7
#2	2920.8	55230.	6934.1	2193.5	3874.4
#3	2910.2	54911.	6804.7	2177.1	3869.2

Sample Name: S4 Acquired: 12/9/2025 11:55:46 Type: Cal
Method: 6010-200.7 NEW(v394) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934	Be2348	Cd2265
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.22101	.18205	.81156	.17227	.45321	.87569	26.394	1.4509	6.1153
Stddev	.00044	.00388	.00071	.00077	.00102	.00188	.175	.0107	.0048
%RSD	.19925	2.1299	.08723	.44422	.22550	.21507	.66228	.73758	.07809

#1	.22138	.18646	.81210	.17287	.45408	.87776	26.586	1.4621	6.1208
#2	.22052	.18051	.81181	.17255	.45345	.87409	26.245	1.4498	6.1121
#3	.22113	.17918	.81076	.17141	.45209	.87521	26.349	1.4408	6.1131

Elem	Ca3736	Cr2677	Co2286	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	1.3780	.18210	2.2955	.87411	.01653	.99644	.25501	1.3008	.25943
Stddev	.0050	.00025	.0023	.00038	.00014	.00423	.00043	.0014	.00073
%RSD	.36458	.13735	.10154	.04369	.86539	.42403	.16938	.10420	.28317

#1	1.3838	.18238	2.2982	.87450	.01641	1.0005	.25491	1.3022	.25892
#2	1.3753	.18188	2.2941	.87410	.01648	.99207	.25465	1.2995	.25909
#3	1.3750	.18206	2.2943	.87374	.01669	.99674	.25549	1.3006	.26027

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.26695	.31510	6.2042	.13116	2.9097	3.2116	.58112	1.5296	.01759
Stddev	.00197	.00056	.0140	.00122	.0244	.0061	.00105	.0044	.00022
%RSD	.73750	.17755	.22575	.92794	.83731	.19031	.18059	.28698	1.2235

#1	.26663	.31573	6.2068	.13008	2.9367	3.2172	.58226	1.5343	.01738
#2	.26516	.31467	6.1890	.13093	2.9031	3.2126	.58089	1.5257	.01758
#3	.26906	.31489	6.2167	.13248	2.8894	3.2051	.58020	1.5287	.01781

Elem	P_1774	S_1820	Li6707	Sr4077
Units	Cts/S	Cts/S	Cts/S	Cts/S
Avg	1.6710	.11137	4.8576	41.098
Stddev	.0059	.00035	.0203	.249
%RSD	.34986	.31365	.41829	.60686

#1	1.6769	.11177	4.8799	41.374
#2	1.6652	.11116	4.8402	40.889
#3	1.6709	.11118	4.8526	41.030

Sample Name: S4 Acquired: 12/9/2025 11:55:46 Type: Cal
Method: 6010-200.7 NEW(v394) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2897.0	56677.	6632.5	2226.0	3781.8
Stddev	5.6	155.	64.1	12.1	7.3
%RSD	.19412	.27353	.96692	.54452	.19382
#1	2894.3	56580.	6559.2	2216.5	3776.1
#2	2893.3	56855.	6659.7	2239.6	3779.3
#3	2903.5	56595.	6678.5	2221.8	3790.1

Sample Name: S5 Acquired: 12/9/2025 11:59:52 Type: Cal
Method: 6010-200.7 NEW(v394) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934	Be2348	Cd2265
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.47378	.38819	1.7148	.36659	.95794	1.7938	52.516	2.8804	12.984
Stddev	.00145	.00454	.0020	.00050	.00094	.0074	.357	.0038	.012
%RSD	.30532	1.1683	.11494	.13561	.09784	.41184	.67983	.13251	.09127

#1	.47480	.39057	1.7164	.36715	.95708	1.7853	52.366	2.8848	12.985
#2	.47441	.39104	1.7153	.36638	.95894	1.7981	52.924	2.8786	12.996
#3	.47212	.38296	1.7126	.36622	.95780	1.7980	52.258	2.8778	12.972

Elem	Ca3736	Cr2677	Co2286	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2.7792	.38328	4.8609	1.8123	.03535	1.9685	.52145	2.7473	.54964
Stddev	.0108	.00089	.0027	.0010	.00007	.0036	.00345	.0011	.00038
%RSD	.39020	.23267	.05534	.05296	.18987	.18129	.66100	.03942	.06896

#1	2.7740	.38323	4.8608	1.8112	.03529	1.9689	.51757	2.7474	.55008
#2	2.7718	.38242	4.8637	1.8130	.03533	1.9648	.52263	2.7483	.54943
#3	2.7916	.38420	4.8583	1.8127	.03542	1.9719	.52416	2.7461	.54941

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.57391	.64369	12.826	.28565	5.7078	6.6698	1.2334	3.0810	.03838
Stddev	.00110	.00178	.027	.00162	.0149	.0070	.0012	.0014	.00060
%RSD	.19230	.27594	.21244	.56757	.26117	.10560	.09502	.04630	1.5629

#1	.57416	.64176	12.857	.28407	5.7248	6.6749	1.2342	3.0799	.03773
#2	.57271	.64525	12.809	.28559	5.6966	6.6728	1.2338	3.0805	.03849
#3	.57487	.64405	12.812	.28731	5.7021	6.6618	1.2320	3.0826	.03891

Elem	P_1774	S_1820	Li6707	Sr4077
Units	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3.3865	.24579	9.7708	81.544
Stddev	.0084	.00071	.0211	.198
%RSD	.24772	.28683	.21593	.24324

#1	3.3928	.24652	9.7769	81.319
#2	3.3898	.24574	9.7473	81.619
#3	3.3770	.24512	9.7881	81.694

Sample Name: S5 Acquired: 12/9/2025 11:59:52 Type: Cal
Method: 6010-200.7 NEW(v394) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2744.8	53370.	6732.9	2037.9	3502.8
Stddev	4.8	112.	28.6	5.4	11.8
%RSD	.17545	.20929	.42465	.26693	.33690
#1	2739.3	53278.	6700.0	2033.0	3490.1
#2	2746.9	53494.	6751.5	2043.7	3504.6
#3	2748.2	53339.	6747.2	2037.0	3513.5

Sample Name: ICV01 Acquired: 12/9/2025 12:15:52 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICV01 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.856149	3.761979	3.752447	3.934050	3.965272	7.590139
Stddev	.021209	.051084	.018702	.028942	.017938	.020385
%RSD	.5499980	1.357890	.4984057	.7356905	.4523730	.2685668
#1	3.876948	3.820260	3.760028	3.964496	3.972172	7.566624
#2	3.856947	3.740717	3.766168	3.930762	3.978736	7.600973
#3	3.834553	3.724961	3.731144	3.906892	3.944909	7.602818
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	7.456266	1.1887452	1.897798	18.98653	1.7878617	1.890109
Stddev	.065392	.0007684	.008530	.07233	.0032847	.007771
%RSD	.8770011	.4070913	.4494450	.3809580	.4169111	.4111593
#1	7.394344	1.1883748	1.903406	18.92393	1.7849353	1.895520
#2	7.449806	1.1882322	1.902007	18.96996	1.7914145	1.893603
#3	7.524648	1.1896286	1.887982	19.06571	1.7872354	1.881204
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.9747614	3.830360	1.869262	19.02904	1.890808	1.9380323
Stddev	.0016551	.046299	.018675	.14881	.006984	.0026614
%RSD	.1697950	1.208735	.9990342	.7819978	.3693700	.2837211
#1	1.9756377	3.781508	1.852659	18.85914	1.893861	1.9349695
#2	1.9757941	3.873593	1.865647	19.13621	1.895746	1.9393464
#3	1.9728524	3.835978	1.889480	19.09177	1.882817	1.9397811
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	18.46908	1.934225	1.984083	19.13264	F .0058745	F .0034296
Stddev	.23873	.006672	.011185	.17359	.0002995	.0000926
%RSD	1.292583	.3449379	.5637358	.9072927	5.098719	2.700338
#1	18.19346	1.926523	1.983976	18.93696	.0056716	.0033944
#2	18.60286	1.937941	1.995321	19.19283	.0057333	.0035346
#3	18.61092	1.938213	1.972952	19.26811	.0062185	.0033597

Sample Name: ICV01 Acquired: 12/9/2025 12:15:52 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICV01 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	F -.012988	F -.002031	F -.031388	F .0004302	F .0044426	F -.003719
Stddev	.000449	.001291	.007057	.0003337	.0042870	.000532
%RSD	3.455100	63.55844	22.48257	77.58004	96.49646	14.31701
#1	-.012477	-.002511	-.030925	.0000485	.0068588	-.004159
#2	-.013168	-.003012	-.024574	.0006668	.0069761	-.003871
#3	-.013319	-.000569	-.038665	.0005752	-.000507	-.003127

Elem	Sr4077
Units	ppm
Avg	F -.003361
Stddev	.000047
%RSD	1.405772
#1	-.003307
#2	-.003394
#3	-.003383

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2959.510	56451.30	7287.196	2165.026	3938.829
Stddev	7.707	253.31	18.702	16.193	12.922
%RSD	.2604078	.4487234	.2566368	.7479288	.3280752
#1	2957.087	56685.89	7297.714	2173.751	3934.013
#2	2953.306	56182.70	7298.270	2146.342	3929.007
#3	2968.137	56485.32	7265.604	2174.984	3953.468

Sample Name: LLICV01 Acquired: 12/9/2025 12:19:56 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: LLICV01 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0211535	.0438045	.0105972	.0219744	.0551232	.0997475
Stddev	.0043638	.0012154	.0007194	.0044817	.0020451	.0019628
%RSD	20.62907	2.774489	6.788663	20.39500	3.710122	1.967801

#1	.0214856	.0448241	.0107110	.0218067	.0546936	.0974842
#2	.0253417	.0424596	.0098277	.0175789	.0533270	.1007766
#3	.0166331	.0441297	.0112530	.0265376	.0573490	.1009818

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0994903	.0060443	.0059766	2.029792	.0100485	.0294941
Stddev	.0004722	.0000303	.0001119	.020380	.0004165	.0002223
%RSD	.4746085	.5013981	1.871706	1.004045	4.145112	.7536612

#1	.0990009	.0060773	.0060334	2.022433	.0104652	.0297233
#2	.0995266	.0060377	.0060488	2.014114	.0100483	.0294794
#3	.0999432	.0060178	.0058478	2.052830	.0096321	.0292795

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0211057	.0999099	.0206672	2.096024	.0401148	.0103900
Stddev	.0003683	.0050913	.0009785	.042429	.0000270	.0000781
%RSD	1.745062	5.095932	4.734548	2.024268	.0673343	.7512165

#1	.0211956	.1053758	.0201902	2.095915	.0401364	.0103053
#2	.0207008	.0990517	.0200187	2.053649	.0401236	.0104590
#3	.0214207	.0953022	.0217927	2.138507	.0400845	.0104059

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.025158	.0410757	.0429350	2.051995	.1007022	.1982713
Stddev	.012590	.0011567	.0001307	.040702	.0014555	.0004172
%RSD	.6216623	2.816046	.3043841	1.983554	1.445320	.2104452

#1	2.011054	.0421873	.0430508	2.010655	.1001871	.1985799
#2	2.029162	.0411611	.0429609	2.092028	.0995744	.1977965
#3	2.035259	.0398786	.0427933	2.053303	.1023452	.1984374

Sample Name: LLICV01 Acquired: 12/9/2025 12:19:56 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: LLICV01 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	F .0219533	.0403315	.3652408	F .0023723	F .0257444	.0223526
Stddev	.0001885	.0014117	.0102192	.0001516	.0021405	.0009881
%RSD	.8586913	3.500316	2.797942	6.391522	8.314585	4.420579
#1	.0221634	.0419214	.3571300	.0022746	.0268280	.0220152
#2	.0217991	.0398483	.3618736	.0025470	.0271265	.0234653
#3	.0218973	.0392248	.3767187	.0022953	.0232787	.0215774

Elem	Sr4077
Units	ppm
Avg	.0214213
Stddev	.0001679
%RSD	.7838676
#1	.0212547
#2	.0214188
#3	.0215905

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2993.520	56830.50	7151.152	2252.949	4132.785
Stddev	7.242	166.94	46.531	9.194	4.246
%RSD	.2419307	.2937514	.6506787	.4080768	.1027409
#1	3001.154	56655.20	7165.643	2244.038	4137.687
#2	2992.659	56848.71	7188.714	2252.408	4130.228
#3	2986.746	56987.58	7099.100	2262.401	4130.441

Sample Name: ICB01 Acquired: 12/9/2025 12:24:14 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICB01 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001607	-.001493	.0014904	.0023813	.0015821	-.014491	-.000521
Stddev	.002472	.000844	.0020123	.0006338	.0009177	.006773	.000783
%RSD	153.8886	56.52080	135.0199	26.61697	58.00626	46.73847	150.4727
#1	.000432	-.001677	.0005718	.0019897	.0017997	-.008083	-.000508
#2	-.000895	-.002229	.0001013	.0020416	.0005751	-.013812	-.001310
#3	-.004356	-.000572	.0037980	.0031125	.0023713	-.021577	.000256
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000076	-.000036	.0006948	-.000087	-.000237	-.000177	-.008327
Stddev	.000075	.000026	.0111452	.000435	.000153	.000390	.006452
%RSD	99.18761	71.01352	1604.093	499.4546	64.57184	220.5278	77.48733
#1	-.000006	-.000027	.0108468	.000073	-.000089	-.000618	-.011936
#2	-.000155	-.000017	-.011231	.000245	-.000394	-.000033	-.000878
#3	-.000066	-.000066	.002469	-.000580	-.000228	.000121	-.012167
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000323	.0146163	.0002011	-.000436	-.025934	.0011593	-.000375
Stddev	.000634	.0131738	.0003148	.000666	.011655	.0009960	.000161
%RSD	196.2870	90.13083	156.5750	152.7487	44.94102	85.91092	43.01372
#1	-.000901	.0298087	.0004540	-.001046	-.038760	.0013737	-.000254
#2	.000355	.0063564	.0003007	-.000536	-.023049	.0020307	-.000313
#3	-.000423	.0076837	-.000152	.000274	-.015992	.0000736	-.000558
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0166059	-.001131	-.000255	-.016026	.0008405	-.008655	.0001112
Stddev	.0268714	.000477	.000223	.001022	.0008307	.004602	.0001168
%RSD	161.8183	42.13888	87.35603	6.379901	98.83572	53.17537	105.0308
#1	.0331426	-.001362	-.000223	-.015069	.0000329	-.011747	-.000002
#2	-.014400	-.001448	-.000050	-.015906	.0007960	-.003366	.000232
#3	.031075	-.000583	-.000492	-.017103	.0016926	-.010850	.000104

Sample Name: ICB01 Acquired: 12/9/2025 12:24:14 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICB01 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077		
Units	ppm	ppm	ppm		
Avg	F -.013701	.0004738	-.000079		
Stddev	.003843	.0012480	.000054		
%RSD	28.04633	263.4249	68.44123		
#1	-.015440	.0017873	-.000017		
#2	-.016368	.0003305	-.000114		
#3	-.009297	-.000696	-.000105		
Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2998.963	57853.29	6981.997	2257.496	4239.508
Stddev	47.645	68.44	37.597	12.346	68.796
%RSD	1.588718	.1183009	.5384802	.5468986	1.622744
#1	2968.223	57925.29	6963.376	2271.547	4190.055
#2	3053.847	57845.51	6957.345	2252.560	4318.074
#3	2974.818	57789.07	7025.270	2248.382	4210.394

Sample Name: CRI01 Acquired: 12/9/2025 12:28:33 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CRI01 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0191382	.0443714	.0119829	.0193385	.0539713	.1038261
Stddev	.0029282	.0023121	.0005272	.0011311	.0030905	.0078588
%RSD	15.30000	5.210725	4.399391	5.848970	5.726197	7.569178

#1	.0189665	.0433440	.0117370	.0181174	.0565426	.0997737
#2	.0162997	.0470191	.0125880	.0195476	.0505426	.1128839
#3	.0221485	.0427511	.0116235	.0203504	.0548286	.0988206

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0961419	.0060463	.0058390	2.021548	.0104385	.0292622
Stddev	.0007459	.0000577	.0001386	.006560	.0002530	.0002525
%RSD	.7758587	.9541959	2.374031	.3244852	2.423409	.8628932

#1	.0968906	.0060768	.0057705	2.018655	.0105415	.0291107
#2	.0961361	.0059797	.0057479	2.016931	.0101503	.0295537
#3	.0953988	.0060823	.0059985	2.029056	.0106238	.0291223

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0214672	.0866207	.0197755	2.087622	.0397335	.0100098
Stddev	.0003781	.0019474	.0009591	.026240	.0003344	.0002123
%RSD	1.761363	2.248236	4.849731	1.256930	.8417035	2.120890

#1	.0217563	.0886699	.0200651	2.059092	.0398397	.0097945
#2	.0210393	.0847941	.0187051	2.093052	.0400020	.0100160
#3	.0216059	.0863981	.0205565	2.110723	.0393589	.0102190

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.855506	.0383929	.0418805	1.968677	.0952379	.2017457
Stddev	.034281	.0021329	.0006221	.077681	.0007584	.0002746
%RSD	1.847529	5.555427	1.485336	3.945846	.7963640	.1360921

#1	1.819102	.0407281	.0412213	1.916717	.0944953	.2016000
#2	1.860246	.0379031	.0419631	1.931337	.0960113	.2015747
#3	1.887171	.0365476	.0424572	2.057977	.0952070	.2020624

Sample Name: CRI01 Acquired: 12/9/2025 12:28:33 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CRI01 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	F .0205617	.0369797	.3603578	F .0020163	F .0119294	.0201717
Stddev	.0010736	.0010757	.0128056	.0000822	.0043482	.0002738
%RSD	5.221225	2.908769	3.553590	4.076933	36.44992	1.357407
#1	.0193440	.0382210	.3468784	.0019817	.0069125	.0199148
#2	.0209695	.0363219	.3723619	.0021101	.0142622	.0201406
#3	.0213716	.0363961	.3618332	.0019570	.0146133	.0204597

Elem	Sr4077
Units	ppm
Avg	.0205048
Stddev	.0000285
%RSD	.1387500
#1	.0204741
#2	.0205302
#3	.0205101

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3003.569	57614.84	7235.614	2192.723	4239.464
Stddev	3.944	141.62	14.673	6.722	5.041
%RSD	.1312961	.2457965	.2027909	.3065586	.1189033
#1	3008.090	57775.56	7220.825	2195.788	4244.059
#2	3001.782	57508.38	7235.849	2197.366	4240.261
#3	3000.835	57560.58	7250.168	2185.015	4234.072

Sample Name: ICSA01 Acquired: 12/9/2025 12:32:52 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICSA01 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0051950	.0283786	.0035082	.0012384	.0021721	239.4946	.0050814
Stddev	.0074682	.0068356	.0033060	.0068731	.0014846	.5186	.0013555
%RSD	143.7576	24.08725	94.23731	555.0106	68.35046	.2165382	26.67569
#1	-.000619	.0269432	.0056847	.0065086	.0025305	239.0986	.0037080
#2	.002587	.0358179	-.000296	.0037422	.0034448	239.3037	.0051179
#3	.013618	.0223746	.005136	-.006536	.0005411	240.0816	.0064183
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0014037	.0045761	225.1127	.0459086	.0023440	-.002362	94.16817
Stddev	.0001199	.0000875	.5855	.0006493	.0000598	.000163	.35680
%RSD	8.537658	1.911242	.2601069	1.414355	2.551267	6.886959	.3788932
#1	.0012653	.0045454	224.5638	.0451589	.0024119	-.002184	93.75811
#2	.0014729	.0046748	225.0452	.0462749	.0023211	-.002503	94.33865
#3	.0014729	.0045082	225.7290	.0462920	.0022990	-.002399	94.40774
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0080757	243.2521	.0060013	-.001302	.0648921	.0054329	.0057942
Stddev	.0004486	1.0661	.0003630	.000342	.0165487	.0020600	.0005010
%RSD	5.554822	.4382560	6.048284	26.25175	25.50188	37.91723	8.645745
#1	.0075586	242.1306	.0059524	-.001486	.0460595	.0060438	.0054855
#2	.0083614	243.3733	.0063863	-.000908	.0771119	.0031365	.0063722
#3	.0083069	244.2524	.0056653	-.001512	.0715049	.0071182	.0055250
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1005887	.0485458	.0011668	-.020649	-.006116	.0541726	.0005916
Stddev	.0224786	.0007950	.0001597	.000838	.000775	.0197408	.0002008
%RSD	22.34702	1.637664	13.68646	4.058758	12.66956	36.44054	33.94231
#1	.0747222	.0485431	.0011579	-.021517	-.006268	.0598411	.0006416
#2	.1153868	.0493422	.0010117	-.019845	-.006804	.0704591	.0003705
#3	.1116572	.0477521	.0013307	-.020585	-.005277	.0322177	.0007627

Sample Name: ICSA01 Acquired: 12/9/2025 12:32:52 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICSA01 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.007643	F -.027921	.0035056
Stddev	.001859	.001244	.0000829
%RSD	24.32143	4.456506	2.365019

#1	-.007308	-.029353	.0034785
#2	-.005974	-.027299	.0034397
#3	-.009646	-.027110	.0035987

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2697.602	51698.00	7105.601	1943.046	3379.036
Stddev	3.045	94.67	23.667	5.306	1.749
%RSD	.1128859	.1831220	.3330796	.2730993	.0517694

#1	2695.639	51800.14	7131.851	1948.152	3377.515
#2	2701.110	51613.19	7099.058	1937.560	3378.646
#3	2696.056	51680.68	7085.893	1943.426	3380.948

Sample Name: ICSAB01 Acquired: 12/9/2025 12:37:08 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICSAB01 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1074168	.1478016	.0539337	.0498192	.5951952	239.4393
Stddev	.0048434	.0079257	.0004157	.0008452	.0027999	2.4354
%RSD	4.508973	5.362418	.7707713	1.696625	.4704263	1.017131

#1	.1071548	.1424850	.0544136	.0507389	.5962340	240.0578
#2	.1027098	.1440088	.0536993	.0496423	.5973273	236.7543
#3	.1123859	.1569111	.0536881	.0490764	.5920243	241.5059

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.4558694	.4683365	.9785546	224.8189	.5445794	.4871689
Stddev	.0044331	.0053071	.0007641	2.5920	.0022536	.0006992
%RSD	.9724538	1.133176	.0780840	1.152926	.4138307	.1435307

#1	.4569824	.4678956	.9777117	225.4287	.5432368	.4864630
#2	.4509859	.4632636	.9787505	221.9764	.5471813	.4871824
#3	.4596400	.4738502	.9792017	227.0516	.5433202	.4878613

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.4637141	95.15579	.4570796	242.9683	.9653930	.1796224
Stddev	.0012247	.23611	.0040957	2.6077	.0009329	.0006156
%RSD	.2641040	.2481308	.8960671	1.073252	.0966310	.3427335

#1	.4623575	95.26744	.4575245	243.6193	.9647925	.1789740
#2	.4640466	95.31538	.4527795	240.0968	.9664677	.1801989
#3	.4647383	94.88456	.4609347	245.1888	.9649188	.1796943

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0874573	.4646508	1.039046	.0425035	.9184317	.9628951
Stddev	.0098850	.0049825	.007733	.0176343	.0053954	.0020596
%RSD	11.30266	1.072312	.7442144	41.48905	.5874542	.2138937

#1	.0787854	.4675279	1.034577	.0405499	.9192385	.9642011
#2	.0982207	.4588975	1.047975	.0610333	.9126784	.9605209
#3	.0853658	.4675270	1.034585	.0259274	.9233783	.9639633

Sample Name: ICSAB01 Acquired: 12/9/2025 12:37:08 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICSAB01 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.9471530	.8889790	.9943536	F .0005130	F .0045424	F -.026680
Stddev	.0024809	.0092807	.0148641	.0003102	.0030179	.001697
%RSD	.2619323	1.043977	1.494846	60.46854	66.43892	6.362035
#1	.9463652	.8914133	.9877750	.0007851	.0010807	-.028120
#2	.9499322	.8787236	.9839140	.0005785	.0059264	-.027113
#3	.9451617	.8967999	1.011372	.0001753	.0066201	-.024809

Elem	Sr4077
Units	ppm
Avg	F .0029215
Stddev	.0012585
%RSD	43.07841
#1	.0032348
#2	.0015359
#3	.0039938

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2700.265	51257.71	7122.223	1931.030	3394.734
Stddev	5.164	95.85	88.756	13.866	3.454
%RSD	.1912306	.1870000	1.246184	.7180717	.1017367
#1	2700.318	51239.98	7102.932	1931.374	3391.072
#2	2705.401	51171.96	7219.038	1916.996	3395.198
#3	2695.074	51361.19	7044.698	1944.722	3397.932

Sample Name: ICSADLX20 Acquired: 12/9/2025 12:41:12 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICSA01DLX20 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0023639	.0072743	.0002650	-.000301	.0008819	12.12995	.0003959
Stddev	.0007134	.0015872	.0024291	.002001	.0029545	.11858	.0002175
%RSD	30.17875	21.81874	916.5057	665.8888	335.0030	.9776029	54.95594
#1	.0021127	.0090806	.0014465	-.001320	.0039398	12.25929	.0001447
#2	.0018100	.0066398	.0018774	-.001586	.0006628	12.10419	.0005196
#3	.0031689	.0061026	-.002529	.002005	-.001957	12.02636	.0005232
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000882	.0001030	11.82473	.0015358	-.000129	-.000034	4.626201
Stddev	.0000152	.0000816	.07392	.0001570	.000141	.000620	.076818
%RSD	17.24807	79.24461	.6251529	10.22187	109.5711	1820.766	1.660493
#1	.0000708	.0000723	11.90528	.0016151	-.000102	.000636	4.538706
#2	.0000944	.0001955	11.75999	.0013549	-.000003	-.000588	4.682577
#3	.0000992	.0000412	11.80892	.0016372	-.000282	-.000150	4.657319
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0001607	12.31004	.0006988	-.000527	-.017634	.0017273	.0003080
Stddev	.0003335	.03943	.0004535	.000315	.020577	.0018219	.0003835
%RSD	207.4534	.3203448	64.89339	59.64234	116.6882	105.4783	124.5244
#1	-.000164	12.34788	.0001792	-.000169	-.041371	.0038271	.0007357
#2	.000503	12.26918	.0009021	-.000653	-.004863	.0005653	-.000005
#3	.000143	12.31305	.0010151	-.000760	-.006668	.0007895	.000193
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0129459	.0006250	.0000842	-.016301	-.000304	.0043701	.0002105
Stddev	.0261334	.0007265	.0001207	.000347	.000542	.0109098	.0002063
%RSD	201.8671	116.2394	143.3853	2.129613	178.5650	249.6439	97.99727
#1	-.014388	.0014265	.0000598	-.015936	-.000291	-.003966	-.000019
#2	.037685	.0004384	-.000022	-.016338	.000232	.000358	.000380
#3	.015541	.0000100	.000215	-.016628	-.000852	.016718	.000271

Sample Name: ICSADLX20 Acquired: 12/9/2025 12:41:12 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICSA01DLX20 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.008826	-.002148	.0004827
Stddev	.005520	.000102	.0001365
%RSD	62.53930	4.761176	28.26847

#1	-.009776	-.002265	.0006401
#2	-.002893	-.002076	.0003992
#3	-.013810	-.002103	.0004087

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2941.540	56988.23	7090.528	2189.786	3986.653
Stddev	7.802	853.09	44.576	30.646	9.904
%RSD	.2652494	1.496959	.6286667	1.399485	.2484394

#1	2935.230	57941.02	7039.925	2220.700	3977.020
#2	2950.264	56295.26	7123.986	2159.416	3996.808
#3	2939.126	56728.40	7107.673	2189.241	3986.130

Sample Name: ICSABDLX20 Acquired: 12/9/2025 12:45:29 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICSAB01DLX20 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0068007	.0105700	.0032701	.0040871	.0312348	11.93569	.0239477
Stddev	.0030466	.0006547	.0016671	.0021680	.0003869	.14621	.0010910
%RSD	44.79870	6.193669	50.98008	53.04511	1.238694	1.224981	4.555891

#1	.0033824	.0106552	.0050604	.0018380	.0307994	11.84456	.0227039
#2	.0077900	.0098769	.0029874	.0061637	.0313657	11.85818	.0243962
#3	.0092297	.0111779	.0017624	.0042597	.0315392	12.10434	.0247430

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0244309	.0472021	11.81982	.0259205	.0235758	.0239051	4.657687
Stddev	.0003346	.0001486	.16274	.0005974	.0001832	.0004811	.013454
%RSD	1.369426	.3148892	1.376880	2.304758	.7771377	2.012454	.2888642

#1	.0240934	.0473309	11.69761	.0257809	.0234857	.0234539	4.663881
#2	.0244368	.0472359	11.75729	.0265753	.0237867	.0244113	4.642251
#3	.0247624	.0470394	12.00455	.0254052	.0234552	.0238500	4.666929

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0250315	12.16475	.0477854	.0079422	-.014583	.0217828	.0495999
Stddev	.0001705	.18505	.0001586	.0002311	.008484	.0015834	.0003229
%RSD	.6811539	1.521164	.3319394	2.910133	58.17384	7.269269	.6509114

#1	.0248348	12.00282	.0476057	.0076973	-.019648	.0221333	.0493795
#2	.0251370	12.12497	.0479059	.0081566	-.019312	.0231617	.0499705
#3	.0251228	12.36644	.0478447	.0079728	-.004789	.0200535	.0494496

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0028921	.0450217	.0469908	.0285671	.0474547	.0496990	.0000742
Stddev	.0230703	.0001261	.0002263	.0010304	.0022762	.0098208	.0002656
%RSD	797.7025	.2800104	.4814944	3.607064	4.796624	19.76048	357.8355

#1	-.017740	.0450401	.0467500	.0297183	.0480231	.0604579	.0000837
#2	-.001386	.0451375	.0470234	.0282519	.0449481	.0474229	.0003349
#3	.027802	.0448874	.0471990	.0277310	.0493929	.0412161	-.000196

Sample Name: ICSABDLX20 Acquired: 12/9/2025 12:45:29 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICSAB01DLX20 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.006173	-.002150	.0004312
Stddev	.003628	.000990	.0000751
%RSD	58.76759	46.03314	17.41826

#1	-.003048	-.003089	.0004095
#2	-.010151	-.001116	.0005147
#3	-.005319	-.002245	.0003693

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2964.444	57665.27	7044.011	2272.853	4008.760
Stddev	4.024	95.78	88.828	12.845	9.502
%RSD	.1357477	.1660957	1.261041	.5651467	.2370303

#1	2959.855	57771.96	7115.876	2286.544	4002.378
#2	2966.103	57586.70	7071.458	2261.066	4004.223
#3	2967.373	57637.15	6944.699	2270.950	4019.681

Sample Name: CCV01 Acquired: 12/9/2025 12:49:46 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV01 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.916837	5.105675	4.868019	4.945526	4.924109	9.678151	9.671605
Stddev	.055471	.190606	.060668	.069775	.055789	.160274	.081225
%RSD	1.128189	3.733227	1.246255	1.410877	1.132975	1.656041	.8398284

#1	4.853164	4.960921	4.798572	4.865111	4.861486	9.544753	9.661542
#2	4.942646	5.034472	4.910706	4.990050	4.968504	9.633759	9.595880
#3	4.954702	5.321633	4.894780	4.981418	4.942335	9.855943	9.757392

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2370447	2.425878	24.20147	.9902965	2.430644	1.233896	5.113119
Stddev	.0025607	.029997	.38310	.0056403	.028337	.013076	.043995
%RSD	1.080275	1.236529	1.582956	.5695523	1.165827	1.059738	.8604262

#1	.2345320	2.391305	23.89964	.9838555	2.397987	1.218946	5.075917
#2	.2369513	2.444991	24.07231	.9926817	2.448750	1.243200	5.101760
#3	.2396509	2.441337	24.63245	.9943523	2.445194	1.239542	5.161679

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.434811	24.18761	2.430224	1.246191	25.06404	2.432140	2.505174
Stddev	.037008	.44938	.028765	.006908	.20900	.044936	.007010
%RSD	1.519935	1.857891	1.183655	.5543519	.8338700	1.847577	.2798202

#1	2.406111	23.78598	2.397055	1.238280	24.87459	2.396837	2.497611
#2	2.421743	24.10389	2.448324	1.251030	25.02929	2.416859	2.506456
#3	2.476580	24.67296	2.445293	1.249264	25.28824	2.482723	2.511454

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	25.21115	4.714933	4.939555	4.886614	4.855398	5.119280	4.990867
Stddev	.26379	.049992	.055902	.049445	.071946	.053954	.059420
%RSD	1.046306	1.060299	1.131717	1.011848	1.481783	1.053942	1.190575

#1	24.93501	4.664866	4.875411	4.829642	4.809323	5.057205	4.922486
#2	25.23791	4.715083	4.977887	4.918333	4.818569	5.145734	5.020181
#3	25.46054	4.764850	4.965367	4.911867	4.938303	5.154903	5.029934

Sample Name: CCV01 Acquired: 12/9/2025 12:49:46 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV01 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.851597	4.749580	4.939351
Stddev	.063023	.070074	.104907
%RSD	1.299013	1.475379	2.123903
#1	4.779795	4.692537	4.868328
#2	4.877237	4.728401	4.889879
#3	4.897758	4.827800	5.059847

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2838.262	54062.25	7068.739	2096.810	3720.833
Stddev	22.602	130.08	63.244	10.567	29.766
%RSD	.7963194	.2406148	.8946968	.5039523	.7999952
#1	2863.447	54212.39	7116.457	2095.725	3755.014
#2	2819.745	53983.35	7092.755	2107.878	3700.618
#3	2831.592	53991.00	6997.005	2086.828	3706.865

Sample Name: CCB01 Acquired: 12/9/2025 12:53:56 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB01 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.002037	.0035659	-.000567	.0008397	.0005350	-.010187	-.000127
Stddev	.003233	.0041765	.000705	.0024360	.0030733	.009052	.000622
%RSD	158.7442	117.1220	124.3025	290.1176	574.4056	88.85616	488.5059
#1	-.002290	-.000007	-.000353	-.001794	.0037641	-.016990	-.000675
#2	-.005136	.002547	-.001354	.003011	.0001953	-.013657	-.000256
#3	.001315	.008158	.000006	.001302	-.002354	.000086	.000549
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000043	.0000041	-.007097	-.000086	-.000081	-.000464	-.007649
Stddev	.000039	.0001045	.006185	.000225	.000166	.000053	.006574
%RSD	90.70582	2582.682	87.15526	262.5865	205.5852	11.45239	85.94000
#1	-.000043	-.000091	.000029	-.000262	.000110	-.000513	-.013445
#2	-.000004	.000116	-.011072	.000168	-.000193	-.000471	-.000506
#3	-.000081	-.000013	-.010248	-.000163	-.000159	-.000408	-.008998
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000842	.0031276	.0002677	-.000329	-.016899	.0009373	-.000410
Stddev	.000595	.0108354	.0003236	.000307	.008868	.0023302	.000111
%RSD	70.68739	346.4423	120.8763	93.46548	52.47590	248.6179	27.16644
#1	-.000182	-.009355	.0003705	-.000515	-.016441	-.000463	-.000361
#2	-.001339	.008628	.0005274	.000026	-.025987	-.000352	-.000332
#3	-.001004	.010110	-.000095	-.000498	-.008269	.003627	-.000538
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.034513	.0020746	-.000181	-.015448	.0003969	.0028895	.0001095
Stddev	.035844	.0009057	.000236	.001174	.0021294	.0104819	.0002472
%RSD	103.8577	43.65663	130.3147	7.600794	536.5305	362.7644	225.7737
#1	-.068357	.0024258	-.000113	-.016671	-.001999	.0139001	.0001573
#2	.003043	.0010459	.000013	-.014330	.001116	.0017368	-.000158
#3	-.038225	.0027522	-.000444	-.015343	.002074	-.006968	.000329

Sample Name: CCB01 Acquired: 12/9/2025 12:53:56 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB01 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077		
Units	ppm	ppm	ppm		
Avg	F -.013296	-.001269	.0000331		
Stddev	.002474	.000137	.0000617		
%RSD	18.60605	10.80460	186.1146		
#1	-.016003	-.001427	-.000024		
#2	-.011154	-.001198	.000024		
#3	-.012730	-.001182	.000099		
Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2940.651	55704.28	7327.477	2140.349	4128.012
Stddev	1.560	262.81	91.122	12.729	2.110
%RSD	.0530406	.4717861	1.243568	.5947096	.0511137
#1	2939.729	55810.18	7279.524	2140.925	4125.650
#2	2939.772	55897.62	7432.562	2152.781	4129.709
#3	2942.452	55405.05	7270.345	2127.342	4128.679

Sample Name: PB170843BL Acquired: 12/9/2025 12:58:16 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000498	.0071379	-.000104	-.000550	.0006341	-.007210	-.000207
Stddev	.002908	.0030061	.000378	.003472	.0019335	.004782	.000361
%RSD	584.2719	42.11460	363.9343	631.5257	304.8975	66.32547	174.1857

#1	-.003176	.0045277	.000310	-.002748	.0023085	-.012491	-.000472
#2	.002595	.0064614	-.000192	.003453	-.001482	-.003170	.000204
#3	-.000912	.0104246	-.000430	-.002355	.001076	-.005971	-.000354

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000462	.0000842	.0032858	-.000027	-.000148	-.000137	-.017446
Stddev	.0000349	.0000760	.0059647	.000160	.000316	.000379	.006794
%RSD	75.49494	90.19010	181.5277	595.5133	214.2828	277.8760	38.94163

#1	.0000762	.0001706	-.001763	.000117	.000074	-.000488	-.009903
#2	.0000079	.0000278	.001753	-.000200	-.000007	-.000187	-.019351
#3	.0000547	.0000543	.009867	.000002	-.000510	.000266	-.023083

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000706	-.008166	.0001373	-.000493	-.010131	-.000815	-.000263
Stddev	.000752	.022704	.0003539	.000094	.030760	.002420	.000310
%RSD	106.5241	278.0287	257.7737	19.09970	303.6136	297.0236	117.6296

#1	-.000494	-.001749	.0005234	-.000524	-.045092	.001485	-.000499
#2	-.000083	-.033388	-.000172	-.000388	.001919	-.003339	-.000379
#3	-.001542	.010639	.000060	-.000568	.012779	-.000591	.000088

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.019503	-.001227	-.000387	-.016311	-.000122	.0015204	.0003075
Stddev	.036717	.000551	.000046	.000322	.000528	.0080526	.0001230
%RSD	188.2654	44.88266	11.78496	1.971874	434.6492	529.6201	39.99123

#1	.012718	-.001182	-.000431	-.016536	-.000034	.0019678	.0002986
#2	-.059478	-.001798	-.000389	-.016456	-.000688	.0093400	.0001893
#3	-.011748	-.000700	-.000340	-.015943	.000357	-.006746	.0004348

Sample Name: PB170843BL Acquired: 12/9/2025 12:58:16 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.009670	-.000309	-.000018
Stddev	.002462	.001874	.000084
%RSD	25.45891	606.1139	465.8372
#1	-.008537	-.001081	-.000101
#2	-.007979	-.001674	-.000021
#3	-.012494	.001828	.000067

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2944.977	56353.39	7342.848	2127.357	4136.326
Stddev	2.594	313.65	38.453	14.444	8.096
%RSD	.0880948	.5565704	.5236745	.6789431	.1957333
#1	2942.233	56186.91	7301.039	2143.756	4127.715
#2	2945.307	56158.09	7350.807	2116.529	4137.478
#3	2947.390	56715.18	7376.699	2121.784	4143.784

Sample Name: PB170843BS Acquired: 12/9/2025 13:02:35 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7997161	2.035066	.9599954	2.053612	.8178880	1.934748
Stddev	.0022036	.166980	.0010790	.018022	.0029817	.008436
%RSD	.2755520	8.205150	.1123951	.8775930	.3645630	.4360292

#1	.8018775	2.141297	.9592877	2.069965	.8145628	1.931449
#2	.7974725	2.121302	.9612372	2.056582	.8203237	1.944335
#3	.7997984	1.842600	.9594611	2.034289	.8187776	1.928460

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1856938	.1921178	.1954066	1.007714	.4156867	.1940812
Stddev	.0013728	.0007507	.0002061	.005945	.0027262	.0002108
%RSD	.7392761	.3907532	.1054589	.5899666	.6558307	.1085902

#1	.1861319	.1916836	.1955659	1.001734	.4136211	.1943229
#2	.1841554	.1929847	.1951739	1.013623	.4187767	.1939362
#3	.1867940	.1916852	.1954802	1.007784	.4146623	.1939844

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3073292	3.041982	.1918267	1.963168	.4906936	.0766910
Stddev	.0018389	.015034	.0010725	.003336	.0006076	.0011502
%RSD	.5983407	.4942090	.5590974	.1699095	.1238310	1.499739

#1	.3077088	3.024916	.1916020	1.961912	.4906143	.0753634
#2	.3053301	3.053268	.1908844	1.966950	.4913370	.0773234
#3	.3089486	3.047761	.1929938	1.960643	.4901295	.0773861

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.884665	.2922174	.2159917	9.929810	.2803782	.4147403
Stddev	.055237	.0013275	.0010844	.066885	.0013464	.0019938
%RSD	1.914846	.4542792	.5020766	.6735784	.4801980	.4807304

#1	2.831297	.2908073	.2150643	9.869208	.2807806	.4168420
#2	2.881099	.2934429	.2157267	9.918648	.2814774	.4145035
#3	2.941598	.2924021	.2171841	10.00157	.2788765	.4128756

Sample Name: PB170843BS Acquired: 12/9/2025 13:02:35 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6743158	.1923704	.9410670	F .5906208	F -.011718	.1904952
Stddev	.0042651	.0006847	.0025994	.0042839	.003314	.0009996
%RSD	.6325059	.3559350	.2762136	.7253143	28.28311	.5247511

#1	.6778519	.1923843	.9394093	.5955449	-.010123	.1895237
#2	.6755166	.1916789	.9397290	.5885663	-.015529	.1904413
#3	.6695791	.1930481	.9440628	.5877511	-.009503	.1915207

Elem	Sr4077
Units	ppm
Avg	.1892011
Stddev	.0005888
%RSD	.3112169

#1	.1887740
#2	.1889565
#3	.1898728

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2943.917	55561.94	7407.565	2101.302	4058.221
Stddev	8.895	205.04	35.496	15.367	6.398
%RSD	.3021646	.3690232	.4791826	.7313156	.1576535

#1	2945.814	55761.33	7403.119	2114.135	4057.725
#2	2951.710	55351.68	7374.502	2084.273	4064.852
#3	2934.226	55572.80	7445.075	2105.498	4052.085

Sample Name: Q3781-01 Acquired: 12/9/2025 13:06:42 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0339112	.0046208	.2445628	-.033829	-.014130	105.7830	.4555078
Stddev	.0042055	.0041573	.0019990	.002787	.000545	.6176	.0038298
%RSD	12.40134	89.97012	.8173922	8.238453	3.859077	.5838518	.8407722

#1	.0344652	.0084013	.2424467	-.035385	-.013508	105.4993	.4542577
#2	.0294563	.0001684	.2448222	-.030612	-.014355	105.3582	.4524593
#3	.0378122	.0052927	.2464195	-.035491	-.014526	106.4915	.4598065

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0073391	.0144274	81.50532	.2463121	.1449005	.4010065	250.8979
Stddev	.0001237	.0003368	.47606	.0037969	.0007887	.0027758	4.6417
%RSD	1.685103	2.334288	.5840839	1.541495	.5442873	.6922069	1.850039

#1	.0073769	.0148114	81.35818	.2433649	.1440236	.4039665	245.6610
#2	.0074395	.0141820	81.12021	.2505967	.1455517	.3984618	254.5045
#3	.0072010	.0142890	82.03758	.2449746	.1451262	.4005910	252.5282

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.992306	62.02939	.2530692	-.000341	4.593509	.4497432	.5178700
Stddev	.020324	.43497	.0003803	.001061	.099598	.0030280	.0085642
%RSD	.6792111	.7012337	.1502927	311.2050	2.168228	.6732760	1.653739

#1	2.980091	61.78282	.2526749	-.001044	4.478673	.4462522	.5119797
#2	2.981059	61.77373	.2530988	-.000858	4.656330	.4516575	.5276944
#3	3.015767	62.53163	.2534339	.000880	4.645525	.4513199	.5139360

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	21.28268	.2194025	.0119564	-.004537	7.749384	3.667441	1.397244
Stddev	.39907	.0126435	.0002380	.000876	.051764	.095780	.001605
%RSD	1.875087	5.762710	1.990801	19.31276	.6679781	2.611627	.1148517

#1	20.82412	.2064136	.0122304	-.005296	7.724019	3.558414	1.395414
#2	21.55131	.2316698	.0118001	-.004737	7.715194	3.738037	1.397910
#3	21.47261	.2201241	.0118388	-.003578	7.808939	3.705872	1.398409

Sample Name: Q3781-01 Acquired: 12/9/2025 13:06:42 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	6.915972	.1522773	-.022489
Stddev	.027553	.0009545	.004619
%RSD	.3983953	.6267810	20.54013
#1	6.887695	.1512742	-.018254
#2	6.942738	.1523835	-.027415
#3	6.917484	.1531742	-.021797

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3495.128	67901.80	9120.909	2580.450	3605.465
Stddev	3.801	931.41	54.435	41.059	9.647
%RSD	.1087646	1.371709	.5968206	1.591162	.2675784
#1	3492.967	68837.99	9083.212	2606.351	3609.976
#2	3499.517	66975.23	9183.317	2533.109	3612.030
#3	3492.899	67892.17	9096.199	2601.889	3594.388

Sample Name: Q3782-01 Acquired: 12/9/2025 13:10:46 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3869195	.0192342	.2108501	-.066213	.0191075	60.16028
Stddev	.0025367	.0085960	.0015013	.012264	.0027442	.27565
%RSD	.6556224	44.69148	.7120392	18.52229	14.36177	.4581905

#1	.3898432	.0288851	.2093813	-.052539	.0174611	60.15352
#2	.3856129	.0123995	.2123820	-.069862	.0222754	59.88808
#3	.3853024	.0164180	.2107868	-.076239	.0175860	60.43925

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.201575	.0042727	.0207085	F 2525.570	.0533919	.0360528
Stddev	.003067	.0000652	.0002309	19.168	.0009290	.0004246
%RSD	.2552582	1.525129	1.115175	.7589487	1.739939	1.177747

#1	1.199154	.0042037	.0209115	2526.278	.0534115	.0355647
#2	1.200548	.0042813	.0207570	2506.058	.0543109	.0362567
#3	1.205024	.0043331	.0204573	2544.374	.0524532	.0363371

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0230335	247.2646	10.87757	287.2887	.0793413	-.001805
Stddev	.0013814	1.8399	.05001	1.4664	.0013155	.001157
%RSD	5.997284	.7441066	.4597220	.5104304	1.657998	64.09962

#1	.0242119	245.4564	10.83657	287.0296	.0796481	-.002611
#2	.0215133	249.1346	10.86286	285.9692	.0804763	-.000479
#3	.0233752	247.2027	10.93328	288.8674	.0778995	-.002323

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.152040	.1173491	1.210479	15.98663	.3658000	.0047392
Stddev	.044105	.0043535	.005175	.10631	.0049106	.0002916
%RSD	1.062254	3.709875	.4275468	.6649695	1.342443	6.153001

#1	4.101202	.1220926	1.207358	15.89373	.3666701	.0045001
#2	4.180084	.1164186	1.207626	16.10256	.3702175	.0050640
#3	4.174835	.1135360	1.216453	15.96358	.3605125	.0046535

Sample Name: Q3782-01 Acquired: 12/9/2025 13:10:46 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.004819	2.450857	F 13.77524	.3197864	F 39.82025	-.313138
Stddev	.002907	.005298	.03287	.0031097	.29065	.004500
%RSD	60.32210	.2161545	.2386301	.9724374	.7299068	1.436920

#1	-.002293	2.450357	13.78021	.3171381	39.53679	-.312106
#2	-.007996	2.445827	13.80535	.3232106	40.11760	-.309245
#3	-.004168	2.456387	13.74017	.3190104	39.80638	-.318064

Elem	Sr4077
Units	ppm
Avg	F 10.00836
Stddev	.08631
%RSD	.8623872

#1	10.05204
#2	9.90894
#3	10.06410

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2621.686	53145.18	7424.186	2034.520	2738.113
Stddev	7.505	132.40	39.488	3.078	9.976
%RSD	.2862812	.2491357	.5318889	.1512671	.3643475

#1	2629.652	53260.24	7410.724	2032.765	2749.632
#2	2620.656	53000.46	7468.646	2032.722	2732.396
#3	2614.748	53174.83	7393.190	2038.074	2732.310

Sample Name: Q3782-02 Acquired: 12/9/2025 13:15:10 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1025493	.0335405	.1335177	-.043348	.0269710	82.99104
Stddev	.0011890	.0048224	.0034670	.005393	.0044901	.38585
%RSD	1.159448	14.37773	2.596631	12.44115	16.64789	.4649295

#1	.1039005	.0279865	.1360322	-.037751	.0289493	83.41679
#2	.1016630	.0366640	.1295627	-.043781	.0218315	82.89188
#3	.1020844	.0359710	.1349583	-.048511	.0301323	82.66445

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6906805	.0052844	.0068293	F 5740.324	.1834260	.0359432
Stddev	.0054637	.0001575	.0003008	64.968	.0016166	.0007799
%RSD	.7910618	2.980125	4.404099	1.131775	.8813277	2.169940

#1	.6954543	.0052539	.0070377	5704.696	.1840215	.0354534
#2	.6918656	.0054549	.0069658	5815.311	.1815962	.0355336
#3	.6847214	.0051444	.0064845	5700.965	.1846604	.0368426

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0686264	87.78815	2.671911	1361.477	.1053029	-.007823
Stddev	.0009672	.67523	.033083	8.024	.0013910	.000296
%RSD	1.409315	.7691638	1.238181	.5893601	1.320942	3.787482

#1	.0680825	87.81071	2.696510	1369.888	.1044513	-.007879
#2	.0680536	87.10191	2.684923	1360.635	.1045494	-.007503
#3	.0697431	88.45182	2.634301	1353.907	.1069081	-.008087

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.353596	.1332668	.3095761	6.273285	.1754854	.0451047
Stddev	.091802	.0033428	.0033304	.177624	.0016480	.0004578
%RSD	2.737412	2.508319	1.075778	2.831436	.9391118	1.015061

#1	3.267550	.1368418	.3087887	6.123901	.1741611	.0445822
#2	3.343002	.1302188	.3067100	6.226266	.1749639	.0454359
#3	3.450235	.1327398	.3132296	6.469688	.1773310	.0452959

Sample Name: Q3782-02 Acquired: 12/9/2025 13:15:10 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0151582	3.017567	4.315053	.4555379	F 72.58357	-.780010
Stddev	.0018303	.017254	.061788	.0025636	.77112	.013765
%RSD	12.07483	.5717742	1.431911	.5627622	1.062384	1.764685

#1	.0156842	3.030831	4.340012	.4554850	71.92527	-.773823
#2	.0131225	3.023810	4.244690	.4530013	72.39350	-.795782
#3	.0166680	2.998061	4.360457	.4581276	73.43195	-.770424

Elem	Sr4077
Units	ppm
Avg	8.787450
Stddev	.113511
%RSD	1.291744

#1	8.840742
#2	8.864509
#3	8.657098

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2151.446	44857.20	6510.874	1654.961	2242.895
Stddev	19.156	351.45	70.604	16.014	20.541
%RSD	.8903753	.7834920	1.084403	.9676449	.9158255

#1	2166.139	44793.67	6454.222	1656.622	2257.711
#2	2158.418	45236.08	6488.427	1670.079	2251.527
#3	2129.780	44541.85	6589.972	1638.180	2219.446

Sample Name: Q3782-03 Acquired: 12/9/2025 13:19:32 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0281613	.0173833	.1010315	-.034002	.0166619	96.89391
Stddev	.0043512	.0076627	.0028746	.005161	.0030286	2.09522
%RSD	15.45092	44.08072	2.845229	15.17746	18.17649	2.162387

#1	.0327424	.0088846	.0989638	-.039446	.0195226	94.69185
#2	.0276575	.0237648	.1043140	-.029182	.0134896	97.12708
#3	.0240839	.0195005	.0998166	-.033377	.0169734	98.86278

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6099127	.0049612	.0079030	F 2438.263	.2218801	.0312632
Stddev	.0146562	.0000547	.0001706	34.345	.0014424	.0003830
%RSD	2.403001	1.103287	2.158427	1.408590	.6500669	1.224969

#1	.5944715	.0049373	.0077597	2399.846	.2231559	.0316735
#2	.6116348	.0049225	.0078576	2448.945	.2221694	.0312007
#3	.6236318	.0050238	.0080917	2465.997	.2203150	.0309153

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1349142	99.54566	2.572098	857.3291	.0942607	-.004696
Stddev	.0017459	.77417	.062181	18.1448	.0007482	.000508
%RSD	1.294066	.7776999	2.417529	2.116429	.7937055	10.80913

#1	.1358665	98.65185	2.508604	839.2261	.0943807	-.005030
#2	.1359769	99.97955	2.574813	857.2460	.0934597	-.004112
#3	.1328992	100.0056	2.632877	875.5153	.0949415	-.004945

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	10.99006	.1342011	.6873027	36.42008	.2106799	.0149019
Stddev	.12495	.0055130	.0060710	.36953	.0007455	.0004980
%RSD	1.136896	4.108024	.8833007	1.014637	.3538323	3.341580

#1	10.84578	.1281294	.6942509	35.99499	.2102937	.0153193
#2	11.06267	.1388935	.6830238	36.66471	.2115392	.0150356
#3	11.06171	.1355803	.6846332	36.60053	.2102067	.0143507

Sample Name: Q3782-03 Acquired: 12/9/2025 13:19:32 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.002627	4.030418	F 21.31369	.5986347	F 52.05418	-.273234
Stddev	.002430	.087998	.20303	.0043586	.30389	.002166
%RSD	92.48419	2.183348	.9525867	.7280845	.5838008	.7926204

#1	-.002525	3.934553	21.07929	.5974467	51.96941	-.270989
#2	-.000250	4.049176	21.42707	.6034642	52.39146	-.275311
#3	-.005106	4.107524	21.43470	.5949934	51.80167	-.273402

Elem	Sr4077
Units	ppm
Avg	5.979061
Stddev	.108025
%RSD	1.806717

#1	5.868863
#2	5.983547
#3	6.084773

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2430.676	49085.48	7098.607	1791.352	2638.773
Stddev	21.573	195.91	84.069	11.214	19.425
%RSD	.8875160	.3991163	1.184296	.6260059	.7361313

#1	2442.497	48877.83	7172.824	1778.652	2644.853
#2	2405.776	49111.56	7115.688	1799.888	2617.036
#3	2443.754	49267.04	7007.310	1795.517	2654.431

Sample Name: Q3782-03DUP Acquired: 12/9/2025 13:23:56 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0281338	.0103127	.1032786	-.040655	.0155119	99.75860
Stddev	.0025441	.0170209	.0090986	.005344	.0010367	1.73496
%RSD	9.042686	165.0485	8.809767	13.14495	6.683146	1.739154

#1	.0302038	.0256295	.1028840	-.034921	.0143657	98.59765
#2	.0252937	.0133198	.1125682	-.045496	.0157860	101.7530
#3	.0289040	-.008011	.0943838	-.041547	.0163840	98.9251

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6162187	.0052661	.0082514	F 2469.668	.2223913	.0318681
Stddev	.0089239	.0001476	.0002633	36.983	.0028580	.0001151
%RSD	1.448170	2.803514	3.191376	1.497508	1.285119	.3611486

#1	.6090293	.0052611	.0083745	2433.687	.2190944	.0319593
#2	.6262064	.0054162	.0084306	2507.579	.2239135	.0317388
#3	.6134204	.0051210	.0079491	2467.737	.2241661	.0319063

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1410722	96.21473	2.582094	875.9075	.0954298	-.006189
Stddev	.0008828	1.54109	.040158	15.1230	.0002951	.000369
%RSD	.6257547	1.601721	1.555262	1.726552	.3092148	5.961322

#1	.1420434	94.43537	2.546849	865.6360	.0953625	-.005800
#2	.1408549	97.08577	2.625813	893.2734	.0951743	-.006235
#3	.1403185	97.12307	2.573620	868.8131	.0957528	-.006533

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	10.65363	.1391211	.6738425	36.26511	.2007012	.0156146
Stddev	.21202	.0067561	.0066448	.62598	.0041192	.0004297
%RSD	1.990129	4.856264	.9861102	1.726127	2.052378	2.751908

#1	10.41220	.1376955	.6662406	35.54617	.1963622	.0160241
#2	10.73917	.1464762	.6767424	36.55988	.2011835	.0151672
#3	10.80951	.1331916	.6785445	36.68930	.2045580	.0156524

Sample Name: Q3782-03DUP Acquired: 12/9/2025 13:23:56 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.006120	4.130825	F 23.42062	.6008348	F 52.90530	-.273071
Stddev	.002346	.069964	.30278	.0040155	.43321	.004187
%RSD	38.33452	1.693714	1.292772	.6683165	.8188358	1.533127
#1	-0.008194	4.078968	23.07332	.5962129	52.47639	-.269471
#2	-.003574	4.210402	23.62909	.6034662	53.34268	-.277665
#3	-.006592	4.103105	23.55944	.6028253	52.89682	-.272077

Elem	Sr4077
Units	ppm
Avg	5.998264
Stddev	.065355
%RSD	1.089561
#1	5.931312
#2	6.061895
#3	6.001584

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2409.434	49516.20	6902.782	1792.369	2618.287
Stddev	3.749	532.51	81.539	19.630	4.301
%RSD	.1555991	1.075423	1.181255	1.095196	.1642801
#1	2413.753	50121.15	6941.038	1812.536	2623.006
#2	2407.017	49309.03	6809.148	1791.248	2614.586
#3	2407.533	49118.40	6958.159	1773.324	2617.269

Sample Name: Q3782-03LX5 Acquired: 12/9/2025 13:28:20 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0054706	.0087953	.0183793	-.012988	.0016813	20.28600	.1281428
Stddev	.0056290	.0042897	.0020955	.008458	.0016458	.38000	.0013636
%RSD	102.8947	48.77248	11.40146	65.12511	97.89407	1.873211	1.064127
#1	.0016383	.0127862	.0187476	-.019254	.0011693	20.50137	.1295831
#2	.0119333	.0042590	.0161240	-.016343	.0003522	19.84723	.1268717
#3	.0028404	.0093405	.0202662	-.003367	.0035223	20.50938	.1279736
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0011145	.0008690	558.3673	.0496426	.0059469	.0313809	20.86967
Stddev	.0001326	.0000504	7.3849	.0003179	.0002821	.0005390	.06088
%RSD	11.89401	5.802760	1.322592	.6404069	4.743182	1.717631	.2917295
#1	.0012568	.0008109	564.3423	.0496899	.0058620	.0319480	20.87594
#2	.0009944	.0009012	550.1108	.0493036	.0062616	.0308753	20.80590
#3	.0010925	.0008948	560.6487	.0499341	.0057170	.0313194	20.92718
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5725435	184.7734	.0184804	-.001467	2.150930	.0297547	.1396886
Stddev	.0079840	3.0630	.0008238	.000178	.053791	.0021991	.0008193
%RSD	1.394476	1.657704	4.457714	12.12295	2.500806	7.390719	.5865292
#1	.5736363	186.4701	.0194300	-.001605	2.110564	.0298048	.1387894
#2	.5640694	181.2375	.0180541	-.001266	2.130230	.0275310	.1398832
#3	.5799247	186.6126	.0179570	-.001528	2.211995	.0319284	.1403930
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	6.771784	.0459377	.0031008	-.018611	.8790047	4.467969	.1074050
Stddev	.093638	.0009281	.0001142	.000934	.0159513	.029102	.0005426
%RSD	1.382760	2.020452	3.681140	5.020617	1.814704	.6513393	.5052315
#1	6.667303	.0449919	.0031057	-.019472	.8847082	4.472513	.1071077
#2	6.799922	.0468471	.0032124	-.017618	.8609856	4.436863	.1080313
#3	6.848125	.0459741	.0029843	-.018744	.8913203	4.494531	.1070759

Sample Name: Q3782-03LX5 Acquired: 12/9/2025 13:28:20 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	9.438134	-.067434	1.282270
Stddev	.037926	.001249	.018689
%RSD	.4018338	1.852481	1.457493

#1	9.475851	-.066905	1.290350
#2	9.438548	-.066537	1.260900
#3	9.400004	-.068861	1.295559

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2631.523	51675.78	6945.940	1931.257	3253.102
Stddev	4.191	149.90	102.530	4.262	6.572
%RSD	.1592667	.2900730	1.476112	.2206813	.2020303

#1	2626.695	51508.13	6867.210	1927.951	3246.737
#2	2633.647	51722.33	7061.879	1929.753	3252.704
#3	2634.227	51796.88	6908.731	1936.067	3259.864

Sample Name: Q3782-03MS Acquired: 12/9/2025 13:32:36 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.8368045	1.897927	1.022202	1.906071	.2722222	107.6032
Stddev	.0029895	.068431	.004997	.006700	.0019210	1.1263
%RSD	.3572498	3.605588	.4888414	.3515159	.7056581	1.046673
#1	.8333568	1.898074	1.020281	1.911502	.2701397	108.8727
#2	.8386772	1.829422	1.027875	1.898584	.2739249	106.7240
#3	.8383794	1.966284	1.018451	1.908129	.2726021	107.2129
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.8676677	.1726479	.1980298	F 3628.428	.5010068	.2314746
Stddev	.0067903	.0019897	.0004370	43.819	.0009292	.0004814
%RSD	.7825960	1.152449	.2206512	1.207660	.1854698	.2079900
#1	.8750884	.1749449	.1977543	3673.460	.5019683	.2311996
#2	.8617644	.1714572	.1985337	3585.933	.5001137	.2320305
#3	.8661504	.1715416	.1978015	3625.891	.5009382	.2311937
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3376950	107.4076	3.738646	1629.491	.5682650	.0734407
Stddev	.0019347	.0625	.020269	15.036	.0023902	.0008420
%RSD	.5729241	.0581867	.5421497	.9227591	.4206211	1.146508
#1	.3361165	107.3542	3.761845	1646.323	.5666616	.0742375
#2	.3398534	107.4763	3.724366	1617.387	.5710122	.0725598
#3	.3371151	107.3924	3.729728	1624.763	.5671211	.0735248
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	11.76093	.3969268	.6617106	46.98382	.4562060	.3663001
Stddev	.10924	.0073813	.0010126	.24724	.0005462	.0004970
%RSD	.9288473	1.859609	.1530290	.5262146	.1197203	.1356896
#1	11.64576	.4045759	.6624214	46.73720	.4568350	.3657319
#2	11.77397	.3898462	.6605512	46.98258	.4559316	.3666542
#3	11.86307	.3963582	.6621593	47.23167	.4558515	.3665141

Sample Name: Q3782-03MS Acquired: 12/9/2025 13:32:36 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6316200	4.477351	F 27.00450	1.437987	F 57.57078	-.241800
Stddev	.0044472	.037077	.05573	.003768	.11699	.004372
%RSD	.7040873	.8281016	.2063683	.2619995	.2032184	1.807963
#1	.6271204	4.519466	27.04986	1.435196	57.55105	-.245934
#2	.6360128	4.449625	26.94229	1.442272	57.46491	-.237224
#3	.6317269	4.462962	27.02135	1.436492	57.69639	-.242241
Elem	Sr4077					
Units	ppm					
Avg	6.131451					
Stddev	.059941					
%RSD	.9776039					
#1	6.193939					
#2	6.074431					
#3	6.125982					
Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306	
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	
Avg	2321.067	48621.79	6841.969	1788.704	2405.011	
Stddev	5.303	205.61	90.789	5.702	7.510	
%RSD	.2284548	.4228843	1.326946	.3187586	.3122489	
#1	2318.921	48386.51	6737.285	1788.844	2404.398	
#2	2317.173	48711.84	6889.453	1794.334	2397.826	
#3	2327.106	48767.02	6899.170	1782.933	2412.808	

Sample Name: Q3782-03MSD Acquired: 12/9/2025 13:36:54 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.8545457	1.881761	1.040275	1.931535	.2701217	109.5885
Stddev	.0043240	.057874	.016091	.019401	.0028047	.8791
%RSD	.5059939	3.075515	1.546800	1.004453	1.038317	.8022213
#1	.8583327	1.940927	1.046184	1.928524	.2717543	108.6459
#2	.8498343	1.825272	1.022065	1.913816	.2668831	110.3862
#3	.8554702	1.879085	1.052576	1.952266	.2717276	109.7335
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.8942163	.1792407	.2004784	F 3682.047	.5113868	.2350877
Stddev	.0047190	.0018604	.0026559	33.117	.0023097	.0033500
%RSD	.5277279	1.037923	1.324789	.8994081	.4516592	1.425023
#1	.8930427	.1789913	.2014184	3648.391	.5140432	.2373871
#2	.8994114	.1812132	.1974804	3714.597	.5098526	.2312440
#3	.8901949	.1775177	.2025365	3683.152	.5102645	.2366319
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3554377	109.1725	3.835835	1649.182	.5791380	.0733428
Stddev	.0046632	.4356	.028678	12.449	.0078183	.0009544
%RSD	1.311954	.3989774	.7476322	.7548480	1.349981	1.301340
#1	.3588861	109.5465	3.827114	1636.017	.5820184	.0734017
#2	.3501321	109.2767	3.867861	1660.763	.5702881	.0723603
#3	.3572949	108.6942	3.812530	1650.766	.5851074	.0742664
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	11.96127	.4041294	.7029562	46.95856	.4655848	.3764721
Stddev	.01313	.0026844	.0060708	.13947	.0034165	.0045906
%RSD	.1097707	.6642485	.8636112	.2969978	.7338124	1.219366
#1	11.97189	.4071415	.7078127	47.11140	.4686207	.3780716
#2	11.96535	.4019895	.7049058	46.92606	.4662486	.3712957
#3	11.94659	.4032574	.6961502	46.83821	.4618851	.3800489

Sample Name: Q3782-03MSD Acquired: 12/9/2025 13:36:54 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6341300	4.503071	F 27.08048	1.487383	F 58.01976	-.241083
Stddev	.0107884	.032080	.04046	.020387	.85950	.000968
%RSD	1.701285	.7124097	.1494231	1.370692	1.481392	.4014221

#1	.6389509	4.470795	27.11010	1.499400	58.51071	-.240165
#2	.6217718	4.534952	27.09698	1.463843	57.02731	-.242094
#3	.6416673	4.503466	27.03438	1.498906	58.52126	-.240991

Elem	Sr4077
Units	ppm
Avg	6.262916
Stddev	.043285
%RSD	.6911348

#1	6.216892
#2	6.302808
#3	6.269049

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2287.940	47645.35	6647.122	1771.332	2378.119
Stddev	18.669	392.11	49.442	13.764	22.189
%RSD	.8159565	.8229671	.7438166	.7770432	.9330338

#1	2283.439	47264.42	6644.569	1755.439	2369.820
#2	2308.447	47623.87	6599.005	1779.206	2403.261
#3	2271.933	48047.75	6697.791	1779.351	2361.277

Sample Name: CCV02 Acquired: 12/9/2025 13:41:11 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV02 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	5.026939	5.161510	4.904686	5.090318	5.030762	9.646446	9.367750
Stddev	.011256	.175848	.021125	.012269	.021869	.317536	.333304
%RSD	.2239234	3.406901	.4307208	.2410329	.4347087	3.291736	3.557991

#1	5.031842	5.012569	4.927195	5.100140	5.055954	9.314185	9.074185
#2	5.014062	5.116462	4.885289	5.076565	5.019687	9.946856	9.730070
#3	5.034912	5.355500	4.901574	5.094248	5.016646	9.678299	9.298996

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2348945	2.442285	23.72031	.9807991	2.449058	1.252836	4.825879
Stddev	.0044429	.013240	.77514	.0377075	.015084	.005116	.138495
%RSD	1.891460	.5421072	3.267833	3.844566	.6159262	.4083851	2.869833

#1	.2316837	2.456940	22.96426	1.016165	2.465983	1.258500	4.919914
#2	.2399651	2.431188	24.51322	.941121	2.437034	1.251457	4.666840
#3	.2330346	2.438726	23.68346	.985112	2.444155	1.248550	4.890884

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.333843	23.81299	2.449840	1.232505	24.35325	2.394104	2.487908
Stddev	.080754	.76821	.014599	.046734	.63934	.080389	.101126
%RSD	3.460133	3.225998	.5958997	3.791772	2.625289	3.357780	4.064693

#1	2.250045	23.00227	2.466312	1.278806	24.76364	2.311827	2.581902
#2	2.411163	24.53010	2.438501	1.185350	23.61660	2.472462	2.380909
#3	2.340321	23.90660	2.444707	1.233358	24.67950	2.398024	2.500913

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	24.58745	4.667651	5.021542	4.938422	4.754148	5.216948	4.964634
Stddev	.65166	.096233	.015987	.031690	.161563	.102847	.037282
%RSD	2.650357	2.061704	.3183630	.6417076	3.398358	1.971411	.7509483

#1	25.06142	4.592373	5.039758	4.967267	4.600258	5.275966	5.001124
#2	23.84433	4.776077	5.009841	4.904499	4.922422	5.098190	4.926608
#3	24.85660	4.634505	5.015028	4.943499	4.739764	5.276686	4.966170

Sample Name: CCV02 Acquired: 12/9/2025 13:41:11 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV02 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.937406	4.676751	4.803920
Stddev	.025694	.160639	.199886
%RSD	.5203917	3.434838	4.160885
#1	4.944496	4.515880	4.656510
#2	4.908911	4.837156	5.031433
#3	4.958810	4.677218	4.723818

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2790.072	55016.92	7164.893	2076.135	3674.141
Stddev	13.827	1924.98	176.019	79.035	24.763
%RSD	.4955914	3.498889	2.456683	3.806845	.6739691
#1	2775.928	53213.87	7301.119	2002.343	3645.756
#2	2790.730	57044.20	6966.149	2159.535	3685.350
#3	2803.559	54792.70	7227.412	2066.528	3691.317

Sample Name: CCB02 Acquired: 12/9/2025 13:45:37 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB02 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0018847	.0058463	-.001596	.0036253	.0009431	-.007742	-.000745
Stddev	.0017882	.0035485	.001105	.0044563	.0009140	.001472	.000225
%RSD	94.87805	60.69740	69.24808	122.9207	96.91064	19.00873	30.23667

#1	.0010064	.0039225	-.001161	.0060151	.0008458	-.006102	-.000547
#2	.0007055	.0036751	-.002853	.0063769	.0000817	-.008948	-.000990
#3	.0039421	.0099413	-.000775	-.001516	.0019018	-.008177	-.000697

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000841	.0000637	.0033317	-.000087	-.000031	.0000471	-.006969
Stddev	.0000781	.0001225	.0078087	.000098	.000165	.0003004	.002973
%RSD	92.93315	192.4601	234.3746	112.5901	537.2397	637.2524	42.66237

#1	.0000506	.0001203	.0085109	-.000181	-.000178	-.000124	-.003582
#2	.0000282	-.000077	.0071341	.000015	.000147	.000394	-.008176
#3	.0001734	.000148	-.005650	-.000096	-.000061	-.000129	-.009149

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000882	.0125642	.0002974	-.000462	.0542597	.0001777	-.000194
Stddev	.000112	.0172787	.0003288	.000416	.0138958	.0008090	.000071
%RSD	12.71148	137.5232	110.5440	90.02405	25.60975	455.3436	36.84028

#1	-.000764	.0273383	.0000462	-.000213	.0403075	-.000470	-.000275
#2	-.000987	.0167895	.0001765	-.000942	.0543730	-.000081	-.000164
#3	-.000894	-.006435	.0006696	-.000231	.0680984	.001084	-.000142

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.013368	.0013117	-.000053	-.015718	-.000028	.0166920	.0005412
Stddev	.046211	.0007774	.000070	.000721	.001580	.0082343	.0001719
%RSD	345.6703	59.26842	133.1865	4.589762	5740.489	49.33095	31.77051

#1	-.022958	.0011499	-.000112	-.014966	.001795	.0259698	.0007045
#2	-.054032	.0006279	-.000072	-.016405	-.000866	.0102513	.0003617
#3	.036885	.0021572	.000025	-.015783	-.001011	.0138549	.0005573

Sample Name: CCB02 Acquired: 12/9/2025 13:45:37 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB02 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	F -.011564	-.000482	.0000579
Stddev	.003629	.000978	.0001224
%RSD	31.38098	202.8900	211.4103

#1	-.009912	-.000973	.0001720
#2	-.009056	-.001118	-.000071
#3	-.015726	.000644	.000073

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2920.286	56123.48	7441.892	2103.564	4102.132
Stddev	11.782	495.93	64.099	31.979	14.573
%RSD	.4034642	.8836438	.8613209	1.520253	.3552448

#1	2920.574	55693.65	7423.064	2069.379	4103.609
#2	2908.363	56010.71	7389.317	2108.564	4086.877
#3	2931.922	56666.09	7513.296	2132.749	4115.910

Sample Name: LR-1 Acquired: 12/9/2025 14:16:54 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0085206	.0281155	.0326464	-.023750	.0273580	.4274482	.0033211
Stddev	.0063763	.0019829	.0055384	.008655	.0047208	.0494874	.0011934
%RSD	74.83396	7.052595	16.96482	36.44329	17.25580	11.57739	35.93409
#1	.0141879	.0283114	.0384156	-.022950	.0219188	.4272247	.0044733
#2	.0097576	.0260419	.0321515	-.015522	.0303898	.4770469	.0020904
#3	.0016165	.0299931	.0273720	-.032777	.0297654	.3780729	.0033996
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0006433	.0027810	2133.012	.0638696	.0019333	.0129924	.8853963
Stddev	.0001881	.0002157	17.115	.0016929	.0003199	.0000999	.0132406
%RSD	29.24322	7.755306	.8024007	2.650582	16.54744	.7685084	1.495448
#1	.0008359	.0029406	2151.432	.0628726	.0017362	.0130862	.8772324
#2	.0006341	.0025356	2117.600	.0629119	.0017613	.0128875	.8782833
#3	.0004600	.0028667	2130.003	.0658243	.0023024	.0130035	.9006732
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0268992	2271.592	.0448909	.0052819	2294.904	.0039610	.0684991
Stddev	.0005585	16.233	.0006012	.0007839	66.679	.0016160	.0015474
%RSD	2.076305	.7145902	1.339313	14.84058	2.905539	40.79881	2.258959
#1	.0272786	2287.826	.0443395	.0060793	2234.737	.0057305	.0676097
#2	.0271612	2255.361	.0455319	.0045123	2283.381	.0025633	.0676019
#3	.0262579	2271.588	.0448013	.0052540	2366.594	.0035891	.0702859
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.649291	.0087851	.0154134	-.024145	-.089129	-.004628	.0009880
Stddev	.319758	.0008058	.0006822	.001921	.001156	.005378	.0008379
%RSD	19.38762	9.172309	4.426232	7.954977	1.297149	116.2025	84.80268
#1	1.310807	.0093502	.0147645	-.024653	-.090250	-.004492	.0005076
#2	1.690799	.0078624	.0153508	-.025761	-.089197	-.010072	.0005009
#3	1.946269	.0091428	.0161247	-.022021	-.087941	.000681	.0019555

Sample Name: LR-1 Acquired: 12/9/2025 14:16:54 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.2259655	-.334029	.0578977
Stddev	.0178238	.002918	.0005344
%RSD	7.887835	.8736909	.9229632

#1	.2063351	-.337373	.0579729
#2	.2304259	-.331995	.0573297
#3	.2411354	-.332719	.0583905

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	1996.658	40678.84	6529.090	1476.861	2336.289
Stddev	22.744	607.89	42.921	18.504	31.509
%RSD	1.139110	1.494357	.6573769	1.252935	1.348675

#1	2015.293	41092.69	6482.990	1482.885	2362.704
#2	1971.314	40962.91	6567.896	1491.602	2301.414
#3	2003.367	39980.92	6536.385	1456.095	2344.751

Sample Name: LR-2 Acquired: 12/9/2025 14:21:36 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.005729	.0000836	.1766661	-.267015	-.137811	1832.042	.0306528
Stddev	.006888	.0139071	.0044227	.005508	.010652	32.953	.0014346
%RSD	120.2356	16642.55	2.503405	2.062800	7.729486	1.798708	4.680207
#1	.002199	.0125371	.1721330	-.264241	-.143159	1803.397	.0301639
#2	-.010246	.0026369	.1809693	-.263445	-.125545	1868.056	.0295265
#3	-.009139	-.014923	.1768959	-.273358	-.144730	1824.674	.0322680
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0409203	.0992729	10.26825	-.346035	.0727710	-.058515	2440.716
Stddev	.0005049	.0006086	.05863	.006073	.0010587	.017107	37.316
%RSD	1.233929	.6130195	.5710015	1.755048	1.454837	29.23574	1.528892
#1	.0408823	.0995167	10.20059	-.342500	.0720366	-.047972	2420.284
#2	.0414432	.0997217	10.29999	-.342558	.0722917	-.049320	2418.078
#3	.0404355	.0985802	10.30417	-.353048	.0739845	-.078253	2483.786
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.186186	1.454258	.0564065	^ *****	4.745243	.0541515	.1445938
Stddev	.003551	.018904	.0009407	-----	.096775	.0034675	.0053931
%RSD	1.907318	1.299904	1.667707	-----	2.039420	6.403338	3.729838
#1	-.183778	1.445893	.0574907	^ -----	4.643039	.0508611	.1457117
#2	-.190264	1.475901	.0559205	^ -----	4.757213	.0577724	.1493403
#3	-.184516	1.440979	.0558081	^ -----	4.835476	.0538209	.1387293
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1806.279	^ *****	-.013568	.0148625	.0047020	1.467798	.0113182
Stddev	21.793	-----	.000721	.0015299	.0007156	.006329	.0012284
%RSD	1.206533	-----	5.311502	10.29377	15.21825	.4312077	10.85335
#1	1786.986	^ -----	-.013278	.0130959	.0051482	1.469814	.0103980
#2	1801.934	^ -----	-.014388	.0157401	.0038767	1.460706	.0127131
#3	1829.918	^ -----	-.013037	.0157515	.0050812	1.472874	.0108434

Sample Name: LR-2 Acquired: 12/9/2025 14:21:36 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-424735	.2445471	-2.33919
Stddev	.015002	.0051974	.03581
%RSD	3.532083	2.125325	1.531005
#1	-424416	.2411675	-2.31965
#2	-409895	.2419419	-2.31741
#3	-439894	.2505319	-2.38053

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2486.774	48425.33	6643.578	1903.631	2986.311
Stddev	13.038	203.89	41.979	8.713	15.317
%RSD	.5243095	.4210353	.6318736	.4577296	.5129025
#1	2487.907	48574.82	6685.082	1913.671	2991.348
#2	2499.208	48508.09	6601.139	1898.051	2998.476
#3	2473.206	48193.08	6644.512	1899.169	2969.110

Sample Name: LR-3 Acquired: 12/9/2025 14:26:11 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0918069	.0369004	216.3125	-.003857	.0805087	.0841799	.0002863
Stddev	.0029536	.0060990	.8170	.007027	.0059286	.0092563	.0011251
%RSD	3.217189	16.52838	.3777097	182.1751	7.363879	10.99585	392.9424
#1	.0898062	.0306473	215.5462	-.000647	.0771324	.0852579	.0006104
#2	.0904153	.0372210	216.2192	.000991	.0873542	.0744318	.0012138
#3	.0951993	.0428328	217.1722	-.011916	.0770395	.0928499	-.000965
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.003989	-.001388	.2478718	23.33294	.0065236	46.93738	.2718937
Stddev	.000093	.000045	.0119381	.13514	.0002368	.19298	.0073098
%RSD	2.324409	3.261678	4.816231	.5791616	3.629632	.4111361	2.688466
#1	-.003983	-.001431	.2616449	23.26973	.0065867	46.82076	.2778946
#2	-.003900	-.001392	.2404916	23.24099	.0062617	46.83125	.2637528
#3	-.004085	-.001341	.2414787	23.48810	.0067225	47.16013	.2740339
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	48.00887	-.193324	23.24938	.0023317	.5375027	-.021345	27.58010
Stddev	.38194	.005674	.08955	.0000344	.0778389	.003489	.07143
%RSD	.7955661	2.935024	.3851807	1.476723	14.48158	16.34652	.2590009
#1	47.57293	-.199226	23.16411	.0023143	.4529985	-.017319	27.59460
#2	48.28469	-.192834	23.24137	.0023094	.5532374	-.023491	27.64317
#3	48.16898	-.187910	23.34267	.0023713	.6062722	-.023224	27.50253
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6855285	-.001721	-.008824	-.020292	-.041901	-.104292	-.009373
Stddev	.0914061	.000427	.000255	.001057	.000649	.015005	.000320
%RSD	13.33366	24.79490	2.884413	5.209105	1.549897	14.38791	3.412970
#1	.5915258	-.001234	-.008791	-.020192	-.042569	-.096668	-.009466
#2	.6909644	-.001898	-.008588	-.019288	-.041862	-.094630	-.009016
#3	.7740953	-.002031	-.009094	-.021395	-.041271	-.121579	-.009636

Sample Name: LR-3 Acquired: 12/9/2025 14:26:11 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0290481	.0030495	.0004277
Stddev	.0031866	.0027311	.0000907
%RSD	10.97005	89.56096	21.21575

#1	.0253689	.0018251	.0003295
#2	.0308482	.0011447	.0005084
#3	.0309273	.0061785	.0004452

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2768.081	56568.26	7179.117	2119.010	3977.446
Stddev	6.724	183.87	38.748	8.867	8.134
%RSD	.2429230	.3250488	.5397263	.4184737	.2045151

#1	2772.441	56390.93	7218.825	2113.998	3986.663
#2	2771.465	56758.04	7141.407	2129.249	3974.406
#3	2760.337	56555.80	7177.119	2113.783	3971.270

Sample Name: Q3782-03A Acquired: 12/9/2025 14:39:20 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.8375946	1.909997	1.032805	1.974177	.8187381	98.83028
Stddev	.0182926	.079943	.026842	.048483	.0207613	.24687
%RSD	2.183943	4.185526	2.598894	2.455876	2.535765	.2497876

#1	.8557054	1.992110	1.060937	2.022708	.8426331	98.75063
#2	.8379530	1.832416	1.030004	1.974081	.8084643	99.10714
#3	.8191255	1.905465	1.007474	1.925742	.8051169	98.63307

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7831453	.1727066	.1959865	F 2420.496	.5517401	.2212579
Stddev	.0027704	.0005668	.0053490	28.520	.0059610	.0051744
%RSD	.3537524	.3281607	2.729255	1.178288	1.080410	2.338607

#1	.7800605	.1731434	.2014368	2402.766	.5456009	.2266050
#2	.7839540	.1720661	.1957777	2405.327	.5575054	.2208931
#3	.7854213	.1729102	.1907450	2453.396	.5521140	.2162756

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3823635	102.3555	2.718715	854.4667	.5578955	.0734565
Stddev	.0110245	1.6079	.002506	.5649	.0138907	.0016878
%RSD	2.883264	1.570937	.0921781	.0661090	2.489840	2.297617

#1	.3939201	100.5937	2.715986	854.6500	.5721490	.0718923
#2	.3812084	103.7439	2.720913	854.9171	.5571389	.0752453
#3	.3719619	102.7288	2.719246	853.8329	.5443985	.0732320

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	14.17069	.3924270	.8699849	47.78539	.4524105	.3834858
Stddev	.28744	.0048438	.0101281	.91576	.0042257	.0087745
%RSD	2.028422	1.234312	1.164170	1.916409	.9340400	2.288096

#1	13.84071	.3904750	.8604734	46.79232	.4478370	.3925697
#2	14.36657	.3888637	.8806336	48.59654	.4561700	.3828303
#3	14.30481	.3979421	.8688477	47.96732	.4532245	.3750574

Sample Name: Q3782-03A Acquired: 12/9/2025 14:39:20 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7008551	4.255621	F 24.87197	1.292785	F 51.17625	-.072295
Stddev	.0220311	.013473	.37301	.032904	1.24337	.005794
%RSD	3.143462	.3165871	1.499736	2.545186	2.429589	8.014503

#1	.7236347	4.242521	24.50339	1.327669	52.58000	-.070528
#2	.6992730	4.254906	25.24927	1.288382	50.73532	-.067591
#3	.6796577	4.269438	24.86326	1.262305	50.21343	-.078768

Elem	Sr4077
Units	ppm
Avg	6.124464
Stddev	.083909
%RSD	1.370068

#1	6.138233
#2	6.034522
#3	6.200638

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2439.077	49148.31	7129.884	1790.090	2662.368
Stddev	46.946	486.50	41.224	18.874	58.123
%RSD	1.924734	.9898655	.5781852	1.054336	2.183113

#1	2392.494	49600.49	7082.307	1803.711	2604.412
#2	2438.359	48633.55	7154.991	1768.546	2662.038
#3	2486.377	49210.89	7152.355	1798.013	2720.655

Sample Name: Q3779-01 Acquired: 12/9/2025 14:43:37 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0207892	.0464232	.0492127	-.028754	-.017941	517.1640	.6577119
Stddev	.0053839	.0004026	.0043808	.011045	.001888	7.5690	.0072573
%RSD	25.89758	.8671337	8.901779	38.41282	10.52073	1.463565	1.103415

#1	.0198901	.0464269	.0481712	-.033633	-.016192	508.7132	.6501409
#2	.0265661	.0460188	.0454464	-.016110	-.017689	523.3203	.6583863
#3	.0159115	.0468238	.0540204	-.036521	-.019942	519.4585	.6646084

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0080754	.0201333	282.8433	.5703175	.3655675	1.623743	447.7889
Stddev	.0002784	.0003026	3.2776	.0039758	.0009349	.008506	3.7834
%RSD	3.447000	1.503045	1.158789	.6971273	.2557516	.5238686	.8449075

#1	.0077837	.0203952	279.2454	.5657580	.3659596	1.632125	443.8713
#2	.0083382	.0202026	283.6253	.5730618	.3662427	1.623986	448.0733
#3	.0081042	.0198020	285.6591	.5721327	.3645004	1.615117	451.4221

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.728138	282.6684	.7729620	.0037879	82.23183	.5461766	.6822275
Stddev	.048962	3.5962	.0010487	.0004169	.60249	.0048780	.0051825
%RSD	1.313304	1.272229	.1356713	11.00744	.7326753	.8931202	.7596439

#1	3.681024	278.7430	.7719437	.0033785	81.66411	.5405439	.6776945
#2	3.724630	283.4581	.7740386	.0042120	82.16746	.5489875	.6811107
#3	3.778759	285.8041	.7729038	.0037730	82.86392	.5489983	.6878774

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	19.06083	.3979015	.0016483	.0845515	6.512087	3.226543	1.266131
Stddev	.13131	.0035822	.0007751	.0014927	.067352	.029999	.001168
%RSD	.6889009	.9002850	47.02394	1.765395	1.034260	.9297521	.0922885

#1	18.91860	.4013646	.0012862	.0847723	6.436243	3.216410	1.265075
#2	19.08643	.3942110	.0025382	.0859214	6.535108	3.260297	1.267387
#3	19.17745	.3981289	.0011205	.0829607	6.564910	3.202923	1.265931

Sample Name: Q3779-01 Acquired: 12/9/2025 14:43:37 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	2.246895	.2725681	2.852965
Stddev	.013214	.0022341	.064307
%RSD	.5881081	.8196303	2.254048
#1	2.249592	.2710370	2.778799
#2	2.232541	.2715356	2.893210
#3	2.258553	.2751316	2.886886

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2821.090	55500.49	7713.301	2134.504	3210.455
Stddev	8.299	322.00	82.216	11.246	7.283
%RSD	.2941861	.5801797	1.065904	.5268773	.2268428
#1	2813.616	55867.10	7802.694	2142.567	3210.104
#2	2819.633	55370.88	7696.285	2139.289	3203.354
#3	2830.022	55263.49	7640.924	2121.657	3217.906

Sample Name: Q3780-01 Acquired: 12/9/2025 14:48:00 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0137642	.0038260	.0335715	.0000383	-.005971	18.77186	.0317931
Stddev	.0011622	.0020603	.0009384	.0018349	.000596	.21199	.0004552
%RSD	8.443870	53.84908	2.795236	4796.125	9.982489	1.129282	1.431820
#1	.0145519	.0034829	.0345352	-.002077	-.006123	18.52947	.0313165
#2	.0143112	.0019588	.0326606	.001198	-.005314	18.86346	.0318394
#3	.0124294	.0060363	.0335186	.000994	-.006477	18.92263	.0322234
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000002	.0003727	3.202260	.0131972	.1732112	.0103668	2.207006
Stddev	.000019	.0000631	.033228	.0005619	.0031149	.0002793	.039108
%RSD	877.5025	16.93861	1.037653	4.257922	1.798320	2.693773	1.771997
#1	.000020	.0003454	3.167594	.0127578	.1699545	.0105766	2.168749
#2	-.000015	.0004448	3.205352	.0130035	.1761616	.0100498	2.205356
#3	-.000011	.0003278	3.233834	.0138304	.1735173	.0104739	2.246913
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0397852	1.019269	.0063290	.0014613	9.775738	.0060219	29.94578
Stddev	.0001820	.048030	.0001206	.0002591	.171093	.0042444	.59548
%RSD	.4573951	4.712222	1.906084	17.73275	1.750178	70.48120	1.988515
#1	.0395789	.964252	.0062649	.0012309	9.586899	.0032978	29.29343
#2	.0399228	1.040718	.0064682	.0014112	9.819882	.0038557	30.08374
#3	.0398540	1.052838	.0062540	.0017418	9.920433	.0109123	30.46017
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	6.242296	.0073439	-.012266	.2973295	.4662450	5.183175	.0342311
Stddev	.134835	.0006327	.000276	.0055971	.0054499	.103268	.0006842
%RSD	2.160022	8.614541	2.247122	1.882459	1.168886	1.992374	1.998687
#1	6.101391	.0075029	-.012024	.2917758	.4633503	5.095665	.0335290
#2	6.255393	.0066470	-.012566	.3029690	.4628533	5.156782	.0348958
#3	6.370105	.0078820	-.012208	.2972436	.4725315	5.297079	.0342684

Sample Name: Q3780-01 Acquired: 12/9/2025 14:48:00 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.3735610	.0038746	.0118163
Stddev	.0055817	.0010681	.0001455
%RSD	1.494194	27.56674	1.231088
#1	.3671609	.0029241	.0116547
#2	.3761021	.0036693	.0118573
#3	.3774201	.0050305	.0119368

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2984.404	59497.91	7533.698	2306.831	4045.770
Stddev	45.072	1033.85	47.170	38.309	62.741
%RSD	1.510245	1.737624	.6261207	1.660656	1.550790
#1	3026.457	60362.24	7571.445	2334.832	4108.257
#2	2936.823	59778.86	7548.829	2322.487	3982.777
#3	2989.931	58352.62	7480.819	2263.174	4046.277

Sample Name: PB170827BL Acquired: 12/9/2025 14:52:22 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0007904	.0035656	-.000114	.0010018	.0002532	-.008804	-.001869
Stddev	.0015352	.0013442	.001793	.0076069	.0016318	.001533	.000281
%RSD	194.2327	37.69756	1574.389	759.2912	644.5838	17.41041	15.05297
#1	-.000417	.0046390	-.001516	-.006642	.0006823	-.008668	-.001552
#2	.002518	.0039999	-.000732	.008571	.0016275	-.010400	-.002089
#3	.000270	.0020580	.001906	.001077	-.001550	-.007344	-.001967
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000006	.0000151	-.002901	-.000138	.0000142	-.000200	-.011701
Stddev	.000066	.0000185	.009742	.000107	.0001083	.000076	.008272
%RSD	1086.747	122.3611	335.7448	77.49279	762.0387	38.24719	70.69877
#1	-.000051	.0000252	-.002691	-.000057	.0000891	-.000286	-.018606
#2	.000070	-.000006	.006733	-.000259	-.000110	-.000141	-.013963
#3	-.000037	.000026	-.012747	-.000098	.000064	-.000172	-.002533
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000185	.0026199	.0002739	-.000362	.1594231	.0011778	.0001696
Stddev	.000115	.0085392	.0005502	.000088	.0408461	.0024844	.0001652
%RSD	61.81203	325.9321	200.8748	24.34508	25.62118	210.9259	97.37412
#1	-.000282	-.006876	-.000355	-.000462	.1135123	-.000161	.0003148
#2	-.000059	.009668	.000509	-.000330	.1730218	.004044	-.000010
#3	-.000216	.005068	.000667	-.000294	.1917353	-.000350	.000204
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1231491	-.005532	-.000215	-.016300	.0006863	.0293105	.0003085
Stddev	.0359866	.000823	.000181	.000692	.0004497	.0182736	.0002977
%RSD	29.22198	14.87885	84.35009	4.245711	65.52340	62.34479	96.50817
#1	.0841696	-.005711	-.000391	-.016772	.0001841	.0477134	.0005775
#2	.1301695	-.004634	-.000225	-.016624	.0008230	.0111690	-.000011
#3	.1551082	-.006250	-.000029	-.015506	.0010517	.0290491	.000359

Sample Name: PB170827BL Acquired: 12/9/2025 14:52:22 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	F -.013177	-.000507	-.000040
Stddev	.005487	.001362	.000061
%RSD	41.64117	268.8124	155.2709
#1	-.006883	-.001641	-.000075
#2	-.015693	-.000882	.000031
#3	-.016956	.001004	-.000075

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3028.589	57845.71	7408.694	2186.739	4346.066
Stddev	12.800	988.64	49.473	29.394	17.467
%RSD	.4226337	1.709093	.6677750	1.344174	.4018933
#1	3038.331	58392.08	7426.512	2211.846	4354.876
#2	3033.344	56704.47	7352.779	2154.407	4357.374
#3	3014.093	58440.58	7446.790	2193.964	4325.949

Sample Name: PB170827BS Acquired: 12/9/2025 14:56:42 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.8151345	2.020949	.9718529	2.110187	.8267862	1.955003
Stddev	.0046155	.056326	.0028995	.019032	.0091751	.018058
%RSD	.5662237	2.787082	.2983482	.9019149	1.109726	.9236663

#1	.8204385	1.957950	.9749319	2.131096	.8373767	1.956400
#2	.8120313	2.066446	.9714520	2.105591	.8217431	1.972321
#3	.8129337	2.038451	.9691747	2.093874	.8212390	1.936287

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1854859	.1943381	.1973729	.9908588	.4049697	.1971392
Stddev	.0015610	.0020297	.0013728	.0057283	.0053629	.0013514
%RSD	.8415671	1.044442	.6955269	.5781166	1.324282	.6855199

#1	.1872869	.1962615	.1989123	.9911737	.4034526	.1986766
#2	.1846490	.1945365	.1969307	.9964232	.4109278	.1966022
#3	.1845218	.1922165	.1962757	.9849796	.4005288	.1961388

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3152035	2.926342	.1911284	1.966766	.4969586	.0766155
Stddev	.0028871	.041539	.0014895	.020387	.0035490	.0003302
%RSD	.9159535	1.419478	.7792914	1.036562	.7141471	.4310086

#1	.3185197	2.884634	.1905885	1.973399	.5009619	.0763993
#2	.3138412	2.967710	.1928125	1.983010	.4957154	.0769956
#3	.3132496	2.926682	.1899842	1.943888	.4941984	.0764515

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.003680	.2929740	.2097893	9.810102	.2823158	.4156677
Stddev	.064451	.0037030	.0031923	.138548	.0027952	.0032130
%RSD	2.145731	1.263925	1.521648	1.412303	.9901048	.7729617

#1	2.929282	.2901983	.2092339	9.665901	.2851759	.4193425
#2	3.039247	.2971785	.2132228	9.942204	.2821813	.4142720
#3	3.042510	.2915452	.2069111	9.822202	.2795903	.4133887

Sample Name: PB170827BS Acquired: 12/9/2025 14:56:42 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6719932	.1903195	.8989058	F .6049936	F -.017227	.1960304
Stddev	.0049660	.0016323	.0239436	.0045359	.004465	.0017020
%RSD	.7389915	.8576493	2.663642	.7497488	25.91647	.8682393

#1	.6750182	.1913250	.9150344	.6096535	-.020758	.1966653
#2	.6746996	.1911974	.9102888	.6047345	-.018714	.1941023
#3	.6662620	.1884362	.8713941	.6005928	-.012208	.1973238

Elem	Sr4077
Units	ppm
Avg	.1905205
Stddev	.0015797
%RSD	.8291482

#1	.1920935
#2	.1905338
#3	.1889342

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2919.439	57316.03	7392.267	2160.666	4029.274
Stddev	24.877	460.41	73.661	24.449	29.853
%RSD	.8520996	.8032808	.9964595	1.131572	.7408949

#1	2892.686	57381.48	7324.682	2166.546	3998.247
#2	2923.757	56826.41	7381.337	2133.813	4031.782
#3	2941.874	57740.22	7470.783	2181.640	4057.794

Sample Name: Q3764-01 Acquired: 12/9/2025 15:00:47 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0450652	.0025881	16.98982	.0009955	.1549426	1.464988
Stddev	.0052152	.0052263	.07477	.0111713	.0031764	.005853
%RSD	11.57256	201.9374	.4400685	1122.193	2.050084	.3995525
#1	.0452542	-.001603	17.03031	.0043478	.1516667	1.469997
#2	.0501834	.000924	16.90354	.0101068	.1551519	1.466414
#3	.0397581	.008444	17.03561	-.011468	.1580092	1.458554
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1321493	-.000038	.0256688	198.5597	.0146864	.0082401
Stddev	.0014734	.000049	.0002432	1.1593	.0002973	.0004606
%RSD	1.114931	127.8332	.9475697	.5838563	2.024523	5.589107
#1	.1329457	-.000052	.0257383	199.3671	.0144195	.0081582
#2	.1330531	.000016	.0253984	199.0807	.0146327	.0078259
#3	.1304491	-.000079	.0258697	197.2313	.0150069	.0087361
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3200286	6.552240	1.120468	35.85184	.0244371	-.000359
Stddev	.0023646	.022008	.006438	.04905	.0005263	.000106
%RSD	.7388810	.3358779	.5746037	.1368027	2.153768	29.52949
#1	.3218645	6.550434	1.125642	35.87264	.0242587	-.000389
#2	.3173603	6.531190	1.122504	35.88706	.0250294	-.000448
#3	.3208609	6.575094	1.113258	35.79583	.0240231	-.000242
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	39.78616	.0067870	.5037066	5.695163	.0619651	.0032155
Stddev	.05545	.0030918	.0031517	.011680	.0013837	.0001900
%RSD	.1393819	45.55532	.6257045	.2050841	2.232962	5.908589
#1	39.81291	.0101871	.5001631	5.706623	.0635392	.0033521
#2	39.82317	.0060298	.5047600	5.683275	.0614150	.0032959
#3	39.72240	.0041440	.5061967	5.695591	.0609410	.0029986

Sample Name: Q3764-01 Acquired: 12/9/2025 15:00:47 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0345360	.0225861	F 14.34681	.0411398	F 67.52558	-.027727
Stddev	.0006304	.0016547	.03085	.0005718	.28895	.000512
%RSD	1.825281	7.326048	.2150248	1.389904	.4279159	1.847205

#1	.0352198	.0244833	14.31799	.0411079	67.61072	-.027818
#2	.0339780	.0214419	14.37935	.0405846	67.20362	-.027175
#3	.0344102	.0218330	14.34307	.0417269	67.76239	-.028187

Elem	Sr4077
Units	ppm
Avg	.7071470
Stddev	.0052343
%RSD	.7402002

#1	.7114159
#2	.7087180
#3	.7013071

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2756.735	55863.02	7264.866	2018.221	3719.384
Stddev	17.382	75.26	51.597	8.295	17.175
%RSD	.6305257	.1347169	.7102200	.4109957	.4617591

#1	2737.316	55786.33	7223.561	2027.534	3703.146
#2	2770.839	55865.97	7248.334	2011.627	3737.363
#3	2762.051	55936.76	7322.702	2015.502	3717.644

Sample Name: Q3764-02 Acquired: 12/9/2025 15:04:58 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.005712	.0017954	.0222061	.0030415	.0056133	.0593942	.0060328
Stddev	.002263	.0002873	.0013921	.0035577	.0014844	.0052146	.0004677
%RSD	39.62202	16.00277	6.268992	116.9726	26.44465	8.779631	7.752384

#1	-.008243	.0016525	.0209264	.0026866	.0064699	.0585233	.0065528
#2	-.005009	.0021262	.0220036	-.000325	.0038992	.0649894	.0058988
#3	-.003884	.0016077	.0236884	.006763	.0064707	.0546698	.0056467

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000142	.0000545	9.126368	.0025503	-.000174	.0063031	.1074413
Stddev	.000017	.0001110	.054677	.0001541	.000089	.0005349	.0023215
%RSD	11.98735	203.7414	.5991060	6.043859	51.21801	8.486103	2.160681

#1	-.000123	-.000058	9.069676	.0024382	-.000275	.0056877	.1100757
#2	-.000145	.000164	9.178777	.0027260	-.000140	.0065654	.1065532
#3	-.000156	.000057	9.130653	.0024866	-.000106	.0066561	.1056949

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0052877	.7612191	.0009706	-.000718	.4204891	.0011499	1.181898
Stddev	.0005148	.0100273	.0002360	.000325	.0061720	.0006439	.035562
%RSD	9.734846	1.317271	24.31265	45.30818	1.467813	55.99771	3.008932

#1	.0055742	.7498949	.0007507	-.000885	.4146751	.0017103	1.140834
#2	.0055953	.7689713	.0009411	-.000926	.4198266	.0012931	1.202360
#3	.0046934	.7647912	.0012199	-.000343	.4269656	.0004465	1.202499

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2690290	-.000961	.0011155	-.024054	.0027912	.2868471	.0029300
Stddev	.0244344	.000902	.0000614	.000964	.0014952	.0063229	.0003176
%RSD	9.082422	93.93005	5.507415	4.007784	53.56971	2.204274	10.84027

#1	.2408172	-.000351	.0011302	-.023549	.0034556	.2858680	.0030874
#2	.2828055	-.000533	.0010481	-.023448	.0010789	.2810709	.0031382
#3	.2834643	-.001997	.0011683	-.025166	.0038391	.2936024	.0025644

Sample Name: Q3764-02 Acquired: 12/9/2025 15:04:58 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.8551305	-.004149	.0258272
Stddev	.0085060	.002080	.0002101
%RSD	.9947025	50.11906	.8136540

#1	.8649345	-.001889	.0255849
#2	.8507410	-.005982	.0259596
#3	.8497160	-.004576	.0259370

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2960.623	57803.86	7247.780	2185.250	4195.193
Stddev	27.070	1933.34	30.234	51.537	37.194
%RSD	.9143288	3.344651	.4171496	2.358416	.8865960

#1	2929.480	60031.64	7245.361	2244.624	4153.926
#2	2978.505	56814.63	7218.828	2159.047	4226.131
#3	2973.885	56565.30	7279.151	2152.078	4205.523

Sample Name: CCV03 Acquired: 12/9/2025 15:09:13 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV03 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.911523	4.785758	4.848177	4.991838	5.002473	9.661709	9.795646
Stddev	.012002	.131922	.009203	.015432	.021720	.015954	.038523
%RSD	.2443541	2.756547	.1898289	.3091521	.4341851	.1651236	.3932647
#1	4.899474	4.653236	4.848400	4.979924	5.013642	9.644315	9.755786
#2	4.911617	4.786969	4.838864	4.986319	4.977442	9.665153	9.798476
#3	4.923476	4.917071	4.857267	5.009271	5.016336	9.675659	9.832675
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2262620	2.405327	24.15959	.9527342	2.434799	1.249147	5.108350
Stddev	.0011728	.004788	.07373	.0025559	.005077	.004217	.016514
%RSD	.5183461	.1990386	.3051797	.2682726	.2085097	.3376113	.3232689
#1	.2276097	2.404208	24.21425	.9511747	2.435599	1.249503	5.095302
#2	.2257040	2.401197	24.18878	.9513441	2.429370	1.244763	5.126916
#3	.2254724	2.410574	24.07573	.9556839	2.439429	1.253175	5.102831
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.449607	23.80171	2.425980	1.209136	25.83839	2.439727	2.413848
Stddev	.018640	.04080	.005812	.002267	.10559	.001294	.008081
%RSD	.7609304	.1714025	.2395673	.1875114	.4086641	.0530347	.3347866
#1	2.462253	23.76602	2.425949	1.209287	25.80771	2.438276	2.418506
#2	2.458367	23.79294	2.420183	1.206797	25.95592	2.440761	2.404517
#3	2.428201	23.84618	2.431807	1.211324	25.75153	2.440144	2.418522
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	25.27338	4.563671	4.962973	4.847690	4.886506	5.232268	4.948696
Stddev	.09805	.021210	.015950	.006998	.029474	.059819	.013032
%RSD	.3879435	.4647607	.3213750	.1443471	.6031811	1.143264	.2633480
#1	25.17398	4.586135	4.959732	4.841487	4.904427	5.194151	4.937737
#2	25.27617	4.560888	4.948893	4.855275	4.902604	5.201441	4.945244
#3	25.37001	4.543990	4.980295	4.846308	4.852488	5.301213	4.963107

Sample Name: CCV03 Acquired: 12/9/2025 15:09:13 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV03 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.854856	4.776515	4.962619
Stddev	.036981	.032795	.054730
%RSD	.7617422	.6865827	1.102835

#1	4.812265	4.790717	4.957842
#2	4.873477	4.799814	5.019581
#3	4.878825	4.739013	4.910435

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2831.416	56575.75	7384.892	2175.779	3721.083
Stddev	9.987	73.59	31.819	8.759	8.026
%RSD	.3527347	.1300750	.4308688	.4025752	.2156960

#1	2826.882	56637.84	7358.039	2179.668	3713.937
#2	2842.866	56594.94	7376.602	2181.921	3729.767
#3	2824.499	56494.46	7420.036	2165.749	3719.545

Sample Name: CCB03 Acquired: 12/9/2025 15:13:25 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB03 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0011358	.0050341	-.000861	-.001409	.0008879	-.011651	-.001873
Stddev	.0007644	.0023628	.001125	.003543	.0016988	.003215	.000314
%RSD	67.29770	46.93626	130.5953	251.4108	191.3180	27.59734	16.78595

#1	.0012484	.0077094	-.001511	-.005378	-.000214	-.008217	-.002190
#2	.0003214	.0041599	-.001511	.001435	.002844	-.014591	-.001867
#3	.0018376	.0032329	.000438	-.000285	.000033	-.012145	-.001561

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000015	.0000416	.0051915	-.000108	-.000041	-.000221	-.005646
Stddev	.0000689	.0000152	.0096746	.000339	.000042	.000636	.002933
%RSD	4496.875	36.50010	186.3546	314.7847	102.6956	288.2197	51.93606

#1	-.000068	.0000257	.0160828	-.000196	-.000060	-.000939	-.003019
#2	.000069	.0000433	-.002407	.000267	.000007	.000008	-.005110
#3	.000004	.0000559	.001899	-.000393	-.000070	.000269	-.008810

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000268	.0068213	.0001360	-.000640	.1868576	.0008220	-.000481
Stddev	.000668	.0339677	.0002011	.000369	.0328612	.0007964	.000398
%RSD	248.8117	497.9648	147.9122	57.57091	17.58622	96.88824	82.73037

#1	-.000086	-.019299	.0003352	-.000966	.1574444	.0000179	-.000022
#2	.000289	-.005458	-.000067	-.000240	.1808036	.0008375	-.000687
#3	-.001009	.045221	.000140	-.000714	.2223249	.0016106	-.000733

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1242430	.0003563	.0001805	-.016979	.0002205	.0134689	.0004033
Stddev	.0426541	.0003755	.0002316	.000536	.0023788	.0081205	.0001767
%RSD	34.33116	105.3755	128.3374	3.159467	1078.783	60.29070	43.81646

#1	.1231345	.0007878	-.000076	-.016378	.0009639	.0057738	.0005420
#2	.0821540	.0001036	.000373	-.017410	-.002441	.0219567	.0002044
#3	.1674405	.0001776	.000245	-.017149	.002139	.0126763	.0004635

Sample Name: CCB03 Acquired: 12/9/2025 15:13:25 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB03 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	F -.011542	.0002541	.0000440
Stddev	.001752	.0011428	.0000213
%RSD	15.18160	449.8091	48.49508

#1	-.013557	-.001050	.0000227
#2	-.010694	.000730	.0000653
#3	-.010376	.001082	.0000439

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2948.389	58551.11	7646.315	2221.641	4151.757
Stddev	5.664	76.52	85.151	4.083	10.578
%RSD	.1921127	.1306893	1.113627	.1837859	.2547722

#1	2941.877	58593.06	7719.120	2216.928	4140.010
#2	2952.171	58597.48	7552.682	2223.892	4160.527
#3	2951.119	58462.79	7667.144	2224.103	4154.735

Sample Name: Q3764-03 Acquired: 12/9/2025 15:17:45 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000195	.0031605	.0508981	.0050206	.0053033	.0336257	.0175655
Stddev	.003674	.0040189	.0013221	.0036897	.0030767	.0055118	.0001978
%RSD	1888.659	127.1593	2.597454	73.49013	58.01582	16.39169	1.126086

#1	.003790	.0049869	.0496106	.0010561	.0084207	.0272876	.0173495
#2	-.000925	.0059418	.0508316	.0056516	.0052201	.0372959	.0176091
#3	-.003448	-.001447	.0522522	.0083540	.0022690	.0362937	.0177378

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000174	.0002456	17.09067	.0008197	-.000195	.0057591	.0582512
Stddev	.000032	.0000485	.13048	.0001664	.000196	.0002508	.0028150
%RSD	18.21121	19.75081	.7634743	20.30204	100.5243	4.355207	4.832440

#1	-.000146	.0003012	16.99257	.0006619	.000017	.0059342	.0599252
#2	-.000169	.0002239	17.04070	.0009936	-.000233	.0054717	.0598271
#3	-.000208	.0002118	17.23876	.0008037	-.000370	.0058713	.0550012

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0072621	3.787292	.0006936	-.000441	5.012812	.0011478	.0736643
Stddev	.0003120	.057280	.0003722	.000225	.068698	.0030239	.0002088
%RSD	4.295915	1.512432	53.66002	51.07795	1.370454	263.4575	.2834115

#1	.0073348	3.721210	.0008332	-.000442	5.091206	.0045384	.0736630
#2	.0075314	3.822745	.0002718	-.000215	4.963113	.0001748	.0738737
#3	.0069202	3.817922	.0009757	-.000665	4.984118	-.001270	.0734562

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.124922	.0259576	.0013805	-.022490	.0020577	1.422190	.0021582
Stddev	.043570	.0011857	.0001545	.001073	.0018468	.008289	.0003570
%RSD	3.873187	4.567937	11.19597	4.770366	89.74995	.5828575	16.54386

#1	1.174840	.0268359	.0013508	-.022077	.0012291	1.431357	.0021146
#2	1.094532	.0246088	.0012429	-.023707	.0007704	1.415222	.0025351
#3	1.105394	.0264280	.0015477	-.021684	.0041738	1.419990	.0018250

Sample Name: Q3764-03 Acquired: 12/9/2025 15:17:45 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	2.457760	-.004923	.0815001
Stddev	.013270	.000880	.0005275
%RSD	.5399237	17.86630	.6472718

#1	2.451862	-.004022	.0811426
#2	2.448460	-.004967	.0812517
#3	2.472956	-.005780	.0821060

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2900.586	56654.90	7293.817	2085.634	4105.787
Stddev	2.217	401.43	66.827	20.952	3.286
%RSD	.0764332	.7085599	.9162117	1.004579	.0800220

#1	2901.888	56215.43	7327.867	2062.840	4109.577
#2	2901.844	57002.30	7336.761	2104.054	4103.748
#3	2898.026	56746.98	7216.823	2090.007	4104.035

Sample Name: Q3764-04 Acquired: 12/9/2025 15:22:04 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000586	-.000388	.2242239	.0113728	.0243796	.0320743	.0415492
Stddev	.003946	.002784	.0026108	.0023563	.0010253	.0035972	.0010775
%RSD	673.2307	716.5227	1.164378	20.71907	4.205733	11.21511	2.593271

#1	-.004820	-.003465	.2272349	.0087807	.0255633	.0309861	.0412484
#2	.000071	.001956	.2225887	.0133851	.0237668	.0291469	.0406541
#3	.002990	.000344	.2228481	.0119527	.0238087	.0360899	.0427452

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000059	.0016865	28.36525	.0005090	-.000152	.0139510	.7169475
Stddev	.000058	.0000628	.41793	.0002842	.000189	.0003270	.0180346
%RSD	99.04326	3.722386	1.473404	55.83237	124.4793	2.343738	2.515472

#1	-.000022	.0017560	27.93872	.0005414	-.000143	.0142763	.7220787
#2	-.000029	.0016340	28.38300	.0007755	-.000345	.0136223	.6969033
#3	-.000126	.0016694	28.77402	.0002100	.000033	.0139544	.7318604

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0252021	3.227425	.0015572	-.001113	.5554449	.0016133	.0482588
Stddev	.0008674	.050341	.0001429	.000303	.0065237	.0005103	.0004844
%RSD	3.441717	1.559793	9.173536	27.26156	1.174493	31.63118	1.003662

#1	.0245714	3.179908	.0016997	-.001383	.5530482	.0017962	.0482933
#2	.0248437	3.222187	.0015580	-.000785	.5504586	.0020070	.0477582
#3	.0261913	3.280181	.0014140	-.001170	.5628279	.0010368	.0487250

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.194494	.0058250	.0015262	-.023404	-.000957	.6679415	.0038793
Stddev	.061540	.0006401	.0002298	.000667	.000698	.0054496	.0002156
%RSD	2.804288	10.98831	15.05365	2.850916	72.93723	.8158754	5.557895

#1	2.131744	.0051097	.0017572	-.023195	-.000653	.6619493	.0041262
#2	2.196991	.0060215	.0015237	-.022866	-.000462	.6692737	.0037281
#3	2.254748	.0063437	.0012977	-.024151	-.001755	.6726013	.0037836

Sample Name: Q3764-04 Acquired: 12/9/2025 15:22:04 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.193233	-.007627	.1790683
Stddev	.062245	.000662	.0031846
%RSD	1.484407	8.677668	1.778406
#1	4.265066	-.006884	.1756112
#2	4.159428	-.008154	.1797118
#3	4.155206	-.007842	.1818821

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2896.525	56460.91	7294.398	2072.532	4088.477
Stddev	27.739	495.78	65.530	10.727	40.296
%RSD	.9576500	.8780985	.8983592	.5175826	.9855951
#1	2871.421	56158.51	7361.570	2062.597	4046.509
#2	2891.849	57033.08	7290.981	2083.906	4092.060
#3	2926.304	56191.13	7230.644	2071.092	4126.861

Sample Name: Q3764-05 Acquired: 12/9/2025 15:26:23 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0027465	.0034729	.7354110	.0259272	.0529961	.0744870
Stddev	.0029507	.0029098	.0054034	.0065724	.0023199	.0064157
%RSD	107.4342	83.78533	.7347465	25.34960	4.377393	8.613216
#1	.0054141	.0001190	.7298530	.0202997	.0509088	.0816811
#2	.0032484	.0053238	.7406453	.0243313	.0525857	.0693585
#3	-.000423	.0049760	.7357349	.0331507	.0554938	.0724214
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0358796	-.000071	.1335011	54.20460	.0018668	.0005621
Stddev	.0006429	.000061	.0011854	.20957	.0003199	.0002109
%RSD	1.791702	85.74727	.8879518	.3866246	17.13400	37.52171
#1	.0351379	-.000051	.1321344	54.39559	.0021617	.0003997
#2	.0362758	-.000139	.1342515	54.23780	.0019120	.0008005
#3	.0362252	-.000022	.1341172	53.98042	.0015268	.0004862
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0286904	.6289129	.0476345	10.44686	.0135798	-.000315
Stddev	.0007870	.0079541	.0003848	.07154	.0002666	.000212
%RSD	2.743236	1.264740	.8078423	.6848020	1.963379	67.37819
#1	.0283736	.6338891	.0480498	10.51728	.0137393	-.000141
#2	.0295865	.6331103	.0472899	10.44906	.0137281	-.000551
#3	.0281111	.6197392	.0475638	10.37425	.0132720	-.000253
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	7.219591	.0021933	.2115849	2.678696	.0272151	.0024449
Stddev	.053413	.0017293	.0014675	.035259	.0007053	.0003149
%RSD	.7398290	78.84531	.6935871	1.316290	2.591424	12.88054
#1	7.220945	.0017375	.2113665	2.639871	.0271612	.0021739
#2	7.272314	.0041048	.2102389	2.687492	.0279457	.0023704
#3	7.165514	.0007376	.2131494	2.708724	.0265383	.0027904

Sample Name: Q3764-05 Acquired: 12/9/2025 15:26:23 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.023634	-.000396	3.268414	.0043544	F 22.19085	-.007771
Stddev	.000816	.000261	.010959	.0005474	.21791	.001683
%RSD	3.452113	66.09484	.3353097	12.57163	.9819840	21.65300
#1	-.024571	-.000130	3.255815	.0037277	21.94637	-.005959
#2	-.023251	-.000405	3.273683	.0045963	22.36464	-.008071
#3	-.023080	-.000652	3.275744	.0047391	22.26153	-.009284
Elem	Sr4077					
Units	ppm					
Avg	.1149972					
Stddev	.0005909					
%RSD	.5138379					
#1	.1156129					
#2	.1149441					
#3	.1144347					
Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306	
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	
Avg	2879.980	59173.15	7182.002	2170.387	4001.336	
Stddev	24.179	85.74	33.836	9.685	31.097	
%RSD	.8395668	.1448981	.4711186	.4462149	.7771572	
#1	2907.608	59227.26	7153.529	2167.319	4037.101	
#2	2862.676	59217.90	7219.408	2181.235	3986.223	
#3	2869.657	59074.29	7173.068	2162.609	3980.684	

Sample Name: Q3764-06 Acquired: 12/9/2025 15:30:36 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.002344	-.004064	.0045252	-.004700	.0112057	.0589524
Stddev	.001729	.002623	.0017208	.000636	.0012832	.0108533
%RSD	73.75177	64.55432	38.02671	13.53788	11.45105	18.41035

#1	-.004240	-.001084	.0043129	-.005351	.0105500	.0677864
#2	-.000857	-.006027	.0063422	-.004669	.0126843	.0622337
#3	-.001934	-.005080	.0029203	-.004080	.0103830	.0468370

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0359020	-.000260	-.000000	133.1341	.0011277	-.000334
Stddev	.0015528	.000065	.000039	5.3981	.0003014	.000214
%RSD	4.325216	24.85460	8800.539	4.054660	26.72953	64.08738

#1	.0376329	-.000210	.000004	138.0254	.0012197	-.000580
#2	.0346314	-.000238	.000036	127.3424	.0007910	-.000192
#3	.0354415	-.000333	-.000041	134.0344	.0013724	-.000230

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0017714	.0658649	.0290715	25.96844	.0020927	-.000553
Stddev	.0000330	.0086047	.0009756	1.07905	.0000552	.000393
%RSD	1.862479	13.06419	3.355938	4.155240	2.636225	71.20294

#1	.0018000	.0680200	.0298202	26.93767	.0020482	-.000104
#2	.0017353	.0563875	.0279682	24.80574	.0020755	-.000837
#3	.0017789	.0731873	.0294261	26.16191	.0021545	-.000717

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	24.38705	.0013029	.0346706	9.335413	.0856659	.0015712
Stddev	.17983	.0013031	.0006961	.041415	.0041915	.0002558
%RSD	.7374138	100.0219	2.007753	.4436288	4.892863	16.28335

#1	24.45586	.0011460	.0353867	9.382257	.0891869	.0016575
#2	24.52231	.0000852	.0346288	9.303662	.0810295	.0017727
#3	24.18297	.0026773	.0339964	9.320319	.0867811	.0012834

Sample Name: Q3764-06 Acquired: 12/9/2025 15:30:36 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.026057	-.005218	F 25.06501	.0019165	F 49.24320	-.014559
Stddev	.000979	.002230	.18214	.0001255	.54549	.002280
%RSD	3.758863	42.73568	.7266607	6.545975	1.107744	15.66173
#1	-.025180	-.007701	25.23211	.0020504	49.53762	-.016203
#2	-.025878	-.004565	25.09206	.0018973	49.57822	-.011956
#3	-.027114	-.003387	24.87086	.0018017	48.61376	-.015518
Elem	Sr4077					
Units	ppm					
Avg	.3574718					
Stddev	.0133168					
%RSD	3.725280					
#1	.3697978					
#2	.3433470					
#3	.3592705					
Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306	
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	
Avg	2832.867	55915.58	7035.264	2137.090	3825.800	
Stddev	.719	480.13	302.756	28.917	10.408	
%RSD	.0253739	.8586653	4.303407	1.353106	.2720443	
#1	2832.156	55419.54	6758.479	2104.387	3820.393	
#2	2833.594	55949.17	7358.599	2147.603	3819.208	
#3	2832.850	56378.03	6988.713	2159.280	3837.798	

Sample Name: Q3764-07 Acquired: 12/9/2025 15:34:51 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0054728	.0047935	12.79486	-.001605	.0083180	.1430219
Stddev	.0017074	.0026275	.13724	.002529	.0014568	.0073730
%RSD	31.19737	54.81449	1.072591	157.5902	17.51429	5.155189

#1	.0037120	.0017623	12.95046	-.002110	.0092806	.1497311
#2	.0055853	.0064219	12.74299	.001139	.0090314	.1442062
#3	.0071212	.0061962	12.69111	-.003844	.0066419	.1351284

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1086366	-.000157	.0788930	22.70668	.0129760	.0021018
Stddev	.0032344	.000090	.0008760	.52021	.0006199	.0001802
%RSD	2.977237	57.38549	1.110305	2.291012	4.777699	8.572946

#1	.1101664	-.000236	.0798828	22.94064	.0130191	.0022113
#2	.1108222	-.000176	.0785785	23.06884	.0135732	.0022003
#3	.1049211	-.000059	.0782177	22.11057	.0123356	.0018939

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0976482	1.017659	.2994669	1.004312	.0494415	-.000165
Stddev	.0014062	.022790	.0073961	.047129	.0006571	.000312
%RSD	1.440064	2.239465	2.469755	4.692659	1.328987	189.2608

#1	.0991970	1.008195	.3022383	.982450	.0499313	-.000275
#2	.0972959	1.043657	.3050770	1.058402	.0496985	-.000406
#3	.0964517	1.001127	.2910853	.972085	.0486948	.000187

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.521338	.0000648	.4679077	4.377073	.0320187	.0000723
Stddev	.050844	.0015576	.0091239	.039793	.0014464	.0000798
%RSD	2.016564	2404.321	1.949944	.9091217	4.517421	110.3549

#1	2.522577	-.001607	.4627865	4.374365	.0323205	.0001576
#2	2.571551	.000325	.4784418	4.418150	.0332903	.0000597
#3	2.469885	.001476	.4624949	4.338703	.0304451	-.000000

Sample Name: Q3764-07 Acquired: 12/9/2025 15:34:51 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.023428	-.001163	2.304883	.0090597	F 21.20825	-.001956
Stddev	.000185	.001364	.034015	.0001589	.27010	.001041
%RSD	.7910786	117.3484	1.475801	1.754059	1.273561	53.20679

#1	-.023280	-.002224	2.291888	.0092409	21.49004	-.000760
#2	-.023369	.000376	2.343480	.0089944	21.18311	-.002657
#3	-.023636	-.001639	2.279281	.0089439	20.95160	-.002451

Elem	Sr4077
Units	ppm
Avg	.1109528
Stddev	.0027564
%RSD	2.484298

#1	.1124072
#2	.1126774
#3	.1077738

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2971.844	60225.03	7302.719	2260.684	4200.557
Stddev	29.452	874.94	175.016	42.488	45.817
%RSD	.9910414	1.452781	2.396592	1.879418	1.090726

#1	2939.503	60736.03	7225.245	2284.438	4149.149
#2	2978.906	59214.76	7179.811	2211.631	4215.440
#3	2997.124	60724.31	7503.100	2285.982	4237.081

Sample Name: Q3764-08 Acquired: 12/9/2025 15:39:02 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1541946	.0101719	42.28464	.0237602	.4825362	1.936321	.0959544
Stddev	.0032139	.0068171	.29906	.0024281	.0053944	.017237	.0014004
%RSD	2.084343	67.01860	.7072428	10.21906	1.117933	.8901762	1.459394

#1	.1578965	.0174506	42.59925	.0251777	.4855559	1.926300	.0947598
#2	.1525701	.0091284	42.00406	.0209566	.4763082	1.956224	.0974955
#3	.1521172	.0039368	42.25061	.0251463	.4857445	1.926439	.0956080

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0002671	.8746374	31.69338	.0786634	.0035762	1.070070	15.09982
Stddev	.0001126	.0063493	.31783	.0004590	.0000988	.008856	.02450
%RSD	42.14625	.7259372	1.002818	.5835118	2.763333	.8276050	.1622657

#1	.0003813	.8816439	31.62632	.0782715	.0036444	1.078561	15.07193
#2	.0001562	.8692644	32.03938	.0785503	.0036214	1.060890	15.10966
#3	.0002638	.8730041	31.41443	.0791684	.0034629	1.070759	15.11787

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2184009	12.79950	.0928858	-.000415	2.531680	.0060919	1.507059
Stddev	.0020448	.16291	.0003602	.000739	.021797	.0024972	.003697
%RSD	.9362786	1.272820	.3878240	178.0284	.8609720	40.99136	.2453435

#1	.2177526	12.76584	.0931681	-.000828	2.510886	.0036167	1.502822
#2	.2206912	12.97662	.0924801	-.000856	2.529798	.0086104	1.508725
#3	.2167587	12.65605	.0930093	.000438	2.554358	.0060487	1.509631

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.173998	.0295223	.0071060	.1579765	.0642238	3.959643	.0353672
Stddev	.019801	.0003253	.0002988	.0018110	.0012390	.009100	.0000158
%RSD	.6238590	1.102025	4.204380	1.146393	1.929257	.2298118	.0447731

#1	3.160040	.0294238	.0072526	.1591648	.0639013	3.952202	.0353855
#2	3.196661	.0298855	.0073032	.1558922	.0655923	3.969788	.0353577
#3	3.165295	.0292576	.0067623	.1588727	.0631779	3.956939	.0353584

Sample Name: Q3764-08 Acquired: 12/9/2025 15:39:02 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	6.054647	-.002629	.0958383
Stddev	.083004	.000331	.0009569
%RSD	1.370919	12.59093	.9984422
#1	6.148055	-.002360	.0958221
#2	5.989344	-.002528	.0968031
#3	6.026541	-.002999	.0948895

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2950.117	57703.54	7649.102	2145.111	4119.213
Stddev	21.449	160.53	105.303	3.373	28.307
%RSD	.7270390	.2781935	1.376678	.1572645	.6872056
#1	2928.562	57841.99	7674.478	2147.304	4087.834
#2	2971.458	57527.58	7533.429	2141.227	4142.830
#3	2950.332	57741.06	7739.398	2146.803	4126.975

Sample Name: Q3764-09 Acquired: 12/9/2025 15:43:12 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0093556	.0058819	.2459383	.0057639	.0322952	.0132358	.0270363
Stddev	.0025156	.0032113	.0021223	.0019563	.0018146	.0076459	.0008615
%RSD	26.88877	54.59639	.8629246	33.94109	5.618860	57.76668	3.186545

#1	.0068247	.0023821	.2482768	.0058221	.0335413	.0148452	.0261260
#2	.0118556	.0086929	.2441347	.0076905	.0302133	.0199489	.0271438
#3	.0093863	.0065709	.2454033	.0037791	.0331311	.0049134	.0278389

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000258	.0492864	20.99557	.0004904	.0048803	.0143138	1.541155
Stddev	.000068	.0003152	.26326	.0002993	.0001623	.0002020	.012802
%RSD	26.35261	.6396258	1.253898	61.03327	3.324932	1.410958	.8306578

#1	-.000216	.0494046	20.70154	.0001616	.0049526	.0141052	1.541562
#2	-.000336	.0489291	21.20941	.0005624	.0046944	.0143279	1.528154
#3	-.000221	.0495254	21.07577	.0007471	.0049938	.0145084	1.553748

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.789096	2.638316	.0062956	-.000625	6.540855	.0018362	.4087686
Stddev	.014308	.024334	.0001048	.000629	.011473	.0019652	.0013413
%RSD	.7997248	.9223398	1.663908	100.7154	.1754018	107.0246	.3281229

#1	1.774850	2.612816	.0063876	-.000611	6.545115	-.000431	.4073518
#2	1.803465	2.640846	.0061816	-.001261	6.527862	.003051	.4089352
#3	1.788972	2.661287	.0063176	-.000002	6.549589	.002889	.4100187

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	5.418225	.0223616	.0009666	-.024326	-.000431	2.118705	.0041032
Stddev	.029312	.0006244	.0002055	.000331	.000847	.011529	.0001228
%RSD	.5409959	2.792106	21.26459	1.359938	196.4041	.5441487	2.991873

#1	5.384494	.0217588	.0012005	-.024504	.000215	2.115904	.0042381
#2	5.437518	.0223205	.0008151	-.024530	-.000119	2.108835	.0039979
#3	5.432664	.0230055	.0008840	-.023944	-.001390	2.131376	.0040737

Sample Name: Q3764-09 Acquired: 12/9/2025 15:43:12 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	8.192093	-.000435	.0740897
Stddev	.058319	.001470	.0005024
%RSD	.7118920	337.9512	.6781239
#1	8.170165	-.002032	.0736143
#2	8.147916	-.000135	.0746154
#3	8.258197	.000862	.0740393

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2918.852	56450.20	7653.587	2117.974	4109.201
Stddev	12.687	158.77	46.443	3.927	16.494
%RSD	.4346743	.2812641	.6068182	.1854189	.4013929
#1	2904.798	56448.64	7701.250	2117.733	4094.063
#2	2929.463	56609.74	7608.468	2122.017	4126.779
#3	2922.293	56292.20	7651.044	2114.174	4106.761

Sample Name: Q3764-10 Acquired: 12/9/2025 15:47:26 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0019403	.0045227	.4176704	.0027517	.0374711	.0876137	.0372480
Stddev	.0010238	.0038576	.0012831	.0045659	.0022627	.0070125	.0007400
%RSD	52.76798	85.29416	.3072125	165.9280	6.038628	8.003876	1.986601

#1	.0007637	.0013968	.4191212	-.002208	.0381135	.0853384	.0370021
#2	.0024285	.0088338	.4166847	.003684	.0393432	.0954813	.0380797
#3	.0026286	.0033374	.4172052	.006780	.0349566	.0820214	.0366623

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000113	.0203722	26.45643	.0010023	.0010348	.0109298	.4981173
Stddev	.000048	.0000812	.03306	.0005158	.0002650	.0004449	.0046122
%RSD	42.40542	.3988226	.1249673	51.45644	25.60271	4.070886	.9259307

#1	-.000096	.0204096	26.43904	.0014059	.0007506	.0107861	.4952766
#2	-.000076	.0202790	26.43569	.0004213	.0012750	.0105745	.4956364
#3	-.000167	.0204280	26.49456	.0011799	.0010790	.0114289	.5034390

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0340252	11.93070	.0077070	-.000727	1.850920	.0003794	.0383446
Stddev	.0011833	.05994	.0005561	.000389	.021364	.0009347	.0004118
%RSD	3.477567	.5024386	7.215609	53.53247	1.154248	246.3957	1.073887

#1	.0326620	11.86763	.0073533	-.000716	1.847849	-.000699	.0387296
#2	.0346269	11.98693	.0074198	-.001122	1.831258	.000956	.0379105
#3	.0347867	11.93755	.0083480	-.000344	1.873654	.000881	.0383938

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.706829	.0216905	.0019698	-.023463	-.000596	.2166597	.0068279
Stddev	.088045	.0010838	.0001048	.000147	.000823	.0062641	.0001752
%RSD	1.870589	4.996485	5.320894	.6246969	138.1353	2.891223	2.565752

#1	4.710989	.0228256	.0020807	-.023539	.000184	.2094804	.0069634
#2	4.616778	.0215793	.0019563	-.023556	-.001457	.2210123	.0066301
#3	4.792721	.0206667	.0018724	-.023294	-.000515	.2194863	.0068904

Sample Name: Q3764-10 Acquired: 12/9/2025 15:47:26 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	8.340799	-.006612	.0951712
Stddev	.095736	.001275	.0002453
%RSD	1.147807	19.28406	.2577166

#1	8.450821	-.005959	.0948950
#2	8.276470	-.005796	.0952548
#3	8.295107	-.008081	.0953637

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2907.495	57159.54	7276.579	2140.519	4080.579
Stddev	12.027	530.22	25.811	15.617	16.237
%RSD	.4136393	.9276219	.3547068	.7295761	.3979214

#1	2893.688	56627.01	7260.818	2123.583	4062.586
#2	2915.692	57687.43	7262.553	2154.349	4094.141
#3	2913.104	57164.17	7306.365	2143.627	4085.010

Sample Name: Q3764-10DUP Acquired: 12/9/2025 15:51:42 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0042737	.0024003	.4184765	.0086543	.0364872	.0785582	.0373494
Stddev	.0022976	.0023079	.0026734	.0020472	.0025680	.0060232	.0006277
%RSD	53.76156	96.14936	.6388454	23.65472	7.038172	7.667126	1.680691

#1	.0016230	.0017774	.4215412	.0078368	.0379853	.0853700	.0373843
#2	.0055026	.0004678	.4166235	.0109839	.0379543	.0739364	.0367050
#3	.0056955	.0049558	.4172647	.0071423	.0335219	.0763683	.0379590

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000162	.0204002	26.70554	.0009559	.0009235	.0114662	.5127200
Stddev	.000066	.0001903	.16999	.0000724	.0001366	.0002725	.0173996
%RSD	40.91318	.9326385	.6365185	7.579872	14.79115	2.376406	3.393580

#1	-.000163	.0206189	26.87186	.0010221	.0008345	.0117788	.4966095
#2	-.000095	.0202726	26.53211	.0008785	.0010807	.0112790	.5311716
#3	-.000227	.0203092	26.71264	.0009670	.0008552	.0113408	.5103790

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0347246	11.98936	.0074335	-.000717	1.929399	.0009569	.0379364
Stddev	.0001763	.09817	.0001668	.000508	.010966	.0020812	.0007151
%RSD	.5077204	.8187771	2.243767	70.85606	.5683880	217.5042	1.884941

#1	.0349231	12.10125	.0073938	-.000580	1.917107	-.000211	.0373366
#2	.0346643	11.91769	.0072900	-.001279	1.932910	-.000278	.0387277
#3	.0345863	11.94915	.0076165	-.000292	1.938180	.003360	.0377448

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.756504	.0209257	.0022292	-.023616	-.000409	.2117335	.0070347
Stddev	.023089	.0007345	.0000885	.000549	.000208	.0130554	.0000492
%RSD	.4854211	3.510227	3.968529	2.326722	50.95720	6.165951	.6997561

#1	4.747894	.0217649	.0022252	-.023784	-.000476	.2125023	.0070411
#2	4.782661	.0206123	.0023195	-.023003	-.000575	.2243875	.0069826
#3	4.738957	.0203998	.0021427	-.024063	-.000175	.1983108	.0070804

Sample Name: Q3764-10DUP Acquired: 12/9/2025 15:51:42 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	8.385621	-.005539	.0976671
Stddev	.107688	.000519	.0007162
%RSD	1.284193	9.375207	.7333120

#1	8.497842	-.005531	.0983730
#2	8.283127	-.005023	.0969410
#3	8.375894	-.006062	.0976871

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2903.653	57792.30	7361.567	2204.277	4052.367
Stddev	29.693	405.07	59.476	19.711	38.445
%RSD	1.022611	.7009013	.8079221	.8941996	.9487094

#1	2869.404	57965.43	7303.845	2211.668	4007.985
#2	2919.385	57329.44	7422.653	2181.939	4073.706
#3	2922.171	58082.03	7358.202	2219.224	4075.409

Sample Name: Q3764-10LX5 Acquired: 12/9/2025 15:56:00 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001623	.0049044	.0833226	-.001544	.0081743	.0155169	.0063828
Stddev	.002366	.0020607	.0029757	.001824	.0024141	.0030012	.0004261
%RSD	145.8176	42.01628	3.571281	118.1319	29.53316	19.34182	6.675963
#1	-.002814	.0025901	.0798876	-.002518	.0070849	.0131480	.0060086
#2	-.003158	.0055826	.0851135	.000560	.0109411	.0188919	.0062932
#3	.001102	.0065405	.0849667	-.002674	.0064968	.0145107	.0068466
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000063	.0040352	5.375418	-.000023	.0001457	.0019387	.1033287
Stddev	.000110	.0001877	.099924	.000175	.0001004	.0000901	.0112788
%RSD	173.8748	4.652078	1.858908	752.4356	68.88821	4.649374	10.91545
#1	.000062	.0038303	5.489982	-.000212	.0000406	.0019652	.0950067
#2	-.000109	.0040766	5.306260	.000134	.0001559	.0018383	.0988140
#3	-.000144	.0041988	5.330010	.000009	.0002406	.0020126	.1161655
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0072903	2.388855	.0018529	-.000452	.4672807	.0003774	.0074241
Stddev	.0004391	.016697	.0001453	.000915	.0311259	.0012383	.0000616
%RSD	6.022365	.6989692	7.839291	202.3632	6.661070	328.1415	.8289952
#1	.0074881	2.395700	.0018715	.000392	.4363690	.0011400	.0074766
#2	.0075958	2.401043	.0019880	-.000324	.4668565	-.001051	.0073564
#3	.0067872	2.369823	.0016993	-.001424	.4986165	.001043	.0074392
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.9985243	.0008910	.0001079	-.018478	.0000900	.0281437	.0015458
Stddev	.0218624	.0007041	.0002225	.000983	.0011635	.0105115	.0002205
%RSD	2.189474	79.01980	206.2378	5.320122	1293.418	37.34921	14.26653
#1	.9830471	.0016431	-.000067	-.018251	-.001045	.0167254	.0014087
#2	.9889913	.0007825	.000032	-.019554	.000034	.0374177	.0014285
#3	1.023535	.0002475	.000358	-.017628	.001280	.0302881	.0018002

Sample Name: Q3764-10LX5 Acquired: 12/9/2025 15:56:00 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.667150	-.002007	.0199750
Stddev	.013433	.001597	.0005454
%RSD	.8057390	79.59168	2.730267

#1	1.651789	-.003696	.0206006
#2	1.676695	-.000520	.0197245
#3	1.672966	-.001805	.0196000

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3056.122	58334.43	7450.850	2295.357	4245.277
Stddev	60.517	821.98	141.180	34.184	83.515
%RSD	1.980181	1.409079	1.894820	1.489256	1.967249

#1	3119.485	58414.66	7288.525	2292.083	4333.109
#2	2998.924	59113.36	7545.044	2331.060	4166.879
#3	3049.957	57475.28	7518.981	2262.928	4235.844

Sample Name: CCV04 Acquired: 12/9/2025 16:00:17 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV04 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.913622	4.918844	4.818955	4.987169	4.962845	9.323181	9.208249
Stddev	.074252	.101982	.086587	.074288	.088695	.495935	.367382
%RSD	1.511140	2.073295	1.796795	1.489591	1.787173	5.319371	3.989705

#1	4.828022	4.815349	4.719510	4.901493	4.860783	8.772730	8.802252
#2	4.960638	5.019243	4.859717	5.033679	5.006509	9.461644	9.304739
#3	4.952206	4.921938	4.877638	5.026335	5.021242	9.735169	9.517756

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2282341	2.398633	23.08237	.9929493	2.414878	1.238080	4.984902
Stddev	.0079732	.041180	1.14158	.0443211	.041566	.022134	.171147
%RSD	3.493415	1.716811	4.945667	4.463586	1.721250	1.787791	3.433314

#1	.2194669	2.351226	21.83445	1.037613	2.367035	1.212666	5.163735
#2	.2301839	2.419145	23.33859	.992257	2.435483	1.248441	4.968325
#3	.2350515	2.425529	24.07406	.948978	2.442116	1.253133	4.822647

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.297861	22.94709	2.408766	1.259240	25.20989	2.325597	2.510666
Stddev	.109046	1.24025	.041696	.053781	.83606	.111641	.113421
%RSD	4.745548	5.404830	1.731019	4.270928	3.316411	4.800524	4.517574

#1	2.181569	21.58048	2.360809	1.313305	26.04821	2.202627	2.624591
#2	2.314197	23.25957	2.429048	1.258668	25.20536	2.353578	2.509652
#3	2.397818	24.00121	2.436441	1.205747	24.37610	2.420586	2.397755

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	25.12683	4.564495	4.946666	4.833626	4.635005	5.279807	4.919939
Stddev	.72508	.163959	.080832	.079662	.223003	.136952	.072663
%RSD	2.885686	3.592041	1.634063	1.648081	4.811289	2.593892	1.476904

#1	25.78541	4.386285	4.853632	4.741694	4.394721	5.378507	4.836635
#2	25.24526	4.598251	4.986685	4.876873	4.674971	5.337460	4.970263
#3	24.34982	4.708948	4.999682	4.882311	4.835323	5.123453	4.952920

Sample Name: CCV04 Acquired: 12/9/2025 16:00:17 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV04 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.827625	4.574784	4.695081
Stddev	.081161	.218278	.187166
%RSD	1.681175	4.771332	3.986423

#1	4.734529	4.338411	4.495547
#2	4.883494	4.617199	4.722939
#3	4.864854	4.768741	4.866756

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2859.811	54577.17	7442.832	2099.989	3768.976
Stddev	41.368	2238.90	283.312	89.567	51.739
%RSD	1.446524	4.102265	3.806511	4.265114	1.372758

#1	2907.334	52321.26	7748.169	2011.303	3828.625
#2	2840.225	54611.59	7391.862	2098.252	3742.049
#3	2831.874	56798.67	7188.464	2190.412	3736.254

Sample Name: CCB04 Acquired: 12/9/2025 16:04:27 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB04 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000685	.0021363	-.000023	.0011127	.0032851	-.008853	-.000633
Stddev	.002870	.0011531	.000530	.0082540	.0014934	.010157	.000782
%RSD	419.2700	53.97513	2322.770	741.7713	45.46003	114.7355	123.6369
#1	-.000708	.0024650	-.000604	-.007939	.0025068	-.019685	.000260
#2	-.003543	.0030894	.000434	.003055	.0023417	-.007330	-.000960
#3	.002197	.0008546	.000102	.008223	.0050070	.000457	-.001197
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000094	-.000009	-.001071	.0001468	-.000086	-.000134	-.012196
Stddev	.000039	.000063	.003820	.0005345	.000116	.000180	.002841
%RSD	41.61753	671.8354	356.5990	364.0365	134.6600	134.2874	23.29388
#1	-.000078	.000063	-.001905	.0000834	.000029	.000014	-.012910
#2	-.000138	-.000050	.003097	-.000353	-.000085	-.000082	-.014613
#3	-.000065	-.000041	-.004406	.000710	-.000203	-.000335	-.009067
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000518	.0218227	.0001546	-.000638	.1562807	-.000448	-.000470
Stddev	.000363	.0014967	.0001678	.000228	.0253453	.000916	.000484
%RSD	70.04795	6.858409	108.5921	35.77207	16.21778	204.4579	102.9953
#1	-.000341	.0207704	.0001950	-.000451	.1271685	.000609	-.000903
#2	-.000278	.0211616	-.000030	-.000892	.1682401	-.001024	.000052
#3	-.000936	.0235361	.000298	-.000570	.1734336	-.000930	-.000558
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1470560	.0013323	-.000295	-.016973	.0011226	.0079860	.0002313
Stddev	.0191911	.0010111	.000398	.000327	.0008633	.0084477	.0002385
%RSD	13.05017	75.89121	134.7019	1.927919	76.90295	105.7820	103.1293
#1	.1497057	.0006261	-.000105	-.017257	.0012211	.0141498	.0005036
#2	.1266778	.0008803	-.000028	-.017047	.0019325	-.001643	.0001309
#3	.1647846	.0024906	-.000752	-.016615	.0002143	.011452	.0000594

Sample Name: CCB04 Acquired: 12/9/2025 16:04:27 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB04 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077		
Units	ppm	ppm	ppm		
Avg	F -.012624	.0010980	-.000006		
Stddev	.004808	.0016426	.000062		
%RSD	38.08585	149.5988	984.0787		
#1	-.007076	-.000094	-.000054		
#2	-.015581	.000417	.000063		
#3	-.015213	.002972	-.000027		
Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2957.631	56823.57	6974.161	2162.737	4150.658
Stddev	5.098	293.01	22.017	11.837	9.425
%RSD	.1723713	.5156491	.3157004	.5473183	.2270795
#1	2955.253	57125.30	6989.509	2174.676	4148.464
#2	2963.484	56540.14	6948.934	2151.005	4160.986
#3	2954.157	56805.27	6984.039	2162.531	4142.522

Sample Name: Q3764-11 Acquired: 12/9/2025 16:08:47 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7279975	1.781354	1.060265	1.778347	.7612603	1.825193	.2047249
Stddev	.0067149	.060187	.001381	.006373	.0022038	.008420	.0015192
%RSD	.9223750	3.378728	.1302857	.3583923	.2894887	.4613142	.7420587

#1	.7237843	1.779286	1.059028	1.782236	.7597563	1.832868	.2042204
#2	.7357411	1.842548	1.061755	1.770992	.7602345	1.816187	.2035222
#3	.7244671	1.722228	1.060011	1.781814	.7637899	1.826523	.2064322

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1678625	.1840691	24.94937	.3676205	.1723672	.2757743	2.792100
Stddev	.0002436	.0004175	.01605	.0026803	.0003017	.0010746	.033046
%RSD	.1451377	.2267935	.0643205	.7291037	.1750259	.3896733	1.183556

#1	.1677840	.1839952	24.96694	.3645290	.1720246	.2756505	2.754125
#2	.1681356	.1845186	24.94569	.3692924	.1725931	.2747670	2.807848
#3	.1676677	.1836935	24.93548	.3690402	.1724839	.2769055	2.814325

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1936942	12.54265	.4309823	.0652599	4.295470	.2714894	.2087315
Stddev	.0010624	.04473	.0004005	.0006598	.054196	.0017814	.0018495
%RSD	.5484857	.3566444	.0929259	1.011059	1.261700	.6561742	.8860434

#1	.1926982	12.56698	.4311174	.0645362	4.237629	.2734387	.2065960
#2	.1935720	12.49102	.4305317	.0658280	4.303704	.2699458	.2097810
#3	.1948124	12.56994	.4312978	.0654155	4.345078	.2710838	.2098174

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	13.11742	.2604990	.3956828	.5922775	.1752254	.8994596	.5208312
Stddev	.08077	.0008639	.0018326	.0012617	.0002060	.0236685	.0011469
%RSD	.6157096	.3316182	.4631391	.2130303	.1175442	2.631413	.2202032

#1	13.02773	.2608152	.3936746	.5925982	.1750359	.8724168	.5221428
#2	13.14013	.2595216	.3961094	.5908864	.1751957	.9164035	.5200168
#3	13.18439	.2611602	.3972644	.5933479	.1754446	.9095584	.5203342

Sample Name: Q3764-11 Acquired: 12/9/2025 16:08:47 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	7.558262	.1751354	.2609660
Stddev	.053244	.0009881	.0012065
%RSD	.7044527	.5641631	.4623146
#1	7.586696	.1746662	.2618416
#2	7.591253	.1744694	.2595898
#3	7.496837	.1762707	.2614666

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2913.329	57137.63	7260.890	2123.720	4055.312
Stddev	3.786	391.38	18.341	13.179	7.334
%RSD	.1299388	.6849690	.2526020	.6205483	.1808549
#1	2910.426	57530.22	7240.521	2138.817	4047.809
#2	2917.611	56747.49	7266.053	2114.518	4055.662
#3	2911.951	57135.19	7276.097	2117.824	4062.465

Sample Name: Q3764-12 Acquired: 12/9/2025 16:12:51 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7876661	1.904293	1.157726	1.941680	.8297813	1.941963	.2220961
Stddev	.0062569	.047961	.002913	.017561	.0084755	.038204	.0040654
%RSD	.7943583	2.518587	.2516424	.9044246	1.021414	1.967299	1.830471
#1	.7939963	1.903476	1.159768	1.959321	.8393881	1.902612	.2175606
#2	.7875166	1.952658	1.154390	1.924200	.8233605	1.944369	.2233155
#3	.7814852	1.856746	1.159020	1.941520	.8265953	1.978907	.2254123
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1727016	.2003379	27.22512	.3992811	.1878230	.2995485	3.217920
Stddev	.0014350	.0009297	.44544	.0055095	.0008530	.0023910	.074558
%RSD	.8309062	.4640540	1.636150	1.379849	.4541352	.7981928	2.316977
#1	.1710446	.2014108	26.79520	.3936777	.1887921	.3022896	3.145383
#2	.1735343	.1997704	27.19554	.3994741	.1871861	.2978922	3.214030
#3	.1735259	.1998324	27.68462	.4046916	.1874908	.2984638	3.294348
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2109205	13.54591	.4682655	.0721847	4.859959	.2895137	.2297840
Stddev	.0040105	.17406	.0028736	.0009810	.130013	.0091506	.0034601
%RSD	1.901416	1.284961	.6136770	1.359055	2.675184	3.160682	1.505782
#1	.2065930	13.36109	.4715016	.0710948	4.735214	.2791264	.2262312
#2	.2116567	13.56992	.4672827	.0729969	4.849997	.2963840	.2299776
#3	.2145119	13.70672	.4660122	.0724625	4.994666	.2930307	.2331432
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	14.85303	.2718269	.4323192	.6442245	.1874007	1.021833	.5680456
Stddev	.32930	.0028854	.0027690	.0034621	.0013903	.026183	.0015767
%RSD	2.217025	1.061486	.6405085	.5374113	.7418932	2.562386	.2775614
#1	14.52080	.2686814	.4355133	.6481637	.1858822	.993532	.5681845
#2	14.85897	.2743509	.4308494	.6416645	.1877086	1.026771	.5695483
#3	15.17931	.2724484	.4305949	.6428452	.1886112	1.045195	.5664042

Sample Name: Q3764-12 Acquired: 12/9/2025 16:12:51 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	8.365720	.1842614	.2836395
Stddev	.042676	.0032032	.0048008
%RSD	.5101325	1.738425	1.692590

#1	8.388907	.1812864	.2786808
#2	8.391783	.1838457	.2839724
#3	8.316470	.1876522	.2882652

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2921.530	57079.67	7673.483	2155.241	4052.708
Stddev	17.811	537.41	50.282	20.871	23.494
%RSD	.6096445	.9415111	.6552693	.9683933	.5797072

#1	2900.970	57649.63	7731.432	2178.280	4025.919
#2	2932.271	57007.23	7641.389	2149.847	4062.398
#3	2931.348	56582.16	7647.629	2137.597	4069.807

Sample Name: Q3764-10A Acquired: 12/9/2025 16:16:55 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7493424	1.793340	1.267508	1.854105	.8067804	1.968632	.2302000
Stddev	.0028832	.081317	.008592	.008498	.0067495	.013957	.0012195
%RSD	.3847644	4.534410	.6778330	.4583152	.8365959	.7089733	.5297537
#1	.7462155	1.780070	1.269352	1.855367	.8063493	1.976794	.2315866
#2	.7518956	1.880476	1.275028	1.861901	.8137350	1.976585	.2292944
#3	.7499162	1.719474	1.258145	1.845047	.8002567	1.952516	.2297190
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1789973	.1927876	27.19774	.3778777	.1808075	.2912031	3.293546
Stddev	.0009940	.0013524	.11775	.0058016	.0016847	.0013036	.018031
%RSD	.5553010	.7015125	.4329310	1.535311	.9317868	.4476635	.5474759
#1	.1801048	.1931813	27.33100	.3844518	.1811323	.2911193	3.313841
#2	.1781827	.1938995	27.15449	.3757059	.1823061	.2925465	3.287425
#3	.1787045	.1912820	27.10774	.3734753	.1789839	.2899433	3.279371
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2265752	13.50270	.4540524	.0705521	4.807445	.2865003	.2348086
Stddev	.0008620	.04929	.0027795	.0010498	.053357	.0024676	.0029006
%RSD	.3804706	.3650694	.6121607	1.487918	1.109888	.8612732	1.235326
#1	.2263367	13.51079	.4545203	.0717643	4.853276	.2883684	.2379815
#2	.2258576	13.54746	.4565683	.0699484	4.820190	.2874294	.2322930
#3	.2275314	13.44987	.4510686	.0699437	4.748870	.2837031	.2341514
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	13.97753	.2888443	.4152019	.6252268	.1909895	1.067784	.5594649
Stddev	.19485	.0015122	.0017527	.0070175	.0015184	.022461	.0048771
%RSD	1.394053	.5235287	.4221340	1.122391	.7950379	2.103514	.8717473
#1	14.17087	.2905088	.4149439	.6242518	.1916486	1.088733	.5603686
#2	13.98053	.2875551	.4170694	.6326808	.1892529	1.070550	.5638269
#3	13.78119	.2884690	.4135925	.6187478	.1920670	1.044068	.5541991

Sample Name: Q3764-10A Acquired: 12/9/2025 16:16:55 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	8.135790	.1926799	.2888750
Stddev	.108009	.0010369	.0009012
%RSD	1.327581	.5381448	.3119588

#1	8.162093	.1938001	.2899155
#2	8.228219	.1924858	.2883465
#3	8.017059	.1917537	.2883629

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2954.139	57782.93	7123.033	2237.155	4069.447
Stddev	10.734	747.22	33.804	34.946	24.802
%RSD	.3633438	1.293143	.4745667	1.562090	.6094599

#1	2956.513	56939.60	7086.031	2196.912	4064.033
#2	2942.417	58046.68	7152.296	2254.701	4047.799
#3	2963.487	58362.50	7130.772	2259.852	4096.508

Sample Name: Q3764-13 Acquired: 12/9/2025 16:21:00 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0057832	.0086099	.4947138	.0190375	.0509770	.0768481
Stddev	.0004541	.0038775	.0021401	.0027123	.0004625	.0035563
%RSD	7.851561	45.03493	.4325926	14.24714	.9071841	4.627652

#1	.0052891	.0121421	.4928921	.0176465	.0505227	.0769332
#2	.0058784	.0092265	.4941786	.0173028	.0509612	.0803611
#3	.0061822	.0044611	.4970707	.0221630	.0514472	.0732501

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0625340	-.000110	.1009720	73.82193	.0011576	.0003656
Stddev	.0010228	.000058	.0004897	.22884	.0003317	.0000929
%RSD	1.635564	52.54771	.4849798	.3099887	28.65698	25.41456

#1	.0628330	-.000136	.1005952	73.56886	.0012930	.0004715
#2	.0633739	-.000149	.1007953	74.01430	.0014002	.0002978
#3	.0613950	-.000044	.1015255	73.88263	.0007796	.0003274

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0226367	.6581477	.1309907	13.79177	.0118444	-.000401
Stddev	.0005238	.0049590	.0003491	.13733	.0002018	.000181
%RSD	2.313783	.7534799	.2664699	.9957295	1.703461	45.12069

#1	.0226828	.6550134	.1308050	13.63338	.0120110	-.000208
#2	.0220914	.6638650	.1313934	13.86436	.0119021	-.000429
#3	.0231359	.6555647	.1307738	13.87757	.0116201	-.000566

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	13.27609	.0003035	.1815093	3.373930	.0336181	.0026803
Stddev	.12698	.0019969	.0002585	.015602	.0012050	.0004619
%RSD	.9564695	657.8722	.1424293	.4624231	3.584405	17.23479

#1	13.33815	.0005837	.1817047	3.391945	.0330704	.0032077
#2	13.36011	-.001819	.1812162	3.365080	.0327841	.0023476
#3	13.13002	.002146	.1816070	3.364766	.0349996	.0024857

Sample Name: Q3764-13 Acquired: 12/9/2025 16:21:00 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.025213	-.004034	4.747974	.0037499	F 28.27687	-.010143
Stddev	.000536	.001192	.015007	.0002425	.32253	.001623
%RSD	2.126128	29.55475	.3160629	6.468136	1.140623	16.00320

#1	-.024622	-.005201	4.752037	.0040019	28.00562	-.008271
#2	-.025669	-.004083	4.760531	.0035180	28.63351	-.011155
#3	-.025348	-.002818	4.731355	.0037298	28.19148	-.011004

Elem	Sr4077
Units	ppm
Avg	.2205315
Stddev	.0006573
%RSD	.2980437

#1	.2205037
#2	.2212022
#3	.2198886

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2896.063	57776.67	7222.759	2177.787	4018.037
Stddev	4.853	379.71	21.841	16.911	6.715
%RSD	.1675726	.6571946	.3023881	.7765219	.1671325

#1	2894.066	57482.34	7205.945	2167.757	4016.736
#2	2901.596	57642.39	7214.887	2168.293	4025.307
#3	2892.528	58205.26	7247.444	2197.312	4012.066

Sample Name: Q3764-14 Acquired: 12/9/2025 16:25:12 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0020973	.0061086	13.02760	.0002900	.0109384	.1415616
Stddev	.0021044	.0024852	.06961	.0022311	.0027047	.0073598
%RSD	100.3382	40.68437	.5343627	769.3950	24.72623	5.199037
#1	-.000322	.0089623	12.94808	.0024447	.0137859	.1357091
#2	.003107	.0044196	13.07752	-.002010	.0106256	.1391512
#3	.003506	.0049439	13.05721	.000436	.0084038	.1498243
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1051393	-.000195	.0802312	22.45792	.0135203	.0023899
Stddev	.0006417	.000011	.0004098	.13999	.0005329	.0003158
%RSD	.6102880	5.795319	.5107617	.6233452	3.941721	13.21556
#1	.1044894	-.000182	.0797620	22.30803	.0134116	.0020254
#2	.1057724	-.000199	.0804128	22.48046	.0140993	.0025623
#3	.1051560	-.000203	.0805188	22.58527	.0130502	.0025820
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0986653	1.011133	.2872246	1.028208	.0503163	-.000484
Stddev	.0001007	.001148	.0023912	.010578	.0001800	.000728
%RSD	.1020454	.1134993	.8325179	1.028797	.3577712	150.3146
#1	.0987566	1.012421	.2851885	1.018847	.0502554	-.001310
#2	.0985573	1.010758	.2866274	1.039684	.0505188	.000064
#3	.0986819	1.010220	.2898577	1.026094	.0501746	-.000207
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.541287	-.000446	.4857363	4.569508	.0318917	.0002656
Stddev	.029616	.004019	.0033697	.056133	.0001158	.0004617
%RSD	1.165394	900.2247	.6937276	1.228420	.3630219	173.8139
#1	2.541024	.001015	.4875651	4.625184	.0320193	-.000267
#2	2.511804	-.004992	.4877963	4.512929	.0318623	.000514
#3	2.571034	.002637	.4818477	4.570411	.0317933	.000550

Sample Name: Q3764-14 Acquired: 12/9/2025 16:25:12 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.020092	-.000237	2.445464	.0095627	F 21.74931	-.002352
Stddev	.000687	.000494	.012960	.0003560	.20340	.000563
%RSD	3.420740	208.6269	.5299667	3.723148	.9352127	23.92472

#1	-.020291	-.000788	2.449241	.0092458	21.52060	-.002319
#2	-.020658	.000167	2.431035	.0099480	21.90995	-.001806
#3	-.019327	-.000090	2.456116	.0094943	21.81736	-.002930

Elem	Sr4077
Units	ppm
Avg	.1069183
Stddev	.0005526
%RSD	.5168019

#1	.1067108
#2	.1064996
#3	.1075446

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2954.357	58171.31	7563.557	2171.654	4141.488
Stddev	9.648	168.17	50.852	16.287	11.840
%RSD	.3265768	.2891029	.6723256	.7499672	.2858828

#1	2963.836	58078.15	7607.800	2153.163	4155.090
#2	2954.688	58070.33	7508.002	2177.930	4135.877
#3	2944.548	58365.45	7574.869	2183.868	4133.496

Sample Name: PB170820BL Acquired: 12/9/2025 16:29:24 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0015225	.0032946	-.000285	-.000566	.0003842	-.005933	-.000802
Stddev	.0017749	.0015344	.000713	.004080	.0011828	.010568	.000546
%RSD	116.5734	46.57288	250.4810	721.0267	307.8466	178.1290	68.01316
#1	-.000478	.0049405	-.000833	-.004215	.0013258	.004295	-.000701
#2	.002136	.0019036	-.000543	-.001322	-.000943	-.005282	-.001392
#3	.002909	.0030398	.000522	.003839	.000770	-.016811	-.000314
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000006	.0000760	.0061293	.0002079	.0001056	.0002193	-.008569
Stddev	.000072	.0001665	.0036291	.0002665	.0000776	.0004863	.004068
%RSD	1272.904	219.0350	59.20928	128.1745	73.50001	221.7054	47.47350
#1	.000007	-.000031	.0030327	.0002911	.0001896	.0002933	-.003995
#2	-.000083	.000268	.0052324	.0004230	.0000367	.0006644	-.011783
#3	.000059	-.000009	.0101227	-.000090	.0000904	-.000300	-.009929
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001049	.0006819	.0004592	-.000746	.0170800	.0002684	-.000406
Stddev	.000387	.0029494	.0002673	.000461	.0255645	.0015601	.000235
%RSD	36.93087	432.5480	58.19823	61.79302	149.6753	581.2219	58.00862
#1	-.001496	-.001337	.0007526	-.001278	-.005131	-.000612	-.000177
#2	-.000809	-.000684	.0003956	-.000485	.011347	-.000652	-.000647
#3	-.000842	.004067	.0002295	-.000474	.045024	.002070	-.000393
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.032332	-.004775	-.000103	-.016277	.0004360	.0015540	.0004193
Stddev	.048173	.000673	.000190	.001241	.0017580	.0073063	.0001410
%RSD	148.9951	14.09764	183.6649	7.623452	403.2204	470.1718	33.61917
#1	-.077029	-.004851	-.000277	-.014844	.0005680	.0010714	.0002770
#2	-.038658	-.005407	.000099	-.017019	-.001384	.0090896	.0004219
#3	.018691	-.004067	-.000132	-.016967	.002124	-.005499	.0005589

Sample Name: PB170820BL Acquired: 12/9/2025 16:29:24 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.007082	-.000376	-.000063
Stddev	.002381	.001225	.000016
%RSD	33.62310	326.1335	25.31684

#1	-.008088	-.001010	-.000075
#2	-.008795	.001036	-.000070
#3	-.004363	-.001153	-.000045

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3000.036	58164.93	7549.218	2199.287	4243.291
Stddev	13.759	1567.70	18.880	62.183	20.515
%RSD	.4586356	2.695259	.2500982	2.827426	.4834762

#1	2984.702	56729.13	7528.438	2142.290	4219.602
#2	3011.304	59837.57	7565.318	2265.604	4255.183
#3	3004.102	57928.11	7553.899	2189.967	4255.089

Sample Name: PB170820BS Acquired: 12/9/2025 16:33:43 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7898619	1.994393	.9348742	2.042664	.7979918	1.866707
Stddev	.0162038	.058555	.0148619	.026010	.0145402	.028048
%RSD	2.051472	2.935973	1.589721	1.273342	1.822093	1.502541
#1	.8079637	2.061384	.9518792	2.072690	.8147621	1.837252
#2	.7767116	1.952971	.9243718	2.028225	.7903018	1.869772
#3	.7849103	1.968824	.9283717	2.027076	.7889115	1.893097
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1777891	.1790321	.1907157	.9479694	.3991080	.1907686
Stddev	.0030282	.0021497	.0024338	.0140071	.0040829	.0025749
%RSD	1.703234	1.200715	1.276137	1.477585	1.023001	1.349748
#1	.1743231	.1767489	.1935258	.9588525	.3969192	.1936663
#2	.1791229	.1793302	.1892828	.9528896	.3965863	.1887430
#3	.1799215	.1810171	.1893385	.9321661	.4038186	.1898965
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3034584	2.955681	.1836651	1.877338	.4804652	.0751351
Stddev	.0044573	.041486	.0027962	.071167	.0061243	.0008060
%RSD	1.468846	1.403592	1.522429	3.790874	1.274650	1.072768
#1	.3085690	2.929544	.1807140	1.795729	.4875054	.0743701
#2	.3003747	2.933983	.1840062	1.909789	.4775224	.0750586
#3	.3014315	3.003516	.1862750	1.926496	.4763678	.0759767
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.916205	.2854859	.2096218	9.746285	.2611463	.3986963
Stddev	.070510	.0048096	.0025404	.191107	.0038973	.0064913
%RSD	2.417854	1.684721	1.211912	1.960819	1.492399	1.628133
#1	2.840842	.2815708	.2077726	9.581835	.2573806	.4061905
#2	2.927206	.2840321	.2085742	9.701078	.2608951	.3950720
#3	2.980568	.2908547	.2125185	9.955943	.2651631	.3948265

Sample Name: PB170820BS Acquired: 12/9/2025 16:33:43 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6498219	.1833640	.8902690	F .5891489	F .0007900	.1826170
Stddev	.0086317	.0022362	.0188638	.0069581	.0017639	.0041694
%RSD	1.328322	1.219550	2.118891	1.181042	223.2684	2.283166

#1	.6597289	.1813219	.8775663	.5971743	.0019577	.1784395
#2	.6439222	.1830166	.8812963	.5854665	.0016514	.1826331
#3	.6458146	.1857536	.9119443	.5848057	-.001239	.1867783

Elem	Sr4077
Units	ppm
Avg	.1813295
Stddev	.0027465
%RSD	1.514669

#1	.1783610
#2	.1818470
#3	.1837805

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2956.015	57495.45	7818.894	2159.248	4066.026
Stddev	35.035	515.89	65.165	13.900	41.112
%RSD	1.185227	.8972796	.8334327	.6437342	1.011118

#1	2915.656	57859.50	7893.918	2168.927	4018.554
#2	2973.773	57721.76	7786.382	2165.495	4089.627
#3	2978.616	56905.07	7776.381	2143.320	4089.897

Sample Name: Q3763-01 Acquired: 12/9/2025 16:37:49 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000687	.0057568	.0303878	.0033730	.0262570	.0380145
Stddev	.001610	.0058038	.0006303	.0019283	.0021343	.0056920
%RSD	234.5457	100.8168	2.074126	57.16751	8.128590	14.97314

#1	-.002095	.0112135	.0306387	.0055859	.0259774	.0331918
#2	.001069	.0063977	.0296707	.0020537	.0285174	.0365588
#3	-.001034	-.000341	.0308540	.0024793	.0242763	.0442930

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0925343	-.000169	.0021928	167.7557	.0441022	.0010964
Stddev	.0007210	.000035	.0000709	.5018	.0002123	.0001865
%RSD	.7791656	20.43684	3.234659	.2991161	.4813568	17.00851

#1	.0924797	-.000197	.0022124	167.8863	.0442387	.0012768
#2	.0918422	-.000179	.0022520	168.1792	.0442103	.0011080
#3	.0932811	-.000130	.0021142	167.2015	.0438576	.0009044

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0039970	.1751311	.1286865	30.87693	.0160580	-.000933
Stddev	.0003904	.0047837	.0009520	.11138	.0005991	.000241
%RSD	9.768592	2.731495	.7397464	.3607102	3.730653	25.80536

#1	.0040004	.1698417	.1276089	30.90929	.0155600	-.000894
#2	.0043858	.1791544	.1294132	30.96854	.0167228	-.001190
#3	.0036049	.1763972	.1290374	30.75296	.0158912	-.000713

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	40.25842	.0008317	.0360487	5.247001	.0542031	.0034353
Stddev	.41353	.0001757	.0001760	.073492	.0006394	.0003361
%RSD	1.027188	21.12711	.4881240	1.400650	1.179564	9.783664

#1	39.94131	.0010257	.0359338	5.194934	.0548199	.0037833
#2	40.72615	.0006832	.0359610	5.331068	.0542460	.0034101
#3	40.10782	.0007861	.0362513	5.215002	.0535433	.0031125

Sample Name: Q3763-01 Acquired: 12/9/2025 16:37:49 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0047043	-.007444	F 11.39253	.0025392	F 65.53554	-.026800
Stddev	.0011589	.001229	.10377	.0000908	.23553	.001098
%RSD	24.63476	16.50942	.9108628	3.574834	.3593945	4.098378

#1	.0043984	-.006058	11.34582	.0026091	65.29715	-.027282
#2	.0037290	-.008402	11.51144	.0025718	65.54137	-.027575
#3	.0059854	-.007873	11.32031	.0024366	65.76810	-.025543

Elem	Sr4077
Units	ppm
Avg	.6790056
Stddev	.0015107
%RSD	.2224827

#1	.6784742
#2	.6807102
#3	.6778324

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2769.315	55476.39	7117.954	2112.780	3713.374
Stddev	5.956	308.29	26.971	14.294	6.775
%RSD	.2150668	.5557049	.3789138	.6765300	.1824587

#1	2762.796	55426.18	7086.895	2118.799	3706.352
#2	2774.470	55196.29	7135.461	2096.461	3719.872
#3	2770.680	55806.70	7131.507	2123.079	3713.898

Sample Name: Q3763-02 Acquired: 12/9/2025 16:42:04 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001736	.0003231	.0379818	.0065615	.0044684	.0093427	.0060518
Stddev	.001151	.0038320	.0008845	.0029029	.0032140	.0124025	.0004865
%RSD	66.30021	1186.187	2.328689	44.24121	71.92808	132.7502	8.039730

#1	-.001157	-.001030	.0388097	.0098717	.0010511	.0008737	.0061061
#2	-.000990	.004648	.0380858	.0053633	.0049235	.0235786	.0065090
#3	-.003062	-.002649	.0370499	.0044495	.0074306	.0035758	.0055404

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000142	.0051177	9.179841	.0032037	-.000105	.0054561	.0359759
Stddev	.000009	.0000149	.052038	.0002881	.000242	.0001319	.0061665
%RSD	6.039851	.2908788	.5668710	8.993002	229.9310	2.417100	17.14072

#1	-.000146	.0051252	9.124287	.0035330	-.000332	.0053901	.0309115
#2	-.000147	.0051006	9.187784	.0029980	-.000135	.0053702	.0428428
#3	-.000132	.0051274	9.227450	.0030800	.000151	.0056079	.0341733

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0056738	.6815645	.0023800	-.000171	.4410411	.0026283	1.135861
Stddev	.0001718	.0207579	.0001837	.000316	.0185622	.0024330	.006065
%RSD	3.028125	3.045622	7.718837	184.9786	4.208731	92.57052	.5339575

#1	.0058045	.6591620	.0024642	.000132	.4554367	.0017187	1.137168
#2	.0057376	.6853842	.0021693	-.000498	.4475958	.0053850	1.141167
#3	.0054792	.7001472	.0025065	-.000146	.4200908	.0007811	1.129250

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2315432	-.001051	.0011526	-.023965	.0009156	.1935018	.0017727
Stddev	.0281054	.000905	.0001360	.000936	.0014710	.0095951	.0001490
%RSD	12.13828	86.12207	11.80180	3.906666	160.6566	4.958684	8.407255

#1	.2202222	-.000337	.0013007	-.024234	.0024434	.2035632	.0018128
#2	.2635435	-.000748	.0011238	-.024737	.0007945	.1844533	.0016078
#3	.2108638	-.002069	.0010332	-.022924	-.000491	.1924889	.0018977

Sample Name: Q3763-02 Acquired: 12/9/2025 16:42:04 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.9142653	-.004550	.0266417
Stddev	.0057138	.000723	.0000729
%RSD	.6249560	15.88236	.2737925
#1	.9135521	-.005025	.0267182
#2	.9203022	-.003718	.0265729
#3	.9089417	-.004907	.0266340

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2945.824	57881.24	7099.717	2227.363	4177.298
Stddev	10.941	27.95	21.107	13.156	13.213
%RSD	.3714111	.0482920	.2972877	.5906329	.3163073
#1	2939.357	57851.65	7108.974	2214.689	4169.710
#2	2939.658	57884.88	7075.564	2226.446	4169.628
#3	2958.456	57907.20	7114.613	2240.952	4192.555

Sample Name: Q3763-03 Acquired: 12/9/2025 16:46:20 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001556	.0001314	.0509451	.0026136	.0049028	.0242546	.0161632
Stddev	.001388	.0024934	.0009768	.0011615	.0013667	.0042526	.0005445
%RSD	89.17658	1898.001	1.917282	44.44149	27.87667	17.53314	3.368758

#1	.000001	-.002733	.0498473	.0031442	.0036367	.0278707	.0163677
#2	-.002664	.001813	.0517180	.0012816	.0047199	.0195695	.0165758
#3	-.002006	.001314	.0512700	.0034151	.0063518	.0253235	.0155460

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000115	.0013378	16.26256	.0084611	-.000128	.0052767	.0380097
Stddev	.000116	.0000347	.12038	.0006936	.000212	.0002878	.0068090
%RSD	100.3867	2.592705	.7402192	8.197569	165.1698	5.454275	17.91374

#1	-.000160	.0013694	16.12390	.0082673	.000073	.0054012	.0302419
#2	.000016	.0013007	16.32341	.0092310	-.000109	.0049476	.0429460
#3	-.000202	.0013433	16.34036	.0078851	-.000349	.0054813	.0408414

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0070806	3.520708	.0041180	-.000480	4.800415	.0016257	.0770228
Stddev	.0005485	.031632	.0005816	.000428	.075658	.0001135	.0006955
%RSD	7.746899	.8984685	14.12237	89.22766	1.576080	6.978225	.9029345

#1	.0068518	3.497270	.0034479	-.000024	4.741708	.0017020	.0762349
#2	.0077065	3.508166	.0044161	-.000873	4.885798	.0014954	.0772821
#3	.0066835	3.556688	.0044901	-.000542	4.773738	.0016799	.0775513

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.9829909	.0208820	.0013195	.0965115	.0002682	1.327360	.0018061
Stddev	.0388521	.0007475	.0002057	.0014942	.0010432	.011844	.0000292
%RSD	3.952437	3.579527	15.59243	1.548242	388.9339	.8923173	1.613711

#1	.9382770	.0208743	.0014989	.0957069	.0009417	1.314502	.0018398
#2	1.002188	.0201384	.0010949	.0955920	-.000933	1.337826	.0017895
#3	1.008508	.0216333	.0013646	.0982356	.000796	1.329752	.0017890

Sample Name: Q3763-03 Acquired: 12/9/2025 16:46:20 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	2.333917	-.006614	.0785095
Stddev	.023125	.000327	.0005528
%RSD	.9908345	4.936369	.7041186
#1	2.312946	-.006299	.0782459
#2	2.330088	-.006951	.0791448
#3	2.358718	-.006593	.0781379

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2928.154	57311.72	7561.833	2154.256	4130.730
Stddev	13.433	263.49	10.637	10.614	21.798
%RSD	.4587635	.4597485	.1406732	.4927147	.5277144
#1	2941.470	57541.87	7572.793	2162.401	4149.684
#2	2928.387	57024.31	7561.154	2142.252	4135.597
#3	2914.606	57368.98	7551.551	2158.115	4106.910

Sample Name: CCV05 Acquired: 12/9/2025 16:50:37 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV05 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.941422	4.976528	4.844920	5.001974	4.971466	9.814463	9.406045
Stddev	.035037	.247415	.026188	.048683	.028457	.177747	.227585
%RSD	.7090422	4.971645	.5405207	.9732859	.5724106	1.811071	2.419565
#1	4.936043	5.202820	4.834255	5.025291	4.960334	9.828830	9.440481
#2	4.978838	5.014407	4.874757	5.034612	5.003806	9.984591	9.614449
#3	4.909387	4.712358	4.825747	4.946017	4.950257	9.629969	9.163203
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2292116	2.421527	24.21921	.9872628	2.434285	1.240088	4.980900
Stddev	.0050357	.014367	.48212	.0018786	.013582	.007120	.024072
%RSD	2.196961	.5933147	1.990648	.1902837	.5579293	.5741676	.4832876
#1	.2305985	2.414191	24.26779	.9893511	2.425513	1.235059	5.006891
#2	.2334085	2.438082	24.67520	.9857103	2.449929	1.248236	4.976436
#3	.2236278	2.412310	23.71464	.9867270	2.427414	1.236971	4.959372
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.367888	24.23152	2.422179	1.212582	24.24554	2.448684	2.454753
Stddev	.059208	.41974	.014205	.002176	.00517	.044405	.008892
%RSD	2.500458	1.732195	.5864399	.1794578	.0213176	1.813442	.3622173
#1	2.382395	24.19063	2.414552	1.213761	24.24474	2.453704	2.462851
#2	2.418494	24.67020	2.438568	1.213915	24.25107	2.490367	2.456169
#3	2.302775	23.83372	2.413418	1.210071	24.24082	2.401982	2.445238
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	24.72118	4.545382	5.022012	4.877681	4.822977	5.335860	4.861611
Stddev	.06628	.100714	.035984	.038854	.108717	.051600	.024609
%RSD	.2681198	2.215753	.7165275	.7965703	2.254147	.9670403	.5061898
#1	24.64551	4.562571	5.024133	4.878011	4.848511	5.284363	4.855797
#2	24.76898	4.636395	5.056888	4.916370	4.916655	5.335655	4.888606
#3	24.74904	4.437179	4.985014	4.838663	4.703766	5.387562	4.840429

Sample Name: CCV05 Acquired: 12/9/2025 16:50:37 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV05 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.792017	4.631205	4.771969
Stddev	.056021	.100577	.135543
%RSD	1.169039	2.171730	2.840409

#1	4.812004	4.659498	4.787557
#2	4.835304	4.714605	4.899044
#3	4.728745	4.519511	4.629305

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2856.001	56310.82	7393.243	2096.989	3780.233
Stddev	16.119	71.93	157.467	6.820	23.065
%RSD	.5644044	.1277391	2.129874	.3252289	.6101441

#1	2865.420	56305.47	7341.396	2089.148	3791.172
#2	2837.388	56385.27	7268.238	2101.544	3753.734
#3	2865.195	56241.71	7570.096	2100.275	3795.793

Sample Name: CCB05 Acquired: 12/9/2025 16:54:49 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB05 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0023405	.0039328	.0012642	.0020067	.0011944	-.002546	-.000012
Stddev	.0004892	.0013836	.0008277	.0042032	.0011769	.003577	.001892
%RSD	20.90256	35.18147	65.47083	209.4593	98.53207	140.4999	16385.07

#1	.0017804	.0053947	.0006942	-.002812	-.000073	.000101	-.000638
#2	.0025570	.0026437	.0022136	.004918	.001405	-.006616	-.001511
#3	.0026841	.0037600	.0008849	.003914	.002252	-.001124	.002114

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000008	-.000053	-.005684	.0003027	.0000208	-.000201	-.011957
Stddev	.000089	.000036	.010431	.0001263	.0002205	.000047	.003440
%RSD	1145.574	67.21845	183.5036	41.72413	1062.795	23.09937	28.77062

#1	.000080	-.000074	.001475	.0003017	.0001802	-.000255	-.010254
#2	-.000099	-.000012	-.017652	.0004295	-.000231	-.000176	-.015917
#3	-.000004	-.000075	-.000876	.0001769	.000113	-.000173	-.009701

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000654	.0015752	.0002751	-.000560	.0741536	-.000501	-.000608
Stddev	.000506	.0060152	.0004840	.000389	.0203394	.000965	.000190
%RSD	77.27840	381.8590	175.9623	69.50020	27.42867	192.6054	31.19139

#1	-.000073	.0083202	-.000282	-.000655	.0543417	-.001616	-.000506
#2	-.000989	-.000362	.000510	-.000893	.0731369	.000073	-.000491
#3	-.000901	-.003233	.000597	-.000132	.0949823	.000039	-.000826

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0726607	.0013620	.0000959	-.016273	.0001627	.0028347	.0001853
Stddev	.0336965	.0006132	.0003152	.001033	.0014168	.0075134	.0000235
%RSD	46.37506	45.01995	328.7444	6.349164	870.5930	265.0547	12.68231

#1	.0337677	.0020694	.0004361	-.017180	-.000098	-.004180	.0001864
#2	.0911340	.0009837	.0000378	-.015149	-.001106	.001921	.0002083
#3	.0930806	.0010328	-.000186	-.016492	.001692	.010763	.0001613

Sample Name: CCB05 Acquired: 12/9/2025 16:54:49 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB05 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.007831	-.001229	.0000481
Stddev	.004559	.000533	.0000533
%RSD	58.22359	43.32699	110.6598

#1	-.002899	-.001805	.0001091
#2	-.008702	-.001129	.0000108
#3	-.011891	-.000754	.0000244

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2965.280	59176.14	7634.249	2178.262	4214.372
Stddev	30.062	119.76	110.177	12.597	39.715
%RSD	1.013813	.2023761	1.443198	.5783030	.9423616

#1	2930.590	59058.15	7759.679	2172.497	4169.193
#2	2981.544	59297.60	7589.960	2192.710	4230.151
#3	2983.707	59172.66	7553.108	2169.579	4243.772

Sample Name: Q3763-04 Acquired: 12/9/2025 16:59:09 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001275	.0015055	.0893654	.0097074	.0188825	.0197238	.0394192
Stddev	.002944	.0045515	.0013692	.0061173	.0028663	.0076594	.0010516
%RSD	230.8160	302.3310	1.532081	63.01731	15.17981	38.83351	2.667665

#1	-.001329	-.002930	.0879837	.0072839	.0164495	.0196476	.0382101
#2	.001695	.001281	.0893907	.0166652	.0181558	.0274210	.0401210
#3	-.004192	.006165	.0907217	.0051731	.0220422	.0121027	.0399265

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000182	.0012773	27.01918	.0044769	-.000357	.0076225	.2526137
Stddev	.000055	.0000626	.24733	.0003044	.000064	.0003665	.0014858
%RSD	30.06860	4.900580	.9153797	6.799039	17.82599	4.808813	.5881916

#1	-.000176	.0013354	26.73843	.0046497	-.000361	.0076101	.2543061
#2	-.000240	.0012855	27.11420	.0041254	-.000418	.0079951	.2520112
#3	-.000131	.0012110	27.20490	.0046556	-.000291	.0072623	.2515236

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0368125	3.008214	.0031016	-.000558	.6095469	.0046540	.0398252
Stddev	.0003103	.022129	.0002245	.000603	.0157347	.0031121	.0003943
%RSD	.8428837	.7356204	7.237669	108.1496	2.581369	66.86942	.9901495

#1	.0366039	2.984439	.0028425	-.000089	.5917353	.0014060	.0394276
#2	.0371691	3.011992	.0032254	-.001238	.6153479	.0049465	.0398318
#3	.0366645	3.028211	.0032370	-.000346	.6215575	.0076095	.0402162

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.113276	.0057010	.0015808	-.024291	-.001452	.5889651	.0015562
Stddev	.017470	.0006301	.0001449	.000349	.000628	.0036300	.0001146
%RSD	.8266629	11.05177	9.162945	1.435019	43.26136	.6163306	7.365817

#1	2.121126	.0060698	.0014136	-.024326	-.001864	.5847739	.0014383
#2	2.093258	.0060597	.0016680	-.023926	-.001762	.5910207	.0016672
#3	2.125443	.0049735	.0016608	-.024620	-.000729	.5911008	.0015629

Sample Name: Q3763-04 Acquired: 12/9/2025 16:59:09 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	3.969758	-.006147	.1759333
Stddev	.032658	.000928	.0023133
%RSD	.8226773	15.09700	1.314879
#1	3.982345	-.005757	.1734194
#2	3.932679	-.005477	.1764085
#3	3.994249	-.007206	.1779722

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2951.940	57583.40	7348.396	2216.869	4132.648
Stddev	3.894	149.77	62.140	6.655	8.110
%RSD	.1318988	.2600906	.8456291	.3002023	.1962529
#1	2947.448	57724.10	7415.586	2211.861	4123.298
#2	2954.012	57425.97	7292.994	2224.421	4137.787
#3	2954.359	57600.13	7336.608	2214.325	4136.858

Sample Name: Q3763-05 Acquired: 12/9/2025 17:03:26 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000110	.0080222	.0842320	.0240897	.0483685	.0259834
Stddev	.001160	.0043414	.0009713	.0035928	.0044757	.0110279
%RSD	1052.229	54.11758	1.153180	14.91452	9.253450	42.44217
#1	.000573	.0078152	.0831919	.0237727	.0486406	.0272307
#2	-.001450	.0037879	.0843883	.0206658	.0527020	.0143848
#3	.000546	.0124633	.0851157	.0278305	.0437629	.0363345
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0581227	-.000192	.0950726	73.85631	.0187422	.0003224
Stddev	.0015811	.000116	.0004906	1.05641	.0002143	.0000578
%RSD	2.720186	60.35142	.5160123	1.430365	1.143498	17.91240
#1	.0562998	-.000188	.0950210	72.66416	.0189481	.0003185
#2	.0591214	-.000309	.0946098	74.22855	.0187581	.0002667
#3	.0589469	-.000078	.0955869	74.67621	.0185203	.0003820
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0097581	.0885581	.0943469	13.62209	.0167743	-.000450
Stddev	.0004593	.0007973	.0007918	.22278	.0004614	.000520
%RSD	4.707142	.9003557	.8392110	1.635426	2.750330	115.6615
#1	.0093819	.0893903	.0934380	13.37625	.0167125	-.000256
#2	.0096224	.0884832	.0947158	13.67944	.0163470	-.001039
#3	.0102700	.0878009	.0948870	13.81059	.0172635	-.000055
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	13.61829	.0013215	.1682647	3.398678	.0334405	.0028101
Stddev	.19064	.0014580	.0020884	.068667	.0003476	.0003407
%RSD	1.399910	110.3255	1.241134	2.020403	1.039295	12.12515
#1	13.59836	.0009336	.1687650	3.377818	.0334394	.0025064
#2	13.81811	.0000968	.1700576	3.475356	.0330935	.0027455
#3	13.43839	.0029343	.1659717	3.342860	.0337886	.0031786

Sample Name: Q3763-05 Acquired: 12/9/2025 17:03:26 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.025306	-.004640	4.687560	.0013440	F 27.97295	-.010914
Stddev	.000752	.000534	.036085	.0000948	.32567	.001908
%RSD	2.970470	11.51586	.7698000	7.054284	1.164214	17.48036

#1	-.024499	-.004023	4.666249	.0014520	28.02220	-.009090
#2	-.025432	-.004945	4.729223	.0012743	27.62546	-.010754
#3	-.025986	-.004952	4.667208	.0013057	28.27118	-.012896

Elem	Sr4077
Units	ppm
Avg	.2228346
Stddev	.0026054
%RSD	1.169222

#1	.2199109
#2	.2249106
#3	.2236824

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2868.175	57286.97	7191.352	2194.295	3975.925
Stddev	13.629	367.28	68.338	23.730	23.154
%RSD	.4751857	.6411200	.9502779	1.081456	.5823427

#1	2880.946	57120.66	7265.559	2189.633	3988.559
#2	2869.755	57032.26	7177.488	2173.241	3990.013
#3	2853.825	57707.98	7131.009	2220.010	3949.203

Sample Name: Q3763-06 Acquired: 12/9/2025 17:07:41 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0010250	.0089699	.1515589	.0285897	.0517332	.0223954
Stddev	.0024149	.0066594	.0002310	.0082020	.0014440	.0134921
%RSD	235.5982	74.24238	.1523819	28.68875	2.791157	60.24475

#1	-.001687	.0166041	.1514570	.0379152	.0508044	.0269471
#2	.001818	.0043548	.1513964	.0224953	.0533968	.0072162
#3	.002944	.0059507	.1518232	.0253586	.0509984	.0330229

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0374197	-.000201	.1315739	55.14867	.0197064	.0004662
Stddev	.0009223	.000151	.0004616	.59448	.0003949	.0000577
%RSD	2.464728	75.30775	.3508176	1.077966	2.003894	12.36767

#1	.0363730	-.000096	.1310432	54.46336	.0199946	.0005150
#2	.0377728	-.000133	.1318820	55.52549	.0198683	.0004026
#3	.0381132	-.000375	.1317965	55.45718	.0192563	.0004810

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0128022	.1622457	.0488186	10.53741	.0211256	-.000773
Stddev	.0004953	.0123482	.0010027	.10790	.0005407	.000436
%RSD	3.868732	7.610788	2.053868	1.023993	2.559422	56.34651

#1	.0123537	.1720218	.0476609	10.41582	.0205866	-.001250
#2	.0133338	.1663465	.0493878	10.57467	.0211221	-.000673
#3	.0127193	.1483689	.0494071	10.62175	.0216680	-.000396

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	8.327470	.0019295	.2151188	2.925769	.0267858	.0026117
Stddev	.057211	.0033694	.0035448	.027610	.0007588	.0003139
%RSD	.6870109	174.6290	1.647833	.9436853	2.832933	12.01689

#1	8.372249	-.001319	.2175763	2.905534	.0269894	.0023985
#2	8.347142	.005408	.2167248	2.914550	.0259460	.0024645
#3	8.263019	.001698	.2110552	2.957222	.0274221	.0029721

Sample Name: Q3763-06 Acquired: 12/9/2025 17:07:41 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.025470	-.001180	3.523998	.0010073	F 22.42428	-.008754
Stddev	.000700	.001174	.025963	.0002718	.16954	.001198
%RSD	2.747866	99.42275	.7367377	26.98011	.7560379	13.68984
#1	-.025391	-.002466	3.536034	.0011843	22.23941	-.009263
#2	-.024813	-.000167	3.541759	.0006944	22.57248	-.007385
#3	-.026206	-.000908	3.494202	.0011432	22.46094	-.009613
Elem	Sr4077					
Units	ppm					
Avg	.1191458					
Stddev	.0010207					
%RSD	.8567181					
#1	.1179968					
#2	.1199477					
#3	.1194930					
Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306	
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	
Avg	2874.138	55771.44	7321.574	2129.314	4015.435	
Stddev	6.739	602.54	34.467	25.197	13.964	
%RSD	.2344736	1.080378	.4707530	1.183329	.3477638	
#1	2881.614	55311.51	7361.064	2110.834	4028.782	
#2	2868.530	55549.29	7297.547	2119.092	4000.926	
#3	2872.270	56453.52	7306.112	2158.016	4016.596	

Sample Name: Q3763-07 Acquired: 12/9/2025 17:11:55 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.005877	.0080645	.0075838	.0068532	.0148893	.0255360
Stddev	.002957	.0026353	.0027182	.0053336	.0030443	.0146726
%RSD	50.31994	32.67801	35.84176	77.82652	20.44589	57.45866
#1	-.006767	.0068039	.0102027	.0081314	.0114580	.0384063
#2	-.008287	.0110934	.0077724	.0009966	.0172662	.0095587
#3	-.002577	.0062962	.0047762	.0114315	.0159437	.0286428
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0360861	-.000131	.0002022	134.6095	.0363442	-.000118
Stddev	.0007307	.000043	.0000264	1.7489	.0004132	.000170
%RSD	2.025029	32.56363	13.06083	1.299203	1.136994	144.0973
#1	.0355206	-.000091	.0001721	132.6004	.0367467	-.000308
#2	.0369112	-.000126	.0002212	135.4379	.0359210	-.000062
#3	.0358266	-.000176	.0002133	135.7902	.0363650	.000017
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0020126	.1448436	.0509137	26.24779	.0165030	-.001216
Stddev	.0002216	.0051693	.0008231	.47858	.0003575	.000183
%RSD	11.01193	3.568899	1.616624	1.823326	2.166504	15.02711
#1	.0020762	.1485640	.0501214	25.70758	.0164496	-.001353
#2	.0021954	.1470257	.0508553	26.41703	.0168843	-.001287
#3	.0017661	.1389410	.0517645	26.61875	.0161752	-.001009
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	25.33828	.0016760	.0239720	9.959611	.0774561	.0021548
Stddev	.19767	.0008910	.0002118	.044909	.0012545	.0002137
%RSD	.7801410	53.16243	.8834658	.4509161	1.619561	9.917277
#1	25.56106	.0015410	.0237576	9.977628	.0762562	.0023277
#2	25.26995	.0026267	.0241811	9.992715	.0787588	.0019159
#3	25.18384	.0008602	.0239773	9.908491	.0773534	.0022209

Sample Name: Q3763-07 Acquired: 12/9/2025 17:11:55 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.019717	-.005196	F 27.44037	.0017579	F 50.11303	-.016037
Stddev	.000892	.001112	.07571	.0005157	.32480	.001943
%RSD	4.522571	21.40333	.2759209	29.33760	.6481268	12.11794

#1	-.019364	-.005005	27.50769	.0022122	49.74771	-.017296
#2	-.019056	-.004192	27.45502	.0011973	50.36918	-.017015
#3	-.020731	-.006391	27.35840	.0018640	50.22219	-.013799

Elem	Sr4077
Units	ppm
Avg	.3568974
Stddev	.0038315
%RSD	1.073560

#1	.3525316
#2	.3584594
#3	.3597012

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2772.109	55051.89	7536.616	2045.988	3783.545
Stddev	15.463	465.14	76.631	12.507	25.363
%RSD	.5578153	.8449123	1.016784	.6112806	.6703408

#1	2762.503	54544.31	7624.620	2033.058	3773.058
#2	2763.877	55153.59	7500.608	2046.883	3765.107
#3	2789.947	55457.76	7484.622	2058.024	3812.469

Sample Name: Q3763-08 Acquired: 12/9/2025 17:16:10 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.003679	.0070489	13.33233	-.000674	.0089525	.1331247
Stddev	.004185	.0031824	.02200	.003085	.0027924	.0053824
%RSD	113.7495	45.14722	.1649836	457.7274	31.19108	4.043148

#1	-.002617	.0048517	13.31937	.000693	.0107076	.1303867
#2	-.008293	.0055967	13.35773	-.004206	.0057325	.1393257
#3	-.000128	.0106984	13.31990	.001491	.0104174	.1296618

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1051002	-.000147	.0838758	22.98025	.0076368	.0024002
Stddev	.0025279	.000066	.0002119	.38735	.0004541	.0002412
%RSD	2.405220	45.08836	.2526874	1.685589	5.945634	10.04764

#1	.1065889	-.000112	.0839398	23.05769	.0074406	.0026010
#2	.1065303	-.000105	.0840483	23.32302	.0073137	.0021327
#3	.1021815	-.000223	.0836392	22.56002	.0081559	.0024669

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1016222	.0583402	.3045304	1.034817	.0549135	-.000974
Stddev	.0008018	.0014319	.0048345	.021186	.0002473	.000250
%RSD	.7890161	2.454468	1.587540	2.047336	.4502729	25.64196

#1	.1014145	.0593951	.3066644	1.054226	.0550727	-.000847
#2	.1025074	.0567101	.3079307	1.038010	.0550392	-.000814
#3	.1009447	.0589154	.2989960	1.012216	.0546286	-.001262

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.646590	-.000148	.5013739	4.759230	.0301134	.0002296
Stddev	.011607	.000680	.0025872	.033706	.0009367	.0001354
%RSD	.4385483	459.9660	.5160199	.7082310	3.110460	58.95949

#1	2.642558	-.000778	.5028487	4.790493	.0308124	.0001634
#2	2.659675	.000574	.5028865	4.763676	.0304786	.0003854
#3	2.637537	-.000240	.4983866	4.723522	.0290491	.0001401

Sample Name: Q3763-08 Acquired: 12/9/2025 17:16:10 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.023539	-.001453	2.588921	.0047635	F 22.40743	-.003073
Stddev	.001588	.000819	.012431	.0000568	.03900	.000926
%RSD	6.745356	56.33701	.4801623	1.193140	.1740437	30.12617
#1	-.022518	-.000611	2.579254	.0047748	22.37167	-.003931
#2	-.025368	-.002246	2.602944	.0047019	22.44901	-.003198
#3	-.022731	-.001502	2.584566	.0048139	22.40161	-.002092
Elem	Sr4077					
Units	ppm					
Avg	.1108282					
Stddev	.0018324					
%RSD	1.653331					
#1	.1115898					
#2	.1121569					
#3	.1087378					
Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306	
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	
Avg	2922.132	57706.88	7784.881	2143.639	4113.953	
Stddev	12.158	338.56	149.008	9.266	13.073	
%RSD	.4160513	.5866853	1.914065	.4322406	.3177830	
#1	2916.766	57469.24	7749.959	2136.672	4108.616	
#2	2913.581	57556.89	7656.435	2140.090	4104.392	
#3	2936.050	58094.53	7948.247	2154.154	4128.851	

Sample Name: Q3763-09 Acquired: 12/9/2025 17:20:22 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001267	.0061087	1.367424	.0129482	.0149449	.0074929	.0312249
Stddev	.001221	.0024750	.005404	.0049271	.0019595	.0071360	.0010200
%RSD	96.35924	40.51714	.3952175	38.05194	13.11173	95.23718	3.266734
#1	-.001796	.0033047	1.371093	.0178089	.0128766	.0149855	.0300604
#2	-.002135	.0070320	1.369961	.0130785	.0151847	.0007771	.0319598
#3	.000129	.0079892	1.361218	.0079573	.0167736	.0067161	.0316547
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000221	.6241277	11.05477	.0082205	.0013741	.0395958	.2728482
Stddev	.000049	.0007628	.07352	.0003967	.0000812	.0002516	.0136469
%RSD	22.21190	.1222235	.6650595	4.825964	5.908431	.6354810	5.001632
#1	-.000212	.6234642	10.98822	.0078219	.0013887	.0398755	.2572143
#2	-.000177	.6249612	11.04240	.0086153	.0012866	.0395239	.2789554
#3	-.000274	.6239577	11.13369	.0082241	.0014470	.0393879	.2823749
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1065389	2.347305	.0446611	-.000819	2.328597	-.001754	.8958450
Stddev	.0012018	.038778	.0000565	.000260	.050682	.003521	.0104932
%RSD	1.128052	1.652027	.1265471	31.67400	2.176505	200.7482	1.171322
#1	.1061750	2.360436	.0447257	-.000684	2.270438	-.002920	.8845831
#2	.1055612	2.303667	.0446368	-.000656	2.352031	.002202	.8976046
#3	.1078806	2.377814	.0446208	-.001118	2.363321	-.004544	.9053471
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.956094	.0150676	.0008486	.3052998	-.001286	1.007352	.0013060
Stddev	.064944	.0004185	.0001095	.0011519	.000287	.003090	.0002764
%RSD	2.196969	2.777187	12.90890	.3773078	22.35882	.3067356	21.16458
#1	2.883503	.0155276	.0009709	.3051316	-.001044	1.003784	.0010888
#2	2.976091	.0149655	.0008153	.3065267	-.001209	1.009116	.0016171
#3	3.008689	.0147096	.0007595	.3042413	-.001603	1.009156	.0012121

Sample Name: Q3763-09 Acquired: 12/9/2025 17:20:22 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	5.567815	-.001366	.0684275
Stddev	.018725	.000437	.0002093
%RSD	.3363063	32.00341	.3059334
#1	5.566126	-.000936	.0681858
#2	5.587327	-.001810	.0685500
#3	5.549991	-.001352	.0685468

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2949.761	57463.78	7383.892	2139.480	4188.885
Stddev	11.074	596.74	14.888	12.522	9.233
%RSD	.3754174	1.038462	.2016242	.5853000	.2204056
#1	2940.712	58143.69	7389.142	2153.881	4184.853
#2	2946.461	57220.71	7395.442	2133.404	4182.355
#3	2962.109	57026.94	7367.090	2131.155	4199.448

Sample Name: Q3763-10 Acquired: 12/9/2025 17:24:36 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0045277	.0057887	.0391642	.0040608	.0287645	.0018759	.0270789
Stddev	.0008269	.0027848	.0016550	.0047392	.0011585	.0108707	.0002342
%RSD	18.26236	48.10748	4.225739	116.7053	4.027599	579.4794	.8648440

#1	.0037178	.0032663	.0378046	.0089867	.0285485	-.008681	.0270650
#2	.0044946	.0053227	.0410070	-.000467	.0300158	.001274	.0268520
#3	.0053706	.0087771	.0386809	.003662	.0277292	.013035	.0273198

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000284	.0487907	21.46416	.0053136	.0044458	.0058189	.0256108
Stddev	.000012	.0008257	.13694	.0000842	.0003021	.0001983	.0064041
%RSD	4.335382	1.692288	.6379798	1.583915	6.795739	3.407720	25.00564

#1	-.000271	.0478704	21.31558	.0053780	.0043724	.0058338	.0183313
#2	-.000294	.0490352	21.49161	.0052184	.0041871	.0056136	.0303775
#3	-.000288	.0494666	21.58529	.0053444	.0047778	.0060094	.0281235

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.817273	2.695727	.0084005	-.000441	6.741487	-.002404	.3785668
Stddev	.008812	.044925	.0001247	.000324	.036867	.002074	.0012833
%RSD	.4849022	1.666526	1.484315	73.36545	.5468749	86.27872	.3389751

#1	1.811345	2.648013	.0082740	-.000790	6.771399	-.004676	.3788500
#2	1.813076	2.701954	.0085233	-.000384	6.700298	-.001924	.3796849
#3	1.827399	2.737213	.0084044	-.000150	6.752765	-.000612	.3771657

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	5.344247	.0215713	.0007003	-.009031	-.000896	2.008566	.0021036
Stddev	.058967	.0005931	.0001284	.001171	.001172	.020064	.0001575
%RSD	1.103377	2.749359	18.33532	12.96765	130.8042	.9989254	7.486646

#1	5.326403	.0219457	.0005889	-.008363	-.001823	1.986542	.0022854
#2	5.296264	.0218808	.0008407	-.010384	-.001286	2.025804	.0020166
#3	5.410076	.0208875	.0006713	-.008347	.000421	2.013351	.0020088

Sample Name: Q3763-10 Acquired: 12/9/2025 17:24:36 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	8.521184	.0005863	.0783874
Stddev	.160739	.0003321	.0001471
%RSD	1.886343	56.64651	.1876289

#1	8.379894	.0009684	.0782274
#2	8.487596	.0004232	.0784181
#3	8.696063	.0003673	.0785167

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2923.620	58269.06	7535.228	2243.893	4083.568
Stddev	45.457	88.10	20.610	4.295	62.192
%RSD	1.554829	.1512009	.2735160	.1914260	1.522975

#1	2971.932	58193.94	7558.321	2241.278	4152.161
#2	2917.236	58366.03	7518.700	2248.850	4067.686
#3	2881.693	58247.20	7528.662	2241.550	4030.858

Sample Name: Q3763-11 Acquired: 12/9/2025 17:28:49 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000489	.0020353	.1800931	.0051824	.0337569	.0274525	.0377845
Stddev	.002138	.0022484	.0022307	.0069717	.0010591	.0047264	.0006450
%RSD	437.0620	110.4688	1.238626	134.5271	3.137533	17.21684	1.707170
#1	.001970	.0017424	.1818645	.0128413	.0330038	.0254031	.0372583
#2	-.001904	-.000052	.1775880	-.000794	.0349679	.0328577	.0375910
#3	-.001533	.004416	.1808269	.003500	.0332989	.0240966	.0385041
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000113	.0172591	26.14072	.0229306	.0009863	.0080545	.2021322
Stddev	.000067	.0001989	.17466	.0004505	.0002368	.0005613	.0012613
%RSD	59.32293	1.152207	.6681407	1.964399	24.00772	6.969132	.6240058
#1	-.000190	.0174885	25.97734	.0234375	.0008883	.0079468	.2030340
#2	-.000069	.0171528	26.12001	.0225764	.0008143	.0086619	.2026717
#3	-.000080	.0171359	26.32481	.0227778	.0012564	.0075549	.2006908
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0217034	11.48808	.0180380	-.000805	2.039390	-.000139	.0266124
Stddev	.0006509	.10414	.0004849	.000215	.023343	.000330	.0002741
%RSD	2.999264	.9064640	2.688456	26.74943	1.144592	236.6546	1.029847
#1	.0209954	11.37693	.0182047	-.000777	2.061290	-.000245	.0262980
#2	.0218389	11.50395	.0174916	-.001033	2.014832	-.000404	.0267384
#3	.0222759	11.58337	.0184175	-.000605	2.042047	.000230	.0268008
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.688122	.0196819	.0022662	-.022734	-.000203	.1190147	.0015350
Stddev	.057160	.0002487	.0002093	.000718	.001452	.0098834	.0002526
%RSD	1.219251	1.263495	9.236778	3.156518	715.3917	8.304326	16.45798
#1	4.732659	.0193969	.0020492	-.023155	.000173	.1287273	.0014850
#2	4.623669	.0197944	.0024669	-.023141	.001024	.1089689	.0018089
#3	4.708040	.0198545	.0022824	-.021905	-.001806	.1193479	.0013111

Sample Name: Q3763-11 Acquired: 12/9/2025 17:28:49 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	8.091268	-.006344	.0983876
Stddev	.200782	.001436	.0004617
%RSD	2.481462	22.63641	.4693163
#1	8.304555	-.007886	.0981026
#2	7.905918	-.006101	.0981399
#3	8.063330	-.005045	.0989204

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2912.624	59031.34	7554.383	2274.756	4062.809
Stddev	25.116	565.79	13.939	10.424	40.115
%RSD	.8623263	.9584580	.1845194	.4582622	.9873767
#1	2883.717	58384.78	7556.088	2262.734	4016.489
#2	2929.115	59273.47	7539.670	2281.298	4086.289
#3	2925.038	59435.77	7567.392	2280.235	4085.648

Sample Name: Q3763-11DUP Acquired: 12/9/2025 17:33:06 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0020148	.0026503	.1779258	.0076970	.0322145	.0372115	.0344795
Stddev	.0031859	.0043707	.0034833	.0056743	.0021608	.0078910	.0005372
%RSD	158.1242	164.9141	1.957746	73.72122	6.707484	21.20592	1.557922

#1	.0020582	.0076371	.1790824	.0099951	.0304337	.0303191	.0348472
#2	-.001193	-.000515	.1806837	.0118617	.0315914	.0354964	.0338630
#3	.005179	.000829	.1740113	.0012341	.0346183	.0458191	.0347282

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000147	.0172163	25.75278	.0240496	.0010361	.0079487	.1926566
Stddev	.000074	.0003094	.22720	.0000960	.0001255	.0003571	.0107123
%RSD	50.61336	1.796888	.8822386	.3993569	12.11190	4.492249	5.560290

#1	-.000197	.0172564	25.91824	.0239975	.0008913	.0075419	.1825770
#2	-.000061	.0175037	25.49374	.0241604	.0011049	.0080937	.2039056
#3	-.000182	.0168889	25.84637	.0239908	.0011122	.0082105	.1914871

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0204590	11.51756	.0176632	-.000753	1.983260	.0014062	.0276215
Stddev	.0001806	.14104	.0001345	.000677	.008500	.0011322	.0006779
%RSD	.8824901	1.224552	.7612788	89.93257	.4286043	80.51737	2.454334

#1	.0204694	11.63978	.0175538	-.000594	1.990129	.0001782	.0284043
#2	.0206341	11.36324	.0178133	-.000169	1.985898	.0016316	.0272322
#3	.0202735	11.54966	.0176225	-.001495	1.973754	.0024087	.0272281

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.776397	.0193045	.0022437	-.022953	.0002813	.1171524	.0014536
Stddev	.028392	.0008173	.0002564	.000747	.0011745	.0116506	.0002813
%RSD	.5944137	4.233956	11.42777	3.252686	417.5064	9.944846	19.35140

#1	4.757533	.0201139	.0021733	-.023526	.0005619	.1062596	.0017453
#2	4.809049	.0193202	.0020299	-.023224	.0012902	.1294360	.0014316
#3	4.762608	.0184794	.0025280	-.022108	-.001008	.1157616	.0011840

Sample Name: Q3763-11DUP Acquired: 12/9/2025 17:33:06 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	7.885795	-.005913	.0950603
Stddev	.200796	.000428	.0008153
%RSD	2.546298	7.236553	.8576391

#1	7.923311	-.005936	.0954989
#2	8.065187	-.005475	.0941196
#3	7.668887	-.006330	.0955623

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2955.342	56637.38	7493.483	2130.076	4157.096
Stddev	48.728	694.74	77.758	16.753	73.360
%RSD	1.648806	1.226647	1.037676	.7864986	1.764701

#1	2932.504	56229.29	7403.780	2115.120	4131.322
#2	2922.227	56243.28	7534.965	2126.928	4100.102
#3	3011.294	57439.55	7541.704	2148.179	4239.866

Sample Name: Q3763-11LX5 Acquired: 12/9/2025 17:37:23 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0009801	.0033313	.0363842	.0012282	.0056808	.0070345	.0052022
Stddev	.0036087	.0032683	.0022381	.0029196	.0018325	.0072656	.0002008
%RSD	368.1991	98.10730	6.151260	237.7096	32.25743	103.2853	3.860327
#1	-.002760	.0064133	.0368551	.0001329	.0044078	.0151795	.0054309
#2	.004441	.0036766	.0383495	-.000985	.0077811	.0047035	.0050546
#3	.001259	-.000096	.0339482	.004537	.0048535	.0012205	.0051211
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000203	.0035784	5.170146	.0044047	.0001437	.0017283	.0314891
Stddev	.0000412	.0001357	.037163	.0003930	.0000108	.0002873	.0023443
%RSD	202.8201	3.791316	.7187969	8.921363	7.502551	16.62276	7.444902
#1	-.000002	.0035843	5.171690	.0040563	.0001562	.0018252	.0333728
#2	.000068	.0037111	5.206513	.0048306	.0001373	.0019546	.0288636
#3	-.000005	.0034399	5.132235	.0043272	.0001377	.0014051	.0322309
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0041404	2.275659	.0038294	-.001267	.3896916	.0009210	.0052795
Stddev	.0010406	.019678	.0002982	.000191	.0238757	.0026460	.0000804
%RSD	25.13261	.8647146	7.787378	15.09667	6.126831	287.3069	1.523260
#1	.0031674	2.254593	.0041438	-.001238	.3672861	.0010480	.0053724
#2	.0040164	2.293567	.0035506	-.001092	.3869822	-.001786	.0052357
#3	.0052375	2.278818	.0037936	-.001471	.4148064	.003501	.0052306
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.8757116	.0000458	.0003834	-.017719	.0003295	.0231544	.0008416
Stddev	.0101191	.0000907	.0001198	.001092	.0010564	.0124959	.0002847
%RSD	1.155527	198.2673	31.24653	6.164283	320.5741	53.96770	33.83173
#1	.8655848	.0001357	.0004720	-.016477	-.000543	.0371689	.0006061
#2	.8858229	.0000473	.0002471	-.018150	.001504	.0131736	.0011580
#3	.8757272	-.000046	.0004312	-.018530	.000028	.0191207	.0007607

Sample Name: Q3763-11LX5 Acquired: 12/9/2025 17:37:23 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.648315	-.003759	.0187833
Stddev	.056800	.002054	.0000394
%RSD	3.445974	54.64171	.2100063

#1	1.649075	-.006129	.0188007
#2	1.704731	-.002640	.0188110
#3	1.591138	-.002507	.0187381

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2979.628	59856.34	7844.241	2272.707	4187.092
Stddev	84.007	861.47	30.703	36.354	118.045
%RSD	2.819373	1.439237	.3914120	1.599597	2.819260

#1	2947.401	60845.02	7841.137	2314.150	4141.097
#2	2916.506	59456.93	7815.207	2257.776	4098.968
#3	3074.976	59267.05	7876.378	2246.196	4321.211

Sample Name: CCV06 Acquired: 12/9/2025 17:41:40 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV06 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.968187	4.797153	4.838832	5.054350	5.007967	9.655231	9.337600
Stddev	.009993	.112143	.018951	.034080	.019897	.013480	.061666
%RSD	.2011376	2.337705	.3916389	.6742646	.3973014	.1396170	.6604078
#1	4.965621	4.890438	4.853178	5.090107	5.023933	9.669167	9.408026
#2	4.959728	4.672732	4.817349	5.022241	4.985677	9.642258	9.293287
#3	4.979213	4.828289	4.845970	5.050702	5.014291	9.654266	9.311487
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2320632	2.413997	23.69557	.9860868	2.430730	1.248653	4.902970
Stddev	.0008489	.009230	.09501	.0064133	.007720	.004703	.038858
%RSD	.3657969	.3823545	.4009695	.6503753	.3175890	.3766807	.7925430
#1	.2330373	2.417644	23.76637	.9786901	2.433632	1.250497	4.858831
#2	.2314818	2.403501	23.73275	.9900960	2.421980	1.243307	4.932022
#3	.2316704	2.420846	23.58759	.9894743	2.436578	1.252154	4.918057
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.324210	23.66605	2.417304	1.235635	24.40662	2.397254	2.494848
Stddev	.008844	.07311	.008716	.006587	.13980	.000820	.009472
%RSD	.3805366	.3089087	.3605727	.5330475	.5727806	.0341917	.3796466
#1	2.333988	23.64754	2.422098	1.228181	24.25093	2.397813	2.488486
#2	2.316768	23.60398	2.407243	1.240669	24.44755	2.397634	2.505733
#3	2.321874	23.74663	2.422571	1.238057	24.52139	2.396313	2.490326
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	24.76313	4.595152	4.995525	4.845644	4.745446	5.245652	4.869240
Stddev	.23231	.023282	.016070	.012207	.024673	.085664	.013145
%RSD	.9381296	.5066609	.3216932	.2519103	.5199388	1.633045	.2699612
#1	24.49626	4.618628	5.008544	4.858270	4.773169	5.146749	4.881539
#2	24.87310	4.594759	4.977564	4.833906	4.725896	5.296515	4.855387
#3	24.92004	4.572069	5.000467	4.844756	4.737272	5.293690	4.870793

Sample Name: CCV06 Acquired: 12/9/2025 17:41:40 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV06 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.816269	4.643410	4.742044
Stddev	.036949	.022905	.007436
%RSD	.7671734	.4932710	.1568189

#1	4.846473	4.669556	4.744572
#2	4.775071	4.626885	4.733674
#3	4.827265	4.633790	4.747888

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2830.635	55123.41	7304.179	2066.069	3753.716
Stddev	6.370	366.84	32.387	8.541	9.705
%RSD	.2250315	.6654919	.4434027	.4133819	.2585396

#1	2824.995	55520.73	7267.736	2075.232	3745.158
#2	2837.544	54797.57	7315.131	2064.645	3764.260
#3	2829.366	55051.92	7329.670	2058.330	3751.729

Sample Name: CCB06 Acquired: 12/9/2025 17:45:45 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB06 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0034003	.0052848	-.000914	.0012051	.0015825	.0017915	-.000825
Stddev	.0012450	.0032310	.001852	.0012045	.0001397	.0074649	.000387
%RSD	36.61487	61.13732	202.6987	99.94405	8.830358	416.6854	46.91440

#1	.0020644	.0044152	-.002210	.0022199	.0014705	.0097249	-.001244
#2	.0036081	.0088616	-.001738	-.000126	.0015378	-.005094	-.000482
#3	.0045283	.0025776	.001208	.001521	.0017391	.000744	-.000748

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000000	-.000020	-.001602	-.000287	-.000259	-.000241	-.010369
Stddev	.000113	.000032	.015864	.000262	.000156	.000212	.001912
%RSD	28772.52	157.1818	990.1884	91.24065	60.04995	88.12555	18.43596

#1	.000053	.000007	.016444	-.000032	-.000080	-.000135	-.010463
#2	.000076	-.000055	-.007904	-.000555	-.000358	-.000102	-.012232
#3	-.000131	-.000012	-.013346	-.000274	-.000340	-.000485	-.008412

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000372	-.025703	.0001191	-.001127	.0762805	-.000568	-.000049
Stddev	.000459	.028323	.0003042	.000191	.0199986	.000346	.000371
%RSD	123.4462	110.1972	255.3507	16.90326	26.21721	61.01962	757.4862

#1	-.000843	-.010160	.0000255	-.001289	.0537109	-.000373	-.000303
#2	.000075	-.058395	-.000127	-.001175	.0917966	-.000967	-.000221
#3	-.000349	-.008553	.000459	-.000917	.0833339	-.000362	.000377

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0686971	.0017861	.0002117	-.015892	-.000444	.0022726	.0003523
Stddev	.0415327	.0004704	.0000812	.000505	.000608	.0019826	.0003087
%RSD	60.45764	26.33516	38.37551	3.180020	136.9042	87.23747	87.62239

#1	.0554215	.0022623	.0002428	-.016434	.000185	.0027455	.0005441
#2	.0354253	.0013218	.0001195	-.015806	-.000489	.0039760	-.000004
#3	.1152446	.0017743	.0002728	-.015434	-.001028	.0000963	.000517

Sample Name: CCB06 Acquired: 12/9/2025 17:45:45 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB06 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	F -.011909	.0000597	.0001156
Stddev	.001524	.0009880	.0000806
%RSD	12.79342	1654.912	69.66980

#1	-.012863	.0010215	.0002063
#2	-.012712	-.000953	.0000522
#3	-.010152	.000110	.0000885

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2943.255	57578.36	7390.077	2176.104	4144.576
Stddev	43.742	286.58	15.555	5.589	62.299
%RSD	1.486188	.4977218	.2104874	.2568250	1.503147

#1	2950.994	57845.52	7389.666	2182.542	4158.587
#2	2982.611	57613.88	7405.834	2172.498	4198.677
#3	2896.160	57275.68	7374.731	2173.272	4076.465

Sample Name: Q3763-12 Acquired: 12/9/2025 17:50:05 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7790424	1.700907	1.110120	1.915020	.8428287	2.048004	.2428416
Stddev	.0020184	.002527	.006330	.010378	.0028133	.115042	.0141893
%RSD	.2590895	.1485566	.5702032	.5419060	.3337890	5.617274	5.843039

#1	.7794718	1.700168	1.116223	1.925934	.8442020	2.175214	.2583734
#2	.7768438	1.703721	1.103585	1.905278	.8395926	1.951264	.2305580
#3	.7808115	1.698833	1.110552	1.913848	.8446917	2.017534	.2395934

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1849381	.1991857	29.33143	.4071527	.1892437	.3027386	3.167150
Stddev	.0097193	.0011828	1.57607	.0024896	.0011609	.0020291	.034135
%RSD	5.255448	.5938085	5.373328	.6114605	.6134626	.6702469	1.077795

#1	.1959033	.2002600	31.08983	.4085735	.1900007	.3038604	3.200262
#2	.1773848	.1979182	28.04598	.4042780	.1879071	.3003963	3.132076
#3	.1815261	.1993789	28.85848	.4086065	.1898233	.3039591	3.169111

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2348919	14.49750	.4771470	.0418466	5.097798	.3031741	.2297959
Stddev	.0125567	.82508	.0036504	.0002543	.033773	.0159332	.0020599
%RSD	5.345727	5.691202	.7650526	.6077886	.6625100	5.255447	.8963876

#1	.2490273	15.41594	.4797446	.0420821	5.122637	.3191811	.2312514
#2	.2250291	13.81893	.4729733	.0418810	5.059342	.2873158	.2274390
#3	.2306192	14.25763	.4787231	.0415769	5.111415	.3030256	.2306974

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	14.98411	.2940105	.4324397	.6429290	.2023805	1.010404	.5790710
Stddev	.09503	.0155430	.0017014	.0039349	.0105930	.018820	.0037151
%RSD	.6342114	5.286538	.3934377	.6120237	5.234195	1.862614	.6415542

#1	15.02891	.3116345	.4337862	.6451117	.2140954	1.011457	.5822293
#2	14.87495	.2822609	.4305275	.6383866	.1934764	.991080	.5749778
#3	15.04845	.2881361	.4330052	.6452889	.1995697	1.028675	.5800059

Sample Name: Q3763-12 Acquired: 12/9/2025 17:50:05 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	8.503014	.2021213	.3086911
Stddev	.065705	.0117255	.0176383
%RSD	.7727314	5.801230	5.713889

#1	8.570711	.2153129	.3285799
#2	8.439500	.1928847	.2949473
#3	8.498833	.1981661	.3025461

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2885.714	57044.94	7115.070	2167.531	3994.635
Stddev	14.253	343.64	382.815	17.413	23.336
%RSD	.4939042	.6024096	5.380344	.8033407	.5841730

#1	2870.385	56817.62	6687.270	2155.089	3971.192
#2	2898.566	57440.26	7425.344	2187.430	4017.861
#3	2888.191	56876.93	7232.596	2160.074	3994.851

Sample Name: Q3763-13 Acquired: 12/9/2025 17:54:09 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7364998	1.640240	1.045147	1.814454	.7956429	1.864529	.2256386
Stddev	.0068861	.060402	.011855	.019699	.0085704	.008911	.0025372
%RSD	.9349769	3.682536	1.134324	1.085659	1.077171	.4779100	1.124459
#1	.7317827	1.576521	1.039078	1.799586	.7946872	1.856316	.2227379
#2	.7444018	1.696663	1.058808	1.836796	.8046512	1.863268	.2267322
#3	.7333148	1.647537	1.037555	1.806980	.7875904	1.874003	.2274456
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1676055	.1867668	26.82600	.4031900	.1776571	.2863287	3.144709
Stddev	.0005682	.0017879	.17941	.0012562	.0019164	.0032176	.014727
%RSD	.3390391	.9572985	.6687841	.3115687	1.078680	1.123738	.4683002
#1	.1672602	.1861364	26.62152	.4023573	.1767132	.2851055	3.128100
#2	.1672951	.1887846	26.89949	.4046350	.1798623	.2899785	3.156173
#3	.1682614	.1853795	26.95700	.4025778	.1763958	.2839021	3.149854
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2109878	13.13681	.4649798	.0521623	4.900310	.2779955	.2164782
Stddev	.0029686	.10622	.0048949	.0002923	.041445	.0030726	.0019155
%RSD	1.406987	.8085931	1.052710	.5604328	.8457716	1.105257	.8848306
#1	.2075793	13.02670	.4630055	.0518248	4.853076	.2745005	.2142666
#2	.2130071	13.14508	.4705534	.0523369	4.930593	.2802717	.2176097
#3	.2123770	13.23866	.4613803	.0523252	4.917261	.2792141	.2175583
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	14.28174	.2666093	.4108220	.6096063	.1865085	.9516352	.5518390
Stddev	.11757	.0018107	.0039894	.0083789	.0028914	.0203864	.0055659
%RSD	.8232284	.6791421	.9710761	1.374484	1.550289	2.142251	1.008617
#1	14.15237	.2645607	.4087254	.6079381	.1835727	.9297478	.5481328
#2	14.38207	.2672718	.4154226	.6186939	.1893534	.9700831	.5582394
#3	14.31078	.2679954	.4083182	.6021870	.1865994	.9550746	.5491448

Sample Name: Q3763-13 Acquired: 12/9/2025 17:54:09 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	8.017412	.1853982	.2846123
Stddev	.082034	.0024673	.0027858
%RSD	1.023193	1.330804	.9788012

#1	7.969569	.1826532	.2816417
#2	8.112134	.1861103	.2850288
#3	7.970532	.1874311	.2871664

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2898.289	57420.91	7407.918	2235.381	4016.990
Stddev	24.393	231.63	27.953	4.362	35.469
%RSD	.8416304	.4033915	.3773340	.1951360	.8829679

#1	2901.250	57523.48	7440.170	2240.355	4024.270
#2	2872.551	57155.71	7392.893	2233.581	3978.446
#3	2921.066	57583.56	7390.692	2232.208	4048.254

Sample Name: Q3763-11A Acquired: 12/9/2025 17:58:14 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7478350	1.666575	1.030582	1.830091	.7950112	1.916985	.2238701
Stddev	.0034166	.027958	.005274	.004502	.0017535	.041832	.0072268
%RSD	.4568647	1.677551	.5117924	.2460099	.2205659	2.182164	3.228104
#1	.7451477	1.698708	1.025261	1.835268	.7964007	1.965257	.2320871
#2	.7466772	1.647820	1.030677	1.827915	.7930410	1.891347	.2185018
#3	.7516801	1.653197	1.035808	1.827091	.7955919	1.894351	.2210214
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1758284	.1878582	27.15258	.4034920	.1781556	.2857934	3.022968
Stddev	.0039824	.0002925	.67006	.0096366	.0003084	.0017649	.049396
%RSD	2.264949	.1556847	2.467766	2.388301	.1731029	.6175586	1.634033
#1	.1803439	.1881792	27.91924	.3949240	.1779525	.2877052	2.966762
#2	.1743239	.1876067	26.67896	.4139247	.1780038	.2842261	3.059479
#3	.1728174	.1877888	26.85954	.4016274	.1785104	.2854489	3.042662
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2112507	13.50581	.4579703	.0684998	4.827284	.2831051	.2262390
Stddev	.0059977	.26335	.0005225	.0019930	.090331	.0077697	.0060350
%RSD	2.839158	1.949892	.1140935	2.909468	1.871256	2.744466	2.667541
#1	.2181285	13.79441	.4582345	.0666130	4.740357	.2905842	.2210866
#2	.2071084	13.27853	.4583078	.0705842	4.920672	.2750742	.2328786
#3	.2085153	13.44449	.4573684	.0683021	4.820822	.2836570	.2247519
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	13.96801	.2803353	.4141418	.6143764	.1876043	.9714673	.5447034
Stddev	.28009	.0074491	.0003207	.0019511	.0050822	.0294101	.0008364
%RSD	2.005211	2.657209	.0774316	.3175756	2.709002	3.027395	.1535611
#1	13.67238	.2888213	.4143068	.6137463	.1933242	.9396565	.5455412
#2	14.22941	.2773089	.4137723	.6165647	.1836080	.9976689	.5447008
#3	14.00226	.2748757	.4143465	.6128182	.1858809	.9770767	.5438683

Sample Name: Q3763-11A Acquired: 12/9/2025 17:58:14 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	7.931357	.1872667	.2833526
Stddev	.018998	.0076123	.0081836
%RSD	.2395323	4.064953	2.888130
#1	7.944143	.1957248	.2925243
#2	7.909527	.1809657	.2767965
#3	7.940402	.1851096	.2807371

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2896.532	56500.17	7122.652	2128.997	4041.222
Stddev	7.795	1188.28	191.275	40.864	6.473
%RSD	.2691081	2.103141	2.685450	1.919381	.1601810
#1	2888.701	57570.69	6901.793	2171.355	4035.376
#2	2896.606	55221.61	7231.621	2089.813	4040.111
#3	2904.290	56708.21	7234.543	2125.824	4048.179

Sample Name: Q3763-14 Acquired: 12/9/2025 18:02:18 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0005132	.0059124	10.79158	.0026386	.0076212	.1120275
Stddev	.0022178	.0088560	.01892	.0026685	.0011487	.0040402
%RSD	432.1111	149.7876	.1753670	101.1329	15.07267	3.606424

#1	-.001734	.0153814	10.80327	.0045281	.0074594	.1162006
#2	.002700	.0045218	10.76975	-.000414	.0065620	.1081348
#3	.000573	-.002166	10.80173	.003802	.0088423	.1117471

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0900542	-.000117	.0679031	19.58398	.0030212	.0017738
Stddev	.0002504	.000059	.0000785	.03385	.0007899	.0002410
%RSD	.2780362	49.99006	.1155462	.1728618	26.14449	13.58541

#1	.0903056	-.000058	.0679894	19.54776	.0039332	.0020505
#2	.0900521	-.000119	.0678360	19.61482	.0025553	.0016098
#3	.0898049	-.000175	.0678840	19.58935	.0025751	.0016612

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0835699	.0468281	.2470038	.9197744	.0422467	-.000923
Stddev	.0002965	.0037419	.0018254	.0167319	.0001955	.000596
%RSD	.3547799	7.990647	.7390106	1.819131	.4627760	64.56087

#1	.0837668	.0444381	.2449057	.9062958	.0424676	-.001222
#2	.0832289	.0511404	.2482274	.9385013	.0421766	-.000237
#3	.0837139	.0449058	.2478782	.9145260	.0420959	-.001311

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.206474	.0021242	.4204377	3.941676	.0256264	.0003576
Stddev	.044684	.0007569	.0077395	.098069	.0007908	.0003934
%RSD	2.025126	35.63289	1.840827	2.487992	3.085749	110.0264

#1	2.159307	.0029979	.4158560	3.880612	.0258573	.0002481
#2	2.211944	.0017088	.4160835	3.889619	.0247459	.0007941
#3	2.248171	.0016660	.4293736	4.054796	.0262761	.0000305

Sample Name: Q3763-14 Acquired: 12/9/2025 18:02:18 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.022930	-.000310	2.153242	.0038756	F 18.35655	-.003965
Stddev	.000963	.001216	.042873	.0001975	.05713	.000284
%RSD	4.200693	392.0950	1.991100	5.095298	.3112288	7.159068
#1	-.024034	-.000667	2.120779	.0036606	18.39490	-.003834
#2	-.022492	.001044	2.137106	.0039173	18.38385	-.003771
#3	-.022263	-.001307	2.201842	.0040489	18.29089	-.004291
Elem	Sr4077					
Units	ppm					
Avg	.0950111					
Stddev	.0004324					
%RSD	.4551331					
#1	.0945165					
#2	.0953179					
#3	.0951989					
Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306	
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	
Avg	2976.230	57926.84	7744.637	2180.636	4208.961	
Stddev	6.387	946.74	13.345	31.988	7.630	
%RSD	.2145866	1.634363	.1723181	1.466928	.1812746	
#1	2969.295	58440.38	7751.634	2196.961	4203.924	
#2	2981.869	58505.84	7753.028	2201.169	4217.739	
#3	2977.528	56834.30	7729.248	2143.779	4205.219	

Sample Name: Q3765-01 Acquired: 12/9/2025 18:14:58 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0012343	.0050192	.1644582	.0116203	.0430300	.0513835
Stddev	.0036189	.0025678	.0018072	.0052667	.0030807	.0072424
%RSD	293.1958	51.15985	1.098855	45.32306	7.159378	14.09488
#1	-.001625	.0027926	.1658019	.0176792	.0419381	.0470723
#2	.005303	.0044367	.1624037	.0090432	.0465079	.0597450
#3	.000025	.0078281	.1651690	.0081384	.0406440	.0473332
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0643189	-.000091	.0367565	96.18391	.0022439	-.000016
Stddev	.0011783	.000026	.0003253	1.58719	.0002057	.000057
%RSD	1.831981	28.18408	.8849707	1.650158	9.168002	362.4462
#1	.0638582	-.000099	.0370949	96.53204	.0020804	-.000061
#2	.0634405	-.000063	.0367285	94.45155	.0024749	-.000034
#3	.0656579	-.000112	.0364462	97.56813	.0021765	.000048
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0078444	.1944896	.0853071	18.24755	.0047862	-.001125
Stddev	.0003669	.0081552	.0014464	.30468	.0004026	.000266
%RSD	4.677363	4.193147	1.695564	1.669728	8.412205	23.68988
#1	.0076561	.1918125	.0857407	18.33683	.0043315	-.001022
#2	.0082672	.1880095	.0836934	17.90820	.0050974	-.000925
#3	.0076098	.2036469	.0864871	18.49762	.0049297	-.001427
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	20.23614	.0021384	.0946859	3.683207	.0330251	.0030960
Stddev	.04900	.0007973	.0000810	.022316	.0015034	.0002081
%RSD	.2421360	37.28436	.0855264	.6058966	4.552217	6.720881
#1	20.23321	.0016749	.0947778	3.658523	.0319020	.0028557
#2	20.18868	.0016813	.0946549	3.701955	.0324403	.0032157
#3	20.28654	.0030590	.0946250	3.689144	.0347330	.0032166

Sample Name: Q3765-01 Acquired: 12/9/2025 18:14:58 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.022407	-.001712	6.905708	.0032585	F 35.52879	-.015510
Stddev	.000564	.001262	.021594	.0002631	.57432	.000615
%RSD	2.519093	73.68618	.3127047	8.072911	1.616493	3.962574

#1	-.021936	-.002369	6.885446	.0035621	36.18587	-.014821
#2	-.022253	-.000258	6.903253	.0030983	35.27791	-.015711
#3	-.023033	-.002510	6.928425	.0031150	35.12259	-.016000

Elem	Sr4077
Units	ppm
Avg	.3294023
Stddev	.0056119
%RSD	1.703666

#1	.3311323
#2	.3231291
#3	.3339455

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2807.202	57040.70	7662.512	2089.577	3859.820
Stddev	18.069	163.32	118.180	12.251	29.212
%RSD	.6436567	.2863150	1.542313	.5862971	.7568303

#1	2789.443	56896.87	7619.143	2075.449	3830.735
#2	2806.597	57218.24	7796.249	2096.015	3859.568
#3	2825.565	57006.98	7572.143	2097.266	3889.158

Sample Name: Q3765-02 Acquired: 12/9/2025 18:19:12 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001629	.0031284	.3717216	.0468095	.0958520	.0583353
Stddev	.000262	.0064671	.0061946	.0023761	.0023582	.0105317
%RSD	16.05345	206.7245	1.666455	5.076193	2.460282	18.05383
#1	-.001923	.0038096	.3645931	.0464255	.0950461	.0482892
#2	-.001423	-.003652	.3757967	.0493543	.0985075	.0574233
#3	-.001541	.009228	.3747751	.0446488	.0940024	.0692934
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0492981	-.000133	.0829955	91.50409	.0021980	.0003107
Stddev	.0008014	.000093	.0018543	.56655	.0000296	.0000353
%RSD	1.625667	70.37347	2.234168	.6191542	1.346944	11.35891
#1	.0483944	-.000148	.0809263	90.96709	.0021883	.0003454
#2	.0499223	-.000218	.0845066	92.09617	.0021746	.0002749
#3	.0495776	-.000033	.0835536	91.44902	.0022313	.0003117
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0194745	.4256801	.0302723	17.92724	.0092487	-.000890
Stddev	.0009303	.0287871	.0000631	.04293	.0002841	.000317
%RSD	4.777068	6.762619	.2084184	.2394890	3.071757	35.58642
#1	.0184106	.4038585	.0301994	17.88412	.0091887	-.001127
#2	.0201349	.4148753	.0303075	17.96999	.0089995	-.000530
#3	.0198779	.4583063	.0303098	17.92760	.0095581	-.001012
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	10.10668	.0007039	.1214581	3.513031	.0394673	.0037519
Stddev	.25275	.0016951	.0037685	.109310	.0005109	.0001909
%RSD	2.500836	240.8070	3.102711	3.111563	1.294475	5.088406
#1	10.00137	.0007994	.1191787	3.468416	.0390212	.0037467
#2	9.92360	.0023493	.1193876	3.433084	.0393561	.0039453
#3	10.39506	-.001037	.1258079	3.637592	.0400247	.0035636

Sample Name: Q3765-02 Acquired: 12/9/2025 18:19:12 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.026505	-.001363	5.689096	.0037196	F 39.29859	-.012905
Stddev	.000358	.000181	.132945	.0001471	.72320	.000780
%RSD	1.352334	13.26705	2.336836	3.955863	1.840264	6.042820

#1	-.026739	-.001283	5.611485	.0035526	38.46446	-.012847
#2	-.026093	-.001236	5.613198	.0038303	39.68121	-.013713
#3	-.026685	-.001570	5.842604	.0037758	39.75009	-.012156

Elem	Sr4077
Units	ppm
Avg	.1766186
Stddev	.0009023
%RSD	.5108773

#1	.1761040
#2	.1776604
#3	.1760913

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2888.690	58270.81	7609.000	2126.546	4002.120
Stddev	47.043	1215.79	62.509	48.230	70.002
%RSD	1.628528	2.086451	.8215200	2.267988	1.749126

#1	2934.750	58997.00	7651.569	2152.697	4075.128
#2	2840.722	58948.21	7537.234	2156.053	3935.572
#3	2890.597	56867.22	7638.195	2070.889	3995.660

Sample Name: Q3765-03 Acquired: 12/9/2025 18:23:26 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.002132	.0035387	.0024333	.0033883	.0108503	.0304971
Stddev	.002739	.0034040	.0014383	.0083043	.0019930	.0157753
%RSD	128.4613	96.19419	59.10906	245.0851	18.36787	51.72720

#1	-.005242	.0036820	.0032089	.0104006	.0087275	.0418912
#2	-.000083	.0000653	.0007736	-.005782	.0111422	.0371083
#3	-.001070	.0068687	.0033172	.005546	.0126813	.0124919

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0308094	-.000092	-.000018	126.1620	.0036278	-.000380
Stddev	.0010238	.000099	.000070	1.1841	.0001982	.000256
%RSD	3.322986	107.4023	388.0918	.9385664	5.462983	67.25859

#1	.0297186	-.000193	.000026	124.8182	.0033990	-.000213
#2	.0309600	-.000087	-.000099	126.6150	.0037360	-.000674
#3	.0317495	.000004	.000019	127.0527	.0037483	-.000253

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0007284	.0196390	.0097812	24.41020	.0023114	-.000605
Stddev	.0003363	.0008267	.0006338	.24114	.0001842	.000398
%RSD	46.16499	4.209337	6.479484	.9878512	7.969378	65.69738

#1	.0003422	.0195680	.0090504	24.16708	.0025213	-.000308
#2	.0008868	.0204989	.0101128	24.41420	.0022360	-.000450
#3	.0009561	.0188502	.0101805	24.64930	.0021768	-.001057

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	21.25136	-.000557	.0209377	8.668691	.0642988	.0019038
Stddev	.05844	.000477	.0001929	.039014	.0017608	.0005142
%RSD	.2750003	85.78179	.9211415	.4500561	2.738482	27.00764

#1	21.18497	-.000121	.0211577	8.623737	.0626133	.0013374
#2	21.29504	-.001067	.0208576	8.688635	.0661263	.0023411
#3	21.27405	-.000481	.0207978	8.693702	.0641570	.0020328

Sample Name: Q3765-03 Acquired: 12/9/2025 18:23:26 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.025214	-.004897	F 24.36576	.0017350	F 43.09556	-.017920
Stddev	.000894	.002186	.13783	.0003567	.64535	.000268
%RSD	3.544124	44.64334	.5656751	20.56020	1.497491	1.493813

#1	-.024282	-.007101	24.24651	.0017924	43.01765	-.017640
#2	-.026063	-.004861	24.33412	.0020595	43.77633	-.018173
#3	-.025297	-.002729	24.51667	.0013530	42.49270	-.017946

Elem	Sr4077
Units	ppm
Avg	.3267170
Stddev	.0031875
%RSD	.9756256

#1	.3230570
#2	.3282098
#3	.3288842

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2853.239	56149.35	7813.526	2113.647	3887.471
Stddev	26.245	149.56	37.556	5.420	40.978
%RSD	.9198244	.2663613	.4806573	.2564411	1.054111

#1	2851.405	56081.82	7855.301	2111.617	3888.708
#2	2827.960	56320.76	7802.719	2109.535	3845.888
#3	2880.353	56045.46	7782.559	2119.789	3927.816

Sample Name: Q3765-04 Acquired: 12/9/2025 18:27:41 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0071007	.0040808	14.22839	-.002485	.0128215	.1481772
Stddev	.0043179	.0025293	.03118	.003905	.0014557	.0103305
%RSD	60.80984	61.98060	.2191470	157.1799	11.35318	6.971709
#1	.0051948	.0063969	14.20684	-.001800	.0112316	.1472473
#2	.0040637	.0013819	14.21419	-.006687	.0140888	.1589412
#3	.0120437	.0044635	14.26415	.001033	.0131442	.1383431
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1086921	-.000161	.0757540	22.23798	.0170609	.0020357
Stddev	.0017850	.000153	.0000935	.12521	.0002118	.0001709
%RSD	1.642294	95.17925	.1234009	.5630587	1.241539	8.393839
#1	.1086356	-.000293	.0757269	22.19421	.0168811	.0018412
#2	.1069359	.000007	.0756771	22.14052	.0172944	.0021040
#3	.1105047	-.000196	.0758581	22.37920	.0170071	.0021618
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0955325	3.853156	.2995602	1.005583	.0484929	-.000759
Stddev	.0003711	.021155	.0020533	.014388	.0001403	.000157
%RSD	.3884676	.5490384	.6854369	1.430847	.2892573	20.67068
#1	.0959545	3.839971	.2990738	.991380	.0483559	-.000786
#2	.0953863	3.841939	.2977937	1.020150	.0484865	-.000901
#3	.0952568	3.877557	.3018130	1.005218	.0486362	-.000590
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.547871	-.000994	.4606694	4.630521	.0331274	.0002777
Stddev	.029025	.001366	.0026378	.094520	.0010639	.0002917
%RSD	1.139186	137.4521	.5726110	2.041240	3.211425	105.0456
#1	2.564342	-.000327	.4636528	4.731461	.0327716	.0000395
#2	2.514357	-.000089	.4586459	4.544102	.0322870	.0001905
#3	2.564913	-.002566	.4597094	4.615999	.0343235	.0006031

Sample Name: Q3765-04 Acquired: 12/9/2025 18:27:41 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.019992	.0000820	2.352643	.0156566	F 21.35374	-.001369
Stddev	.000317	.0012175	.012335	.0003546	.14787	.001021
%RSD	1.585922	1485.198	.5243111	2.265142	.6924770	74.57331

#1	-.019843	-.001206	2.340950	.0152471	21.18359	-.000242
#2	-.020356	.001214	2.365533	.0158563	21.45113	-.001633
#3	-.019777	.000239	2.351448	.0158664	21.42649	-.002231

Elem	Sr4077
Units	ppm
Avg	.1063262
Stddev	.0004520
%RSD	.4251266

#1	.1063898
#2	.1058457
#3	.1067430

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2999.650	59189.76	7358.893	2292.381	4189.047
Stddev	4.853	330.00	56.658	10.875	4.651
%RSD	.1617915	.5575297	.7699256	.4743971	.1110200

#1	2994.915	58811.12	7346.491	2280.252	4192.172
#2	3004.613	59342.04	7420.724	2301.261	4191.266
#3	2999.420	59416.12	7309.463	2295.630	4183.702

Sample Name: CCV07 Acquired: 12/9/2025 18:31:52 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV07 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.796042	4.646215	4.729267	4.867795	4.885274	9.574815	9.690648
Stddev	.011270	.061112	.002736	.017040	.009620	.122873	.170001
%RSD	.2349912	1.315307	.0578511	.3500468	.1969166	1.283297	1.754281

#1	4.793411	4.625521	4.729145	4.883912	4.895886	9.702773	9.871989
#2	4.808395	4.598136	4.726594	4.869509	4.882814	9.457752	9.534885
#3	4.786319	4.714987	4.732062	4.849963	4.877124	9.563921	9.665071

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2272234	2.346860	23.82861	.9506138	2.378661	1.220713	5.076135
Stddev	.0035282	.001960	.30357	.0061240	.001493	.001408	.032642
%RSD	1.552744	.0835032	1.273987	.6442176	.0627680	.1153184	.6430387

#1	.2312969	2.346847	24.14090	.9571641	2.378629	1.221964	5.063216
#2	.2251291	2.344907	23.53457	.9450313	2.377184	1.219189	5.051931
#3	.2252443	2.348826	23.81037	.9496460	2.380169	1.220986	5.113259

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.412919	23.47326	2.366390	1.218687	25.45537	2.397211	2.457455
Stddev	.030613	.22621	.002014	.001449	.16609	.024433	.012302
%RSD	1.268718	.9636961	.0851136	.1189274	.6524696	1.019206	.5006169

#1	2.445159	23.69220	2.367676	1.220360	25.38197	2.423372	2.470375
#2	2.384244	23.24042	2.364069	1.217879	25.33862	2.374985	2.456110
#3	2.409355	23.48718	2.367425	1.217822	25.64551	2.393276	2.445881

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	25.06258	4.534721	4.894293	4.744311	4.814095	5.207043	4.821580
Stddev	.16495	.062709	.013473	.006930	.066287	.030029	.009012
%RSD	.6581598	1.382857	.2752808	.1460663	1.376930	.5766984	.1869063

#1	24.98196	4.607109	4.909752	4.751300	4.885903	5.187977	4.826812
#2	24.95345	4.496972	4.888080	4.744192	4.755242	5.191494	4.811174
#3	25.25234	4.500084	4.885048	4.737442	4.801140	5.241658	4.826753

Sample Name: CCV07 Acquired: 12/9/2025 18:31:52 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV07 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.691650	4.701837	4.837990
Stddev	.023311	.062101	.031994
%RSD	.4968544	1.320781	.6613175

#1	4.676302	4.767468	4.825022
#2	4.680174	4.644002	4.814515
#3	4.718474	4.694042	4.874432

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2895.391	56170.38	7411.342	2174.561	3821.364
Stddev	3.602	225.53	112.338	10.389	4.307
%RSD	.1244010	.4015133	1.515764	.4777506	.1126961

#1	2893.654	55914.86	7282.047	2163.584	3817.840
#2	2899.532	56341.70	7485.048	2175.860	3826.165
#3	2892.986	56254.57	7466.931	2184.240	3820.088

Sample Name: CCB07 Acquired: 12/9/2025 18:36:00 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB07 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000415	.0019136	.0006264	.0025132	.0020572	-.005971	-.000511
Stddev	.001898	.0020101	.0003995	.0033456	.0018018	.007549	.001762
%RSD	457.5212	105.0435	63.78417	133.1195	87.58825	126.4205	344.7701

#1	.001776	.0037527	.0010688	.0061731	.0004104	.001597	-.002432
#2	-.001508	-.000232	.0002919	-.000388	.0039818	-.013500	.001030
#3	-.001513	.002220	.0005185	.001754	.0017793	-.006011	-.000131

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000045	-.000024	-.011136	.0000311	-.000266	.0001021	-.008304
Stddev	.000061	.000045	.013624	.0003826	.000044	.0001071	.003291
%RSD	134.6061	183.0788	122.3404	1231.512	16.67429	104.9581	39.63686

#1	-.000020	.000018	-.017060	.0001688	-.000260	-.000019	-.008350
#2	-.000001	-.000021	.004447	.0003258	-.000313	.000184	-.004990
#3	-.000115	-.000071	-.020796	-.000401	-.000225	.000142	-.011572

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000849	-.003281	-.000312	-.001038	.0687635	.0005782	-.000278
Stddev	.0002052	.024021	.000327	.000038	.0081426	.0021213	.000074
%RSD	241.6228	732.0403	104.7310	3.637314	11.84150	366.8895	26.72149

#1	-.000112	-.015924	.000063	-.001000	.0624806	-.001539	-.000363
#2	.000070	-.018340	-.000462	-.001037	.0658472	.000569	-.000231
#3	.000297	.024420	-.000536	-.001075	.0779627	.002704	-.000239

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0136740	.0012261	-.000214	-.016548	.0003473	.0011118	.0004128
Stddev	.0187126	.0005789	.000135	.000762	.0011740	.0201826	.0001283
%RSD	136.8478	47.21936	63.42402	4.607716	338.0034	1815.281	31.08291

#1	.0009610	.0018746	-.000238	-.016117	.0004427	-.018439	.0004008
#2	.0048996	.0007612	-.000335	-.016098	.0014707	.021872	.0005466
#3	.0351615	.0010424	-.000068	-.017428	-.000871	-.000098	.0002909

Sample Name: CCB07 Acquired: 12/9/2025 18:36:00 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB07 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.007148	-.001394	.0000746
Stddev	.002682	.000222	.0000583
%RSD	37.52259	15.93642	78.21162

#1	-.004261	-.001350	.0001399
#2	-.007621	-.001197	.0000276
#3	-.009563	-.001635	.0000563

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2978.691	58156.60	7291.163	2248.603	4184.030
Stddev	12.059	1754.50	119.160	73.529	21.886
%RSD	.4048487	3.016862	1.634304	3.270004	.5230944

#1	2991.629	57873.55	7428.688	2247.271	4200.014
#2	2967.763	56560.84	7226.167	2175.748	4159.085
#3	2976.682	60035.43	7218.633	2322.789	4192.991

Sample Name: Q3765-05 Acquired: 12/9/2025 18:40:19 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0336310	.0110030	18.24750	.0108999	.1379016	.2997280	.0442903
Stddev	.0025926	.0042100	.06778	.0042710	.0008307	.0057680	.0002355
%RSD	7.708979	38.26209	.3714466	39.18411	.6023764	1.924424	.5317086
#1	.0353171	.0153923	18.20219	.0079822	.1378292	.2940214	.0444958
#2	.0349301	.0069987	18.21488	.0089153	.1371096	.3055556	.0443417
#3	.0306456	.0106181	18.32542	.0158021	.1387662	.2996070	.0440333
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000090	.7261306	12.70003	.0124099	.0019506	.2028288	2.697157
Stddev	.000032	.0024712	.05407	.0004556	.0003590	.0009482	.046336
%RSD	35.91483	.3403179	.4257236	3.670965	18.40224	.4675061	1.717953
#1	-.000125	.7247677	12.71546	.0119554	.0021061	.2023871	2.656755
#2	-.000086	.7246411	12.74470	.0128666	.0015401	.2021820	2.747735
#3	-.000061	.7289831	12.63992	.0124079	.0022057	.2039173	2.686980
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1140753	2.846202	.0465005	-.000666	2.620774	.0016020	.8427055
Stddev	.0003285	.022698	.0003267	.000471	.071869	.0016823	.0143232
%RSD	.2880133	.7974906	.7026616	70.68801	2.742289	105.0114	1.699668
#1	.1136991	2.851416	.0466238	-.000970	2.555048	.0030510	.8282750
#2	.1142209	2.821350	.0467477	-.000905	2.697515	-.000243	.8569189
#3	.1143059	2.865839	.0461301	-.000124	2.609759	.001998	.8429226
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.155789	.0270169	.0020138	.0504447	.0081713	1.902415	.0073030
Stddev	.060427	.0009647	.0003624	.0007397	.0005816	.037495	.0002242
%RSD	1.914810	3.570744	17.99445	1.466310	7.117760	1.970940	3.070558
#1	3.090166	.0270130	.0020969	.0504572	.0086748	1.883537	.0070621
#2	3.209135	.0279835	.0023274	.0496989	.0083045	1.945598	.0075056
#3	3.168065	.0260541	.0016171	.0511781	.0075347	1.878112	.0073412

Sample Name: Q3765-05 Acquired: 12/9/2025 18:40:19 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	6.318790	.0068884	.0722542
Stddev	.040979	.0013796	.0005349
%RSD	.6485334	20.02854	.7402516
#1	6.317679	.0082750	.0722562
#2	6.278377	.0055158	.0727881
#3	6.360313	.0068743	.0717184

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2993.342	57418.97	7791.354	2165.179	4246.613
Stddev	9.102	812.94	44.077	21.679	11.126
%RSD	.3040668	1.415796	.5657183	1.001268	.2619961
#1	2993.688	58165.58	7742.176	2184.643	4243.592
#2	3002.265	56552.92	7827.299	2141.814	4258.937
#3	2984.072	57538.41	7804.588	2169.079	4237.309

Sample Name: Q3765-05DUP Acquired: 12/9/2025 18:44:31 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0382829	.0099192	18.52670	.0133330	.1402566	.3086437	.0451594
Stddev	.0018965	.0007380	.05695	.0021933	.0015089	.0064911	.0004095
%RSD	4.953988	7.440162	.3073860	16.45017	1.075782	2.103102	.9068337
#1	.0365612	.0090726	18.59245	.0154721	.1385535	.3016119	.0446982
#2	.0403158	.0104271	18.49436	.0134376	.1414264	.3099125	.0454804
#3	.0379717	.0102579	18.49328	.0110893	.1407899	.3144067	.0452994
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000035	.7376826	12.83248	.0121527	.0019015	.2041878	2.575142
Stddev	.000115	.0025531	.10696	.0005160	.0002254	.0010695	.024701
%RSD	323.6509	.3460975	.8334971	4.245909	11.85370	.5237694	.9592254
#1	.000096	.7404819	12.71829	.0127421	.0020360	.2049973	2.589123
#2	-.000090	.7370837	12.84883	.0119336	.0016413	.2045905	2.546621
#3	-.000112	.7354822	12.93032	.0117824	.0020272	.2029754	2.589682
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1162364	2.875299	.0480033	-.001257	2.456531	.0015921	.8296132
Stddev	.0012201	.044454	.0006990	.000712	.018223	.0009067	.0037756
%RSD	1.049674	1.546049	1.456173	56.61227	.7418259	56.95104	.4551073
#1	.1156424	2.825523	.0484548	-.002043	2.468794	.0005993	.8329434
#2	.1154271	2.911044	.0471981	-.001074	2.435591	.0018005	.8255113
#3	.1176398	2.889330	.0483569	-.000655	2.465209	.0023765	.8303848
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.971165	.0263096	.0016181	.0543362	.0092659	1.814778	.0074549
Stddev	.063348	.0008370	.0002770	.0004415	.0007642	.026555	.0002040
%RSD	2.132096	3.181513	17.11852	.8125030	8.247753	1.463243	2.735815
#1	2.943871	.0254349	.0019301	.0546571	.0085989	1.813576	.0075154
#2	2.926040	.0263908	.0015228	.0538327	.0100998	1.788845	.0072276
#3	3.043585	.0271030	.0014012	.0545187	.0090991	1.841914	.0076218

Sample Name: Q3765-05DUP Acquired: 12/9/2025 18:44:31 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	6.450029	.0084954	.0731710
Stddev	.015356	.0010397	.0004055
%RSD	.2380796	12.23860	.5541904
#1	6.440091	.0095750	.0729737
#2	6.467716	.0084103	.0729019
#3	6.442282	.0075008	.0736374

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2980.118	58988.57	7564.836	2232.823	4195.480
Stddev	14.308	475.90	18.855	20.243	19.888
%RSD	.4801267	.8067699	.2492459	.9066142	.4740362
#1	2964.140	58602.56	7585.111	2210.480	4173.277
#2	2984.466	59520.29	7561.566	2249.943	4201.499
#3	2991.748	58842.85	7547.829	2238.047	4211.662

Sample Name: Q3765-05LX5 Acquired: 12/9/2025 18:48:43 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0070329	.0080527	3.750753	.0032390	.0281125	.0531720	.0079790
Stddev	.0029227	.0024278	.009632	.0028513	.0023995	.0119094	.0002331
%RSD	41.55706	30.14926	.2567940	88.03146	8.535372	22.39778	2.920801
#1	.0095078	.0054844	3.761658	.0037285	.0296565	.0466253	.0077576
#2	.0038085	.0083636	3.747196	.0001746	.0293329	.0459721	.0079572
#3	.0077823	.0103101	3.743407	.0058138	.0253481	.0669185	.0082221
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000017	.1517675	2.500167	.0022709	.0003972	.0410341	.5086455
Stddev	.000044	.0002938	.004976	.0001937	.0000635	.0002299	.0059997
%RSD	262.2651	.1935719	.1990416	8.530907	15.98636	.5603339	1.179536
#1	-.000043	.1520957	2.505800	.0024516	.0004620	.0409410	.5149927
#2	.000034	.1516778	2.496366	.0022948	.0003946	.0412960	.5078764
#3	-.000041	.1515291	2.498336	.0020663	.0003351	.0408654	.5030675
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0224223	.5375317	.0099678	-.001133	.4631895	-.000220	.1668926
Stddev	.0003087	.0222288	.0002252	.000161	.0091910	.000644	.0008613
%RSD	1.376737	4.135346	2.259686	14.20888	1.984287	292.1747	.5160491
#1	.0223105	.5194396	.0101150	-.001299	.4526730	.000513	.1658981
#2	.0227713	.5623456	.0097085	-.001122	.4696835	-.000484	.1673915
#3	.0221852	.5308098	.0100800	-.000978	.4672120	-.000690	.1673882
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5356542	.0033664	.0000394	-.003035	.0028588	.3617870	.0020337
Stddev	.0323731	.0011049	.0002699	.000746	.0010646	.0199727	.0000962
%RSD	6.043662	32.82199	685.3513	24.57708	37.23775	5.520581	4.731676
#1	.5048094	.0046355	.0003190	-.003474	.0019963	.3786458	.0020269
#2	.5327881	.0028451	-.000220	-.002174	.0040486	.3397287	.0021332
#3	.5693650	.0026185	.000019	-.003457	.0025315	.3669865	.0019411

Sample Name: Q3765-05LX5 Acquired: 12/9/2025 18:48:43 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.333404	.0001708	.0142942
Stddev	.005211	.0003478	.0000727
%RSD	.3908187	203.7097	.5082286

#1	1.327471	-.000231	.0142219
#2	1.337238	.000370	.0142935
#3	1.335504	.000373	.0143672

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3043.039	59244.41	7739.753	2256.554	4239.167
Stddev	2.803	312.64	47.399	12.973	10.078
%RSD	.0921236	.5277147	.6124106	.5749150	.2377297

#1	3039.832	59426.73	7761.538	2264.958	4227.665
#2	3044.261	59423.09	7772.344	2263.091	4246.446
#3	3045.023	58883.41	7685.378	2241.612	4243.390

Sample Name: Q3765-06 Acquired: 12/9/2025 18:52:57 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7783426	1.680073	12.62106	1.821229	.8916376	2.145982	.2290741
Stddev	.0106684	.040943	.11244	.023332	.0065956	.012214	.0018459
%RSD	1.370663	2.436996	.8909191	1.281132	.7397196	.5691686	.8058235
#1	.7679441	1.652578	12.53251	1.798182	.8853807	2.131913	.2281475
#2	.7778218	1.660513	12.58309	1.820668	.8910056	2.153882	.2278749
#3	.7892619	1.727128	12.74757	1.844836	.8985264	2.152149	.2311998
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1704034	.8090884	14.11603	.3947471	.1820100	.4765756	5.295106
Stddev	.0012863	.0076313	.13478	.0011296	.0018401	.0043016	.039332
%RSD	.7548388	.9431983	.9548307	.2861471	1.011003	.9026073	.7428011
#1	.1699555	.8029490	13.97717	.3960242	.1809365	.4726139	5.250151
#2	.1694009	.8066837	14.12458	.3943382	.1809588	.4759617	5.323179
#3	.1718537	.8176323	14.24633	.3938790	.1841348	.4811511	5.311989
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3343584	4.681668	.4904263	.0182808	5.260175	.2855679	1.031670
Stddev	.0020777	.039682	.0046404	.0009892	.048527	.0049714	.003809
%RSD	.6214017	.8476133	.9461896	5.411253	.9225376	1.740880	.3691600
#1	.3326612	4.636456	.4863259	.0179458	5.211450	.2813096	1.032939
#2	.3337384	4.710726	.4894894	.0193940	5.308501	.2843632	1.034683
#3	.3366755	4.697821	.4954636	.0175026	5.260575	.2910310	1.027390
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	12.27972	.2713796	.4177347	.6797004	.1935434	2.667984	.5359069
Stddev	.13108	.0027025	.0043922	.0068901	.0014202	.023013	.0058832
%RSD	1.067479	.9958384	1.051421	1.013699	.7337661	.8625680	1.097803
#1	12.17558	.2703907	.4143873	.6737116	.1925511	2.663098	.5301161
#2	12.42692	.2693108	.4161090	.6781588	.1929088	2.693048	.5357264
#3	12.23667	.2744373	.4227080	.6872307	.1951702	2.647806	.5418784

Sample Name: Q3765-06 Acquired: 12/9/2025 18:52:57 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	6.553797	.1955725	.2598795
Stddev	.072990	.0018860	.0024411
%RSD	1.113702	.9643665	.9393117
#1	6.501991	.1934124	.2572560
#2	6.522128	.1964125	.2602984
#3	6.637273	.1968925	.2620840

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2988.330	59344.10	7487.801	2191.520	4224.814
Stddev	18.366	299.79	37.509	11.055	25.540
%RSD	.6145750	.5051807	.5009366	.5044417	.6045244
#1	2998.063	59173.03	7503.727	2181.809	4239.587
#2	2999.781	59169.01	7514.720	2189.200	4239.531
#3	2967.147	59690.27	7444.957	2203.551	4195.323

Sample Name: Q3765-07 Acquired: 12/9/2025 18:56:59 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7467201	1.599321	12.08364	1.757609	.8610224	2.082775	.2183797
Stddev	.0070392	.006565	.06462	.009678	.0008661	.020614	.0005852
%RSD	.9426867	.4104743	.5347353	.5506164	.1005914	.9897575	.2679891

#1	.7400295	1.592786	12.01043	1.749393	.8602600	2.076819	.2177379
#2	.7540626	1.605915	12.13271	1.768277	.8619642	2.065794	.2188837
#3	.7460682	1.599263	12.10779	1.755157	.8608430	2.105711	.2185174

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1647193	.7740586	13.33880	.4414710	.1747467	.4601873	5.346591
Stddev	.0008171	.0034416	.08501	.0106577	.0008563	.0016277	.120279
%RSD	.4960381	.4446211	.6373484	2.414135	.4900531	.3536943	2.249632

#1	.1639415	.7706302	13.27240	.4292317	.1738161	.4583170	5.209194
#2	.1646455	.7775133	13.30938	.4487029	.1755015	.4612833	5.397728
#3	.1655707	.7740322	13.43461	.4464783	.1749225	.4609616	5.432853

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2918468	4.464989	.4995655	.0202687	4.864140	.2714862	.9760230
Stddev	.0010166	.032546	.0025931	.0004277	.107964	.0015790	.0207318
%RSD	.3483291	.7289200	.5190786	2.110304	2.219599	.5815981	2.124110

#1	.2920457	4.475712	.4966564	.0197758	4.741788	.2705711	.9520850
#2	.2907454	4.428434	.5016342	.0205421	4.946023	.2705780	.9877969
#3	.2927492	4.490820	.5004058	.0204883	4.904608	.2733094	.9881870

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	11.46997	.2625612	.3994804	1.399916	.1857676	2.553249	.5152217
Stddev	.21070	.0009780	.0014820	.005723	.0006400	.060517	.0041373
%RSD	1.837011	.3724641	.3709953	.4088270	.3445438	2.370187	.8030135

#1	11.23800	.2614328	.3979663	1.394325	.1850319	2.484207	.5128381
#2	11.64950	.2631634	.4009282	1.405763	.1861970	2.578437	.5199990
#3	11.52240	.2630873	.3995469	1.399660	.1860738	2.597104	.5128280

Sample Name: Q3765-07 Acquired: 12/9/2025 18:56:59 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	6.267955	.1883030	.2459930
Stddev	.009833	.0008993	.0006126
%RSD	.1568707	.4776015	.2490383
#1	6.261473	.1881065	.2455221
#2	6.279269	.1875182	.2457713
#3	6.263123	.1892844	.2466856

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2993.497	59726.46	7415.449	2223.606	4199.420
Stddev	10.703	1191.86	14.681	46.367	15.662
%RSD	.3575418	1.995529	.1979803	2.085202	.3729667
#1	3001.130	61074.28	7431.170	2276.867	4213.341
#2	2981.263	58811.60	7413.081	2192.248	4182.461
#3	2998.099	59293.51	7402.096	2201.703	4202.457

Sample Name: Q3765-05A Acquired: 12/9/2025 19:01:02 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7639880	1.589710	19.02307	1.798287	.8833903	2.086666	.2167289
Stddev	.0062972	.042180	.13614	.005097	.0075279	.027027	.0025363
%RSD	.8242572	2.653331	.7156475	.2834577	.8521620	1.295231	1.170279

#1	.7711501	1.572159	19.17998	1.804163	.8920425	2.062558	.2140520
#2	.7593188	1.559139	18.93633	1.795060	.8797880	2.081559	.2170385
#3	.7614952	1.637832	18.95291	1.795637	.8783403	2.115883	.2190963

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1651878	.8981817	13.34810	.3749243	.1771165	.4721419	5.138523
Stddev	.0009718	.0057792	.14424	.0028559	.0012096	.0036616	.027444
%RSD	.5882750	.6434278	1.080593	.7617389	.6829472	.7755190	.5340920

#1	.1642040	.9047440	13.18655	.3762528	.1785085	.4763617	5.113786
#2	.1652125	.8938514	13.39379	.3768740	.1765202	.4702596	5.168045
#3	.1661470	.8959497	13.46396	.3716461	.1763208	.4698044	5.133737

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2868193	4.526914	.4818043	.0648101	4.969723	.2695578	.9966023
Stddev	.0022896	.045465	.0039814	.0011540	.032136	.0082437	.0091483
%RSD	.7982812	1.004321	.8263470	1.780562	.6466311	3.058221	.9179441

#1	.2844894	4.474966	.4862060	.0660755	4.944437	.2626276	1.001209
#2	.2869023	4.559457	.4784545	.0638158	5.005885	.2673717	1.002531
#3	.2890664	4.546317	.4807524	.0645389	4.958846	.2786742	.986066

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	11.67020	.2654322	.4015333	.6850071	.1840200	2.594594	.5316215
Stddev	.08037	.0021289	.0030674	.0053637	.0032388	.015852	.0038226
%RSD	.6886505	.8020539	.7639269	.7830104	1.760013	.6109438	.7190362

#1	11.63562	.2630371	.4050525	.6910789	.1814104	2.590418	.5354406
#2	11.76207	.2671093	.3994264	.6809135	.1830049	2.612115	.5277955
#3	11.61291	.2661501	.4001210	.6830289	.1876447	2.581248	.5316283

Sample Name: Q3765-05A Acquired: 12/9/2025 19:01:02 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	6.351963	.1840586	.2441276
Stddev	.037304	.0038558	.0025163
%RSD	.5872902	2.094893	1.030749
#1	6.373153	.1796089	.2415287
#2	6.308889	.1864142	.2443018
#3	6.373846	.1861529	.2465523

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2986.914	59488.61	7594.910	2246.818	4162.695
Stddev	19.928	427.78	40.875	26.619	28.626
%RSD	.6671647	.7190886	.5381919	1.184758	.6876879
#1	2964.152	59380.05	7641.131	2234.377	4129.707
#2	2995.374	59125.57	7580.073	2228.698	4181.008
#3	3001.216	59960.21	7563.525	2277.380	4177.372

Sample Name: Q3765-08 Acquired: 12/9/2025 19:05:03 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0073502	.0084545	.1494987	.0098727	.0330770	.0101568
Stddev	.0025288	.0045343	.0029099	.0020269	.0014023	.0035817
%RSD	34.40460	53.63244	1.946466	20.53007	4.239580	35.26383

#1	.0099158	.0129961	.1526983	.0122089	.0344635	.0089624
#2	.0048598	.0039274	.1487878	.0088261	.0316594	.0073250
#3	.0072749	.0084400	.1470102	.0085831	.0331080	.0141831

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0319731	-.000220	.0653487	28.21803	.0054539	.0050408
Stddev	.0007164	.000023	.0008831	.12582	.0002937	.0002013
%RSD	2.240785	10.35681	1.351443	.4458684	5.384645	3.992575

#1	.0327896	-.000241	.0663255	28.08532	.0056742	.0052512
#2	.0316798	-.000224	.0651138	28.23320	.0051205	.0050211
#3	.0314498	-.000196	.0646068	28.33557	.0055671	.0048501

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0083281	.8978881	1.709524	4.181771	.0094144	-.000879
Stddev	.0003793	.0169160	.007920	.035514	.0002073	.000434
%RSD	4.553937	1.883982	.4633116	.8492542	2.201894	49.36258

#1	.0080061	.8800409	1.701030	4.147441	.0094255	-.000455
#2	.0087462	.8999371	1.710834	4.179512	.0096160	-.000859
#3	.0082322	.9136863	1.716708	4.218361	.0092018	-.001322

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	5.609130	-.001213	.3351280	4.532605	.0281259	.0009103
Stddev	.045240	.000220	.0014662	.062788	.0003375	.0001308
%RSD	.8065344	18.16446	.4374937	1.385242	1.199813	14.36252

#1	5.582510	-.001421	.3361593	4.511420	.0285112	.0008189
#2	5.583515	-.000982	.3334496	4.483151	.0279835	.0010601
#3	5.661365	-.001235	.3357750	4.603245	.0278830	.0008520

Sample Name: Q3765-08 Acquired: 12/9/2025 19:05:03 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.022721	-.001544	2.444151	.0033868	F 11.52336	-.002709
Stddev	.000651	.000631	.029738	.0002808	.18542	.000585
%RSD	2.863596	40.85114	1.216704	8.289870	1.609052	21.59197

#1	-.021971	-.001552	2.426900	.0036918	11.69347	-.002333
#2	-.023131	-.002170	2.427064	.0031391	11.55088	-.003383
#3	-.023061	-.000909	2.478490	.0033294	11.32572	-.002411

Elem	Sr4077
Units	ppm
Avg	.0889642
Stddev	.0002069
%RSD	.2325950

#1	.0887497
#2	.0889804
#3	.0891626

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2972.190	59025.84	7566.383	2213.905	4166.040
Stddev	39.428	418.47	2.504	11.850	57.320
%RSD	1.326563	.7089612	.0330982	.5352461	1.375876

#1	2926.890	58931.03	7567.703	2201.903	4102.285
#2	2990.904	59483.58	7563.494	2225.597	4182.521
#3	2998.777	58662.90	7567.950	2214.214	4213.313

Sample Name: Q3765-09 Acquired: 12/9/2025 19:09:17 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0256449	.0032422	5.808069	.0005960	.0308834	4.599453	.0523379
Stddev	.0041205	.0032103	.006232	.0044793	.0025907	.052181	.0017297
%RSD	16.06774	99.01600	.1073071	751.5921	8.388614	1.134506	3.304893
#1	.0294142	.0009418	5.813116	.0018986	.0311470	4.543628	.0503743
#2	.0212456	.0069098	5.801103	.0042796	.0333322	4.607730	.0530029
#3	.0262748	.0018750	5.809988	-.004390	.0281709	4.647001	.0536364
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0004194	.0658904	28.01088	.0124741	.0065696	.0265070	8.603744
Stddev	.0000529	.0001732	.30182	.0003584	.0001577	.0002405	.189380
%RSD	12.60797	.2629158	1.077526	2.873209	2.400312	.9074780	2.201134
#1	.0003693	.0659818	27.66826	.0121081	.0065091	.0263759	8.578357
#2	.0004747	.0656906	28.12692	.0124896	.0067486	.0267846	8.428339
#3	.0004142	.0659987	28.23746	.0128244	.0064511	.0263604	8.804538
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1352360	13.73029	.0434929	-.000859	1.880287	.0032813	.3776855
Stddev	.0016474	.19102	.0002304	.000490	.053393	.0014289	.0065172
%RSD	1.218189	1.391248	.5297539	56.98012	2.839604	43.54679	1.725558
#1	.1338057	13.51049	.0434306	-.001080	1.859350	.0048618	.3744066
#2	.1348649	13.82420	.0433001	-.000298	1.840536	.0020808	.3734590
#3	.1370373	13.85617	.0437481	-.001199	1.940975	.0029013	.3851910
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.777332	.0308604	.0017903	-.017750	.0140567	1.895731	.0219308
Stddev	.145731	.0012226	.0002504	.001014	.0004312	.056315	.0002019
%RSD	3.050461	3.961539	13.98518	5.714035	3.067830	2.970622	.9207931
#1	4.829821	.0300063	.0019830	-.018117	.0136306	1.889984	.0218053
#2	4.612628	.0303141	.0018808	-.018529	.0140466	1.842510	.0221637
#3	4.889548	.0322609	.0015073	-.016603	.0144928	1.954699	.0218234

Sample Name: Q3765-09 Acquired: 12/9/2025 19:09:17 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	8.308407	-.004748	.0923445
Stddev	.036090	.000736	.0010539
%RSD	.4343840	15.51096	1.141289
#1	8.272493	-.005427	.0911440
#2	8.344671	-.003965	.0927720
#3	8.308056	-.004851	.0931175

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3035.349	57874.61	7523.602	2188.021	4211.499
Stddev	3.731	903.66	83.428	36.842	4.972
%RSD	.1229034	1.561415	1.108887	1.683826	.1180556
#1	3033.728	57844.33	7619.556	2198.469	4206.235
#2	3032.703	58793.03	7468.214	2218.511	4212.146
#3	3039.616	56986.47	7483.037	2147.083	4216.115

Sample Name: Q3765-10 Acquired: 12/9/2025 19:13:28 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0253489	.0096622	11.59664	.0015151	.0643479	.6114378
Stddev	.0035231	.0041370	.08873	.0046012	.0021883	.0091733
%RSD	13.89854	42.81625	.7651265	303.6997	3.400799	1.500283
#1	.0215245	.0099903	11.59457	-.003307	.0661458	.6212060
#2	.0260598	.0053710	11.68638	.001994	.0649868	.6101013
#3	.0284623	.0136255	11.50896	.005858	.0619113	.6030060
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1104067	-.000050	.0121057	186.9375	.0082953	.0032168
Stddev	.0014453	.000089	.0000914	1.2215	.0003295	.0001539
%RSD	1.309051	179.1176	.7553471	.6534257	3.972327	4.783384
#1	.1087387	.000046	.0121101	185.6943	.0085570	.0030647
#2	.1111942	-.000130	.0121949	186.9822	.0079252	.0033724
#3	.1112871	-.000066	.0120122	188.1360	.0084036	.0032134
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0910108	3.834427	.4594133	34.47381	.0130909	-.001335
Stddev	.0009258	.024156	.0046319	.22074	.0007116	.000057
%RSD	1.017215	.6299798	1.008229	.6403030	5.435844	4.247591
#1	.0904724	3.853551	.4541392	34.28750	.0122771	-.001301
#2	.0920798	3.842450	.4612802	34.41632	.0135964	-.001303
#3	.0904802	3.807281	.4628205	34.71760	.0133991	-.001401
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	40.49603	.0047314	.2586656	5.294872	.0575772	.0023345
Stddev	.07566	.0017613	.0011837	.013178	.0001581	.0003149
%RSD	.1868392	37.22533	.4576264	.2488729	.2746015	13.49002
#1	40.57105	.0058085	.2600303	5.302489	.0574142	.0022270
#2	40.49729	.0026989	.2579173	5.279656	.0577299	.0026892
#3	40.41974	.0056869	.2580492	5.302471	.0575873	.0020874

Sample Name: Q3765-10 Acquired: 12/9/2025 19:13:28 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.013691	.0031286	F 12.71542	.0230414	F 67.65157	-.028270
Stddev	.001138	.0003591	.06132	.0004287	.39461	.001394
%RSD	8.314083	11.47908	.4822750	1.860618	.5832996	4.930287

#1	-.012377	.0034903	12.77289	.0229015	67.60018	-.026690
#2	-.014341	.0031235	12.72252	.0235226	68.06936	-.028797
#3	-.014356	.0027721	12.65086	.0227002	67.28517	-.029325

Elem	Sr4077
Units	ppm
Avg	.6965998
Stddev	.0048620
%RSD	.6979551

#1	.6932323
#2	.6943934
#3	.7021737

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2841.822	55061.95	7207.152	2081.477	3800.002
Stddev	13.225	390.58	23.673	11.508	24.392
%RSD	.4653806	.7093464	.3284723	.5528898	.6418883

#1	2837.370	54747.57	7233.911	2071.696	3793.443
#2	2831.397	54939.08	7198.609	2078.576	3779.560
#3	2856.698	55499.18	7188.935	2094.158	3827.003

Sample Name: Q3765-11 Acquired: 12/9/2025 19:17:39 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.002893	.0078682	.0918419	.0016109	.0152142	.0342440
Stddev	.003731	.0068486	.0009129	.0042883	.0030582	.0042869
%RSD	128.9672	87.04251	.9939881	266.2060	20.10093	12.51853
#1	-.003299	.0023866	.0927060	.0003047	.0165356	.0293252
#2	-.006405	.0056725	.0908870	.0064005	.0173895	.0362224
#3	.001024	.0155453	.0919325	-.001872	.0117175	.0371844
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0748097	-.000199	.0001156	155.2298	.0020574	-.000324
Stddev	.0012088	.000076	.0000597	1.5303	.0004447	.000203
%RSD	1.615839	38.18047	51.65115	.9858326	21.61557	62.64483
#1	.0758634	-.000124	.0000614	156.2241	.0017820	-.000542
#2	.0734901	-.000276	.0001796	153.4676	.0018198	-.000288
#3	.0750755	-.000197	.0001058	155.9977	.0025705	-.000141
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0011714	.0063146	.0012767	31.26504	.0010219	-.000796
Stddev	.0000677	.0027831	.0003210	.32186	.0004302	.000265
%RSD	5.780635	44.07364	25.13978	1.029472	42.09932	33.33700
#1	.0012399	.0093059	.0013015	31.49346	.0011841	-.001037
#2	.0011045	.0058362	.0009441	30.89693	.0013475	-.000841
#3	.0011699	.0038018	.0015846	31.40473	.0005342	-.000511
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	51.62523	.0000524	.0140587	4.444576	.0312177	.0015061
Stddev	1.18942	.0007104	.0005965	.161355	.0010535	.0003658
%RSD	2.303947	1355.472	4.242871	3.630382	3.374595	24.28486
#1	50.99952	-.000072	.0144373	4.316081	.0321713	.0019283
#2	50.87927	-.000587	.0133711	4.391981	.0300868	.0012839
#3	52.99690	.000817	.0143677	4.625666	.0313950	.0013062

Sample Name: Q3765-11 Acquired: 12/9/2025 19:17:39 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.025356	-.006365	9.236983	.0019126	F 28.32775	-.028769
Stddev	.001368	.000656	.185571	.0002288	.12238	.000944
%RSD	5.396950	10.31213	2.008995	11.96031	.4320050	3.280770

#1	-.026373	-.006136	9.179390	.0018409	28.40419	-.029168
#2	-.023800	-.005853	9.087037	.0017283	28.18660	-.029447
#3	-.025894	-.007105	9.444521	.0021686	28.39246	-.027691

Elem	Sr4077
Units	ppm
Avg	.6665300
Stddev	.0071379
%RSD	1.070896

#1	.6698869
#2	.6583325
#3	.6713705

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2835.376	55151.09	7446.666	2131.151	3811.821
Stddev	2.441	1156.91	88.003	39.843	2.733
%RSD	.0860745	2.097714	1.181779	1.869557	.0716930

#1	2833.349	55444.78	7377.439	2141.500	3810.210
#2	2838.085	56132.85	7545.702	2164.800	3810.277
#3	2834.695	53875.64	7416.857	2087.155	3814.977

Sample Name: CCV08 Acquired: 12/9/2025 19:30:24 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV08 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.789643	4.687111	4.735282	4.835167	4.848998	9.452008
Stddev	.015620	.139780	.006317	.004773	.002519	.295436
%RSD	.3261158	2.982215	.1333962	.0987080	.0519387	3.125647
#1	4.787405	4.562689	4.739637	4.832924	4.851903	9.235386
#2	4.775263	4.660284	4.728037	4.840648	4.847439	9.332088
#3	4.806261	4.838359	4.738172	4.831928	4.847651	9.788548
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.176330	2.253697	2.352911	23.36360	9.560960	2.374027
Stddev	.264555	.0052594	.005436	.65362	.0017251	.006163
%RSD	2.883012	2.333658	.2310407	2.797590	.1804336	.2596070
#1	9.091744	.2223991	2.356866	22.89557	.9565530	2.379941
#2	8.964412	.2222677	2.346712	23.08484	.9541884	2.367642
#3	9.472834	.2314422	2.355156	24.11038	.9575466	2.374498
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.213469	4.914769	2.316031	23.31572	2.363972	1.198552
Stddev	.001517	.053352	.070014	.72292	.008379	.003430
%RSD	.1250533	1.085544	3.023038	3.100565	.3544399	.2861668
#1	1.214232	4.854759	2.263756	22.71631	2.370890	1.202022
#2	1.211722	4.932710	2.288759	23.11230	2.354655	1.198471
#3	1.214455	4.956837	2.395577	24.11856	2.366372	1.195164
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	24.06280	2.358262	2.406840	24.32268	F 4.453229	4.812709
Stddev	.12820	.073608	.008394	.19121	.109733	.008267
%RSD	.5327772	3.121262	.3487664	.7861402	2.464121	.1717649
#1	23.92169	2.302280	2.411998	24.13244	4.384327	4.817562
#2	24.09459	2.330867	2.411369	24.32075	4.395590	4.803164
#3	24.17211	2.441639	2.397154	24.51485	4.579771	4.817401

Sample Name: CCV08 Acquired: 12/9/2025 19:30:24 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV08 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.726286	4.673089	5.149537	4.826769	4.685309	4.537278
Stddev	.013028	.129903	.062955	.032234	.030157	.124774
%RSD	.2756506	2.779810	1.222544	.6678206	.6436535	2.749968

#1	4.728902	4.579669	5.088201	4.829227	4.683611	4.446478
#2	4.712149	4.618165	5.146415	4.793376	4.656037	4.485802
#3	4.737808	4.821432	5.213996	4.857704	4.716280	4.679554

Elem	Sr4077
Units	ppm
Avg	4.672131
Stddev	.159964
%RSD	3.423799

#1	4.590237
#2	4.569696
#3	4.856461

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2888.259	56318.98	7445.882	2138.329	3803.313
Stddev	9.810	119.62	161.154	6.609	13.789
%RSD	.3396659	.2124001	2.164338	.3090738	.3625474

#1	2879.962	56201.15	7541.636	2133.335	3787.525
#2	2885.728	56315.48	7536.185	2135.829	3809.427
#3	2899.087	56440.31	7259.824	2145.824	3812.988

Sample Name: CCB08 Acquired: 12/9/2025 19:34:33 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB08 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0024466	.0056372	.0000532	.0024049	.0026598	-.007541	-.000360
Stddev	.0010672	.0069665	.0003028	.0034619	.0002724	.003633	.001158
%RSD	43.61743	123.5813	568.8458	143.9486	10.24188	48.17319	321.1918
#1	.0035110	-.001817	.0001479	.0021883	.0023670	-.004172	-.001225
#2	.0024522	.011984	.0002974	.0059701	.0029058	-.007061	-.000811
#3	.0013767	.006744	-.000286	-.000944	.0027065	-.011390	.000955
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000555	-.000054	.0012988	.0000545	-.000026	.0001607	-.010103
Stddev	.0000538	.000055	.0066746	.0002192	.000155	.0003335	.006463
%RSD	96.91767	103.4282	513.9263	402.4851	590.4222	207.5645	63.96974
#1	.0000431	-.000117	.0031897	-.000148	-.000129	.0002452	-.004615
#2	.0000090	-.000029	-.006117	.000287	-.000102	.0004438	-.017226
#3	.0001144	-.000015	.006824	.000024	.000152	-.000207	-.008466
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000460	-.015497	.0001880	-.001118	.0382811	.0027794	.0000423
Stddev	.0005256	.018251	.0002368	.000469	.0199005	.0031468	.0000539
%RSD	1142.569	117.7685	125.9435	41.95989	51.98517	113.2171	127.2798
#1	-.000033	-.034284	.0004512	-.001629	.0157795	-.000062	.0000981
#2	-.000436	.002165	.0001208	-.000706	.0454958	.002238	.0000382
#3	.000607	-.014371	-.000008	-.001020	.0535679	.006162	-.000009
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0241525	.0025662	-.000034	-.015955	-.000039	.0072181	.0006026
Stddev	.0682161	.0009028	.000143	.000536	.000272	.0135192	.0001435
%RSD	282.4393	35.18150	417.2169	3.361959	695.7619	187.2962	23.81318
#1	-.051192	.0033364	-.000152	-.016079	-.000315	-.008297	.0004829
#2	.081721	.0027894	-.000076	-.016419	.000229	.013482	.0007616
#3	.041928	.0015727	.000125	-.015368	-.000031	.016469	.0005632

Sample Name: CCB08 Acquired: 12/9/2025 19:34:33 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB08 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.008463	-.000389	.0001315
Stddev	.003475	.001330	.0000640
%RSD	41.05973	342.2287	48.72115

#1	-.010906	-.000373	.0001776
#2	-.004485	.000933	.0001585
#3	-.009997	-.001726	.0000583

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3016.598	58177.66	7485.440	2212.562	4231.807
Stddev	1.690	215.62	100.488	8.128	1.911
%RSD	.0560241	.3706254	1.342443	.3673418	.0451574

#1	3017.997	58215.59	7370.735	2206.503	4233.954
#2	3017.076	57945.59	7557.953	2209.385	4230.294
#3	3014.720	58371.80	7527.632	2221.798	4231.173

Sample Name: Q3765-12 Acquired: 12/9/2025 19:38:54 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.003495	.0035370	.0456708	.0055387	.0162733	.0279048
Stddev	.002808	.0029428	.0017917	.0021136	.0012771	.0068402
%RSD	80.33463	83.19887	3.923137	38.16086	7.847581	24.51273

#1	-.001001	.0001441	.0477262	.0030982	.0171452	.0225399
#2	-.006536	.0053949	.0444388	.0067404	.0168672	.0356074
#3	-.002948	.0050719	.0448475	.0067774	.0148074	.0255671

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1738017	-.000085	.0002096	154.8740	.0019669	-.000084
Stddev	.0021266	.000046	.0000159	2.1011	.0001606	.000180
%RSD	1.223556	54.41898	7.606241	1.356634	8.167032	215.2354

#1	.1715294	-.000132	.0002043	152.4809	.0020730	-.000268
#2	.1741320	-.000041	.0002275	155.7254	.0020456	-.000075
#3	.1757438	-.000081	.0001970	156.4158	.0017821	.000092

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0021940	.2167253	.0256612	37.28376	.0008571	-.001608
Stddev	.0003583	.0077305	.0003735	.61030	.0004598	.000268
%RSD	16.32917	3.566951	1.455455	1.636906	53.64445	16.65176

#1	.0022544	.2256517	.0252299	36.59023	.0012446	-.001299
#2	.0018094	.2122451	.0258743	37.52223	.0003491	-.001752
#3	.0025182	.2122790	.0258793	37.73882	.0009776	-.001774

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	76.35772	.0031845	.0324878	11.89843	.1679075	.0061210
Stddev	.49422	.0013855	.0008148	.08276	.0014800	.0004185
%RSD	.6472491	43.50649	2.508143	.6955861	.8814615	6.836994

#1	75.78709	.0034484	.0322849	11.82166	.1663525	.0065403
#2	76.63607	.0016861	.0333849	11.98611	.1692990	.0061192
#3	76.65000	.0044191	.0317936	11.88751	.1680708	.0057034

Sample Name: Q3765-12 Acquired: 12/9/2025 19:38:54 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.025963	-.005485	F 15.66442	.0025093	F 27.16452	-.026887
Stddev	.002491	.001326	.07993	.0001964	.31472	.000421
%RSD	9.594572	24.16904	.5102929	7.825945	1.158567	1.564279
#1	-.024929	-.006325	15.58047	.0023978	27.48260	-.027320
#2	-.028804	-.003957	15.73962	.0023939	26.85327	-.026861
#3	-.024155	-.006173	15.67316	.0027360	27.15768	-.026480

Elem	Sr4077
Units	ppm
Avg	.8087806
Stddev	.0115523
%RSD	1.428363
#1	.7956409
#2	.8133589
#3	.8173421

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2815.539	55585.63	7635.704	2089.834	3749.383
Stddev	35.449	122.45	58.283	7.685	49.243
%RSD	1.259031	.2202968	.7633017	.3677233	1.313365
#1	2776.701	55465.91	7696.737	2082.601	3694.884
#2	2846.152	55710.64	7629.747	2097.902	3790.677
#3	2823.763	55580.34	7580.628	2088.999	3762.587

Sample Name: Q3765-13 Acquired: 12/9/2025 19:43:10 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000471	.0030352	.2344546	.0121817	.0222962	.0299416	.0355533
Stddev	.002915	.0021514	.0019259	.0035878	.0032399	.0053073	.0015680
%RSD	619.4034	70.88105	.8214169	29.45281	14.53126	17.72541	4.410143

#1	-.002047	.0028224	.2325286	.0114117	.0186030	.0262848	.0338920
#2	.002893	.0009981	.2344548	.0160920	.0236259	.0275112	.0357607
#3	-.002258	.0052851	.2363803	.0090413	.0246597	.0360289	.0370073

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000120	.0011941	26.63138	.0050476	-.000039	.0092977	.4778647
Stddev	.000018	.0000664	.33424	.0004082	.000177	.0002510	.0029096
%RSD	15.07758	5.555981	1.255071	8.087521	451.9704	2.700039	.6088761

#1	-.000102	.0012679	26.25539	.0045877	-.000243	.0090926	.4778651
#2	-.000138	.0011395	26.74397	.0051881	.000051	.0095777	.4807741
#3	-.000119	.0011750	26.89480	.0053670	.000075	.0092228	.4749549

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0158305	2.562088	.0027170	-.000786	.7125931	.0023935	.0271862
Stddev	.0004865	.038957	.0003335	.000112	.0095393	.0015775	.0002323
%RSD	3.073129	1.520516	12.27283	14.30570	1.338678	65.90607	.8544360

#1	.0154883	2.538612	.0025978	-.000694	.7165128	.0007882	.0272503
#2	.0156158	2.540595	.0030937	-.000911	.7017183	.0039415	.0269285
#3	.0163874	2.607057	.0024595	-.000752	.7195481	.0024508	.0273796

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.554026	.0080555	.0016414	-.024191	-.000725	.2995827	.0030756
Stddev	.025332	.0008002	.0003324	.000716	.001661	.0045292	.0002182
%RSD	1.630101	9.933820	20.25423	2.960048	229.0974	1.511847	7.093376

#1	1.568651	.0075788	.0014037	-.024485	-.002514	.2948039	.0028251
#2	1.524775	.0089794	.0014992	-.024714	.000768	.3001320	.0031774
#3	1.568651	.0076084	.0020213	-.023375	-.000429	.3038123	.0032242

Sample Name: Q3765-13 Acquired: 12/9/2025 19:43:10 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.884512	-.005911	.1614813
Stddev	.034034	.001379	.0015587
%RSD	.6967683	23.32322	.9652332
#1	4.852232	-.004334	.1597674
#2	4.881242	-.006513	.1618627
#3	4.920063	-.006886	.1628139

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3016.603	58563.72	7513.290	2218.873	4279.540
Stddev	5.283	201.24	64.052	12.542	9.331
%RSD	.1751451	.3436174	.8525204	.5652325	.2180329
#1	3021.747	58331.88	7582.864	2207.230	4289.470
#2	3011.191	58666.19	7500.236	2232.153	4270.954
#3	3016.871	58693.10	7456.770	2217.236	4278.195

Sample Name: Q3765-14 Acquired: 12/9/2025 19:47:27 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000614	.0074225	.2369653	.0065461	.0215871	.0345786	.0333262
Stddev	.003540	.0020423	.0019140	.0025168	.0016726	.0050681	.0008567
%RSD	576.9797	27.51479	.8076935	38.44721	7.748101	14.65673	2.570769

#1	-.000425	.0065424	.2378339	.0052759	.0234138	.0308035	.0334522
#2	.002828	.0097572	.2347711	.0094448	.0201307	.0403387	.0341130
#3	-.004244	.0059678	.2382909	.0049175	.0212167	.0325935	.0324135

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000121	.0013259	25.79132	.0005927	.0000108	.0097572	.4901127
Stddev	.000048	.0000443	.28715	.0001331	.0002045	.0007410	.0077392
%RSD	40.00752	3.344005	1.113357	22.46198	1885.841	7.594260	1.579076

#1	-.000103	.0013713	25.46724	.0004661	.0000460	.0092207	.4952650
#2	-.000175	.0013237	25.89266	.0007315	-.000209	.0094483	.4938600
#3	-.000084	.0012827	26.01406	.0005805	.000196	.0106027	.4812131

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0146748	2.510714	.0017408	-.001014	.6756775	.0022589	.0265323
Stddev	.0005454	.028300	.0002050	.000706	.0175982	.0007544	.0003501
%RSD	3.716633	1.127170	11.77550	69.57621	2.604522	33.39752	1.319660

#1	.0151864	2.478275	.0018325	-.000210	.6754007	.0016065	.0269246
#2	.0141009	2.530346	.0015060	-.001529	.6582194	.0030850	.0262515
#3	.0147371	2.523523	.0018840	-.001305	.6934125	.0020851	.0264207

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.535400	.0061695	.0019286	-.023675	-.000814	.3026611	.0030272
Stddev	.017704	.0005685	.0002836	.000960	.000166	.0060364	.0002674
%RSD	1.153028	9.214349	14.70480	4.056379	20.40348	1.994430	8.834217

#1	1.525243	.0056200	.0022206	-.023675	-.000696	.2974229	.0030359
#2	1.525114	.0067552	.0019110	-.024636	-.000742	.3012980	.0027555
#3	1.555842	.0061333	.0016542	-.022715	-.001004	.3092625	.0032901

Sample Name: Q3765-14 Acquired: 12/9/2025 19:47:27 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.861444	-.008147	.1566509
Stddev	.033017	.000387	.0009288
%RSD	.6791582	4.748186	.5929316

#1	4.884208	-.008392	.1556704
#2	4.823577	-.008348	.1567645
#3	4.876547	-.007701	.1575176

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3013.265	59254.21	7794.180	2234.012	4244.647
Stddev	3.569	79.43	52.177	9.946	3.721
%RSD	.1184436	.1340523	.6694316	.4452094	.0876523

#1	3016.820	59251.17	7841.221	2226.464	4248.934
#2	3009.682	59335.12	7738.059	2245.282	4242.744
#3	3013.291	59176.35	7803.260	2230.288	4242.263

Sample Name: Q3776-01 Acquired: 12/9/2025 19:51:45 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.004922	.0047441	.0016159	.0047853	.0002530	1.703601
Stddev	.003858	.0036241	.0012104	.0047267	.0027517	.005137
%RSD	78.39035	76.39169	74.90718	98.77603	1087.784	.3015497
#1	-.001594	.0015455	.0002940	.0031548	-.002782	1.697711
#2	-.009151	.0040066	.0018838	.0101114	.000957	1.707159
#3	-.004020	.0086803	.0026699	.0010897	.002585	1.705931
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0126895	.0000881	-.000024	6.204330	.0021510	.0004951
Stddev	.0003961	.0000328	.000110	.008377	.0001763	.0000491
%RSD	3.121727	37.29033	462.0404	.1350209	8.197029	9.911410
#1	.0126672	.0000556	-.000038	6.208608	.0021575	.0005360
#2	.0123050	.0001212	.000092	6.194677	.0019716	.0004407
#3	.0130963	.0000874	-.000126	6.209703	.0023240	.0005086
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0005961	13.80969	.0699763	2.043315	.0018887	-.000657
Stddev	.0003793	.07376	.0008760	.044974	.0005620	.000236
%RSD	63.63379	.5341230	1.251874	2.201045	29.75620	35.86013
#1	.0008953	13.72469	.0695287	2.048157	.0024867	-.000399
#2	.0007235	13.84754	.0694145	1.996116	.0013714	-.000710
#3	.0001695	13.85684	.0709857	2.085673	.0018080	-.000861
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	128.3944	.0018566	.0122615	4.035882	.2518496	.0003515
Stddev	.5396	.0012821	.0001912	.067125	.0018925	.0004332
%RSD	.4202657	69.06012	1.559578	1.663207	.7514354	123.2476
#1	127.8268	.0003774	.0123280	3.961343	.2532590	-.000121
#2	128.9009	.0025416	.0120459	4.091557	.2496986	.000445
#3	128.4553	.0026507	.0124106	4.054746	.2525912	.000730

Sample Name: Q3776-01 Acquired: 12/9/2025 19:51:45 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.021544	.0160097	2.741621	.0141087	F 19.58954	-.003547
Stddev	.001778	.0007826	.014858	.0003838	.13473	.000979
%RSD	8.255171	4.888001	.5419524	2.720433	.6877731	27.60784

#1	-.020914	.0165728	2.732974	.0141780	19.69189	-.004656
#2	-.023552	.0163403	2.758778	.0136950	19.63983	-.002802
#3	-.020166	.0151162	2.733111	.0144532	19.43689	-.003182

Elem	Sr4077
Units	ppm
Avg	.0083058
Stddev	.0001481
%RSD	1.783570

#1	.0084657
#2	.0081731
#3	.0082786

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2967.842	57321.43	7904.593	2190.802	3985.933
Stddev	7.574	251.07	56.630	8.951	5.661
%RSD	.2551920	.4380121	.7164175	.4085611	.1420306

#1	2966.389	57142.26	7839.597	2190.587	3983.066
#2	2976.037	57213.63	7943.303	2181.960	3992.455
#3	2961.100	57608.40	7930.880	2199.858	3982.279

Sample Name: Q3785-04 Acquired: 12/9/2025 19:56:00 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000722	.0038261	.0008633	.0054805	.0041268	.1611857
Stddev	.002815	.0021072	.0008915	.0023124	.0016184	.0087393
%RSD	389.9708	55.07341	103.2708	42.19399	39.21706	5.421900
#1	-.003924	.0055068	.0012097	.0043098	.0048239	.1514831
#2	.000399	.0045094	.0015296	.0081441	.0052797	.1684392
#3	.001360	.0014621	-.000149	.0039875	.0022766	.1636349
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0589502	-.000071	.0000724	50.70297	.0053628	-.000191
Stddev	.0002427	.000045	.0000532	.45325	.0001362	.000168
%RSD	.4117060	63.86951	73.43293	.8939232	2.539493	87.89548
#1	.0587065	-.000021	.0000413	50.52910	.0054420	-.000004
#2	.0591919	-.000083	.0001338	51.21741	.0054409	-.000327
#3	.0589522	-.000109	.0000421	50.36240	.0052056	-.000241
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0157381	.3076565	.0146921	17.76926	.0069909	-.001178
Stddev	.0003851	.0068413	.0002950	.19062	.0004753	.000150
%RSD	2.447172	2.223671	2.007608	1.072745	6.799251	12.76030
#1	.0157800	.3005647	.0145387	17.72613	.0067345	-.001313
#2	.0153337	.3142162	.0150321	17.97775	.0066987	-.001205
#3	.0161005	.3081886	.0145055	17.60390	.0075393	-.001016
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	121.7343	.0006729	.3265035	7.091068	.1729811	.0018451
Stddev	1.1470	.0003062	.0013699	.064203	.0012179	.0006490
%RSD	.9422504	45.50586	.4195554	.9054077	.7040562	35.17372
#1	122.9601	.0010123	.3274729	7.121080	.1737274	.0012452
#2	121.5561	.0005892	.3271013	7.134770	.1736401	.0025340
#3	120.6869	.0004173	.3249363	7.017355	.1715757	.0017561

Sample Name: Q3785-04 Acquired: 12/9/2025 19:56:00 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.024028	-.001771	4.594911	.0801228	F 30.33138	-.007013
Stddev	.000232	.000483	.024643	.0004602	.17539	.001285
%RSD	.9643690	27.30339	.5363137	.5743286	.5782593	18.32093

#1	-.023922	-.002127	4.620449	.0799413	30.20671	-.008244
#2	-.024294	-.001220	4.593012	.0797811	30.25549	-.007114
#3	-.023869	-.001964	4.571273	.0806461	30.53194	-.005680

Elem	Sr4077
Units	ppm
Avg	.3029433
Stddev	.0023096
%RSD	.7623960

#1	.3033354
#2	.3050318
#3	.3004627

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2886.529	56134.50	7305.391	2131.644	3856.649
Stddev	2.391	381.92	46.936	14.457	5.511
%RSD	.0828479	.6803655	.6424849	.6782147	.1429048

#1	2886.154	55755.01	7310.852	2115.801	3863.008
#2	2884.348	56129.69	7255.963	2135.011	3853.260
#3	2889.086	56518.80	7349.358	2144.121	3853.679

Sample Name: PB170842BL Acquired: 12/9/2025 20:00:14 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0001939	.0027086	.0005160	.0061236	.0018879	-.009877	-.001078
Stddev	.0005384	.0036348	.0011329	.0008256	.0024450	.006274	.000297
%RSD	277.7211	134.1961	219.5458	13.48278	129.5071	63.52545	27.55099

#1	.0005494	.0049788	.0015031	.0053581	.0030718	-.016745	-.001408
#2	-.000426	-.001484	.0007659	.0060142	.0035155	-.008439	-.000833
#3	.000458	.004631	-.000721	.0069984	-.000924	-.004446	-.000993

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000017	.0000161	.0111713	.0001218	-.000110	.0001266	-.011549
Stddev	.000059	.0000362	.0039180	.0000203	.000137	.0002481	.007356
%RSD	343.4304	224.8720	35.07213	16.62887	124.2111	195.8881	63.69369

#1	.000007	-.000005	.0066488	.0001210	.000037	.0000510	-.019638
#2	-.000084	.000058	.0133280	.0001425	-.000133	-.000075	-.005261
#3	.000026	-.000004	.0135370	.0001020	-.000234	.000404	-.009747

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000615	-.008496	.0003490	-.000417	.0596687	-.000584	-.000242
Stddev	.000438	.012913	.0004637	.000178	.0167783	.002279	.000044
%RSD	71.13486	151.9897	132.8830	42.59823	28.11906	390.0173	18.22234

#1	-.000844	.006307	.0006643	-.000212	.0459262	.001904	-.000199
#2	-.000111	-.014349	-.000183	-.000515	.0547134	-.001086	-.000238
#3	-.000891	-.017447	.000566	-.000524	.0783666	-.002571	-.000287

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.025920	-.003193	-.000432	-.016824	-.000258	.0013342	.0001408
Stddev	.007261	.000720	.000134	.000656	.001199	.0059774	.0002160
%RSD	28.01178	22.54304	30.95764	3.901408	465.4812	448.0034	153.4578

#1	-.029907	-.002994	-.000442	-.016227	-.000705	-.003673	.0002168
#2	-.017539	-.003991	-.000560	-.017527	-.001168	.007952	.0003086
#3	-.030314	-.002593	-.000293	-.016718	.001101	-.000277	-.000103

Sample Name: PB170842BL Acquired: 12/9/2025 20:00:14 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.004863	-.001316	-.000092
Stddev	.001957	.001656	.000092
%RSD	40.24891	125.7984	99.81889

#1	-.002893	-.002709	-.000036
#2	-.006807	-.001755	-.000198
#3	-.004889	.000515	-.000043

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3049.311	59798.06	7554.255	2295.648	4280.200
Stddev	3.693	163.45	16.759	22.727	2.299
%RSD	.1211064	.2733368	.2218473	.9900024	.0537211

#1	3045.667	59611.78	7537.217	2298.968	4282.114
#2	3053.051	59917.50	7554.829	2316.532	4280.836
#3	3049.214	59864.90	7570.720	2271.443	4277.649

Sample Name: PB170842BS Acquired: 12/9/2025 20:04:33 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7609678	1.846861	.9198008	1.963822	.7830909	1.840348
Stddev	.0145246	.046997	.0169941	.034828	.0150414	.017060
%RSD	1.908702	2.544715	1.847582	1.773464	1.920772	.9270211

#1	.7775312	1.823240	.9385368	2.002701	.8004196	1.847855
#2	.7504051	1.816361	.9053810	1.935478	.7754418	1.852369
#3	.7549670	1.900984	.9154847	1.953288	.7734114	1.820822

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1782867	.1827737	.1861532	.9407416	.3826062	.1873592
Stddev	.0027936	.0026127	.0032868	.0143539	.0018290	.0031898
%RSD	1.566939	1.429453	1.765635	1.525803	.4780461	1.702490

#1	.1809829	.1845211	.1899055	.9568749	.3820319	.1910218
#2	.1784722	.1840297	.1837840	.9359646	.3846535	.1851906
#3	.1754049	.1797702	.1847701	.9293853	.3811332	.1858652

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2980346	2.777316	.1844104	1.868833	.4708344	.0714045
Stddev	.0052523	.027809	.0023757	.009665	.0069133	.0004109
%RSD	1.762323	1.001304	1.288262	.5171821	1.468307	.5754348

#1	.3040882	2.746078	.1850218	1.859701	.4787248	.0711832
#2	.2946881	2.799376	.1864205	1.878955	.4658407	.0718786
#3	.2953275	2.786494	.1817887	1.867843	.4679376	.0711517

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.759841	.2770405	.2008332	9.061754	.2676897	.3934576
Stddev	.038778	.0041655	.0018824	.071901	.0032589	.0064210
%RSD	1.405093	1.503563	.9373159	.7934569	1.217426	1.631951

#1	2.722011	.2797582	.1997057	8.980492	.2699615	.4007769
#2	2.799503	.2791186	.2030064	9.117122	.2691518	.3887730
#3	2.758010	.2722448	.1997877	9.087647	.2639558	.3908229

Sample Name: PB170842BS Acquired: 12/9/2025 20:04:33 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6330243	.1815025	.8309413	F .5818164	F -.002824	.1856710
Stddev	.0115370	.0011757	.0073887	.0094172	.004013	.0030601
%RSD	1.822513	.6477446	.8891919	1.618580	142.1118	1.648130

#1	.6462545	.1819143	.8266078	.5924415	.000061	.1865553
#2	.6250590	.1824168	.8394726	.5745006	-.001126	.1881915
#3	.6277594	.1801763	.8267434	.5785071	-.007406	.1822661

Elem	Sr4077
Units	ppm
Avg	.1813026
Stddev	.0018546
%RSD	1.022909

#1	.1824763
#2	.1822669
#3	.1791645

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3010.433	59595.23	7568.652	2262.138	4150.127
Stddev	40.938	343.18	115.274	19.993	58.406
%RSD	1.359882	.5758595	1.523050	.8838095	1.407324

#1	2963.576	59769.51	7490.230	2269.930	4083.347
#2	3039.271	59199.88	7514.719	2239.422	4191.676
#3	3028.452	59816.31	7701.006	2277.062	4175.358

Sample Name: Q3766-01 Acquired: 12/9/2025 20:08:39 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0013498	.0013825	.0082188	.0054488	.0259080	.0583526
Stddev	.0012385	.0016192	.0011658	.0009065	.0018162	.0024806
%RSD	91.75603	117.1200	14.18446	16.63572	7.010361	4.251120

#1	.0026393	.0017645	.0069169	.0060982	.0278131	.0568704
#2	.0012406	-.000394	.0085734	.0044132	.0257149	.0569710
#3	.0001695	.002777	.0091661	.0058350	.0241960	.0612164

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0944946	-.000180	.0000168	172.2040	.0012439	.0011523
Stddev	.0010139	.000032	.0000768	.9498	.0002203	.0002316
%RSD	1.072984	17.69920	457.8671	.5515297	17.70821	20.10038

#1	.0942244	-.000213	-.000042	171.4882	.0011507	.0009491
#2	.0956162	-.000150	.000104	173.2815	.0014954	.0011032
#3	.0936431	-.000177	-.000012	171.8423	.0010855	.0014045

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0010220	.4622865	.3093827	31.36975	.0026753	-.001423
Stddev	.0003693	.0043180	.0014087	.20672	.0003424	.000327
%RSD	36.13333	.9340444	.4553364	.6589665	12.79686	22.99836

#1	.0006239	.4662286	.3109287	31.19220	.0025105	-.001702
#2	.0013533	.4576716	.3090478	31.59669	.0024465	-.001063
#3	.0010888	.4629592	.3081717	31.32035	.0030689	-.001503

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	39.96979	.0006345	.0080405	5.234328	.0555773	.0026540
Stddev	.35709	.0025593	.0004560	.024681	.0014781	.0000854
%RSD	.8933892	403.3708	5.670661	.4715179	2.659608	3.216625

#1	40.20049	-.002180	.0081149	5.261628	.0557947	.0025778
#2	40.15039	.001262	.0075519	5.227763	.0569347	.0027462
#3	39.55847	.002821	.0084546	5.213594	.0540025	.0026379

Sample Name: Q3766-01 Acquired: 12/9/2025 20:08:39 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.025993	-.006142	F 11.78675	.0075982	F 66.95336	-.026440
Stddev	.000477	.000893	.02650	.0001472	.30211	.001248
%RSD	1.836497	14.53565	.2248089	1.936836	.4512318	4.720457

#1	-.026145	-.005280	11.78806	.0074842	67.13028	-.025116
#2	-.026376	-.006083	11.81258	.0077643	66.60452	-.026611
#3	-.025458	-.007063	11.75963	.0075460	67.12528	-.027594

Elem	Sr4077
Units	ppm
Avg	.6821698
Stddev	.0045101
%RSD	.6611392

#1	.6827788
#2	.6863444
#3	.6773861

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2801.208	55972.98	7227.065	2090.851	3779.992
Stddev	20.657	360.81	16.983	17.510	20.313
%RSD	.7374410	.6446058	.2349927	.8374522	.5373716

#1	2777.370	55562.99	7219.177	2076.841	3757.548
#2	2813.843	56113.85	7215.461	2110.481	3785.312
#3	2812.412	56242.09	7246.558	2085.230	3797.115

Sample Name: Q3766-02 Acquired: 12/9/2025 20:12:55 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0005171	.0069092	.1551337	.0033227	.0149545	.0424736
Stddev	.0027735	.0052608	.0030566	.0037277	.0031001	.0174115
%RSD	536.3802	76.14248	1.970329	112.1884	20.73020	40.99369
#1	-.002568	.0016008	.1543328	.0008483	.0120143	.0225026
#2	.002804	.0121211	.1585110	.0076102	.0146563	.0544664
#3	.001315	.0070057	.1525572	.0015097	.0181929	.0504518
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0717314	-.000084	.0137699	151.7796	.0012109	-.000375
Stddev	.0010020	.000040	.0001177	1.4577	.0004936	.000293
%RSD	1.396895	47.93899	.8547341	.9603889	40.76346	78.12770
#1	.0710784	-.000039	.0138658	150.2330	.0017711	-.000584
#2	.0712308	-.000117	.0138053	151.9777	.0010218	-.000503
#3	.0728851	-.000095	.0136386	153.1280	.0008398	-.000040
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0022683	.0141124	.0029070	30.90411	.0014790	-.001036
Stddev	.0003044	.0032062	.0003904	.38295	.0003579	.000223
%RSD	13.42160	22.71913	13.43105	1.239161	24.20008	21.50705
#1	.0019524	.0115491	.0024726	30.47332	.0016006	-.000806
#2	.0022927	.0130806	.0030200	31.03312	.0010761	-.001250
#3	.0025598	.0177074	.0032286	31.20590	.0017603	-.001052
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	47.35275	.0010997	.0273973	4.214375	.0320215	.0016450
Stddev	.54714	.0022276	.0004696	.048856	.0003245	.0003426
%RSD	1.155445	202.5600	1.713957	1.159267	1.013425	20.82749
#1	47.41620	-.001415	.0279326	4.197719	.0317129	.0016033
#2	47.86540	.001887	.0270549	4.269381	.0323599	.0013251
#3	46.77666	.002827	.0272044	4.176025	.0319915	.0020065

Sample Name: Q3766-02 Acquired: 12/9/2025 20:12:55 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.026939	-.006511	8.916043	.0020566	F 28.38433	-.028073
Stddev	.000503	.000658	.124176	.0004594	.25529	.000948
%RSD	1.868960	10.10511	1.392727	22.33756	.8994044	3.378100

#1	-.026924	-.006430	8.897673	.0024368	28.65606	-.026999
#2	-.026444	-.007206	9.048381	.0021870	28.34742	-.028796
#3	-.027450	-.005897	8.802075	.0015461	28.14950	-.028424

Elem	Sr4077
Units	ppm
Avg	.6387972
Stddev	.0049984
%RSD	.7824678

#1	.6335679
#2	.6392965
#3	.6435271

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2798.169	56001.22	7388.021	2091.545	3769.403
Stddev	25.013	791.73	34.801	13.456	32.882
%RSD	.8938931	1.413767	.4710439	.6433506	.8723526

#1	2769.605	55470.03	7377.010	2084.502	3731.486
#2	2808.751	55622.43	7426.995	2083.072	3786.638
#3	2816.151	56911.18	7360.058	2107.061	3790.086

Sample Name: Q3766-03 Acquired: 12/9/2025 20:17:11 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.004992	.0042445	.0670669	.0029418	.0190506	.0341974
Stddev	.001565	.0025164	.0021068	.0018437	.0028932	.0061684
%RSD	31.35079	59.28623	3.141324	62.67285	15.18703	18.03746
#1	-.005398	.0024266	.0686852	.0009227	.0223238	.0332732
#2	-.003264	.0071165	.0678307	.0045360	.0168346	.0285433
#3	-.006314	.0031904	.0646847	.0033667	.0179936	.0407757
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1797547	-.000076	.0058722	161.6462	.0034719	-.000227
Stddev	.0053260	.000035	.0000316	3.4982	.0001572	.000020
%RSD	2.962956	46.08294	.5390427	2.164108	4.527845	8.785542
#1	.1815624	-.000108	.0059058	162.7789	.0034847	-.000239
#2	.1839416	-.000081	.0058429	164.4378	.0033086	-.000204
#3	.1737601	-.000039	.0058679	157.7221	.0036223	-.000238
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0025744	.1127784	.0274279	38.91625	.0024861	-.000803
Stddev	.0002921	.0120447	.0005565	.72652	.0004942	.000362
%RSD	11.34702	10.67993	2.028779	1.866877	19.87938	45.10176
#1	.0022929	.1019788	.0274294	39.17757	.0022067	-.000386
#2	.0028761	.1257676	.0279836	39.47596	.0030568	-.000981
#3	.0025541	.1105887	.0268707	38.09521	.0021950	-.001041
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	82.14710	.0004093	.0412628	12.63310	.1773497	.0061740
Stddev	2.86630	.0006841	.0014235	.45141	.0036856	.0001376
%RSD	3.489233	167.1470	3.449752	3.573259	2.078168	2.228035
#1	79.11239	.0011977	.0396224	12.13281	.1794382	.0060281
#2	84.80839	-.000026	.0421736	13.00996	.1795168	.0063014
#3	82.52052	.000056	.0419923	12.75654	.1730942	.0061925

Sample Name: Q3766-03 Acquired: 12/9/2025 20:17:11 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.020539	-.006932	F 16.46115	.0020509	F 28.44291	-.026287
Stddev	.000681	.001424	.62773	.0002348	.19127	.002038
%RSD	3.315410	20.53737	3.813392	11.44947	.6724756	7.750958

#1	-.019805	-.005292	15.78375	.0019203	28.66154	-.028044
#2	-.021150	-.007853	17.02322	.0019104	28.30648	-.026764
#3	-.020662	-.007651	16.57648	.0023220	28.36069	-.024054

Elem	Sr4077
Units	ppm
Avg	.8529187
Stddev	.0193512
%RSD	2.268823

#1	.8607658
#2	.8671139
#3	.8308765

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2802.968	54209.01	7536.062	2036.074	3745.409
Stddev	19.042	1645.70	154.469	67.601	16.956
%RSD	.6793344	3.035839	2.049737	3.320167	.4527128

#1	2784.182	56025.12	7437.521	2113.858	3726.673
#2	2822.255	52816.58	7456.576	1991.505	3759.698
#3	2802.467	53785.32	7714.088	2002.861	3749.857

Sample Name: CCV09 Acquired: 12/9/2025 20:37:03 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV09 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.800401	5.062136	4.728773	4.845863	4.881149	9.364644	9.608311
Stddev	.042142	.182439	.024514	.050788	.037873	.121017	.228557
%RSD	.8778781	3.603996	.5184037	1.048062	.7759072	1.292276	2.378743
#1	4.792600	4.885650	4.711853	4.821949	4.866283	9.225219	9.362764
#2	4.762705	5.050762	4.717580	4.811447	4.852964	9.426251	9.814860
#3	4.845898	5.249996	4.756885	4.904193	4.924200	9.442461	9.647308
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2406520	2.350267	23.20613	.9620785	2.382607	1.224936	5.134432
Stddev	.0014513	.019884	.26670	.0027794	.020244	.010211	.042442
%RSD	.6030809	.8460500	1.149255	.2888922	.8496686	.8335986	.8266134
#1	.2390069	2.337225	22.89898	.9644674	2.368615	1.222246	5.095968
#2	.2411976	2.340424	23.34039	.9590281	2.373384	1.216340	5.127363
#3	.2417514	2.373153	23.37901	.9627400	2.405820	1.236223	5.179964
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.315087	22.87852	2.371633	1.219333	25.23641	2.356888	2.461047
Stddev	.027416	.36320	.019786	.005968	.16324	.023079	.009977
%RSD	1.184232	1.587515	.8342797	.4894510	.6468362	.9791955	.4053910
#1	2.283435	22.47613	2.356275	1.217465	25.10194	2.331047	2.466505
#2	2.330382	23.18206	2.364664	1.214523	25.18927	2.364169	2.449532
#3	2.331443	22.97738	2.393961	1.226012	25.41804	2.375448	2.467104
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	25.29375	4.687259	4.883785	4.716010	4.678548	5.305739	4.814235
Stddev	.21163	.030446	.044203	.045638	.048899	.048994	.041332
%RSD	.8366889	.6495414	.9050871	.9677191	1.045181	.9234138	.8585382
#1	25.10301	4.652144	4.863678	4.687537	4.622312	5.256544	4.780056
#2	25.25683	4.703354	4.853211	4.691844	4.702276	5.306145	4.802477
#3	25.52141	4.706279	4.934467	4.768650	4.711056	5.354529	4.860173

Sample Name: CCV09 Acquired: 12/9/2025 20:37:03 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV09 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.700520	4.512734	4.699665
Stddev	.059106	.054067	.086435
%RSD	1.257445	1.198088	1.839169
#1	4.642644	4.450342	4.605347
#2	4.698129	4.542017	4.718559
#3	4.760785	4.545841	4.775091

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2891.437	56441.64	7796.139	2137.855	3829.808
Stddev	22.100	278.13	28.105	14.404	25.025
%RSD	.7643389	.4927821	.3605028	.6737537	.6534220
#1	2893.873	56165.77	7828.074	2123.145	3839.749
#2	2912.218	56721.99	7775.167	2151.932	3848.335
#3	2868.219	56437.15	7785.176	2138.487	3801.340

Sample Name: CCB09 Acquired: 12/9/2025 20:41:15 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB09 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0002294	.0075147	-.000064	.0003908	.0024579	-.004196	-.001411
Stddev	.0018733	.0010383	.001436	.0051356	.0040227	.009175	.000298
%RSD	816.5207	13.81706	2238.585	1313.984	163.6609	218.6776	21.10243
#1	-.000622	.0084937	-.001097	-.004621	.0009757	-.014600	-.001541
#2	.002377	.0064258	-.000671	.005642	.0070114	.002739	-.001070
#3	-.001067	.0076247	.001575	.000151	-.000613	-.000727	-.001622
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000009	.0000374	-.005444	.0002125	.0000548	.0002214	-.014089
Stddev	.000068	.0000796	.003866	.0002055	.0003312	.0001305	.002849
%RSD	794.7171	212.9086	71.00903	96.67011	604.3125	58.92480	20.21913
#1	-.000084	.0001195	-.005978	.0000412	-.000324	.0002495	-.014644
#2	.000012	-.000039	-.009016	.0004403	.000202	.0000792	-.011004
#3	.000046	.000032	-.001339	.0001561	.000287	.0003356	-.016620
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000501	.0129944	.0000762	-.001371	.0320758	.0017296	-.000195
Stddev	.000615	.0008231	.0003496	.000484	.0220059	.0017429	.000345
%RSD	122.6021	6.334485	458.5193	35.31329	68.60597	100.7655	177.1837
#1	.000201	.0134274	.0002656	-.001183	.0068056	.0007944	-.000061
#2	-.000944	.0135107	.0002903	-.001010	.0470178	.0037405	-.000587
#3	-.000761	.0120451	-.000327	-.001922	.0424040	.0006540	.000064
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0419676	.0033798	-.000177	-.016632	.0006517	.0029793	.0003081
Stddev	.0303666	.0006676	.000185	.000878	.0016206	.0101913	.0002806
%RSD	72.35729	19.75284	104.3245	5.279346	248.6706	342.0695	91.07535
#1	.0097219	.0034093	-.000239	-.017633	.0015120	-.001381	.0000354
#2	.0461618	.0026980	.000031	-.016267	-.001218	-.004306	.0005960
#3	.0700191	.0040322	-.000323	-.015994	.001661	.014625	.0002930

Sample Name: CCB09 Acquired: 12/9/2025 20:41:15 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB09 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	F -.010101	-.001727	.0000992
Stddev	.004633	.000520	.0001774
%RSD	45.86925	30.08332	178.8507

#1	-.015121	-.001405	.0003005
#2	-.005988	-.002326	.0000316
#3	-.009195	-.001450	-.000034

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3015.082	59189.82	7863.671	2248.660	4258.991
Stddev	25.898	123.93	166.082	5.262	35.367
%RSD	.8589591	.2093764	2.112012	.2339846	.8304139

#1	2985.314	59220.72	8053.207	2242.651	4218.187
#2	3027.496	59295.38	7794.202	2252.438	4277.930
#3	3032.437	59053.37	7743.603	2250.891	4280.855

Sample Name: Q3766-04 Acquired: 12/9/2025 20:45:35 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0018124	.0010937	.1840146	.0108903	.0241852	.0286494	.0357961
Stddev	.0020113	.0021645	.0014579	.0023565	.0011856	.0068207	.0004905
%RSD	110.9733	197.9123	.7922512	21.63838	4.902017	23.80744	1.370293

#1	.0038692	.0000444	.1831244	.0093391	.0238057	.0215603	.0353440
#2	-.000150	.0035829	.1832223	.0097299	.0255141	.0292223	.0357266
#3	.001718	-.000346	.1856970	.0136020	.0232359	.0351655	.0363176

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000096	.0009711	26.97800	.0015036	-.000141	.0072965	.5049157
Stddev	.000026	.0000583	.47944	.0004301	.000319	.0003808	.0121614
%RSD	27.00208	6.000376	1.777147	28.60184	226.5017	5.219033	2.408605

#1	-.000066	.0010171	26.46472	.0019930	.000029	.0076388	.4920361
#2	-.000110	.0009056	27.05499	.0013322	-.000509	.0073645	.5162018
#3	-.000113	.0009907	27.41428	.0011857	.000058	.0068863	.5065093

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0184762	2.632219	.0036716	-.000984	.7974940	.0017909	.0250955
Stddev	.0003175	.053636	.0005735	.000137	.0061455	.0014016	.0004815
%RSD	1.718631	2.037682	15.62041	13.94217	.7706055	78.26130	1.918848

#1	.0181202	2.578706	.0041148	-.000995	.8040855	.0007357	.0247065
#2	.0187301	2.631975	.0038761	-.000841	.7919220	.0033813	.0249460
#3	.0185784	2.685978	.0030239	-.001114	.7964744	.0012558	.0256341

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.748300	.0108828	.0022568	-.021586	-.000531	.3154336	.0020154
Stddev	.010052	.0002854	.0001153	.000764	.001454	.0056835	.0001799
%RSD	.5749692	2.622034	5.110545	3.539388	273.7193	1.801813	8.928147

#1	1.745411	.0109754	.0023555	-.022084	-.001537	.3150787	.0022035
#2	1.759480	.0105627	.0021300	-.020706	.001136	.3212863	.0018449
#3	1.740008	.0111104	.0022848	-.021968	-.001193	.3099359	.0019977

Sample Name: Q3766-04 Acquired: 12/9/2025 20:45:35 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	5.200711	-.007536	.1634432
Stddev	.033163	.000899	.0024938
%RSD	.6376580	11.93195	1.525779
#1	5.163068	-.007095	.1607908
#2	5.213449	-.008570	.1637985
#3	5.225617	-.006942	.1657403

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2910.039	57033.98	7882.301	2112.318	4113.725
Stddev	5.004	329.72	70.544	10.632	5.572
%RSD	.1719659	.5781086	.8949676	.5033221	.1354608
#1	2915.464	56958.03	7959.458	2116.804	4119.205
#2	2909.048	56748.87	7866.339	2100.178	4113.904
#3	2905.604	57395.05	7821.105	2119.971	4108.064

Sample Name: Q3766-05 Acquired: 12/9/2025 20:49:52 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000317	.0050053	.0619799	.0124560	.0442400	.0421730
Stddev	.002869	.0057753	.0008626	.0035617	.0012720	.0105472
%RSD	904.5800	115.3855	1.391728	28.59476	2.875283	25.00926

#1	-.002865	.0099262	.0624482	.0121697	.0454389	.0452354
#2	-.000877	-.001353	.0609845	.0090460	.0443755	.0508501
#3	.002791	.006443	.0625071	.0161522	.0429057	.0304335

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0662329	-.000092	.0368805	100.2585	.0014920	.0000047
Stddev	.0010211	.000080	.0001966	1.0086	.0003497	.0001866
%RSD	1.541678	87.08599	.5331411	1.006019	23.43714	4007.424

#1	.0654411	-.000047	.0370997	99.1328	.0018958	-.000112
#2	.0673854	-.000185	.0368225	100.5625	.0012953	-.000094
#3	.0658723	-.000044	.0367195	101.0801	.0012850	.000220

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0055296	.0141392	.0780644	19.18370	.0047391	-.001399
Stddev	.0006015	.0099259	.0006043	.17959	.0002053	.000857
%RSD	10.87747	70.20168	.7741308	.9361727	4.332462	61.30643

#1	.0060552	.0183669	.0774084	18.98646	.0046222	-.001197
#2	.0056597	.0027993	.0785985	19.22684	.0049762	-.000660
#3	.0048736	.0212514	.0781863	19.33779	.0046190	-.002339

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	20.50293	-.000821	.0960487	3.705458	.0405694	.0031222
Stddev	.14943	.001373	.0008368	.021188	.0001320	.0000805
%RSD	.7288402	167.2889	.8712449	.5718070	.3252875	2.577447

#1	20.33117	-.002368	.0958119	3.691948	.0405153	.0031523
#2	20.60309	-.000349	.0969784	3.694549	.0407198	.0030311
#3	20.57454	.000254	.0953558	3.729878	.0404731	.0031834

Sample Name: Q3766-05 Acquired: 12/9/2025 20:49:52 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.026406	-.002601	6.893617	.0019000	F 36.89042	-.016564
Stddev	.000797	.000439	.051569	.0001752	.06409	.000415
%RSD	3.017448	16.89070	.7480627	9.218578	.1737188	2.506327

#1	-.027296	-.002144	6.842647	.0020924	36.88947	-.016109
#2	-.025758	-.002638	6.892440	.0017500	36.82681	-.016660
#3	-.026165	-.003020	6.945764	.0018575	36.95497	-.016923

Elem	Sr4077
Units	ppm
Avg	.3416524
Stddev	.0034829
%RSD	1.019435

#1	.3376315
#2	.3435915
#3	.3437342

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2842.606	56366.13	7211.777	2099.368	3910.909
Stddev	16.225	206.48	32.230	12.650	31.608
%RSD	.5707957	.3663248	.4469106	.6025853	.8082115

#1	2824.609	56164.88	7244.982	2085.110	3874.927
#2	2856.114	56577.48	7209.730	2109.245	3934.195
#3	2847.096	56356.02	7180.619	2103.751	3923.606

Sample Name: Q3766-06 Acquired: 12/9/2025 20:54:06 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.002301	.0078079	.0859289	.0500935	.1038103	.0421367
Stddev	.004803	.0052779	.0012039	.0030467	.0037827	.0025408
%RSD	208.7438	67.59701	1.401062	6.081933	3.643863	6.029770

#1	.000398	.0136353	.0862374	.0481315	.1006506	.0404682
#2	.000546	.0033493	.0846008	.0536034	.1027784	.0450608
#3	-.007847	.0064389	.0869486	.0485457	.1080018	.0408812

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0557049	-.000087	.0903896	101.4796	.0099412	.0001027
Stddev	.0018363	.000047	.0013691	2.6913	.0001758	.0001190
%RSD	3.296474	54.16364	1.514714	2.652077	1.768650	115.8646

#1	.0541447	-.000043	.0907437	98.7296	.0101255	.0002051
#2	.0552415	-.000136	.0888783	101.6011	.0099229	.0001307
#3	.0577285	-.000081	.0915470	104.1081	.0097752	-.000028

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0100802	.0540797	.0340038	19.85779	.0125696	-.001276
Stddev	.0002971	.0047697	.0007659	.60268	.0001431	.000378
%RSD	2.947407	8.819799	2.252305	3.034956	1.138282	29.61778

#1	.0101668	.0561919	.0332132	19.24494	.0126411	-.001469
#2	.0097494	.0486186	.0340560	19.87867	.0124048	-.000841
#3	.0103244	.0574286	.0347423	20.44975	.0126628	-.001519

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	11.95733	.0019275	.1331480	4.027823	.0487317	.0041275
Stddev	.07642	.0004470	.0005032	.031027	.0009021	.0001172
%RSD	.6391283	23.19260	.3779046	.7703062	1.851202	2.839825

#1	11.86911	.0015245	.1334753	4.045816	.0476915	.0042309
#2	11.99958	.0024084	.1334001	3.991996	.0492042	.0041515
#3	12.00330	.0018498	.1325686	4.045656	.0492994	.0040002

Sample Name: Q3766-06 Acquired: 12/9/2025 20:54:06 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.025664	-.002694	6.554135	.0013412	F 43.99640	-.014263
Stddev	.000203	.000797	.054227	.0001507	.73351	.000933
%RSD	.7926042	29.59547	.8273651	11.23256	1.667216	6.539732

#1	-.025840	-.001776	6.494093	.0013543	44.55519	-.014057
#2	-.025441	-.003216	6.568770	.0011844	43.16577	-.015282
#3	-.025710	-.003090	6.599542	.0014849	44.26825	-.013451

Elem	Sr4077
Units	ppm
Avg	.1988974
Stddev	.0046887
%RSD	2.357331

#1	.1942540
#2	.1988083
#3	.2036300

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2880.598	55914.56	7583.907	2078.254	3975.603
Stddev	36.125	195.80	120.893	14.130	49.800
%RSD	1.254084	.3501829	1.594077	.6799100	1.252640

#1	2867.438	55716.58	7693.411	2064.793	3957.835
#2	2921.458	56108.12	7604.132	2092.970	4031.850
#3	2852.898	55918.98	7454.176	2076.999	3937.124

Sample Name: Q3766-07 Acquired: 12/9/2025 20:58:20 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.003285	.0078020	.0036629	.0014460	.0124893	.0391939
Stddev	.003219	.0098798	.0018018	.0056251	.0017541	.0033583
%RSD	97.99788	126.6310	49.19081	389.0134	14.04497	8.568421
#1	-.006802	-.000002	.0055975	.0000333	.0108846	.0426183
#2	-.000484	.004498	.0020327	-.003338	.0143619	.0359058
#3	-.002569	.018910	.0033584	.007643	.0122213	.0390577
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0301587	-.000140	.0000638	120.1914	.0032140	-.000367
Stddev	.0003932	.000049	.0000271	2.0282	.0004624	.000241
%RSD	1.303745	34.97201	42.41835	1.687462	14.38807	65.67156
#1	.0299953	-.000092	.0000401	117.9078	.0026801	-.000643
#2	.0298735	-.000190	.0000580	120.8830	.0034716	-.000195
#3	.0306072	-.000137	.0000932	121.7833	.0034902	-.000264
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0008549	.0167345	.0133981	23.52363	.0016655	-.001055
Stddev	.0004216	.0056851	.0002433	.36464	.0000772	.000125
%RSD	49.31269	33.97238	1.815688	1.550109	4.637466	11.80702
#1	.0004454	.0123222	.0131181	23.10262	.0016679	-.000985
#2	.0008317	.0231501	.0135576	23.72924	.0015871	-.000980
#3	.0012876	.0147312	.0135187	23.73904	.0017415	-.001198
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	19.54634	-.000666	.0212504	7.946646	.0658628	.0016090
Stddev	.13284	.002213	.0002941	.057375	.0007271	.0003458
%RSD	.6796229	332.1565	1.383865	.7220084	1.104008	21.49424
#1	19.42864	-.000471	.0209576	7.891275	.0661267	.0017818
#2	19.52000	-.002971	.0215457	7.942826	.0664211	.0018344
#3	19.69038	.001443	.0212479	8.005835	.0650406	.0012108

Sample Name: Q3766-07 Acquired: 12/9/2025 20:58:20 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.024764	-.005602	F 22.46808	.0018284	F 41.73363	-.015471
Stddev	.000768	.000883	.16760	.0001232	.35685	.000620
%RSD	3.100311	15.76145	.7459284	6.737827	.8550639	4.005309

#1	-.025371	-.005150	22.29485	.0018866	41.97735	-.015946
#2	-.023901	-.006620	22.48000	.0016869	41.89950	-.014770
#3	-.025020	-.005037	22.62941	.0019118	41.32403	-.015698

Elem	Sr4077
Units	ppm
Avg	.3098497
Stddev	.0054851
%RSD	1.770244

#1	.3037833
#2	.3113065
#3	.3144594

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2856.948	56769.33	7603.488	2115.506	3909.856
Stddev	3.931	134.54	73.102	7.412	8.163
%RSD	.1376013	.2370017	.9614268	.3503520	.2087892

#1	2852.447	56622.52	7685.924	2106.970	3902.504
#2	2859.710	56798.74	7546.548	2120.309	3918.641
#3	2858.687	56886.75	7577.994	2119.239	3908.423

Sample Name: Q3766-08 Acquired: 12/9/2025 21:02:35 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0133510	.0051488	9.983367	.0006892	.0216614	.1184900
Stddev	.0004400	.0073384	.020820	.0055476	.0017434	.0067235
%RSD	3.295805	142.5272	.2085459	804.9498	8.048335	5.674348

#1	.0129773	.0036394	9.999433	.0051668	.0203564	.1121524
#2	.0138360	.0131246	9.990822	-.005517	.0236413	.1255424
#3	.0132396	-.001318	9.959846	.002418	.0209863	.1177752

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1149250	-.000111	.0694268	23.17869	.0029211	.0021233
Stddev	.0006987	.000088	.0001943	.07579	.0002934	.0000219
%RSD	.6079765	79.14622	.2798738	.3269769	10.04301	1.030413

#1	.1141493	-.000045	.0696380	23.10149	.0026301	.0021140
#2	.1151210	-.000211	.0693866	23.18161	.0029164	.0021483
#3	.1155049	-.000078	.0692557	23.25298	.0032168	.0021076

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0525377	2.824308	.3019765	1.070490	.0520459	-.000898
Stddev	.0000728	.010061	.0021670	.013990	.0003222	.000322
%RSD	.1385474	.3562330	.7175996	1.306909	.6190731	35.90780

#1	.0524632	2.816645	.2995713	1.060223	.0524180	-.000749
#2	.0525413	2.835702	.3025816	1.064822	.0518609	-.000677
#3	.0526087	2.820579	.3037766	1.086425	.0518590	-.001268

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.735193	.0006047	.4709574	4.796423	.0372792	.0004255
Stddev	.007035	.0015386	.0037639	.035281	.0008709	.0006573
%RSD	.2572093	254.4226	.7991904	.7355714	2.336173	154.5007

#1	2.728236	.0003411	.4689715	4.798224	.0365178	.0007297
#2	2.735039	-.000785	.4686023	4.760276	.0370911	-.000329
#3	2.742304	.002258	.4752982	4.830769	.0382288	.000876

Sample Name: Q3766-08 Acquired: 12/9/2025 21:02:35 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.024329	-.000789	2.660753	.0059572	F 22.44078	-.001121
Stddev	.000479	.000605	.023675	.0001783	.06960	.001196
%RSD	1.970853	76.71917	.8897735	2.993698	.3101659	106.6972

#1	-.024749	-.000880	2.634354	.0057624	22.47490	-.001844
#2	-.024431	-.001344	2.680103	.0061125	22.36070	-.001778
#3	-.023807	-.000143	2.667801	.0059966	22.48673	.000260

Elem	Sr4077
Units	ppm
Avg	.1109464
Stddev	.0001841
%RSD	.1659042

#1	.1111059
#2	.1109882
#3	.1107450

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2989.421	58738.07	7847.923	2205.450	4222.867
Stddev	17.358	220.30	23.456	9.694	20.192
%RSD	.5806589	.3750608	.2988797	.4395294	.4781676

#1	2970.315	58780.49	7843.755	2200.856	4202.122
#2	2993.725	58934.07	7873.183	2216.587	4224.023
#3	3004.222	58499.64	7826.830	2198.908	4242.457

Sample Name: Q3766-09 Acquired: 12/9/2025 21:06:48 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001235	.0078990	1.140997	.0222499	.0206659	.0215607	.0327560
Stddev	.001714	.0018341	.000417	.0012464	.0024414	.0017551	.0009152
%RSD	138.7929	23.21982	.0365080	5.601703	11.81363	8.140340	2.793906

#1	-.000504	.0068170	1.140730	.0236797	.0183977	.0201053	.0317933
#2	-.000008	.0100168	1.141477	.0216773	.0203502	.0210670	.0328599
#3	-.003194	.0068633	1.140784	.0213927	.0232497	.0235098	.0336148

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000108	.5368900	12.61878	.0011803	.0014448	.0342580	.3751467
Stddev	.000038	.0017378	.29372	.0000606	.0000863	.0002696	.0104634
%RSD	35.07296	.3236722	2.327658	5.135058	5.976113	.7870323	2.789137

#1	-.000140	.5387606	12.28401	.0011177	.0014078	.0345485	.3640035
#2	-.000066	.5365835	12.83326	.0012387	.0015434	.0342097	.3847623
#3	-.000118	.5353258	12.73908	.0011847	.0013831	.0340157	.3766743

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1011488	2.635795	.0349955	-.001135	2.731161	-.000732	.7821645
Stddev	.0024231	.082252	.0004282	.000286	.058875	.002244	.0118241
%RSD	2.395559	3.120592	1.223549	25.15791	2.155687	306.4423	1.511718

#1	.0983528	2.543915	.0348613	-.001464	2.665968	.001509	.7707158
#2	.1026386	2.702567	.0346504	-.000956	2.747063	-.002978	.7814462
#3	.1024548	2.660905	.0354747	-.000985	2.780452	-.000727	.7943313

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.296765	.0249939	.0010260	-.021165	-.000425	1.567362	.0016382
Stddev	.082540	.0005594	.0002745	.000649	.000282	.038171	.0000859
%RSD	2.503667	2.238118	26.75755	3.064264	66.39064	2.435361	5.241389

#1	3.230363	.0249474	.0013341	-.021541	-.000626	1.532759	.0017127
#2	3.270755	.0255750	.0008072	-.020416	-.000103	1.561019	.0016577
#3	3.389177	.0244591	.0009369	-.021538	-.000546	1.608307	.0015443

Sample Name: Q3766-09 Acquired: 12/9/2025 21:06:48 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	6.818496	.0090776	.0756272
Stddev	.026152	.0011017	.0014174
%RSD	.3835471	12.13589	1.874169
#1	6.844078	.0096348	.0739991
#2	6.819601	.0097894	.0765855
#3	6.791809	.0078087	.0762971

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2981.108	59021.40	8004.509	2209.155	4227.386
Stddev	10.379	942.68	136.406	26.870	15.812
%RSD	.3481639	1.597182	1.704115	1.216282	.3740476
#1	2970.620	59938.78	8159.041	2231.563	4210.037
#2	2981.330	59070.11	7900.851	2216.535	4231.132
#3	2991.375	58055.31	7953.635	2179.367	4240.990

Sample Name: Q3766-09DUP Acquired: 12/9/2025 21:11:02 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000568	.0052248	1.131024	.0232613	.0196789	.0068920	.0328440
Stddev	.0036309	.0020404	.004235	.0050624	.0002985	.0079948	.0005701
%RSD	6394.792	39.05197	.3744431	21.76335	1.516906	116.0018	1.735822
#1	.0037797	.0029275	1.129254	.0266428	.0196805	.0042449	.0323588
#2	-.000135	.0059204	1.127961	.0174411	.0199766	.0005564	.0327012
#3	-.003474	.0068263	1.135857	.0256999	.0193796	.0158746	.0334719
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000084	.5312431	12.59699	.0013647	.0016058	.0339468	.3712901
Stddev	.000048	.0017575	.22203	.0001432	.0002255	.0003885	.0080323
%RSD	56.68634	.3308274	1.762602	10.49553	14.04135	1.144597	2.163346
#1	-.000029	.5302885	12.34570	.0012121	.0015665	.0335069	.3644801
#2	-.000115	.5301696	12.67857	.0014961	.0014026	.0340902	.3801481
#3	-.000109	.5332714	12.76668	.0013861	.0018484	.0342433	.3692420
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1009380	2.674036	.0346483	-.001210	2.674569	.0020599	.7738993
Stddev	.0012194	.082371	.0003408	.000387	.037923	.0012167	.0014222
%RSD	1.208041	3.080408	.9835223	31.98882	1.417929	59.06791	.1837732
#1	.0995687	2.582997	.0348178	-.001258	2.643503	.0034373	.7722594
#2	.1013386	2.695702	.0342561	-.000801	2.716830	.0011313	.7747942
#3	.1019066	2.743408	.0348712	-.001571	2.663374	.0016110	.7746444
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.214997	.0257197	.0007510	-.021634	-.000596	1.532392	.0015900
Stddev	.075056	.0008334	.0000333	.000533	.000348	.029415	.0002332
%RSD	2.334571	3.240194	4.432372	2.461847	58.49328	1.919515	14.66496
#1	3.192627	.0249095	.0007138	-.021967	-.000275	1.511416	.0018018
#2	3.298695	.0256751	.0007779	-.021914	-.000545	1.566015	.0016282
#3	3.153669	.0265744	.0007615	-.021019	-.000967	1.519745	.0013402

Sample Name: Q3766-09DUP Acquired: 12/9/2025 21:11:02 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	6.722953	.0091000	.0753461
Stddev	.084449	.0008705	.0009443
%RSD	1.256127	9.565407	1.253233
#1	6.651214	.0084421	.0742672
#2	6.701622	.0087709	.0757492
#3	6.816021	.0100870	.0760219

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3001.875	58945.53	7776.209	2209.794	4277.438
Stddev	7.109	51.89	101.392	7.798	7.184
%RSD	.2368353	.0880282	1.303872	.3528689	.1679435
#1	3000.157	59003.94	7862.383	2215.061	4276.476
#2	3009.685	58904.76	7801.759	2200.836	4285.054
#3	2995.781	58927.90	7664.487	2213.485	4270.783

Sample Name: Q3766-09LX5 Acquired: 12/9/2025 21:15:16 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0007047	.0086597	.2344953	.0090820	.0036287	.0028331	.0051549
Stddev	.0007615	.0024487	.0019994	.0006148	.0007658	.0078834	.0002291
%RSD	108.0634	28.27665	.8526451	6.769367	21.10465	278.2599	4.444659
#1	-.000171	.0100493	.2355746	.0083903	.0027486	.0119355	.0048911
#2	.001215	.0058324	.2357232	.0095660	.0041437	-.001799	.0052690
#3	.001070	.0100974	.2321882	.0092897	.0039936	-.001637	.0053045
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000090	.1118418	2.584309	.0002227	.0001658	.0072066	.0677553
Stddev	.000066	.0002252	.026012	.0004394	.0001533	.0005590	.0028990
%RSD	73.68065	.2013074	1.006545	197.3033	92.48118	7.756078	4.278672
#1	-.000161	.1118197	2.561721	-.000194	.0000580	.0067759	.0644854
#2	-.000029	.1120772	2.578457	.000681	.0003413	.0070057	.0700110
#3	-.000080	.1116285	2.612748	.000181	.0000980	.0078382	.0687694
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0194747	.5310416	.0072469	-.001239	.5068358	.0002919	.1594997
Stddev	.0006590	.0394812	.0001028	.000213	.0175786	.0019746	.0002311
%RSD	3.384097	7.434679	1.418808	17.16203	3.468300	676.4837	.1448865
#1	.0195259	.5581740	.0072335	-.001275	.4896545	.0007100	.1592489
#2	.0201067	.4857478	.0073558	-.001431	.5060663	-.001858	.1595463
#3	.0187916	.5492030	.0071515	-.001011	.5247864	.002024	.1597040
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5801981	.0029633	.0002412	-.018171	.0000267	.2939504	.0006283
Stddev	.0045651	.0002541	.0000539	.000300	.0010980	.0059272	.0000520
%RSD	.7868253	8.573463	22.36202	1.649795	4107.902	2.016391	8.283136
#1	.5842178	.0026773	.0001815	-.018194	-.001087	.2879368	.0006622
#2	.5752349	.0030500	.0002556	-.018459	.000060	.2997872	.0006544
#3	.5811415	.0031627	.0002865	-.017861	.001108	.2941271	.0005684

Sample Name: Q3766-09LX5 Acquired: 12/9/2025 21:15:16 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.435056	.0009549	.0152721
Stddev	.005387	.0010954	.0000645
%RSD	.3753562	114.7045	.4226352

#1	1.430684	-.000029	.0152046
#2	1.441073	.000758	.0152786
#3	1.433412	.002135	.0153332

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3037.503	58855.45	7504.331	2232.945	4269.763
Stddev	10.128	153.21	66.001	7.357	7.201
%RSD	.3334481	.2603223	.8795031	.3294818	.1686465

#1	3026.148	58686.31	7578.858	2224.456	4262.482
#2	3045.607	58895.10	7480.868	2236.912	4269.927
#3	3040.752	58984.95	7453.268	2237.468	4276.881

Sample Name: Q3766-10 Acquired: 12/9/2025 21:19:31 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7319682	1.712393	1.916305	1.815475	.7709787	1.768753	.2054452
Stddev	.0085734	.074780	.014708	.025546	.0078673	.022699	.0027470
%RSD	1.171284	4.366999	.7675027	1.407116	1.020427	1.283359	1.337077
#1	.7410723	1.786272	1.933242	1.844915	.7795344	1.744371	.2023709
#2	.7307836	1.714163	1.908927	1.802354	.7640562	1.789276	.2063063
#3	.7240487	1.636743	1.906748	1.799156	.7693455	1.772611	.2076585
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1570044	.6793041	12.90245	.3718809	.1764028	.3093175	3.192821
Stddev	.0005687	.0059126	.12116	.0043945	.0017703	.0042831	.037113
%RSD	.3622201	.8703948	.9390753	1.181699	1.003566	1.384676	1.162384
#1	.1565041	.6861043	12.76262	.3722913	.1784338	.3142544	3.173572
#2	.1576229	.6753777	12.97657	.3760558	.1751864	.3065954	3.235604
#3	.1568863	.6764302	12.96814	.3672956	.1755882	.3071026	3.169288
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2700044	4.261873	.4660802	.0332902	5.257768	.2658811	.9170769
Stddev	.0028524	.053975	.0037052	.0007701	.065298	.0026980	.0100376
%RSD	1.056432	1.266457	.7949791	2.313330	1.241925	1.014731	1.094521
#1	.2669436	4.215436	.4703394	.0337447	5.192668	.2630401	.9152800
#2	.2704813	4.321091	.4643018	.0337249	5.323262	.2684087	.9278916
#3	.2725883	4.249090	.4635995	.0324011	5.257374	.2661945	.9080592
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	12.23033	.2508168	.4023340	.5986565	.1748119	2.290411	.5247370
Stddev	.14730	.0024634	.0037670	.0060270	.0015257	.042791	.0041340
%RSD	1.204350	.9821373	.9362837	1.006758	.8727759	1.868248	.7878292
#1	12.10704	.2479881	.4066802	.6056141	.1734485	2.260882	.5293756
#2	12.39345	.2524896	.4000092	.5950398	.1745273	2.339483	.5233940
#3	12.19050	.2519727	.4003125	.5953157	.1764599	2.270866	.5214415

Sample Name: Q3766-10 Acquired: 12/9/2025 21:19:31 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	6.594555	.1832750	.2454199
Stddev	.097714	.0031227	.0022961
%RSD	1.481739	1.703840	.9355705
#1	6.707379	.1798099	.2428777
#2	6.537104	.1858714	.2473428
#3	6.539182	.1841437	.2460392

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2976.769	59616.10	7994.069	2207.742	4176.872
Stddev	28.289	717.81	11.291	27.367	34.015
%RSD	.9503243	1.204047	.1412387	1.239599	.8143611
#1	2944.127	59496.00	8001.196	2201.298	4137.600
#2	2992.024	58965.92	7981.052	2184.171	4197.055
#3	2994.156	60386.38	7999.961	2237.755	4195.961

Sample Name: Q3766-11 Acquired: 12/9/2025 21:23:35 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7678292	1.698868	1.984165	1.908703	.8063985	1.919397	.2174306
Stddev	.0044925	.031549	.005586	.002219	.0023539	.034397	.0041891
%RSD	.5850878	1.857064	.2815440	.1162363	.2918989	1.792067	1.926620

#1	.7680161	1.734451	1.979021	1.909469	.8045020	1.882275	.2126158
#2	.7632463	1.687836	1.990108	1.910437	.8056606	1.925726	.2194362
#3	.7722254	1.674316	1.983366	1.906203	.8090329	1.950190	.2202398

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1710738	.7008628	13.55678	.3881022	.1853583	.3225593	3.317858
Stddev	.0018193	.0020811	.23410	.0022634	.0005977	.0007067	.034502
%RSD	1.063461	.2969345	1.726780	.5831961	.3224710	.2190919	1.039894

#1	.1690447	.6993297	13.29999	.3895723	.1849850	.3217914	3.321224
#2	.1716171	.7032319	13.61208	.3854957	.1860478	.3227042	3.281797
#3	.1725595	.7000267	13.75828	.3892385	.1850422	.3231824	3.350555

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2863160	4.500895	.4874908	.0422874	5.440206	.2868057	.9494234
Stddev	.0038361	.076242	.0018102	.0007055	.019491	.0063791	.0121532
%RSD	1.339814	1.693930	.3713283	1.668426	.3582783	2.224181	1.280059

#1	.2818962	4.412859	.4858368	.0418084	5.454776	.2820533	.9567400
#2	.2882718	4.545146	.4894246	.0419563	5.418065	.2843080	.9353945
#3	.2887801	4.544680	.4872110	.0430976	5.447776	.2940557	.9561358

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	12.74354	.2710949	.4225590	.6291243	.1856854	2.378686	.5497659
Stddev	.05400	.0028972	.0004716	.0013924	.0037256	.013227	.0015099
%RSD	.4237541	1.068718	.1116058	.2213298	2.006403	.5560540	.2746521

#1	12.72727	.2678033	.4230468	.6301040	.1817953	2.379450	.5499646
#2	12.69953	.2722226	.4221055	.6275304	.1860397	2.365095	.5511668
#3	12.80380	.2732586	.4225248	.6297385	.1892212	2.391515	.5481665

Sample Name: Q3766-11 Acquired: 12/9/2025 21:23:35 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	6.735502	.1990391	.2599610
Stddev	.011467	.0029366	.0034566
%RSD	.1702425	1.475392	1.329672
#1	6.735289	.1957005	.2559885
#2	6.747074	.2001946	.2622831
#3	6.724143	.2012222	.2616113

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2945.312	57966.32	7619.384	2164.857	4132.777
Stddev	6.545	400.34	86.931	20.018	13.108
%RSD	.2222204	.6906362	1.140923	.9246828	.3171733
#1	2938.984	57672.35	7718.719	2149.161	4130.666
#2	2944.898	58422.26	7582.226	2187.400	4120.852
#3	2952.055	57804.35	7557.208	2158.011	4146.812

Sample Name: CCV10 Acquired: 12/9/2025 21:27:39 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV10 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.887375	5.231147	4.756905	4.990348	4.964468	9.385696
Stddev	.018040	.165664	.032297	.021095	.013001	.059998
%RSD	.3691147	3.166885	.6789523	.4227068	.2618781	.6392543
#1	4.872952	5.370041	4.721502	4.981012	4.949584	9.371145
#2	4.881569	5.047787	4.784759	4.975534	4.970220	9.334312
#3	4.907603	5.275612	4.764454	5.014500	4.973601	9.451632
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.456749	.2392428	2.359107	23.06859	.9477082	2.381960
Stddev	.114523	.0005341	.014050	.07235	.0035577	.015956
%RSD	1.211020	.2232334	.5955722	.3136311	.3753969	.6698850
#1	9.324780	.2393573	2.344289	23.02459	.9436342	2.365539
#2	9.515411	.2386608	2.372237	23.02910	.9492882	2.397407
#3	9.530056	.2397103	2.360796	23.15210	.9502022	2.382933
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.229176	4.952136	2.280629	22.85276	2.371827	1.192330
Stddev	.007012	.035718	.013012	.08509	.015300	.005916
%RSD	.5704781	.7212660	.5705468	.3723434	.6450902	.4961908
#1	1.221114	4.912402	2.275067	22.82012	2.355455	1.186134
#2	1.233853	4.962429	2.271324	22.78882	2.385764	1.192935
#3	1.232562	4.981578	2.295498	22.94934	2.374261	1.197920
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	24.40321	2.333827	2.430549	24.58038	4.653480	4.887002
Stddev	.15534	.016949	.012811	.17311	.009638	.010149
%RSD	.6365486	.7262531	.5270934	.7042748	.2071138	.2076767
#1	24.23838	2.325888	2.415923	24.41716	4.656493	4.875333
#2	24.42436	2.322304	2.439784	24.56204	4.642695	4.893782
#3	24.54688	2.353289	2.435940	24.76193	4.661251	4.891890

Sample Name: CCV10 Acquired: 12/9/2025 21:27:39 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV10 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.750540	4.635953	5.162267	4.825642	4.778298	F 4.483749
Stddev	.010566	.016379	.062990	.022463	.029196	.016551
%RSD	.2224112	.3533073	1.220196	.4654922	.6110111	.3691327
#1	4.743758	4.626578	5.098869	4.800334	4.770531	4.475871
#2	4.762714	4.626416	5.163090	4.833371	4.753771	4.472608
#3	4.745148	4.654866	5.224841	4.843219	4.810592	4.502767
Elem	Sr4077					
Units	ppm					
Avg	4.632290					
Stddev	.057209					
%RSD	1.235002					
#1	4.595365					
#2	4.603317					
#3	4.698190					
Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306	
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	
Avg	2912.326	58018.55	7889.080	2164.825	3853.059	
Stddev	11.565	46.81	21.362	8.258	20.762	
%RSD	.3971157	.0806804	.2707813	.3814712	.5388361	
#1	2920.654	58065.67	7864.918	2171.271	3865.710	
#2	2899.121	57972.05	7905.458	2155.517	3829.098	
#3	2917.204	58017.93	7896.865	2167.688	3864.369	

Sample Name: CCB10 Acquired: 12/9/2025 21:31:51 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB10 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0009502	.0088062	-.000314	.0038239	.0014919	-.001491	-.002021
Stddev	.0009233	.0004231	.001518	.0012274	.0027107	.005685	.000749
%RSD	97.16535	4.804879	482.7386	32.09775	181.6908	381.2446	37.03937
#1	.0015978	.0087996	.001119	.0037459	-.001456	-.007360	-.002879
#2	-.000107	.0092325	-.001904	.0050883	.002056	.003991	-.001495
#3	.001360	.0083864	-.000158	.0026373	.003876	-.001105	-.001691
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000013	.0000194	.0051797	-.000012	-.000231	.0002469	-.005205
Stddev	.0000645	.0000564	.0077749	.000169	.000009	.0003643	.004101
%RSD	4918.388	290.0135	150.1038	1417.675	3.890475	147.5520	78.79107
#1	.0000339	.0000354	.0139448	-.000197	-.000240	.0005619	-.001999
#2	.0000430	-.000043	.0024791	.000134	-.000222	-.000152	-.003790
#3	-.000073	.000066	-.000885	.000027	-.000232	.000331	-.009827
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001007	-.016739	.0000663	-.001012	.0211938	.0023312	-.000394
Stddev	.000330	.026195	.0003257	.000622	.0204815	.0011952	.000169
%RSD	32.77673	156.4854	491.5026	61.39309	96.63917	51.27115	42.98659
#1	-.000689	-.004999	.0004350	-.000982	.0023087	.0031485	-.000589
#2	-.000983	-.046750	-.000054	-.001649	.0183072	.0009594	-.000313
#3	-.001348	.001531	-.000182	-.000407	.0429654	.0028857	-.000281
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0201503	.0020423	.0001912	-.016297	.0003918	.0063615	.0002252
Stddev	.0219577	.0002737	.0001677	.000630	.0007900	.0114218	.0001414
%RSD	108.9694	13.39966	87.66780	3.865658	201.6622	179.5457	62.79396
#1	-.000186	.0019802	.0002925	-.016639	-.000390	.0097154	.0003871
#2	.017205	.0023416	.0002836	-.016682	.000375	-.006362	.0001258
#3	.043432	.0018050	-.000002	-.015570	.001190	.015731	.0001628

Sample Name: CCB10 Acquired: 12/9/2025 21:31:51 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB10 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.009175	.0015558	.0001556
Stddev	.002646	.0014386	.0000223
%RSD	28.84215	92.46519	14.32788
#1	-.010828	.0023091	.0001548
#2	-.006123	.0024613	.0001337
#3	-.010574	-.000103	.0001783

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3017.372	59045.52	7657.028	2244.676	4250.951
Stddev	1.463	702.64	79.223	25.346	9.480
%RSD	.0484935	1.189998	1.034648	1.129160	.2230025
#1	3017.863	59122.97	7702.670	2250.988	4244.070
#2	3018.526	59706.23	7702.865	2266.270	4261.764
#3	3015.726	58307.36	7565.549	2216.771	4247.020

Sample Name: Q3766-09A Acquired: 12/9/2025 21:36:11 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7244572	1.676556	1.978080	1.806455	.7763696	1.826079	.2096506
Stddev	.0054018	.026056	.003690	.003936	.0005054	.034381	.0032248
%RSD	.7456326	1.554139	.1865284	.2179053	.0651005	1.882786	1.538181

#1	.7194045	1.646919	1.977058	1.803240	.7762638	1.787808	.2061394
#2	.7238163	1.686888	1.975009	1.805280	.7759254	1.836072	.2124798
#3	.7301509	1.695863	1.982173	1.810845	.7769195	1.854356	.2103328

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1676896	.7040400	13.56381	.3707788	.1776446	.3115295	3.088205
Stddev	.0011206	.0009715	.22518	.0013336	.0001383	.0009687	.040120
%RSD	.6682594	.1379925	1.660124	.3596726	.0778235	.3109422	1.299150

#1	.1665019	.7035435	13.30619	.3712555	.1775515	.3114915	3.041882
#2	.1678386	.7034170	13.66215	.3718086	.1775789	.3105804	3.110845
#3	.1687282	.7051594	13.72308	.3692724	.1778035	.3125166	3.111889

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2784124	4.429683	.4719460	.0613781	5.385747	.2729316	.9610843
Stddev	.0044351	.037376	.0002835	.0009442	.059543	.0022115	.0027836
%RSD	1.592992	.8437698	.0600675	1.538368	1.105570	.8102768	.2896267

#1	.2733917	4.386583	.4721484	.0613520	5.319517	.2703781	.9615727
#2	.2817971	4.449291	.4716220	.0604471	5.434849	.2742348	.9635913
#3	.2800484	4.453175	.4720676	.0623350	5.402874	.2741817	.9580889

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	12.26519	.2732571	.4037793	.6024499	.1801954	2.366073	.5270650
Stddev	.17727	.0016620	.0013838	.0013512	.0035565	.037481	.0010848
%RSD	1.445316	.6082142	.3427048	.2242881	1.973678	1.584089	.2058210

#1	12.06543	.2714377	.4029957	.6009887	.1760888	2.322837	.5265310
#2	12.32638	.2736381	.4029653	.6036543	.1822698	2.386026	.5283133
#3	12.40377	.2746955	.4053771	.6027066	.1822276	2.389357	.5263508

Sample Name: Q3766-09A Acquired: 12/9/2025 21:36:11 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	6.848906	.1943006	.2532711
Stddev	.021596	.0030833	.0045975
%RSD	.3153266	1.586863	1.815228
#1	6.826933	.1908464	.2479794
#2	6.849679	.1967747	.2555490
#3	6.870105	.1952807	.2562848

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2914.552	57289.56	7384.089	2153.581	4089.066
Stddev	2.856	221.86	49.135	12.941	5.479
%RSD	.0979772	.3872524	.6654166	.6009068	.1339832
#1	2911.256	57306.74	7440.650	2148.473	4083.969
#2	2916.114	57059.61	7351.949	2143.973	4088.369
#3	2916.285	57502.32	7359.668	2168.296	4094.860

Sample Name: Q3766-12 Acquired: 12/9/2025 21:40:15 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0030851	.0027135	.0346704	.0087370	.0309117	.0125883
Stddev	.0008019	.0008510	.0002447	.0054504	.0023960	.0045559
%RSD	25.99374	31.36321	.7057934	62.38335	7.751101	36.19199
#1	.0021615	.0036406	.0347986	.0028264	.0323353	.0168199
#2	.0034892	.0019679	.0343883	.0098198	.0281454	.0077657
#3	.0036045	.0025319	.0348244	.0135646	.0322543	.0131792
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0320657	-.000174	.0653173	29.16854	.0190580	.0050257
Stddev	.0008823	.000052	.0003124	.20133	.0002755	.0001659
%RSD	2.751491	30.01060	.4783058	.6902194	1.445551	3.301463
#1	.0319230	-.000233	.0651667	28.94032	.0188398	.0050904
#2	.0330107	-.000135	.0651087	29.32098	.0189666	.0048371
#3	.0312635	-.000154	.0656765	29.24432	.0193676	.0051494
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0034807	.0796726	1.761197	4.325370	.0129872	-.000478
Stddev	.0006597	.0077290	.014253	.055341	.0000905	.000080
%RSD	18.95204	9.700929	.8092727	1.279443	.6969201	16.78373
#1	.0041759	.0755484	1.745711	4.266112	.0129124	-.000494
#2	.0034029	.0748805	1.773765	4.334288	.0129615	-.000391
#3	.0028635	.0885890	1.764117	4.375710	.0130878	-.000549
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	5.619057	.0016176	.3287263	4.575830	.0302239	.0007999
Stddev	.068627	.0021327	.0041162	.014868	.0003191	.0005880
%RSD	1.221327	131.8440	1.252163	.3249279	1.055706	73.50767
#1	5.590388	-.000389	.3317513	4.559885	.0304387	.0002428
#2	5.569412	.003857	.3240389	4.578292	.0303758	.0014146
#3	5.697369	.001384	.3303888	4.589314	.0298573	.0007425

Sample Name: Q3766-12 Acquired: 12/9/2025 21:40:15 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.024461	-.001247	2.404591	.0020966	F 11.74170	-.002145
Stddev	.000458	.000732	.010390	.0001196	.12111	.001030
%RSD	1.871994	58.68336	.4320854	5.701879	1.031487	47.99803

#1	-.023951	-.000491	2.401658	.0019647	11.79665	-.001250
#2	-.024595	-.001298	2.395984	.0021977	11.60286	-.001915
#3	-.024838	-.001952	2.416133	.0021274	11.82561	-.003271

Elem	Sr4077
Units	ppm
Avg	.0937906
Stddev	.0007159
%RSD	.7633283

#1	.0930150
#2	.0944262
#3	.0939307

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2979.205	61349.92	7583.319	2223.481	4226.883
Stddev	3.835	523.05	34.313	12.961	6.014
%RSD	.1287200	.8525630	.4524852	.5829018	.1422835

#1	2979.064	61328.86	7604.773	2221.081	4232.654
#2	2983.108	61883.18	7543.744	2237.475	4227.344
#3	2975.442	60837.72	7601.440	2211.889	4220.653

Sample Name: Q3766-13 Acquired: 12/9/2025 21:44:28 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0008797	.0035111	.1503867	.0076882	.0331934	.0394361	.0350611
Stddev	.0003455	.0004802	.0005750	.0052746	.0016576	.0091179	.0008009
%RSD	39.27520	13.67581	.3823424	68.60668	4.993704	23.12071	2.284287

#1	.0004825	.0033269	.1510306	.0114435	.0315003	.0304261	.0343460
#2	.0011107	.0040561	.1502048	.0016579	.0332669	.0392239	.0349109
#3	.0010458	.0031503	.1499246	.0099631	.0348130	.0486583	.0359265

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000032	.0129457	25.90550	.0029003	.0007438	.0079421	.2416854
Stddev	.000036	.0000984	.37048	.0000982	.0002260	.0003596	.0081368
%RSD	111.9742	.7597939	1.430115	3.385833	30.38854	4.528286	3.366673

#1	-.000060	.0130370	25.63775	.0027957	.0006575	.0075290	.2450871
#2	.000008	.0129586	25.75045	.0029147	.0005736	.0081852	.2323998
#3	-.000044	.0128415	26.32832	.0029905	.0010003	.0081122	.2475693

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0215273	11.40276	.0084860	-.000649	1.890252	.0018172	.0256369
Stddev	.0005894	.24598	.0001317	.000078	.030882	.0034187	.0002367
%RSD	2.737793	2.157180	1.551790	12.00315	1.633743	188.1269	.9231335

#1	.0210121	11.20897	.0084537	-.000570	1.856834	-.002119	.0253716
#2	.0213998	11.31983	.0086309	-.000653	1.896184	.003522	.0257129
#3	.0221700	11.67949	.0083735	-.000725	1.917737	.004048	.0258263

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.704049	.0218728	.0022672	-.025080	-.000837	.1242837	.0015574
Stddev	.058063	.0005372	.0001612	.000852	.000991	.0043944	.0000982
%RSD	1.234328	2.456208	7.112459	3.396926	118.4197	3.535765	6.307387

#1	4.639122	.0213073	.0020918	-.025935	-.000138	.1196024	.0016328
#2	4.722032	.0223765	.0024090	-.025074	-.001970	.1249286	.0015931
#3	4.750993	.0219345	.0023008	-.024232	-.000401	.1283199	.0014463

Sample Name: Q3766-13 Acquired: 12/9/2025 21:44:28 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	8.092244	-.005275	.0956049
Stddev	.005904	.000991	.0010885
%RSD	.0729537	18.78090	1.138555

#1	8.091956	-.004722	.0946807
#2	8.098287	-.004683	.0953292
#3	8.086490	-.006418	.0968047

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2942.737	58690.35	7691.741	2194.196	4135.236
Stddev	2.419	339.45	92.989	13.628	11.743
%RSD	.0821917	.5783772	1.208940	.6210883	.2839653

#1	2945.433	58948.22	7739.493	2206.365	4147.380
#2	2940.758	58817.07	7751.151	2196.752	4123.941
#3	2942.019	58305.77	7584.578	2179.471	4134.387

Sample Name: Q3766-14 Acquired: 12/9/2025 21:48:45 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0026573	.0015908	.1909843	.0108884	.0274771	.0273223	.0366491
Stddev	.0026893	.0054089	.0009873	.0025887	.0011477	.0036038	.0003384
%RSD	101.2042	340.0030	.5169283	23.77460	4.176930	13.19009	.9233773
#1	.0023633	.0004790	.1907013	.0112574	.0287940	.0245255	.0369598
#2	.0001271	.0074692	.1901695	.0081351	.0266900	.0313893	.0366990
#3	.0054814	-.003176	.1920822	.0132729	.0269473	.0260522	.0362885
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000134	.0011329	26.97373	.0005476	.0002121	.0076348	.7330072
Stddev	.000077	.0000755	.18409	.0004635	.0002178	.0008107	.0018991
%RSD	57.33693	6.663671	.6824668	84.63383	102.6864	10.61844	.2590772
#1	-.000219	.0011850	27.11700	.0010690	.0004518	.0068824	.7310416
#2	-.000068	.0011674	27.03810	.0001824	.0001582	.0075287	.7331481
#3	-.000116	.0010463	26.76611	.0003914	.0000263	.0084933	.7348318
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0226839	2.639713	.0052057	-.001432	.7708664	.0015867	.0327891
Stddev	.0002217	.003723	.0004682	.000345	.0018468	.0017584	.0003285
%RSD	.9772497	.1410463	8.994561	24.07094	.2395816	110.8204	1.001733
#1	.0229359	2.638978	.0046704	-.001298	.7727638	.0026069	.0328684
#2	.0225969	2.636412	.0054074	-.001175	.7707608	.0025968	.0324282
#3	.0225189	2.643749	.0055393	-.001824	.7690746	-.000444	.0330706
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.627089	.0076358	.0020615	-.023184	-.000774	.3228322	.0019623
Stddev	.023995	.0008202	.0002069	.001159	.000834	.0037095	.0003314
%RSD	1.474694	10.74130	10.03412	5.000060	107.6565	1.149043	16.88939
#1	1.651837	.0081663	.0020405	-.023317	-.001186	.3187646	.0021615
#2	1.625504	.0080499	.0018659	-.021964	.000185	.3260283	.0015797
#3	1.603926	.0066911	.0022781	-.024271	-.001322	.3237039	.0021457

Sample Name: Q3766-14 Acquired: 12/9/2025 21:48:45 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	5.427811	-.007942	.1633212
Stddev	.017996	.002038	.0014885
%RSD	.3315572	25.65721	.9114245
#1	5.419651	-.010237	.1645114
#2	5.415341	-.006345	.1638000
#3	5.448442	-.007244	.1616521

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2972.602	58906.05	7942.213	2202.251	4215.278
Stddev	10.819	234.30	82.338	6.683	11.268
%RSD	.3639687	.3977586	1.036719	.3034431	.2673085
#1	2967.548	59026.29	7876.510	2201.576	4206.591
#2	2985.024	59055.83	7915.551	2209.245	4228.010
#3	2965.235	58636.04	8034.579	2195.931	4211.233

Sample Name: PB170856BL Acquired: 12/9/2025 21:53:01 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0029642	.0069048	.0009638	-.000118	.0012732	-.008126	-.001319
Stddev	.0011456	.0038506	.0003916	.000735	.0016962	.009569	.001274
%RSD	38.64652	55.76729	40.62649	621.1407	133.2249	117.7525	96.59025

#1	.0034124	.0110682	.0013845	-.000470	.0023627	-.013953	-.001684
#2	.0038180	.0061747	.0006100	.000726	-.000681	.002917	.000098
#3	.0016623	.0034715	.0008970	-.000611	.002138	-.013344	-.002371

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000024	-.000012	-.000073	.0001883	.0000708	.0000692	-.011615
Stddev	.0000795	.000023	.006316	.0001493	.0001009	.0003457	.001850
%RSD	3257.756	195.7917	8622.645	79.27358	142.5574	499.3001	15.93201

#1	.0000901	-.000033	.003201	.0002785	.0001874	.0004338	-.010527
#2	-.000018	.000012	-.007354	.0000160	.0000137	-.000254	-.010566
#3	-.000065	-.000014	.003934	.0002705	.0000114	.000028	-.013751

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000572	-.024697	.0002499	-.000394	-.043997	.0006663	-.000317
Stddev	.000239	.020194	.0006571	.000164	.011992	.0028055	.000080
%RSD	41.74417	81.76827	262.9164	41.55846	27.25619	421.0548	25.29791

#1	-.000297	-.011905	.0009602	-.000557	-.057655	.0021688	-.000226
#2	-.000695	-.014209	-.000336	-.000396	-.039142	-.002570	-.000376
#3	-.000725	-.047977	.000126	-.000229	-.035194	.002401	-.000350

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.076545	-.003434	-.000091	-.015609	.0012930	-.006143	.0005718
Stddev	.030172	.000651	.000143	.000978	.0002242	.006727	.0004333
%RSD	39.41788	18.96417	157.2147	6.265783	17.33550	109.5078	75.78609

#1	-.111385	-.003071	-.000193	-.016069	.0012354	.000671	.0000773
#2	-.059117	-.003046	.000073	-.014486	.0011033	-.006320	.0008853
#3	-.059134	-.004186	-.000153	-.016273	.0015404	-.012779	.0007528

Sample Name: PB170856BL Acquired: 12/9/2025 21:53:01 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.008863	-.001718	-.000099
Stddev	.005519	.001644	.000057
%RSD	62.27208	95.66491	57.19619

#1	-.004744	-.002372	-.000119
#2	-.006711	-.002935	-.000143
#3	-.015134	.000152	-.000035

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3054.283	60191.79	7575.303	2286.458	4320.917
Stddev	5.660	427.62	114.076	17.183	8.303
%RSD	.1853149	.7104369	1.505893	.7515310	.1921659

#1	3059.701	59974.62	7679.048	2287.637	4329.107
#2	3054.738	60684.42	7453.138	2303.021	4321.140
#3	3048.409	59916.33	7593.722	2268.715	4312.505

Sample Name: PB170856BS Acquired: 12/9/2025 21:57:20 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7876313	1.886865	.9407452	2.039065	.8167918	1.896963
Stddev	.0017027	.047737	.0119806	.023372	.0112789	.019603
%RSD	.2161753	2.529956	1.273527	1.146226	1.380875	1.033364

#1	.7895972	1.905398	.9502370	2.056218	.8270880	1.876002
#2	.7866220	1.832641	.9272835	2.012444	.8047369	1.900045
#3	.7866748	1.922557	.9447152	2.048532	.8185506	1.914842

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1836340	.1834255	.1903030	.9701188	.3935994	.1917492
Stddev	.0033657	.0013251	.0023540	.0330099	.0026666	.0024239
%RSD	1.832843	.7224411	1.236953	3.402663	.6774877	1.264086

#1	.1797503	.1819086	.1925454	.9325196	.3960755	.1939338
#2	.1857013	.1843577	.1878515	.9943384	.3939465	.1891417
#3	.1854504	.1840102	.1905121	.9834984	.3907763	.1921721

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3083074	2.930235	.1882931	1.894944	.4819704	.0739308
Stddev	.0028708	.032032	.0026424	.068182	.0056677	.0008052
%RSD	.9311460	1.093156	1.403340	3.598112	1.175944	1.089133

#1	.3107165	2.913290	.1852558	1.818110	.4877465	.0746002
#2	.3051309	2.967180	.1895602	1.948235	.4764176	.0741550
#3	.3090748	2.910235	.1900633	1.918486	.4817473	.0730373

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.858807	.2867055	.2086789	9.562177	.2698010	.4064085
Stddev	.035017	.0042775	.0005357	.038912	.0022588	.0039522
%RSD	1.224890	1.491956	.2567188	.4069373	.8372053	.9724738

#1	2.826796	.2818653	.2091946	9.550806	.2674633	.4097313
#2	2.896205	.2899778	.2081252	9.605508	.2719716	.4020380
#3	2.853419	.2882735	.2087170	9.530217	.2699682	.4074562

Sample Name: PB170856BS Acquired: 12/9/2025 21:57:20 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6522219	.1864326	.8906223	F .5947498	F -.009570	.1918959
Stddev	.0082056	.0040332	.0163063	.0053970	.004141	.0023364
%RSD	1.258099	2.163333	1.830891	.9074475	43.26873	1.217560

#1	.6593324	.1817839	.8719956	.5995328	-.007550	.1892006
#2	.6432433	.1885147	.9023191	.5888985	-.006828	.1933469
#3	.6540899	.1889992	.8975521	.5958181	-.014334	.1931401

Elem	Sr4077
Units	ppm
Avg	.1870983
Stddev	.0025730
%RSD	1.375195

#1	.1841297
#2	.1886856
#3	.1884797

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2986.788	59018.53	7734.350	2213.541	4132.147
Stddev	27.852	414.84	72.371	7.363	44.380
%RSD	.9325092	.7029060	.9357064	.3326278	1.074030

#1	2963.171	58711.78	7817.744	2205.298	4089.851
#2	3017.502	58853.28	7688.006	2215.858	4178.353
#3	2979.691	59490.54	7697.299	2219.467	4128.237

Sample Name: Q3790-01 Acquired: 12/9/2025 22:01:26 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0826380	.0094122	.6681409	-.018582	-.003848	80.23694	.6434989
Stddev	.0049295	.0052314	.0007475	.009326	.003781	1.28340	.0126046
%RSD	5.965137	55.58170	.1118768	50.18843	98.26170	1.599511	1.958759

#1	.0839065	.0040079	.6687851	-.010316	-.007685	78.78076	.6292990
#2	.0771982	.0097769	.6683164	-.028692	-.003734	80.72676	.6478334
#3	.0868091	.0144517	.6673214	-.016738	-.000125	81.20329	.6533644

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0056143	.0077654	118.1265	.2230178	.0614289	.4027638	134.7887
Stddev	.0000764	.0002237	1.9905	.0014661	.0002378	.0012825	1.2201
%RSD	1.360120	2.880621	1.685052	.6573780	.3870827	.3184342	.9051887

#1	.0055800	.0075741	115.8500	.2244567	.0615466	.4012854	134.9510
#2	.0055611	.0080113	118.9908	.2215260	.0611553	.4035790	133.4956
#3	.0057018	.0077107	119.5388	.2230706	.0615850	.4034269	135.9195

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.326166	33.37438	.1763430	.0006144	2.220536	.2539484	2.048205
Stddev	.037755	.56946	.0002035	.0006849	.034805	.0046256	.018328
%RSD	1.623062	1.706267	.1154220	111.4684	1.567392	1.821479	.8948200

#1	2.282928	32.72045	.1761184	.0002881	2.229712	.2488561	2.062244
#2	2.342955	33.76106	.1763954	.0001537	2.182063	.2578903	2.027471
#3	2.352614	33.64163	.1765152	.0014014	2.249833	.2550987	2.054900

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.814330	.1366711	.0067222	.0321027	2.604493	4.981758	.7550160
Stddev	.126937	.0044486	.0003048	.0003577	.043878	.045605	.0008576
%RSD	1.293381	3.254953	4.534408	1.114159	1.684711	.9154385	.1135810

#1	9.783759	.1407699	.0063840	.0316902	2.555524	4.976560	.7559748
#2	9.705470	.1319403	.0069758	.0322913	2.617715	4.938975	.7543225
#3	9.953760	.1373031	.0068068	.0323265	2.640240	5.029739	.7547506

Sample Name: Q3790-01 Acquired: 12/9/2025 22:01:26 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	6.180668	.0633111	.2336912
Stddev	.027306	.0026492	.0061877
%RSD	.4417961	4.184404	2.647829
#1	6.182786	.0608128	.2265686
#2	6.152364	.0630317	.2367632
#3	6.206853	.0660890	.2377418

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3259.469	64659.08	8738.017	2420.970	3762.010
Stddev	4.741	387.39	117.203	22.457	4.306
%RSD	.1454425	.5991301	1.341302	.9275966	.1144493
#1	3263.297	64365.70	8870.904	2412.669	3764.098
#2	3260.942	65098.20	8649.385	2446.396	3764.874
#3	3254.166	64513.33	8693.762	2403.846	3757.059

Sample Name: Q3795-01 Acquired: 12/9/2025 22:05:32 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0314245	.0141778	.2089991	-.026634	-.014997	157.9447	.5871605
Stddev	.0016969	.0076698	.0023384	.006931	.003997	1.7312	.0076771
%RSD	5.399885	54.09749	1.118846	26.02161	26.65143	1.096065	1.307505
#1	.0330376	.0204630	.2116507	-.019192	-.011142	155.9464	.5784197
#2	.0315812	.0056316	.2072318	-.032903	-.019122	158.8984	.5928106
#3	.0296547	.0164388	.2081149	-.027808	-.014729	158.9893	.5902512
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0106312	.0140375	12.31525	.2607945	.1717639	.3691607	294.4802
Stddev	.0001963	.0000819	.16613	.0008151	.0005915	.0010681	.4890
%RSD	1.846578	.5836582	1.348999	.3125335	.3443629	.2893332	.1660653
#1	.0104048	.0140269	12.12711	.2609313	.1711293	.3682248	293.9676
#2	.0107358	.0139614	12.37686	.2615325	.1718626	.3703243	294.5314
#3	.0107531	.0141242	12.44177	.2599197	.1722999	.3689331	294.9416
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	7.011076	52.33153	.3013641	.0049093	1.899488	.3399461	.7545926
Stddev	.097521	.65487	.0011242	.0007498	.015972	.0059028	.0020303
%RSD	1.390949	1.251393	.3730419	15.27350	.8408651	1.736388	.2690556
#1	6.898478	51.58098	.3012169	.0041106	1.882613	.3331303	.7568002
#2	7.066170	52.62704	.3003207	.0050192	1.901480	.3433194	.7541721
#3	7.068581	52.78658	.3025546	.0055981	1.914371	.3433887	.7528055
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	17.96452	.3257611	.0039989	.0133256	3.383995	4.176113	.4705555
Stddev	.06500	.0034721	.0002228	.0004597	.044379	.016689	.0020779
%RSD	.3618034	1.065840	5.572313	3.449916	1.311446	.3996341	.4415787
#1	17.89069	.3276957	.0039897	.0129252	3.332787	4.193585	.4690128
#2	18.01311	.3278350	.0037808	.0132238	3.407912	4.160336	.4729183
#3	17.98976	.3217527	.0042262	.0138276	3.411286	4.174416	.4697354

Sample Name: Q3795-01 Acquired: 12/9/2025 22:05:32 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.7373074	.2939954	-.172351
Stddev	.0085480	.0041007	.000864
%RSD	1.159351	1.394800	.5014643

#1	.7348657	.2893472	-.173339
#2	.7468106	.2971011	-.171735
#3	.7302460	.2955378	-.171979

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3421.671	67921.08	9353.180	2537.769	3749.337
Stddev	5.727	168.04	92.179	5.656	4.789
%RSD	.1673752	.2474005	.9855397	.2228764	.1277342

#1	3426.380	67732.86	9459.601	2534.759	3754.707
#2	3423.337	67974.37	9301.685	2534.254	3747.795
#3	3415.296	68056.01	9298.254	2544.293	3745.508

Sample Name: Q3795-01DUP Acquired: 12/9/2025 22:09:38 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0301800	.0174746	.2067204	-.031966	-.018059	159.7596	.5845330
Stddev	.0004527	.0020854	.0027807	.006584	.003387	1.4253	.0049237
%RSD	1.500047	11.93376	1.345151	20.59613	18.75687	.8921592	.8423269
#1	.0306366	.0162949	.2036311	-.039563	-.021601	158.7071	.5831809
#2	.0297313	.0162465	.2075073	-.027924	-.017726	159.1902	.5804267
#3	.0301720	.0198825	.2090229	-.028411	-.014851	161.3816	.5899915
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0109088	.0139957	12.27019	.2651179	.1699626	.3694564	289.3861
Stddev	.0001202	.0006741	.13548	.0015695	.0019862	.0038495	.6493
%RSD	1.101796	4.816280	1.104143	.5919913	1.168628	1.041936	.2243865
#1	.0108853	.0132711	12.17866	.2666710	.1680502	.3650674	290.1333
#2	.0110390	.0141119	12.20608	.2651502	.1698225	.3710417	289.0658
#3	.0108020	.0146042	12.42582	.2635325	.1720152	.3722601	288.9591
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	6.957018	52.95782	.2976847	.0012536	1.652338	.3402802	.7631888
Stddev	.066159	.52761	.0032447	.0004410	.002574	.0062920	.0069806
%RSD	.9509706	.9962927	1.089962	35.17929	.1557545	1.849078	.9146682
#1	6.936882	52.55132	.2941318	.0007445	1.654632	.3354088	.7712440
#2	6.903266	52.76807	.2984315	.0015177	1.649555	.3380476	.7594161
#3	7.030905	53.55407	.3004908	.0014986	1.652828	.3473840	.7589064
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	17.85654	.2989040	.0043504	.0026301	3.426632	5.479323	.4659343
Stddev	.00817	.0050350	.0004925	.0008218	.034167	.022516	.0045875
%RSD	.0457794	1.684488	11.32100	31.24751	.9970926	.4109233	.9845814
#1	17.84914	.2984308	.0041313	.0018771	3.412538	5.503007	.4608630
#2	17.85517	.3041589	.0049145	.0025063	3.401766	5.476768	.4671445
#3	17.86532	.2941223	.0040055	.0035067	3.465591	5.458194	.4697954

Sample Name: Q3795-01DUP Acquired: 12/9/2025 22:09:38 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.4331682	.2978974	-.167752
Stddev	.0066022	.0038903	.001424
%RSD	1.524166	1.305935	.8488064
#1	.4255476	.2971203	-.168531
#2	.4367949	.2944543	-.168617
#3	.4371620	.3021177	-.166109

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3451.167	66730.51	9079.288	2501.344	3791.766
Stddev	17.905	431.47	73.276	21.784	30.917
%RSD	.5188235	.6465852	.8070687	.8708788	.8153845
#1	3471.222	66264.57	9074.674	2476.441	3824.595
#2	3445.493	66810.70	9154.762	2510.723	3787.499
#3	3436.787	67116.26	9008.428	2516.867	3763.203

Sample Name: Q3795-01LX5 Acquired: 12/9/2025 22:13:43 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0053700	.0077789	.0411642	-.010026	-.002364	35.74176	.1309175
Stddev	.0005064	.0044626	.0011605	.006065	.003041	.42201	.0023009
%RSD	9.429248	57.36803	2.819304	60.49365	128.6507	1.180717	1.757507
#1	.0058385	.0026263	.0400327	-.016971	-.005562	35.27943	.1286943
#2	.0048328	.0103006	.0411081	-.007334	-.002019	35.83959	.1307695
#3	.0054387	.0104098	.0423518	-.005773	.000490	36.10627	.1332889
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0025805	.0018797	2.798554	.0594402	.0331050	.0894680	62.55593
Stddev	.0001224	.0000672	.042100	.0003723	.0002044	.0002431	.48941
%RSD	4.744778	3.577193	1.504334	.6262521	.6175572	.2716838	.7823531
#1	.0026817	.0018701	2.766801	.0598151	.0328731	.0892016	62.01690
#2	.0026154	.0019512	2.782553	.0594350	.0331828	.0895249	62.67844
#3	.0024444	.0018177	2.846308	.0590707	.0332592	.0896777	62.97244
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.606633	11.89159	.0585267	-.001480	.3803249	.0774440	.1721173
Stddev	.021377	.14403	.0003700	.000103	.0214633	.0010451	.0005326
%RSD	1.330554	1.211187	.6322113	6.925923	5.643402	1.349472	.3094645
#1	1.584427	11.73114	.0588649	-.001590	.3606289	.0762507	.1726527
#2	1.608402	11.93388	.0581315	-.001464	.3771451	.0781962	.1721117
#3	1.627071	12.00973	.0585838	-.001387	.4032006	.0778851	.1715875
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.729036	.0528097	.0004308	-.012836	.7641594	.9080080	.0905453
Stddev	.009746	.0018424	.0003671	.001745	.0078606	.0145737	.0003935
%RSD	.2613479	3.488752	85.20134	13.59483	1.028659	1.605022	.4346252
#1	3.738921	.0507276	.0007847	-.014477	.7556921	.8935730	.0909015
#2	3.728752	.0542292	.0004559	-.013030	.7655616	.9077344	.0906115
#3	3.719436	.0534723	.0000519	-.011003	.7712245	.9227166	.0901228

Sample Name: Q3795-01LX5 Acquired: 12/9/2025 22:13:43 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1246752	.0654835	-.035079
Stddev	.0055864	.0024459	.000187
%RSD	4.480721	3.735142	.5340641

#1	.1191113	.0633224	-.034910
#2	.1246305	.0649893	-.035281
#3	.1302838	.0681387	-.035047

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3108.453	60707.85	7789.974	2302.683	4057.490
Stddev	7.730	122.13	77.908	2.905	6.125
%RSD	.2486658	.2011820	1.000108	.1261614	.1509674

#1	3100.620	60848.83	7873.699	2305.965	4051.225
#2	3108.664	60634.04	7776.613	2300.443	4057.782
#3	3116.075	60640.69	7719.611	2301.640	4063.465

Sample Name: CCV11 Acquired: 12/9/2025 22:17:56 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV11 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.851898	5.235122	4.757276	4.918832	4.931469	9.412051
Stddev	.010664	.212288	.002102	.015876	.008654	.069613
%RSD	.2197816	4.055072	.0441933	.3227695	.1754949	.7396128

#1	4.841916	5.062896	4.759009	4.904961	4.921623	9.333482
#2	4.850645	5.170172	4.754937	4.915388	4.934908	9.436634
#3	4.863132	5.472297	4.757883	4.936148	4.937875	9.466036

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.602201	2.477072	2.373959	23.16961	9.631177	2.400876
Stddev	.014951	.0014804	.003655	.14583	.0045855	.003721
%RSD	.1557062	.5976312	.1539476	.6293966	.4761113	.1549957

#1	9.606570	2.487977	2.369741	23.07475	9.684065	2.397073
#2	9.585552	2.460220	2.375934	23.09654	9.602533	2.404510
#3	9.614481	2.483020	2.376200	23.33752	9.606933	2.401045

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.231340	4.943590	2.284962	22.96175	2.385585	1.191525
Stddev	.001761	.017700	.006573	.10059	.003859	.004104
%RSD	.1429772	.3580369	.2876426	.4380753	.1617580	.3443945

#1	1.229380	4.948265	2.289879	22.85692	2.381173	1.196246
#2	1.231851	4.924022	2.277497	22.97085	2.388333	1.189521
#3	1.232787	4.958483	2.287510	23.05749	2.387248	1.188809

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	24.12506	2.349206	2.436135	24.49152	4.669914	4.942872
Stddev	.16154	.006153	.011631	.05775	.023061	.006042
%RSD	.6695923	.2618990	.4774319	.2358136	.4938278	.1222444

#1	24.31144	2.343495	2.449301	24.48695	4.677009	4.937230
#2	24.02550	2.348402	2.431849	24.43618	4.644139	4.942139
#3	24.03823	2.355721	2.427255	24.55142	4.688595	4.949248

Sample Name: CCV11 Acquired: 12/9/2025 22:17:56 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV11 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.747216	4.666246	5.121758	4.783005	4.718379	F 4.489203
Stddev	.002348	.008718	.010674	.010938	.023965	.011554
%RSD	.0494626	.1868240	.2084005	.2286759	.5079103	.2573734

#1	4.744504	4.665345	5.117826	4.774592	4.701883	4.494022
#2	4.748562	4.658015	5.113608	4.779054	4.707386	4.476019
#3	4.748581	4.675380	5.133840	4.795369	4.745869	4.497566

Elem	Sr4077
Units	ppm
Avg	4.686391
Stddev	.021711
%RSD	.4632762

#1	4.678031
#2	4.670102
#3	4.711039

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2888.904	57748.68	7787.221	2129.484	3841.483
Stddev	6.451	323.28	37.372	11.124	7.895
%RSD	.2232870	.5597992	.4799152	.5223800	.2055083

#1	2883.127	57379.19	7752.926	2116.722	3835.800
#2	2887.720	57887.42	7827.052	2134.604	3838.152
#3	2895.864	57979.42	7781.686	2137.127	3850.497

Sample Name: CCB11 Acquired: 12/9/2025 22:22:09 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB11 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000224	.0037488	-.000187	.0035210	.0004334	-.001480	-.002915
Stddev	.002458	.0025490	.001098	.0022479	.0023583	.007659	.000843
%RSD	1096.136	67.99611	586.7579	63.84317	544.1178	517.4356	28.91110
#1	.001993	.0022695	-.000688	.0060954	.0023226	.006829	-.003880
#2	.000203	.0022847	.001072	.0025212	.0011873	-.008257	-.002323
#3	-.002868	.0066921	-.000946	.0019464	-.002210	-.003013	-.002543
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000481	-.000013	-.005988	.0000875	-.000081	.0002694	-.009834
Stddev	.0001316	.000051	.002345	.0002676	.000251	.0003634	.009223
%RSD	273.5065	402.7107	39.16731	305.9089	308.8098	134.9030	93.78718
#1	.0000085	.000012	-.003610	.0003919	-.000360	-.000119	.000689
#2	-.000059	-.000072	-.008300	-.000019	-.000011	.000602	-.013678
#3	.000195	.000021	-.006055	-.000110	.000127	.000325	-.016514
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000084	-.025050	.0001804	-.000998	.0074029	-.000034	-.000438
Stddev	.000272	.022328	.0003558	.000270	.0247869	.001739	.000527
%RSD	325.6714	89.13215	197.2275	27.03099	334.8264	5050.369	120.3249
#1	-.000186	-.030262	-.000207	-.001274	-.017812	-.001223	-.000649
#2	.000225	-.000577	.000256	-.000985	.008281	-.000841	.000162
#3	-.000289	-.044310	.000492	-.000735	.031739	.001961	-.000826
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0116861	.0017559	.0001216	-.017216	.0004437	-.002708	.0004295
Stddev	.0339849	.0010458	.0000717	.001067	.0003146	.011081	.0003285
%RSD	290.8140	59.55825	58.99173	6.200665	70.90616	409.2339	76.49622
#1	-.020649	.0024450	.0001885	-.015990	.0003902	-.001274	.0008059
#2	.008598	.0022702	.0000459	-.017712	.0001593	.007587	.0002817
#3	.047110	.0005526	.0001302	-.017944	.0007816	-.014435	.0002008

Sample Name: CCB11 Acquired: 12/9/2025 22:22:09 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB11 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	F -.015442	-.000298	.0000945
Stddev	.003702	.000759	.0000695
%RSD	23.97212	254.2724	73.52796

#1	-.013954	-.000807	.0001719
#2	-.012715	-.000663	.0000743
#3	-.019656	.000574	.0000374

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3008.831	58329.90	7984.334	2222.460	4231.880
Stddev	27.639	200.62	32.780	8.563	36.723
%RSD	.9185967	.3439440	.4105518	.3853155	.8677801

#1	3012.370	58300.16	7999.740	2215.787	4237.414
#2	2979.592	58145.81	7946.689	2219.478	4192.703
#3	3034.529	58543.73	8006.572	2232.116	4265.522

Sample Name: Q3795-01MS Acquired: 12/9/2025 22:26:29 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6469983	1.624831	1.011702	1.497374	.3640557	138.7148	.6301380
Stddev	.0049712	.036000	.002821	.013082	.0032947	1.8444	.0090020
%RSD	.7683524	2.215614	.2788151	.8736516	.9049918	1.329668	1.428574
#1	.6412963	1.637678	1.008540	1.487957	.3604088	136.6954	.6216192
#2	.6504226	1.584169	1.012606	1.512311	.3649412	140.3106	.6395557
#3	.6492759	1.652644	1.013960	1.491854	.3668172	139.1383	.6292391
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1540373	.1828876	11.01423	.4762259	.2878966	.4718382	222.8615
Stddev	.0013096	.0007722	.15754	.0013623	.0016762	.0009233	1.3124
%RSD	.8501659	.4222326	1.430338	.2860569	.5822105	.1956904	.5888898
#1	.1530031	.1820038	10.85374	.4777461	.2863013	.4708544	221.5555
#2	.1555098	.1834318	11.16865	.4758157	.2896433	.4726861	224.1803
#3	.1535990	.1832271	11.02030	.4751158	.2877453	.4719740	222.8488
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	5.388331	43.93553	.6582400	.0619064	3.821827	.5141236	.7842654
Stddev	.073970	.55998	.0036750	.0004123	.026134	.0055584	.0019529
%RSD	1.372788	1.274557	.5583056	.6659944	.6837985	1.081131	.2490096
#1	5.318811	43.33667	.6539994	.0614338	3.795961	.5080661	.7862944
#2	5.466066	44.44615	.6604953	.0620934	3.848220	.5189896	.7841030
#3	5.380115	44.02378	.6602254	.0621921	3.821299	.5153152	.7823987
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	23.31171	.4387936	.3241090	.6006326	3.070368	3.356049	.9155638
Stddev	.13023	.0032007	.0019678	.0032473	.037319	.034099	.0079776
%RSD	.5586269	.7294377	.6071304	.5406416	1.215467	1.016056	.8713353
#1	23.17651	.4366816	.3219057	.5969184	3.032935	3.318119	.9070839
#2	23.43632	.4424762	.3256915	.6029348	3.107572	3.365860	.9166877
#3	23.32229	.4372229	.3247298	.6020448	3.070596	3.384167	.9229199

Sample Name: Q3795-01MS Acquired: 12/9/2025 22:26:29 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.5360719	.4082223	.0403567
Stddev	.0082046	.0047344	.0019106
%RSD	1.530507	1.159756	4.734280

#1	.5444803	.4028734	.0383892
#2	.5356481	.4118747	.0422048
#3	.5280875	.4099187	.0404761

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3360.990	68282.59	8695.451	2602.691	3852.834
Stddev	12.614	174.20	59.542	2.985	16.044
%RSD	.3753063	.2551134	.6847462	.1146842	.4164129

#1	3372.986	68092.62	8734.619	2599.245	3869.334
#2	3347.837	68320.32	8626.932	2604.478	3837.290
#3	3362.147	68434.84	8724.801	2604.350	3851.878

Sample Name: Q3795-01MSD Acquired: 12/9/2025 22:30:30 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6705642	1.726097	1.035210	1.557062	.3711779	138.9909	.6211639
Stddev	.0082734	.105695	.009749	.008010	.0017220	1.9548	.0068549
%RSD	1.233790	6.123331	.9416976	.5144021	.4639361	1.406421	1.103555
#1	.6611168	1.649180	1.025089	1.548362	.3693105	136.7506	.6132486
#2	.6740597	1.682495	1.044538	1.564129	.3715199	139.8722	.6250969
#3	.6765161	1.846618	1.036002	1.558695	.3727033	140.3499	.6251463
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1579275	.1864455	10.85519	.4865557	.2911572	.4784933	224.9912
Stddev	.0017751	.0018677	.15878	.0027254	.0020523	.0043655	1.3562
%RSD	1.123990	1.001712	1.462708	.5601349	.7048815	.9123467	.6027924
#1	.1558786	.1842894	10.67187	.4841037	.2888002	.4748056	224.2947
#2	.1590009	.1875626	10.94887	.4860733	.2921223	.4833135	224.1248
#3	.1589029	.1874846	10.94484	.4894901	.2925490	.4773609	226.5542
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	5.297630	43.93028	.6676664	.0628775	3.743246	.5116237	.8023877
Stddev	.053779	.57005	.0055117	.0005895	.028460	.0057304	.0023338
%RSD	1.015145	1.297614	.8255165	.9375487	.7603009	1.120035	.2908617
#1	5.236093	43.27240	.6613050	.0623366	3.749868	.5065253	.8007014
#2	5.321186	44.24053	.6710142	.0627901	3.712059	.5105202	.8014104
#3	5.335612	44.27791	.6706800	.0635059	3.767811	.5178255	.8050513
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	23.78980	.4527085	.3313347	.6095717	3.047638	3.997318	.9391938
Stddev	.20670	.0057188	.0017680	.0063640	.030660	.038460	.0095300
%RSD	.8688584	1.263247	.5336048	1.044004	1.006023	.9621427	1.014695
#1	23.67571	.4554324	.3293209	.6026398	3.012454	3.985992	.9285052
#2	23.66529	.4461369	.3326319	.6109253	3.061825	3.965793	.9422719
#3	24.02840	.4565562	.3320514	.6151499	3.068634	4.040169	.9468042

Sample Name: Q3795-01MSD Acquired: 12/9/2025 22:30:30 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.2860316	.4072419	.0348482
Stddev	.0096916	.0075150	.0022360
%RSD	3.388281	1.845344	6.416285

#1	.2833487	.3991744	.0324850
#2	.2779642	.4085076	.0369304
#3	.2967820	.4140436	.0351291

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3318.150	65871.69	8617.317	2507.280	3792.449
Stddev	17.867	328.78	109.451	13.113	25.174
%RSD	.5384699	.4991269	1.270124	.5229860	.6637995

#1	3336.538	66212.01	8742.829	2512.186	3821.340
#2	3300.854	65847.24	8541.736	2517.232	3775.221
#3	3317.059	65555.81	8567.386	2492.421	3780.787

Sample Name: Q3795-01A Acquired: 12/9/2025 22:34:32 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6538668	1.687123	1.069553	1.524036	.6214776	156.6704	.7341245
Stddev	.0034610	.050841	.005907	.007049	.0019677	2.0976	.0085216
%RSD	.5293208	3.013478	.5522412	.4625282	.3166155	1.338875	1.160779
#1	.6533295	1.731207	1.065383	1.527297	.6212918	154.2599	.7247726
#2	.6507057	1.698655	1.066964	1.515947	.6196094	157.6705	.7414507
#3	.6575650	1.631506	1.076312	1.528865	.6235316	158.0809	.7361501
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1486625	.1898883	12.78535	.5561046	.3472367	.5861437	291.1797
Stddev	.0010141	.0009250	.19499	.0016942	.0010578	.0027812	2.3019
%RSD	.6821578	.4871083	1.525094	.3046512	.3046361	.4744858	.7905344
#1	.1475125	.1896855	12.56021	.5564614	.3461371	.5862596	288.9448
#2	.1494288	.1890816	12.89906	.5575920	.3473259	.5833063	293.5432
#3	.1490460	.1908979	12.89680	.5542605	.3482471	.5888651	291.0510
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	7.089738	52.82385	.7386790	.0646627	4.138344	.5599276	.8931322
Stddev	.094083	.80249	.0036266	.0005930	.021528	.0101137	.0032898
%RSD	1.327032	1.519179	.4909617	.9169992	.5202170	1.806243	.3683484
#1	6.984570	51.90611	.7346708	.0640702	4.114346	.5488245	.8965965
#2	7.165911	53.17177	.7396327	.0652561	4.155960	.5623446	.8900502
#3	7.118732	53.39366	.7417335	.0646617	4.144727	.5686139	.8927500
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	25.67923	.5313159	.3333942	.6523347	3.520377	5.823849	1.027017
Stddev	.14395	.0015308	.0001283	.0034708	.044027	.033561	.000601
%RSD	.5605875	.2881114	.0384893	.5320560	1.250638	.5762713	.0585627
#1	25.54548	.5296922	.3333778	.6503392	3.471659	5.785206	1.026826
#2	25.83158	.5315226	.3332749	.6503224	3.557317	5.845704	1.026533
#3	25.66063	.5327328	.3335299	.6563424	3.532156	5.840637	1.027690

Sample Name: Q3795-01A Acquired: 12/9/2025 22:34:32 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.4719178	.4469463	-.019067
Stddev	.0069732	.0056350	.000888
%RSD	1.477622	1.260769	4.656136

#1	.4648846	.4406707	-.020084
#2	.4720394	.4515726	-.018672
#3	.4788293	.4485957	-.018446

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3426.025	68071.57	9276.229	2551.868	3761.618
Stddev	4.858	233.40	69.090	11.777	10.667
%RSD	.1417864	.3428754	.7448117	.4615161	.2835860

#1	3429.793	68056.69	9353.875	2539.136	3772.801
#2	3427.740	67845.97	9221.538	2554.097	3760.500
#3	3420.543	68312.06	9253.273	2562.372	3751.554

Sample Name: Q3795-05 Acquired: 12/9/2025 22:38:33 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1564247	.0058928	.4947731	-.098452	-.049315	196.4899	3.309106
Stddev	.0017507	.0028434	.0016479	.005603	.002098	1.3478	.016024
%RSD	1.119178	48.25247	.3330520	5.691491	4.254977	.6859304	.4842538

#1	.1545713	.0035053	.4943561	-.092341	-.050603	195.0535	3.294952
#2	.1566525	.0051346	.4965894	-.103348	-.050448	196.6894	3.305863
#3	.1580504	.0090384	.4933738	-.099667	-.046894	197.7269	3.326504

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0298005	.0466398	24.84358	.2774895	.3756432	.2494700	781.7177
Stddev	.0000868	.0014600	.12182	.0021277	.0008694	.0053327	11.8384
%RSD	.2911361	3.130289	.4903654	.7667584	.2314397	2.137620	1.514414

#1	.0298051	.0483134	24.72425	.2799344	.3766249	.2555215	769.0513
#2	.0297116	.0459781	24.83873	.2760577	.3749704	.2474298	783.5988
#3	.0298850	.0456278	24.96776	.2764764	.3753345	.2454585	792.5030

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	22.52306	43.29426	.6913744	.0050040	7.215207	.3370681	1.399069
Stddev	.08137	.21147	.0017489	.0039854	.042270	.0011069	.004473
%RSD	.3612598	.4884577	.2529635	79.64413	.5858503	.3283793	.3197070

#1	22.46020	43.06409	.6930511	.0006559	7.167528	.3379902	1.402445
#2	22.49403	43.33870	.6895612	.0058728	7.230003	.3358406	1.393996
#3	22.61497	43.47997	.6915109	.0084834	7.248091	.3373735	1.400766

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	28.97663	.7032066	.0104216	.0169512	3.175525	3.100210	.7910810
Stddev	.09899	.0287387	.0001249	.0010587	.018682	.011801	.0042175
%RSD	.3416075	4.086809	1.198873	6.245348	.5883126	.3806621	.5331315

#1	28.88581	.6713905	.0104361	.0164405	3.157140	3.091252	.7959299
#2	28.96195	.7109467	.0102900	.0181684	3.174943	3.113582	.7882651
#3	29.08214	.7272825	.0105386	.0162448	3.194491	3.095797	.7890478

Sample Name: Q3795-05 Acquired: 12/9/2025 22:38:33 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.307989	.3833446	-.521089
Stddev	.004252	.0029973	.010191
%RSD	.3250497	.7818905	1.955638
#1	1.312376	.3812200	-.510116
#2	1.303887	.3820407	-.522895
#3	1.307704	.3867730	-.530256

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3743.437	75707.18	10576.51	2798.388	3636.442
Stddev	2.717	90.10	29.09	8.043	10.969
%RSD	.0725814	.1190057	.2750583	.2874224	.3016374
#1	3740.454	75766.29	10587.47	2798.051	3623.777
#2	3745.769	75751.75	10598.54	2806.594	3642.901
#3	3744.091	75603.48	10543.53	2790.518	3642.648

Sample Name: Q3800-01 Acquired: 12/9/2025 22:42:46 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0557337	.0236134	.2649341	-.033422	-.003238	169.4542
Stddev	.0028952	.0083339	.0018781	.002933	.000877	.7896
%RSD	5.194614	35.29333	.7088935	8.776446	27.08362	.4659615

#1	.0590761	.0140356	.2627655	-.033605	-.002267	168.5431
#2	.0540060	.0292115	.2660103	-.036260	-.003971	169.8812
#3	.0541190	.0275930	.2660265	-.030402	-.003476	169.9384

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6492099	.0094829	.0116005	1236.814	.1669937	.0795699
Stddev	.0034095	.0000207	.0004423	9.966	.0006740	.0007763
%RSD	.5251851	.2186354	3.812845	.8057963	.4035931	.9756831

#1	.6452730	.0094620	.0110936	1227.542	.1677706	.0787889
#2	.6511531	.0094831	.0119080	1247.353	.1665650	.0803415
#3	.6512037	.0095035	.0117999	1235.547	.1666456	.0795792

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1431607	192.7094	3.180032	86.69751	.1812603	-.003021
Stddev	.0023556	.7852	.009774	.48467	.0027866	.000173
%RSD	1.645424	.4074761	.3073427	.5590316	1.537343	5.739224

#1	.1404636	191.8166	3.168751	86.13823	.1785255	-.003220
#2	.1448141	193.0188	3.185944	86.99460	.1840960	-.002909
#3	.1442044	193.2928	3.185401	86.95971	.1811594	-.002932

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.391004	.2324163	.5744082	11.14817	.4127461	.0083208
Stddev	.039700	.0026726	.0014211	.07969	.0008612	.0002802
%RSD	2.854060	1.149931	.2473997	.7148334	.2086553	3.367785

#1	1.347395	.2325854	.5729602	11.05660	.4126499	.0085203
#2	1.400573	.2296631	.5744639	11.18612	.4119370	.0084417
#3	1.425046	.2350003	.5758007	11.20180	.4136514	.0080004

Sample Name: Q3800-01 Acquired: 12/9/2025 22:42:46 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0196184	4.497003	2.870297	.5125669	F 50.21611	.0174715
Stddev	.0006652	.019623	.027563	.0063262	.74888	.0028264
%RSD	3.390592	.4363569	.9602842	1.234213	1.491308	16.17744

#1	.0203559	4.476843	2.842902	.5054956	49.40262	.0153597
#2	.0194352	4.498126	2.869966	.5176893	50.87681	.0163724
#3	.0190639	4.516040	2.898025	.5145157	50.36889	.0206823

Elem	Sr4077
Units	ppm
Avg	2.989509
Stddev	.037762
%RSD	1.263162

#1	2.951915
#2	2.989174
#3	3.027437

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2874.965	57293.94	8009.540	2136.436	3144.342
Stddev	21.209	107.72	18.188	8.121	31.389
%RSD	.7377242	.1880209	.2270762	.3801061	.9982685

#1	2898.900	57417.12	8028.344	2143.228	3177.605
#2	2858.507	57247.33	8008.236	2127.441	3115.242
#3	2867.487	57217.37	7992.039	2138.640	3140.179

Sample Name: Q3800-02 Acquired: 12/9/2025 22:47:08 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0335999	.0192790	.0629592	-.023112	.0050650	91.32493
Stddev	.0071813	.0064129	.0013125	.004940	.0013516	.26168
%RSD	21.37284	33.26376	2.084614	21.37487	26.68442	.2865359

#1	.0255074	.0163898	.0621779	-.027242	.0041437	91.59151
#2	.0392127	.0266282	.0644744	-.017639	.0044346	91.06844
#3	.0360796	.0148189	.0622252	-.024455	.0066165	91.31484

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5377767	.0044106	.0032727	1161.171	.1126460	.0237140
Stddev	.0040945	.0001128	.0000388	6.596	.0027670	.0003113
%RSD	.7613654	2.557535	1.186186	.5680572	2.456362	1.312560

#1	.5404908	.0045153	.0032406	1158.119	.1100134	.0233886
#2	.5330671	.0042911	.0032616	1156.653	.1123944	.0237446
#3	.5397723	.0044254	.0033159	1168.740	.1155302	.0240088

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0595277	83.59988	1.568465	48.92222	.0618684	-.001418
Stddev	.0004899	1.67527	.008420	.19351	.0007391	.000656
%RSD	.8229658	2.003913	.5368094	.3955404	1.194642	46.23542

#1	.0600570	82.12959	1.570402	48.97627	.0610330	-.001276
#2	.0594359	83.24635	1.559245	48.70743	.0621351	-.002133
#3	.0590902	85.42370	1.575747	49.08295	.0624372	-.000845

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	7.507662	.1419489	.1274811	12.48028	.2189668	.0037952
Stddev	.160494	.0020763	.0020296	.32665	.0055928	.0004158
%RSD	2.137732	1.462697	1.592093	2.617333	2.554175	10.95604

#1	7.384556	.1399591	.1259174	12.14612	.2134771	.0042616
#2	7.449248	.1441020	.1267510	12.49587	.2187660	.0034631
#3	7.689181	.1417856	.1297747	12.79886	.2246572	.0036611

Sample Name: Q3800-02 Acquired: 12/9/2025 22:47:08 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0284135	3.798453	3.918448	.4702818	F 36.01504	-.110508
Stddev	.0006271	.017448	.075096	.0029276	.32565	.001766
%RSD	2.207033	.4593398	1.916480	.6225295	.9042105	1.597944

#1	.0286697	3.808116	3.855016	.4703851	35.97771	-.108755
#2	.0276988	3.778311	3.898961	.4673039	35.70967	-.110481
#3	.0288719	3.808931	4.001366	.4731565	36.35775	-.112287

Elem	Sr4077
Units	ppm
Avg	7.963267
Stddev	.067134
%RSD	.8430492

#1	7.976203
#2	7.890606
#3	8.022992

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2739.347	54046.35	7642.251	2012.890	3216.444
Stddev	4.431	819.53	79.045	24.476	4.471
%RSD	.1617529	1.516339	1.034310	1.215961	.1390168

#1	2734.333	54674.06	7567.317	2035.228	3211.389
#2	2742.737	54345.78	7724.848	2016.715	3219.883
#3	2740.970	53119.22	7634.588	1986.727	3218.059

Sample Name: Q3800-03 Acquired: 12/9/2025 22:51:36 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0793597	.0176882	.0870063	-.051478	-.006188	165.6437
Stddev	.0019744	.0172635	.0034155	.008550	.005000	.7595
%RSD	2.487952	97.59886	3.925593	16.60932	80.81212	.4585346

#1	.0791812	.0370472	.0893566	-.043475	-.010944	164.7679
#2	.0774805	.0121260	.0885741	-.060486	-.000975	166.0409
#3	.0814173	.0038915	.0830884	-.050473	-.006644	166.1222

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6855615	.0119609	.0181428	1424.896	.9939623	.0831165
Stddev	.0039883	.0001797	.0004711	18.631	.0171372	.0008242
%RSD	.5817622	1.502702	2.596633	1.307547	1.724131	.9916670

#1	.6809769	.0117786	.0181051	1404.603	1.007188	.0839981
#2	.6882321	.0119662	.0186317	1441.228	.974602	.0823652
#3	.6874754	.0121380	.0176917	1428.858	1.000097	.0829861

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0893546	278.1307	3.275148	82.43267	.1929162	-.007234
Stddev	.0021602	5.1904	.019043	.37408	.0012616	.000345
%RSD	2.417601	1.866181	.5814466	.4537966	.6539622	4.775792

#1	.0885409	281.6018	3.256885	82.04919	.1941778	-.006926
#2	.0918035	272.1638	3.294885	82.79657	.1929161	-.007169
#3	.0877194	280.6264	3.273673	82.45224	.1916546	-.007607

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	5.932899	.3222616	.5520179	14.14676	.3743620	.0054453
Stddev	.118627	.0038840	.0113575	.25712	.0171247	.0006757
%RSD	1.999482	1.205224	2.057453	1.817492	4.574377	12.40836

#1	5.987541	.3182704	.5610905	14.23206	.3881093	.0055806
#2	5.796798	.3260286	.5392804	13.85783	.3551792	.0060432
#3	6.014359	.3224859	.5556828	14.35038	.3797975	.0047123

Sample Name: Q3800-03 Acquired: 12/9/2025 22:51:36 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0014268	4.583100	2.883882	1.045618	F 54.21851	.0070378
Stddev	.0035866	.025790	.077858	.010344	.32354	.0026996
%RSD	251.3761	.5627279	2.699758	.9892695	.5967307	38.35850

#1	-.002413	4.554061	2.898296	1.057552	54.55330	.0089577
#2	.002002	4.603339	2.799825	1.040081	54.19468	.0039511
#3	.004691	4.591899	2.953526	1.039221	53.90755	.0082048

Elem	Sr4077
Units	ppm
Avg	8.771636
Stddev	.102048
%RSD	1.163390

#1	8.676098
#2	8.879140
#3	8.759670

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2828.147	57999.60	7779.559	2153.588	3074.040
Stddev	16.831	972.64	53.107	39.886	19.675
%RSD	.5951416	1.676981	.6826416	1.852089	.6400479

#1	2808.944	57252.56	7815.600	2127.927	3051.927
#2	2835.152	59099.39	7718.572	2199.540	3080.580
#3	2840.344	57646.84	7804.504	2133.297	3089.612

Sample Name: Q3801-01 Acquired: 12/9/2025 22:55:57 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1303392	.0008390	.4768203	-.025100	-.012400	84.21787	.4005165
Stddev	.0030858	.0072058	.0041777	.003009	.002648	1.27908	.0052106
%RSD	2.367524	858.8631	.8761575	11.98893	21.35423	1.518776	1.300958

#1	.1329425	-.004568	.4790897	-.025013	-.013585	82.75054	.3945550
#2	.1269305	.009019	.4793722	-.022135	-.009367	84.80575	.4027939
#3	.1311445	-.001934	.4719991	-.028151	-.014249	85.09732	.4042007

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0090196	.0099984	244.3820	.1878316	.0580360	.1429318	249.2377
Stddev	.0000807	.0002568	3.6856	.0019870	.0002068	.0015855	1.7790
%RSD	.8947807	2.568003	1.508151	1.057847	.3564055	1.109268	.7137745

#1	.0089546	.0102534	240.1331	.1880220	.0577972	.1423884	248.2235
#2	.0089943	.0100018	246.2957	.1857563	.0581486	.1447176	248.1978
#3	.0091100	.0097399	246.7171	.1897165	.0581620	.1416895	251.2919

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.356518	129.2138	.1075300	.0032134	.8756501	.3887455	.6276260
Stddev	.021874	2.0161	.0013924	.0003328	.0065909	.0023428	.0061332
%RSD	1.612511	1.560274	1.294847	10.35761	.7526888	.6026474	.9772047

#1	1.331339	126.8859	.1090627	.0033600	.8686146	.3866931	.6279516
#2	1.370838	130.3924	.1071842	.0034477	.8766546	.3882455	.6213366
#3	1.367377	130.3632	.1063432	.0028324	.8816811	.3912979	.6335900

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	17.61624	.3146019	.0057534	.0100793	1.196111	3.018011	.6526450
Stddev	.16954	.0051189	.0001086	.0011867	.022139	.006330	.0019534
%RSD	.9624083	1.627121	1.888279	11.77337	1.850947	.2097325	.2993055

#1	17.44972	.3170900	.0057625	.0109383	1.170814	3.021682	.6544206
#2	17.61034	.3087144	.0058572	.0087253	1.211955	3.010702	.6529619
#3	17.78865	.3180011	.0056405	.0105744	1.205564	3.021648	.6505525

Sample Name: Q3801-01 Acquired: 12/9/2025 22:55:57 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	2.847971	.0616930	-.051697
Stddev	.013556	.0012047	.002438
%RSD	.4759929	1.952681	4.716500
#1	2.863275	.0608836	-.053720
#2	2.837470	.0630774	-.048990
#3	2.843169	.0611179	-.052382

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3054.324	60984.42	8673.620	2259.286	3570.150
Stddev	5.927	385.09	78.891	23.566	12.431
%RSD	.1940414	.6314600	.9095561	1.043083	.3482013
#1	3055.170	60838.01	8764.704	2258.836	3563.668
#2	3048.020	61421.24	8626.792	2283.075	3562.300
#3	3059.782	60694.00	8629.363	2235.949	3584.483

Sample Name: Q3801-06 Acquired: 12/9/2025 23:00:03 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1024099	.0044198	.3712816	-.018932	-.011383	60.52665	.2944130
Stddev	.0037317	.0073974	.0008465	.003347	.002064	.30743	.0023131
%RSD	3.643905	167.3710	.2279845	17.67674	18.13262	.5079319	.7856549

#1	.1048133	-.000764	.3722043	-.022711	-.009584	60.71303	.2968193
#2	.0981109	.001133	.3710994	-.016343	-.010929	60.17181	.2922061
#3	.1043056	.012891	.3705410	-.017743	-.013636	60.69511	.2942135

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0079191	.0070161	14.94025	.1725439	.0479633	.1304345	187.3398
Stddev	.0000366	.0000746	.06953	.0006782	.0002323	.0018990	1.5362
%RSD	.4625896	1.063135	.4654122	.3930616	.4842539	1.455916	.8200228

#1	.0079086	.0069723	14.99667	.1729742	.0477081	.1287404	189.0358
#2	.0078889	.0069737	14.86257	.1728953	.0480195	.1300759	186.9420
#3	.0079598	.0071022	14.96152	.1717621	.0481624	.1324873	186.0415

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.9342837	12.89225	.0922016	-.001296	.7742857	.3322470	.5514464
Stddev	.0054791	.05735	.0008100	.000560	.0239842	.0014589	.0024054
%RSD	.5864512	.4448181	.8785553	43.22232	3.097593	.4391065	.4361947

#1	.9405858	12.87899	.0920329	-.000656	.7962957	.3338713	.5531838
#2	.9306494	12.84270	.0914892	-.001699	.7778379	.3318218	.5524544
#3	.9316158	12.95507	.0930827	-.001534	.7487235	.3310479	.5487010

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	11.63777	.1820768	.0061830	.0025813	1.033687	2.832285	.4183114
Stddev	.12402	.0023933	.0003020	.0007392	.008389	.016413	.0011538
%RSD	1.065631	1.314437	4.884225	28.63677	.8115321	.5794984	.2758147

#1	11.77995	.1844350	.0065198	.0019327	1.043372	2.847458	.4186924
#2	11.58145	.1821454	.0060929	.0033861	1.028976	2.814863	.4170153
#3	11.55191	.1796500	.0059364	.0024251	1.028713	2.834533	.4192264

Sample Name: Q3801-06 Acquired: 12/9/2025 23:00:03 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	2.152604	.0754970	-.101190
Stddev	.009721	.0006528	.000798
%RSD	.4515878	.8647409	.7881156

#1	2.163721	.0761995	-.101925
#2	2.148387	.0753825	-.101303
#3	2.145703	.0749089	-.100342

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3246.226	64805.77	8317.721	2402.921	4058.124
Stddev	10.150	416.06	33.508	14.241	9.941
%RSD	.3126644	.6420066	.4028484	.5926465	.2449694

#1	3248.780	64343.16	8281.097	2393.782	4063.219
#2	3254.854	64924.83	8346.840	2395.652	4064.485
#3	3235.043	65149.32	8325.226	2419.330	4046.668

Sample Name: Q3806-01 Acquired: 12/9/2025 23:04:10 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0715251	.0178805	.3052166	-.013464	-.008138	119.3782	.4030625
Stddev	.0032741	.0019768	.0029782	.002848	.002922	1.9503	.0059065
%RSD	4.577482	11.05585	.9757653	21.15638	35.90229	1.633748	1.465403

#1	.0720315	.0158123	.3017951	-.016716	-.011463	117.1263	.3968016
#2	.0745165	.0180781	.3072263	-.012263	-.005979	120.5258	.4085354
#3	.0680274	.0197511	.3066286	-.011413	-.006973	120.4826	.4038504

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0054715	.0052178	43.46574	.1979030	.0772543	.3250203	180.0044
Stddev	.0001536	.0002152	.66715	.0046368	.0007568	.0017504	5.3435
%RSD	2.808066	4.124009	1.534892	2.342953	.9796408	.5385628	2.968565

#1	.0053515	.0054454	42.69672	.1926869	.0764603	.3231509	174.0555
#2	.0054185	.0050176	43.81102	.2015570	.0773354	.3252893	184.3971
#3	.0056447	.0051904	43.88950	.1994652	.0779674	.3266206	181.5605

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.668012	17.48928	.1243660	.0028098	2.796304	.3217173	.4727403
Stddev	.021493	.30065	.0018082	.0006890	.094843	.0037404	.0106521
%RSD	1.288522	1.719053	1.453945	24.52251	3.391735	1.162638	2.253271

#1	1.643440	17.14300	.1224335	.0020208	2.695946	.3174666	.4622472
#2	1.677278	17.64101	.1246478	.0031153	2.884449	.3245055	.4835446
#3	1.683317	17.68382	.1260169	.0032932	2.808516	.3231799	.4724291

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	6.733088	.2367400	.0055032	-.002535	2.202419	2.743050	.3550697
Stddev	.211302	.0117587	.0000576	.001415	.033069	.091010	.0039479
%RSD	3.138266	4.966905	1.046326	55.82002	1.501483	3.317845	1.111864

#1	6.501645	.2237692	.0054729	-.002644	2.164245	2.648914	.3505496
#2	6.915699	.2467017	.0054671	-.003892	2.222300	2.830574	.3568172
#3	6.781920	.2397490	.0055696	-.001068	2.220712	2.749663	.3578422

Sample Name: Q3806-01 Acquired: 12/9/2025 23:04:10 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.473876	.0801054	.0702181
Stddev	.014468	.0017223	.0025347
%RSD	.9816171	2.149999	3.609749
#1	1.457643	.0781384	.0727269
#2	1.485409	.0808352	.0676583
#3	1.478576	.0813426	.0702691

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3190.464	61678.72	8635.343	2323.571	3890.564
Stddev	30.717	1328.56	72.163	42.461	40.930
%RSD	.9627861	2.154006	.8356664	1.827393	1.052036
#1	3225.886	63137.81	8704.568	2372.439	3937.815
#2	3171.167	60538.85	8640.897	2295.695	3866.049
#3	3174.339	61359.49	8560.564	2302.579	3867.828

Sample Name: CCV12 Acquired: 12/9/2025 23:20:53 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV12 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.829224	5.033220	4.786441	4.921531	4.973332	9.593280	9.956091
Stddev	.021913	.116307	.022614	.023292	.019511	.072747	.188762
%RSD	.4537682	2.310793	.4724555	.4732633	.3923097	.7583092	1.895948
#1	4.818857	5.064796	4.771928	4.927940	4.960060	9.513420	9.740673
#2	4.814418	4.904385	4.774898	4.895706	4.964201	9.610652	10.09257
#3	4.854397	5.130478	4.812497	4.940948	4.995734	9.655768	10.03503
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2506599	2.369849	23.72616	.9431640	2.408520	1.242531	5.040144
Stddev	.0007405	.008346	.09859	.0025967	.008677	.005260	.017545
%RSD	.2954018	.3521912	.4155535	.2753180	.3602661	.4233511	.3481046
#1	.2512601	2.366846	23.62237	.9461585	2.403329	1.239096	5.049245
#2	.2508872	2.363420	23.81857	.9415329	2.403692	1.239910	5.019919
#3	.2498325	2.379281	23.73755	.9418008	2.418537	1.248587	5.051269
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.398768	23.42479	2.395775	1.220852	25.47343	2.395188	2.467296
Stddev	.006619	.22697	.008122	.000390	.08950	.010371	.003609
%RSD	.2759484	.9689250	.3390305	.0319194	.3513652	.4329886	.1462692
#1	2.393124	23.17096	2.393001	1.221300	25.39944	2.383360	2.470049
#2	2.397126	23.60823	2.389403	1.220589	25.44794	2.399483	2.468629
#3	2.406054	23.49517	2.404921	1.220667	25.57292	2.402721	2.463210
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	24.96777	4.800517	4.883284	4.750514	4.837131	5.085149	4.862707
Stddev	.10212	.011791	.016576	.023957	.015578	.063172	.022421
%RSD	.4090202	.2456232	.3394379	.5043055	.3220486	1.242274	.4610861
#1	24.87518	4.805505	4.877432	4.748326	4.820863	5.020091	4.851111
#2	24.95083	4.808995	4.870429	4.727727	4.838616	5.089108	4.848458
#3	25.07730	4.787052	4.901992	4.775491	4.851913	5.146248	4.888551

Sample Name: CCV12 Acquired: 12/9/2025 23:20:53 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV12 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.814310	4.762515	4.871262
Stddev	.013083	.019627	.027244
%RSD	.2717589	.4121041	.5592723
#1	4.814705	4.741321	4.864450
#2	4.801034	4.766163	4.901265
#3	4.827191	4.780062	4.848071

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2907.344	57423.99	7539.749	2209.431	3826.162
Stddev	4.550	96.83	6.924	4.898	5.649
%RSD	.1565155	.1686154	.0918310	.2217033	.1476445
#1	2909.929	57341.26	7533.147	2206.523	3827.850
#2	2910.014	57530.49	7539.146	2215.087	3830.775
#3	2902.090	57400.23	7546.955	2206.684	3819.861

Sample Name: CCB12 Acquired: 12/9/2025 23:25:04 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB12 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0033846	.0054644	.0004580	-.001079	.0000596	-.001122	-.001865
Stddev	.0022881	.0037731	.0012235	.001790	.0008409	.005375	.000603
%RSD	67.60497	69.04969	267.1236	165.8754	1411.961	479.0579	32.36071

#1	.0047563	.0090150	.0011199	-.002096	-.000894	.004648	-.001305
#2	.0007431	.0015025	.0012080	.000987	.000378	-.002028	-.001784
#3	.0046542	.0058756	-.000954	-.002128	.000695	-.005986	-.002504

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000066	-.000031	.0026156	-.000002	.0000059	.0000894	-.005471
Stddev	.0000202	.000049	.0127825	.000330	.0001209	.0000386	.005114
%RSD	307.6990	158.1596	488.6961	17277.89	2064.022	43.20832	93.47141

#1	-.000017	-.000080	-.005985	-.000103	.0000537	.0001059	-.010224
#2	.000017	-.000029	.017304	-.000269	-.000132	.0001171	-.000059
#3	.000019	.000017	-.003472	.000367	.000095	.0000453	-.006131

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000164	-.005684	.0001749	-.000948	.0252544	.0011041	-.000251
Stddev	.000410	.026089	.0007616	.000239	.0280442	.0022965	.000231
%RSD	249.9524	458.9862	435.4805	25.22428	111.0469	208.0034	91.96715

#1	-.000401	.019165	-.000310	-.000883	.0066463	.0012822	-.000341
#2	-.000400	-.032857	-.000218	-.000749	.0116067	.0033064	-.000424
#3	.000309	-.003360	.001053	-.001213	.0575102	-.001276	.000011

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0423601	.0033614	-.000130	-.017548	.0008452	.0038193	.0005860
Stddev	.0469592	.0004006	.000155	.000306	.0003195	.0169789	.0001347
%RSD	110.8572	11.91874	119.1038	1.745748	37.80351	444.5535	22.97738

#1	.0126760	.0033270	.000031	-.017810	.0009511	.0230488	.0005610
#2	.0964998	.0029791	-.000278	-.017211	.0004862	-.002486	.0007315
#3	.0179044	.0037782	-.000143	-.017623	.0010984	-.009105	.0004657

Sample Name: CCB12 Acquired: 12/9/2025 23:25:04 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB12 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	F -.013871	-.000385	.0001193
Stddev	.004885	.001611	.0001216
%RSD	35.21769	418.8956	101.9780

#1	-.012656	-.001659	.0002589
#2	-.019249	-.000921	.0000366
#3	-.009708	.001426	.0000622

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3035.316	59513.40	7403.512	2270.499	4294.072
Stddev	30.230	574.95	58.934	26.736	43.585
%RSD	.9959394	.9660924	.7960266	1.177556	1.014994

#1	3020.092	59934.44	7470.332	2284.788	4267.182
#2	3015.724	59747.42	7381.266	2287.054	4270.674
#3	3070.131	58858.34	7358.940	2239.654	4344.359

Sample Name: Q3806-03 Acquired: 12/9/2025 23:29:24 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0682156	.0111576	.3234748	-.019408	-.014170	171.9730	.4282508
Stddev	.0066608	.0046273	.0003005	.005028	.002183	2.4796	.0067807
%RSD	9.764298	41.47201	.0929044	25.90679	15.40469	1.441868	1.583336

#1	.0606031	.0160757	.3232331	-.014478	-.016166	169.1829	.4212502
#2	.0710712	.0105069	.3238113	-.019217	-.014504	172.8113	.4287146
#3	.0729724	.0068901	.3233799	-.024529	-.011839	173.9248	.4347877

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0071550	.0094312	51.75818	.2299568	.1179848	.3644615	237.6117
Stddev	.0000965	.0002462	.73338	.0007222	.0005489	.0021479	2.7578
%RSD	1.348543	2.610672	1.416934	.3140671	.4652470	.5893464	1.160625

#1	.0070446	.0096809	50.96607	.2291389	.1173910	.3669366	234.4862
#2	.0071973	.0094241	51.89489	.2302247	.1180897	.3630867	238.6463
#3	.0072232	.0091886	52.41359	.2305068	.1184738	.3633611	239.7025

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.805960	40.63601	.2169696	.0025303	3.496105	.4227439	.6284104
Stddev	.042299	.53182	.0002353	.0011938	.054215	.0053411	.0012383
%RSD	1.507457	1.308729	.1084277	47.17904	1.550713	1.263434	.1970586

#1	2.761296	40.03417	.2171251	.0011708	3.442074	.4178042	.6297147
#2	2.811175	40.83123	.2170847	.0030127	3.495738	.4220157	.6282656
#3	2.845410	41.04263	.2166989	.0034073	3.550502	.4284117	.6272508

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.063888	1.244448	.0054534	.0022544	2.728904	2.791307	.5235054
Stddev	.108018	.010114	.0002645	.0012200	.044444	.029210	.0006983
%RSD	1.191741	.8127548	4.850009	54.11645	1.628636	1.046452	.1333938

#1	8.939733	1.234950	.0056549	.0020824	2.680175	2.760183	.5230961
#2	9.115621	1.243311	.0051539	.0035512	2.739326	2.818123	.5243117
#3	9.136311	1.255082	.0055514	.0011295	2.767211	2.795615	.5231084

Sample Name: Q3806-03 Acquired: 12/9/2025 23:29:24 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.666105	.1561982	-.002576
Stddev	.004367	.0026365	.001160
%RSD	.2620875	1.687932	45.00663
#1	1.664999	.1535779	-.002981
#2	1.670919	.1561660	-.003479
#3	1.662398	.1588506	-.001269

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3245.276	64399.38	8815.640	2433.522	3763.614
Stddev	3.602	178.30	55.243	9.966	3.708
%RSD	.1109849	.2768655	.6266430	.4095428	.0985288
#1	3243.077	64604.87	8866.839	2443.056	3767.735
#2	3249.433	64307.66	8822.990	2434.336	3760.545
#3	3243.320	64285.62	8757.090	2423.173	3762.561

Sample Name: Q3806-04 Acquired: 12/9/2025 23:33:30 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0489510	.0158337	.7955279	-.015829	-.011309	131.9072	.4600491
Stddev	.0029901	.0037216	.0071088	.003824	.001366	2.3480	.0081531
%RSD	6.108396	23.50441	.8936013	24.15792	12.07635	1.780044	1.772223
#1	.0468488	.0201167	.7952522	-.011609	-.010042	129.2000	.4512467
#2	.0523741	.0133878	.8027707	-.019065	-.011131	133.1328	.4615588
#3	.0476301	.0139967	.7885610	-.016813	-.012755	133.3887	.4673419
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0059224	.0062115	57.36116	.1775336	.0794021	.2378978	182.5236
Stddev	.0000682	.0001807	.94825	.0008787	.0007963	.0035451	1.9942
%RSD	1.150861	2.908962	1.653123	.4949532	1.002841	1.490186	1.092579
#1	.0058802	.0063092	56.27056	.1765671	.0793622	.2404103	180.2488
#2	.0058859	.0063222	57.82209	.1782843	.0802177	.2394404	183.3510
#3	.0060010	.0060030	57.99083	.1777494	.0786266	.2338427	183.9709
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.854000	22.01365	.1296744	.0033014	3.190855	.3326722	.8015438
Stddev	.031589	.37069	.0010447	.0010362	.044508	.0075122	.0032895
%RSD	1.703829	1.683903	.8055949	31.38675	1.394854	2.258125	.4103934
#1	1.818948	21.58570	.1295515	.0023438	3.139524	.3245181	.7998471
#2	1.862788	22.21998	.1307751	.0031589	3.218717	.3341867	.7994491
#3	1.880265	22.23526	.1286967	.0044015	3.214323	.3393117	.8053352
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	8.829824	.2314658	.0034592	.0059636	2.085583	3.671769	.3193043
Stddev	.077155	.0027404	.0000873	.0008725	.039686	.054346	.0011560
%RSD	.8738043	1.183920	2.524540	14.63078	1.902887	1.480091	.3620437
#1	8.745108	.2284545	.0033852	.0050052	2.040257	3.609017	.3190232
#2	8.896064	.2321298	.0035555	.0067118	2.102401	3.703010	.3205750
#3	8.848301	.2338132	.0034369	.0061738	2.114091	3.703281	.3183147

Sample Name: Q3806-04 Acquired: 12/9/2025 23:33:30 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	2.105397	.0900829	.1612231
Stddev	.006009	.0010579	.0032947
%RSD	.2854194	1.174377	2.043560

#1	2.110243	.0891227	.1575652
#2	2.107276	.0899089	.1621468
#3	2.098673	.0912170	.1639574

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3184.587	62665.27	8617.067	2332.795	3922.445
Stddev	14.197	254.03	99.130	11.246	22.336
%RSD	.4458147	.4053681	1.150388	.4820877	.5694322

#1	3175.612	62956.34	8723.184	2339.461	3911.800
#2	3177.193	62488.31	8601.172	2339.113	3907.422
#3	3200.955	62551.17	8526.846	2319.810	3948.111

Sample Name: Q3806-06 Acquired: 12/9/2025 23:37:36 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0515419	.0125939	.6648019	-.013829	-.011413	150.5689	.4296446
Stddev	.0052812	.0016691	.0033381	.005665	.002081	3.3387	.0077432
%RSD	10.24644	13.25307	.5021205	40.96731	18.23246	2.217362	1.802243

#1	.0514372	.0111720	.6609751	-.016640	-.010154	146.9530	.4212240
#2	.0568747	.0144316	.6671147	-.007308	-.013815	151.2189	.4312515
#3	.0463138	.0121782	.6663159	-.017539	-.010271	153.5348	.4364584

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0063842	.0070710	52.40445	.1738395	.0865466	.2993693	198.9132
Stddev	.0001946	.0002323	1.06500	.0011858	.0004524	.0009472	1.0647
%RSD	3.047318	3.284618	2.032268	.6821073	.5227694	.3163860	.5352705

#1	.0061632	.0069759	51.25751	.1749123	.0862553	.2983808	198.1907
#2	.0064601	.0069014	52.59371	.1740399	.0863166	.2994584	200.1360
#3	.0065294	.0073357	53.36214	.1725663	.0870678	.3002688	198.4130

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.958712	23.03421	.1409501	.0029618	3.288073	.3384581	.7257605
Stddev	.038175	.50636	.0004051	.0005421	.022477	.0059235	.0028946
%RSD	1.948961	2.198278	.2873969	18.30174	.6835963	1.750142	.3988305

#1	1.917851	22.52046	.1406293	.0025212	3.274356	.3316847	.7277716
#2	1.964821	23.04934	.1408156	.0035671	3.314013	.3410206	.7270669
#3	1.993464	23.53283	.1414053	.0027971	3.275849	.3426689	.7224431

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	8.628213	.2346406	.0030835	.0017173	1.853401	3.014704	.4009675
Stddev	.072416	.0060846	.0005641	.0004645	.037002	.018151	.0025318
%RSD	.8392966	2.593171	18.29351	27.05011	1.996459	.6020732	.6314163

#1	8.589255	.2379828	.0024454	.0022536	1.812405	3.012913	.3997121
#2	8.711768	.2383217	.0035156	.0014409	1.863478	3.033684	.3993086
#3	8.583615	.2276174	.0032897	.0014573	1.884322	2.997515	.4038816

Sample Name: Q3806-06 Acquired: 12/9/2025 23:37:36 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	2.672824	.0997878	.0985469
Stddev	.018376	.0018964	.0053744
%RSD	.6874971	1.900411	5.453600
#1	2.663398	.0978967	.0931661
#2	2.661073	.0997772	.0985600
#3	2.693999	.1016894	.1039148

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3161.369	61661.01	8551.328	2313.525	3852.716
Stddev	9.318	282.28	129.190	6.764	6.463
%RSD	.2947582	.4577932	1.510754	.2923798	.1677391
#1	3157.557	61465.24	8678.548	2306.791	3852.657
#2	3154.561	61533.21	8555.183	2313.466	3846.284
#3	3171.989	61984.59	8420.255	2320.319	3859.208

Sample Name: CCV13 Acquired: 12/9/2025 23:41:41 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV13 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	5.015347	5.348832	4.901493	5.115979	5.107682	9.731264	9.687817
Stddev	.027477	.181847	.012860	.033799	.030005	.039901	.146379
%RSD	.5478525	3.399753	.2623712	.6606517	.5874513	.4100321	1.510964

#1	5.041238	5.410676	4.914610	5.148572	5.142260	9.691414	9.578491
#2	4.986520	5.144129	4.888907	5.081091	5.088504	9.731162	9.630843
#3	5.018283	5.491691	4.900963	5.118272	5.092282	9.771216	9.854117

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2515915	2.436093	23.81489	.9658038	2.467249	1.273672	4.960883
Stddev	.0019494	.007062	.03902	.0053726	.007212	.007293	.028073
%RSD	.7748315	.2899058	.1638417	.5562812	.2922939	.5725642	.5658888

#1	.2538308	2.442973	23.78203	.9680432	2.475230	1.282023	4.966777
#2	.2502735	2.428862	23.80461	.9696944	2.461202	1.270431	4.985540
#3	.2506702	2.436444	23.85801	.9596738	2.465315	1.268561	4.930330

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.353661	23.67456	2.454780	1.220450	24.75978	2.417043	2.487379
Stddev	.005315	.07961	.007033	.003859	.12618	.003929	.013663
%RSD	.2258364	.3362640	.2865170	.3161840	.5096358	.1625667	.5492739

#1	2.358291	23.63827	2.462489	1.222418	24.70172	2.414147	2.488405
#2	2.354834	23.61957	2.448713	1.222928	24.90455	2.415468	2.500499
#3	2.347857	23.76585	2.453137	1.216004	24.67309	2.421516	2.473232

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	24.78634	4.782319	5.043927	4.889323	4.820174	5.150576	4.920517
Stddev	.17673	.035626	.032282	.027526	.006506	.053776	.025611
%RSD	.7130308	.7449461	.6400114	.5629793	.1349822	1.044074	.5204864

#1	24.64969	4.823378	5.081058	4.914381	4.826197	5.100371	4.948048
#2	24.98592	4.759597	5.022516	4.859860	4.821051	5.207324	4.897401
#3	24.72339	4.763983	5.028207	4.893728	4.813273	5.144033	4.916100

Sample Name: CCV13 Acquired: 12/9/2025 23:41:41 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV13 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.967903	4.709357	4.837433
Stddev	.059365	.011369	.034873
%RSD	1.194966	.2414226	.7209061
#1	4.982373	4.719197	4.818726
#2	4.902641	4.711963	4.815905
#3	5.018695	4.696911	4.877668

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2859.767	57566.72	7584.156	2145.386	3783.454
Stddev	17.508	199.93	60.580	2.209	15.147
%RSD	.6122259	.3473049	.7987741	.1029751	.4003602
#1	2842.023	57375.95	7517.088	2146.923	3766.854
#2	2860.247	57549.51	7634.905	2146.381	3786.980
#3	2877.030	57774.70	7600.475	2142.854	3796.527

Sample Name: CCB13 Acquired: 12/9/2025 23:45:52 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB13 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0027031	.0106599	-.000360	-.003167	-.001735	-.007640	-.002218
Stddev	.0024227	.0049477	.001577	.003363	.001192	.008502	.000485
%RSD	89.62512	46.41447	437.9746	106.1803	68.73105	111.2768	21.84949

#1	.0006040	.0057805	.001306	-.006596	-.001777	-.009217	-.002270
#2	.0021513	.0156733	-.001829	.000125	-.000522	.001540	-.002674
#3	.0053541	.0105259	-.000557	-.003030	-.002905	-.015243	-.001709

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000326	.0000922	.0112236	.0001407	.0000067	-.000185	-.008440
Stddev	.0001418	.0000990	.0011906	.0001691	.0000891	.000242	.003244
%RSD	434.5026	107.3301	10.60770	120.2320	1324.507	131.1789	38.43656

#1	.0000698	-.000021	.0104944	.0003082	.0001094	-.000451	-.007531
#2	.0001521	.000161	.0105789	-.000030	-.000050	-.000124	-.005748
#3	-.000124	.000137	.0125974	.000144	-.000039	.000021	-.012042

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000570	.0061527	-.000125	-.001747	.0012211	.0004986	-.000297
Stddev	.000471	.0040533	.000351	.000445	.0234638	.0005608	.000107
%RSD	82.65180	65.87953	280.6138	25.44923	1921.556	112.4709	36.06363

#1	-.001113	.0050841	.000279	-.001992	-.025848	.0000505	-.000318
#2	-.000327	.0027407	-.000311	-.002015	.013757	.0003179	-.000393
#3	-.000271	.0106333	-.000343	-.001234	.015755	.0011275	-.000181

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0045468	.0031754	-.000037	-.016300	.0007666	.0097652	.0006833
Stddev	.0435698	.0009353	.000171	.000408	.0012719	.0084258	.0002209
%RSD	958.2441	29.45572	464.0121	2.500094	165.9100	86.28361	32.32308

#1	-.015230	.0038498	.000159	-.016583	.0019532	.0008147	.0007997
#2	-.025627	.0035688	-.000117	-.016485	-.000576	.0109375	.0008217
#3	.054498	.0021076	-.000152	-.015833	.000923	.0175435	.0004286


Sample Name: CCB13 Acquired: 12/9/2025 23:45:52 Type: Unk
Method: 6010-200.7 NEW(v394) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB13 Custom ID2: Custom ID3:
Comment:


Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	F -.014415	-.000882	.0002613
Stddev	.001517	.000269	.0001203
%RSD	10.52077	30.45368	46.03588


#1	-.015992	-.000959	.0003764
#2	-.012968	-.000583	.0002713
#3	-.014286	-.001104	.0001364


Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3019.690	59896.01	7975.270	2259.203	4248.950
Stddev	2.863	1659.09	98.113	61.975	5.728
%RSD	.0948053	2.769945	1.230215	2.743219	.1348029


#1	3016.882	58124.00	8087.646	2198.807	4242.431
#2	3019.582	61412.54	7931.528	2322.644	4251.244
#3	3022.605	60151.49	7906.636	2256.159	4253.176


























































- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17






































Date of Fit:	12/11/2025 15:24:20	Type of Fit:	Linear	Weighting:	1/Conc
A0 (Offset):	0.000000	Re-Slope:	1.000000		
A1 (Gain):	0.000000	Y-int:	0.000000		
A2 (Curvature):	0.000000				
n (Exponent):	1.000000				
Correlation:	0.000000	Status:	Warning	Zero Gain	
Std Error of Est:	0.000000				
Predicted MDL:	n/a				
Predicted MQL:	n/a				

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
-----------	--------------	-------------	------------	---------	-------	---------	----------



Date of Fit:	<not fit>	Type of Fit:	Linear	Weighting:	1/Conc
A0 (Offset):	0.000000	Re-Slope:	1.000000		
A1 (Gain):	0.000000	Y-int:	0.000000		





Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
In 230.606 {446}* Date of Fit: <not fit> Type of Fit: Linear Weighting: 1/Conc							
A0 (Offset):	0.000000				Re-Slope:	1.000000	
A1 (Gain):	0.000000				Y-int:	0.000000	

A2 (Curvature):		0.000000		Status:	Warning	Zero Gain	
n (Exponent):		1.000000					
Correlation:		0.000000					
Std Error of Est:		0.000000					
Predicted MDL:		n/a					
Predicted MQL:		n/a					
Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

Sample Name: S0 Acquired: 12/11/2025 11:04:43 Type: Cal
Method: 6010-200.7 NEW(v403) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934	Be2348
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	-.00008	.00066	-.00034	.00069	.00083	-.00039	.03006	-.00304
Stddev	.00015	.00001	.00031	.00008	.00013	.00063	.00223	.00046
%RSD	187.28	2.0927	90.809	11.879	15.709	163.23	7.4140	15.272

#1	.00009	.00064	-.00022	.00067	.00093	-.00112	.02828	-.00331
#2	-.00015	.00066	-.00069	.00078	.00087	.00000	.03256	-.00250
#3	-.00017	.00066	-.00011	.00062	.00068	-.00005	.02933	-.00331

Elem	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404	Mn2576	Mg2790
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	-.00098	.00141	.00005	-.00039	.00083	-.00000	.00022	-.00008
Stddev	.00018	.00056	.00006	.00026	.00027	.00002	.00017	.00039
%RSD	18.015	39.709	118.88	66.784	32.608	566.78	76.276	456.66

#1	-.00108	.00094	.00001	-.00015	.00060	.00001	.00003	-.00049
#2	-.00077	.00204	.00011	-.00066	.00077	.00001	.00035	.00027
#3	-.00108	.00126	.00002	-.00035	.00112	-.00002	.00028	-.00003

Elem	Ni2316	Ag3280	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	-.00178	-.00023	.00168	-.00045	.00975	-.00162	.00391	.00060
Stddev	.00004	.00008	.00018	.00012	.00053	.00041	.00052	.00009
%RSD	2.3406	34.424	10.574	26.673	5.4351	25.551	13.220	15.337

#1	-.00180	-.00031	.00151	-.00058	.00995	-.00187	.00352	.00051
#2	-.00173	-.00016	.00168	-.00036	.00916	-.00184	.00371	.00059
#3	-.00180	-.00020	.00186	-.00041	.01016	-.00114	.00449	.00069

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707	Sr4077	
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	
Avg	.00234	.00145	.00020	-.00054	.00080	.00395	-.00029	
Stddev	.00010	.00006	.00002	.00006	.00017	.00099	.00128	
%RSD	4.1897	4.0252	9.8986	10.844	21.882	24.974	448.93	

#1	.00224	.00138	.00019	-.00061	.00100	.00451	.00062	
#2	.00235	.00149	.00019	-.00051	.00068	.00453	-.00176	
#3	.00243	.00147	.00023	-.00051	.00071	.00281	.00028	

Sample Name: S0 Acquired: 12/11/2025 11:04:43 Type: Cal
Method: 6010-200.7 NEW(v403) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2734.5	54472.	6991.8	2120.7	3812.6
Stddev	9.1	357.	23.2	19.1	14.9
%RSD	.33328	.65596	.33158	.89991	.39027
#1	2743.4	54600.	7018.6	2134.2	3815.4
#2	2734.9	54748.	6978.6	2129.0	3825.8
#3	2725.2	54069.	6978.2	2098.9	3796.5

Sample Name: S1 Acquired: 12/11/2025 11:09:07 Type: Cal
Method: 6010-200.7 NEW(v403) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934	Be2348	Cd2265
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.00076	.00228	.00259	.00186	.00714	.00990	.30127	.04404	.01449
Stddev	.00002	.00025	.00020	.00008	.00029	.00026	.00190	.00062	.00012
%RSD	2.9804	10.963	7.8798	4.5392	4.0047	2.6065	.63064	1.4185	.85607
#1	.00078	.00221	.00237	.00191	.00734	.00960	.30222	.04351	.01459
#2	.00075	.00207	.00263	.00176	.00726	.01003	.29908	.04388	.01435
#3	.00074	.00255	.00277	.00191	.00681	.01006	.30250	.04473	.01452
Elem	Ca3736	Cr2677	Co2286	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.11883	.00142	.02933	.01739	.00038	.01145	.02822	.02732	.00220
Stddev	.00070	.00006	.00020	.00041	.00003	.00025	.00065	.00028	.00004
%RSD	.58611	4.0564	.68612	2.3479	7.5726	2.1953	2.3021	1.0199	1.8794
#1	.11803	.00143	.02938	.01704	.00041	.01116	.02773	.02757	.00215
#2	.11927	.00147	.02950	.01784	.00036	.01159	.02798	.02738	.00221
#3	.11918	.00136	.02910	.01729	.00036	.01160	.02896	.02702	.00223
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.02654	.00467	.09518	.01053	.06065	.13602	.00692	.01743	.00155
Stddev	.00019	.00062	.00138	.00007	.00080	.00030	.00003	.00063	.00003
%RSD	.70844	13.342	1.4517	.68695	1.3140	.22030	.41120	3.6212	1.7800
#1	.02655	.00404	.09478	.01058	.05984	.13607	.00691	.01777	.00156
#2	.02635	.00529	.09671	.01044	.06067	.13629	.00691	.01670	.00152
#3	.02673	.00468	.09404	.01055	.06144	.13569	.00696	.01782	.00158
Elem	P_1774	S_1820	Li6707	Sr4077					
Units	Cts/S	Cts/S	Cts/S	Cts/S					
Avg	.00022	.00132	.01351	.23908					
Stddev	.00009	.00010	.00088	.00056					
%RSD	41.258	7.5945	6.5450	.23375					
#1	.00032	.00122	.01427	.23947					
#2	.00018	.00142	.01254	.23932					
#3	.00015	.00132	.01372	.23844					

Sample Name: S1 Acquired: 12/11/2025 11:09:07 Type: Cal
Method: 6010-200.7 NEW(v403) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2788.0	54650.	6879.4	2174.5	3852.9
Stddev	3.4	169.	36.2	10.5	6.0
%RSD	.12154	.30841	.52575	.48420	.15586
#1	2787.3	54458.	6905.7	2163.1	3859.8
#2	2785.1	54771.	6894.4	2176.4	3849.9
#3	2791.7	54722.	6838.1	2183.9	3849.0

Sample Name: S2 Acquired: 12/11/2025 11:13:32 Type: Cal
Method: 6010-200.7 NEW(v403) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934	Be2348	Cd2265
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.03637	.03485	.17461	.04219	.10466	.15468	4.6209	.31830	1.0579
Stddev	.00014	.00096	.00018	.00020	.00036	.00061	.0215	.00239	.0024
%RSD	.37385	2.7635	.10123	.46818	.34053	.39386	.46625	.75215	.22980
#1	.03621	.03512	.17478	.04204	.10496	.15533	4.6058	.31555	1.0598
#2	.03643	.03378	.17443	.04212	.10426	.15413	4.6113	.31993	1.0551
#3	.03647	.03565	.17463	.04241	.10475	.15457	4.6455	.31942	1.0586
Elem	Ca3736	Cr2677	Co2286	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.24742	.02278	.40185	.16503	.00299	.23375	.05584	.28902	.04648
Stddev	.00040	.00012	.00140	.00046	.00002	.00123	.00026	.00106	.00008
%RSD	.16221	.51767	.34871	.28080	.68040	.52683	.46746	.36698	.17876
#1	.24740	.02278	.40315	.16522	.00299	.23289	.05614	.29025	.04642
#2	.24782	.02289	.40037	.16450	.00298	.23320	.05569	.28846	.04645
#3	.24702	.02266	.40204	.16536	.00302	.23516	.05568	.28836	.04658
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.05386	.05379	.91136	.02341	.48443	.56679	.09538	.34548	.00331
Stddev	.00077	.00071	.00484	.00015	.00076	.00202	.00038	.00089	.00012
%RSD	1.4389	1.3276	.53107	.62535	.15716	.35628	.39839	.25625	3.4862
#1	.05340	.05325	.90580	.02335	.48377	.56832	.09575	.34484	.00344
#2	.05342	.05352	.91461	.02330	.48526	.56450	.09499	.34510	.00326
#3	.05475	.05460	.91368	.02358	.48425	.56754	.09541	.34649	.00323
Elem	P_1774	S_1820	Li6707	Sr4077					
Units	Cts/S	Cts/S	Cts/S	Cts/S					
Avg	.28452	.02081	.34803	9.5747					
Stddev	.00067	.00017	.00126	.0384					
%RSD	.23530	.79440	.36308	.40157					
#1	.28417	.02093	.34663	9.5457					
#2	.28409	.02062	.34836	9.5601					
#3	.28529	.02089	.34909	9.6183					

Sample Name: S2 Acquired: 12/11/2025 11:13:32 Type: Cal
Method: 6010-200.7 NEW(v403) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2727.1	54419.	6643.8	2196.7	3720.0
Stddev	6.3	223.	9.9	15.9	6.7
%RSD	.23167	.40889	.14900	.72391	.17878
#1	2724.4	54179.	6655.0	2206.3	3715.0
#2	2734.3	54618.	6640.2	2205.4	3727.6
#3	2722.6	54461.	6636.2	2178.3	3717.6

Sample Name: S3 Acquired: 12/11/2025 11:17:42 Type: Cal
Method: 6010-200.7 NEW(v403) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934	Be2348	Cd2265
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.11534	.11145	.55507	.12907	.32687	.48511	14.329	.97772	3.3605
Stddev	.00047	.00127	.00074	.00022	.00089	.00146	.011	.00107	.0059
%RSD	.40971	1.1424	.13274	.17233	.27216	.30059	.07954	.10958	.17439
#1	.11489	.11243	.55433	.12925	.32598	.48348	14.322	.97649	3.3572
#2	.11583	.11191	.55507	.12914	.32688	.48629	14.342	.97846	3.3570
#3	.11529	.11001	.55581	.12882	.32776	.48557	14.323	.97822	3.3672
Elem	Ca3736	Cr2677	Co2286	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.76016	.06981	1.2824	.52109	.00986	.71456	.17470	.92492	.14792
Stddev	.00232	.00016	.0005	.00154	.00011	.00095	.00087	.00142	.00006
%RSD	.30467	.22461	.04004	.29623	1.0929	.13281	.49924	.15306	.04342
#1	.75843	.06992	1.2829	.51931	.00978	.71559	.17529	.92444	.14788
#2	.76279	.06963	1.2819	.52204	.00999	.71439	.17510	.92381	.14799
#3	.75926	.06987	1.2824	.52192	.00982	.71371	.17370	.92651	.14789
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.16299	.17001	2.7907	.07727	1.4685	1.8010	.29981	1.0717	.01059
Stddev	.00036	.00102	.0036	.00042	.0027	.0022	.00142	.0016	.00004
%RSD	.22361	.60252	.12729	.54930	.18380	.12508	.47460	.14958	.36144
#1	.16316	.16919	2.7904	.07679	1.4685	1.7991	.30145	1.0705	.01063
#2	.16323	.16969	2.7873	.07745	1.4712	1.8004	.29899	1.0735	.01057
#3	.16257	.17116	2.7944	.07758	1.4658	1.8035	.29899	1.0711	.01056
Elem	P_1774	S_1820	Li6707	Sr4077					
Units	Cts/S	Cts/S	Cts/S	Cts/S					
Avg	.88928	.06538	1.0324	29.743					
Stddev	.00377	.00017	.0014	.209					
%RSD	.42345	.25549	.13296	.70264					
#1	.89345	.06547	1.0339	29.776					
#2	.88614	.06548	1.0317	29.520					
#3	.88824	.06518	1.0314	29.935					

Sample Name: S3 Acquired: 12/11/2025 11:17:42 Type: Cal
Method: 6010-200.7 NEW(v403) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2635.1	52126.	6688.9	2042.4	3535.5
Stddev	5.0	86.	5.6	5.9	3.7
%RSD	.18926	.16495	.08318	.28675	.10605
#1	2640.9	52142.	6693.4	2045.9	3531.9
#2	2632.3	52034.	6682.7	2045.7	3539.4
#3	2632.2	52203.	6690.5	2035.7	3535.1

Sample Name: S4 Acquired: 12/11/2025 11:21:56 Type: Cal
Method: 6010-200.7 NEW(v403) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934	Be2348	Cd2265
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.21649	.21136	1.0552	.24124	.61423	.91180	26.213	1.8415	6.4183
Stddev	.00042	.00686	.0008	.00124	.00131	.00148	.058	.0040	.0114
%RSD	.19606	3.2440	.08086	.51522	.21398	.16219	.22044	.21771	.17820
#1	.21625	.21111	1.0545	.24100	.61297	.91155	26.214	1.8452	6.4055
#2	.21698	.21834	1.0551	.24258	.61559	.91046	26.155	1.8421	6.4221
#3	.21625	.20463	1.0562	.24013	.61412	.91339	26.271	1.8372	6.4274
Elem	Ca3736	Cr2677	Co2286	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	1.4110	.12836	2.4463	.95238	.01762	1.3049	.33176	1.7432	.28067
Stddev	.0010	.00084	.0041	.00187	.00010	.0039	.00081	.0032	.00013
%RSD	.07119	.65063	.16792	.19584	.55209	.29561	.24312	.18416	.04763
#1	1.4103	.12862	2.4425	.95049	.01758	1.3087	.33090	1.7395	.28063
#2	1.4107	.12904	2.4457	.95422	.01756	1.3010	.33188	1.7451	.28057
#3	1.4122	.12743	2.4507	.95241	.01773	1.3049	.33250	1.7449	.28082
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.30014	.32115	5.1647	.14560	2.7459	3.4257	.56623	1.9930	.02024
Stddev	.00098	.00109	.0170	.00062	.0109	.0055	.00146	.0026	.00008
%RSD	.32518	.33846	.32953	.42847	.39614	.16095	.25821	.13096	.39511
#1	.30019	.32202	5.1834	.14494	2.7546	3.4219	.56628	1.9950	.02015
#2	.29914	.31993	5.1603	.14570	2.7494	3.4320	.56767	1.9901	.02027
#3	.30109	.32149	5.1502	.14617	2.7337	3.4232	.56475	1.9940	.02030
Elem	P_1774	S_1820	Li6707	Sr4077					
Units	Cts/S	Cts/S	Cts/S	Cts/S					
Avg	1.6294	.12226	1.8968	54.710					
Stddev	.0048	.00076	.0074	.326					
%RSD	.29402	.62341	.38981	.59522					
#1	1.6250	.12199	1.9021	54.477					
#2	1.6345	.12312	1.8884	54.571					
#3	1.6287	.12166	1.9000	55.082					

Sample Name: S4 Acquired: 12/11/2025 11:21:56 Type: Cal
Method: 6010-200.7 NEW(v403) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2671.9	52411.	6869.4	2015.7	3541.8
Stddev	4.5	117.	13.4	20.2	5.9
%RSD	.16718	.22262	.19522	1.0002	.16737
#1	2676.9	52443.	6863.1	2014.2	3548.6
#2	2670.5	52508.	6884.8	2036.6	3539.7
#3	2668.3	52281.	6860.3	1996.4	3537.3

Sample Name: S5 Acquired: 12/11/2025 11:26:01 Type: Cal
Method: 6010-200.7 NEW(v403) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934	Be2348	Cd2265
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.43656	.41834	2.1313	.48378	1.2375	1.7957	51.080	3.5003	13.005
Stddev	.00497	.02637	.0217	.00686	.0130	.0044	.208	.0006	.160
%RSD	1.1392	6.3027	1.0181	1.4183	1.0521	.24563	.40802	.01856	1.2331
#1	.43352	.40808	2.1179	.48024	1.2295	1.7906	50.961	3.4996	12.901
#2	.43386	.39865	2.1196	.47942	1.2305	1.7985	51.320	3.5004	12.924
#3	.44230	.44830	2.1563	.49169	1.2525	1.7979	50.958	3.5009	13.190
Elem	Ca3736	Cr2677	Co2286	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2.7515	.24885	4.9702	1.8854	.03490	2.5254	.65356	3.5252	.54700
Stddev	.0053	.00036	.0590	.0179	.00011	.0035	.00124	.0399	.00055
%RSD	.19280	.14435	1.1861	.94921	.30367	.13790	.19014	1.1309	.10030
#1	2.7467	.24919	4.9325	1.8745	.03478	2.5219	.65248	3.4988	.54757
#2	2.7572	.24889	4.9399	1.8756	.03497	2.5289	.65328	3.5057	.54647
#3	2.7507	.24847	5.0381	1.9060	.03496	2.5254	.65492	3.5711	.54698
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.60241	.63493	9.8389	.29115	5.3119	6.7736	1.1384	3.9106	.04069
Stddev	.00091	.00245	.0187	.00105	.0038	.0794	.0162	.0070	.00055
%RSD	.15028	.38572	.18995	.35919	.07071	1.1723	1.4213	.17925	1.3618
#1	.60144	.63210	9.8180	.28996	5.3154	6.7237	1.1297	3.9037	.04006
#2	.60323	.63636	9.8540	.29194	5.3124	6.7320	1.1284	3.9177	.04098
#3	.60257	.63632	9.8448	.29154	5.3080	6.8652	1.1570	3.9105	.04105
Elem	P_1774	S_1820	Li6707	Sr4077					
Units	Cts/S	Cts/S	Cts/S	Cts/S					
Avg	3.1890	.25651	3.8120	106.29					
Stddev	.0401	.00443	.0033	.66					
%RSD	1.2585	1.7284	.08618	.62379					
#1	3.1607	.25370	3.8153	106.87					
#2	3.1713	.25420	3.8087	105.56					
#3	3.2349	.26162	3.8118	106.42					

Sample Name: S5 Acquired: 12/11/2025 11:26:01 Type: Cal
Method: 6010-200.7 NEW(v403) Mode: IR Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2572.8	52055.	6929.8	1963.5	3327.9
Stddev	20.4	60.	6.9	8.9	32.4
%RSD	.79436	.11533	.09904	.45326	.97452
#1	2588.2	52096.	6927.4	1973.7	3349.7
#2	2580.5	52082.	6937.6	1957.3	3343.4
#3	2549.6	51986.	6924.5	1959.5	3290.6

Sample Name: ICV01 Acquired: 12/11/2025 11:30:12 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICV01 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.856107	3.935555	3.800072	3.901885	3.918979	7.669736
Stddev	.030942	.208316	.013655	.027898	.029609	.028111
%RSD	.8024105	5.293182	.3593356	.7149976	.7555219	.3665145
#1	3.824701	3.789956	3.789050	3.879343	3.886683	7.699453
#2	3.857056	3.842534	3.795817	3.893226	3.925412	7.666187
#3	3.886562	4.174174	3.815347	3.933086	3.944842	7.643569
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	7.642249	1.1945707	1.914939	19.26972	7.7969309	1.942167
Stddev	.012814	.0018429	.008869	.03695	.0032057	.007676
%RSD	.1676757	.9471563	.4631623	.1917739	.4022604	.3952054
#1	7.629931	.1957905	1.906341	19.29582	.7943370	1.934053
#2	7.655507	.1924507	1.914418	19.28591	.7959408	1.943136
#3	7.641309	.1954708	1.924057	19.22743	.8005149	1.949312
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.9944762	3.937712	1.909728	19.28814	1.950541	1.011412
Stddev	.0052773	.048245	.003071	.02182	.008974	.003534
%RSD	.5306599	1.225199	.1608133	.1131066	.4600823	.3494074
#1	.9883943	3.886858	1.913225	19.27889	1.940634	1.007572
#2	.9971895	3.982836	1.907468	19.27247	1.952865	1.012134
#3	.9978448	3.943441	1.908492	19.31306	1.958125	1.014528
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	19.08385	1.926560	2.037316	19.66040	3.777543	3.923980
Stddev	.20255	.007145	.011008	.16647	.031370	.016493
%RSD	1.061370	.3708528	.5403351	.8467510	.8304437	.4203039
#1	18.87562	1.934351	2.043886	19.50312	3.799200	3.909487
#2	19.28019	1.920315	2.043455	19.83475	3.741568	3.920528
#3	19.09575	1.925014	2.024607	19.64333	3.791860	3.941926

Sample Name: ICV01 Acquired: 12/11/2025 11:30:12 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICV01 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.864243	3.795155	3.605629	F .0002278	F .0198202	F .0087193
Stddev	.021890	.005354	.040732	.0002062	.0034891	.0034089
%RSD	.5664720	.1410821	1.129665	90.50743	17.60395	39.09619
#1	3.841246	3.801337	3.567711	.0004657	.0159235	.0126483
#2	3.866658	3.792008	3.648686	.0001187	.0208817	.0065477
#3	3.884825	3.792119	3.600491	.0000991	.0226552	.0069619
Elem	Sr4077					
Units	ppm					
Avg	F -.002715					
Stddev	.000052					
%RSD	1.918706					
#1	-.002682					
#2	-.002688					
#3	-.002775					
Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306	
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	
Avg	2713.730	52724.64	7228.878	2017.940	3625.123	
Stddev	8.806	216.23	60.138	6.912	12.762	
%RSD	.3244944	.4101039	.8319199	.3425031	.3520449	
#1	2721.212	52951.46	7202.382	2017.335	3634.975	
#2	2715.952	52701.60	7297.714	2011.350	3629.689	
#3	2704.026	52520.85	7186.536	2025.133	3610.707	

Sample Name: LLICV01 Acquired: 12/11/2025 11:41:55 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: LLICV01 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0196965	.0353770	.0135862	.0211742	.0515218	.1119882
Stddev	.0034503	.0028713	.0011839	.0031415	.0032406	.0032248
%RSD	17.51717	8.116405	8.713856	14.83652	6.289837	2.879546
#1	.0217291	.0332129	.0130944	.0183492	.0483200	.1099611
#2	.0157127	.0342838	.0149366	.0206160	.0514454	.1157067
#3	.0216476	.0386344	.0127274	.0245574	.0547999	.1102966
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1042530	.0064898	.0060598	2.102089	.0105516	.0307188
Stddev	.0009663	.0000557	.0000948	.010172	.0003373	.0001799
%RSD	.9268991	.8582251	1.564580	.4838802	3.196614	.5856746
#1	.1051227	.0065521	.0061431	2.105931	.0106158	.0309193
#2	.1044236	.0064448	.0059567	2.090557	.0108522	.0305715
#3	.1032127	.0064725	.0060797	2.109781	.0101868	.0306656
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0220312	.1116427	.0216752	2.147386	.0419561	.0111341
Stddev	.0002361	.0070679	.0003039	.010579	.0004103	.0005161
%RSD	1.071890	6.330843	1.401894	.4926605	.9779794	4.635348
#1	.0219474	.1192925	.0220257	2.139223	.0415539	.0117189
#2	.0218484	.1053549	.0215127	2.143598	.0419404	.0107422
#3	.0222978	.1102806	.0214871	2.159338	.0423741	.0109414
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.068551	.0404321	.0444996	2.116437	.1047651	.2052823
Stddev	.021874	.0026339	.0005200	.044620	.0003900	.0002363
%RSD	1.057465	6.514256	1.168615	2.108282	.3722868	.1150833
#1	2.043330	.0377675	.0449500	2.070973	.1048387	.2050098
#2	2.079977	.0404948	.0439305	2.118176	.1051131	.2054087
#3	2.082346	.0430341	.0446183	2.160163	.1043435	.2054285

Sample Name: LLICV01 Acquired: 12/11/2025 11:41:55 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: LLICV01 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0403292	.0403989	.3616446	F .0024710	.0175971	.0221132
Stddev	.0003955	.0006574	.0111074	.0006996	.0042649	.0044656
%RSD	.9807473	1.627306	3.071370	28.31159	24.23618	20.19425
#1	.0406302	.0410662	.3537982	.0016633	.0223052	.0199167
#2	.0398812	.0397519	.3567814	.0028629	.0139923	.0191712
#3	.0404762	.0403785	.3743542	.0028867	.0164938	.0272516
Elem	Sr4077					
Units	ppm					
Avg	.0220398					
Stddev	.0001692					
%RSD	.7677830					
#1	.0221811					
#2	.0220861					
#3	.0218523					
Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306	
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	
Avg	2678.457	52702.43	6931.836	2053.502	3736.616	
Stddev	6.395	47.05	43.021	9.816	6.560	
%RSD	.2387444	.0892808	.6206315	.4780270	.1755684	
#1	2685.604	52706.11	6884.167	2045.403	3743.362	
#2	2676.489	52747.53	6943.567	2064.419	3736.228	
#3	2673.277	52653.64	6967.776	2050.683	3730.258	

Sample Name: ICB01 Acquired: 12/11/2025 11:46:14 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICB01 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0004065	-.000573	.0019977	.0018286	.0011557	.0077379	.0005978
Stddev	.0011969	.002580	.0006304	.0018002	.0013008	.0113962	.0009344
%RSD	294.4554	450.4250	31.55407	98.44625	112.5613	147.2787	156.3210

#1	-.000976	.000957	.0022610	.0037191	.0026127	.0027749	.0003322
#2	.001098	.000877	.0012784	.0001349	.0001111	-.000335	.0016362
#3	.001097	-.003552	.0024538	.0016317	.0007431	.020774	-.000175

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000579	-.000044	.0135119	.0002260	.0003937	.0007771	.0084069
Stddev	.0000097	.000108	.0075014	.0001356	.0002027	.0001108	.0090997
%RSD	16.79676	245.5130	55.51747	59.99468	51.49104	14.25641	108.2406

#1	.0000614	-.000012	.0157229	.0002672	.0004408	.0008329	.0171338
#2	.0000470	.000044	.0196593	.0003363	.0001716	.0008490	-.001025
#3	.0000655	-.000164	.0051534	.0000746	.0005687	.0006496	.009111

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0005402	.0139026	.0006705	.0005281	.0290443	.0001900	.0006305
Stddev	.0002444	.0208665	.0001853	.0002695	.0170174	.0008398	.0003831
%RSD	45.24737	150.0903	27.63778	51.02775	58.59113	441.9218	60.76452

#1	.0006047	.0173844	.0007193	.0004051	.0096035	.0009706	.0001892
#2	.0007460	.0328092	.0008266	.0008371	.0412412	-.000698	.0008783
#3	.0002700	-.008486	.0004657	.0003420	.0362881	.000298	.0008241

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0762757	.0016798	.0000185	-.009054	-.000630	-.021670	-.000121
Stddev	.0256768	.0008412	.0000853	.000403	.000672	.002101	.000124
%RSD	33.66311	50.07514	462.2382	4.446703	106.6965	9.695842	101.8205

#1	.0682999	.0007623	.0000739	-.009519	-.000408	-.019569	-.000158
#2	.0555333	.0018627	-.000080	-.008832	-.000097	-.021671	.000016
#3	.1049939	.0024145	.000061	-.008811	-.001385	-.023772	-.000222

Sample Name: ICB01 Acquired: 12/11/2025 11:46:14 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICB01 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0024686	.0019250	.0000476
Stddev	.0038876	.0038890	.0001252
%RSD	157.4782	202.0247	262.6978

#1	.0064812	.0029970	.0000100
#2	.0022052	-.002388	.0001873
#3	-.001280	.005166	-.000054

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2722.608	53114.11	6870.756	2035.722	3849.343
Stddev	3.620	261.80	10.668	6.451	10.835
%RSD	.1329732	.4928937	.1552620	.3168780	.2814761

#1	2725.503	53198.25	6868.188	2037.709	3859.664
#2	2723.773	53323.49	6882.473	2040.945	3850.306
#3	2718.549	52820.59	6861.606	2028.511	3838.059

Sample Name: CRI01 Acquired: 12/11/2025 11:50:34 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CRI01 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0212132	.0390633	.0137116	.0209150	.0519498	.1132158
Stddev	.0031315	.0057332	.0013482	.0008259	.0009200	.0098256
%RSD	14.76194	14.67672	9.832340	3.948983	1.770987	8.678615
#1	.0211506	.0456747	.0133325	.0213528	.0512992	.1185790
#2	.0243755	.0354627	.0125936	.0214298	.0515477	.1018758
#3	.0181135	.0360525	.0152088	.0199623	.0530024	.1191927
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0978067	.0063901	.0058581	2.040982	.0102741	.0299175
Stddev	.0005655	.0000461	.0000962	.002616	.0005866	.0000560
%RSD	.5781533	.7221764	1.641832	.1281897	5.709761	.1870554
#1	.0976101	.0064165	.0057720	2.040063	.0109515	.0299773
#2	.0973657	.0063368	.0058403	2.043934	.0099408	.0298664
#3	.0984442	.0064170	.0059619	2.038949	.0099301	.0299088
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0217570	.1087746	.0203173	2.130924	.0410582	.0113300
Stddev	.0006252	.0160674	.0001501	.010954	.0002364	.0006395
%RSD	2.873760	14.77132	.7386584	.5140678	.5758730	5.644583
#1	.0216175	.1084463	.0204794	2.133873	.0410390	.0108101
#2	.0212133	.1250036	.0202894	2.140102	.0408319	.0111358
#3	.0224402	.0928738	.0201831	2.118797	.0413036	.0120441
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.919994	.0412025	.0438977	2.033091	.1022145	.2003792
Stddev	.019184	.0018559	.0002742	.036543	.0003587	.0017811
%RSD	.9991855	4.504315	.6247207	1.797420	.3509145	.8888793
#1	1.910681	.0421490	.0436879	1.990910	.1018156	.2016358
#2	1.907244	.0390642	.0442080	2.053186	.1023174	.1983409
#3	1.942057	.0423944	.0437972	2.055176	.1025105	.2011610

Sample Name: CRI01 Acquired: 12/11/2025 11:50:34 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CRI01 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0392400	.0393278	.3571584	F .0022756	.0181907	.0207612
Stddev	.0004699	.0012288	.0053996	.0000571	.0034008	.0021498
%RSD	1.197393	3.124460	1.511811	2.510778	18.69536	10.35469

#1	.0392292	.0389185	.3568084	.0022947	.0199065	.0221678
#2	.0397153	.0407091	.3519423	.0023207	.0142738	.0182866
#3	.0387757	.0383560	.3627244	.0022114	.0203918	.0218293

Elem	Sr4077
Units	ppm
Avg	.0210367
Stddev	.0000475
%RSD	.2257357

#1	.0210669
#2	.0210613
#3	.0209820

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2748.986	53217.36	7065.361	2039.318	3842.316
Stddev	24.313	130.82	9.264	13.892	32.472
%RSD	.8844469	.2458229	.1311231	.6812314	.8451125

#1	2733.605	53114.81	7075.239	2035.613	3818.542
#2	2777.016	53172.57	7063.976	2027.654	3879.313
#3	2736.337	53364.69	7056.867	2054.688	3829.093

Sample Name: ICSA01 Acquired: 12/11/2025 11:54:52 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICSA01 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0026742	.0140356	.0078228	.0013199	.0041348	248.9337
Stddev	.0053929	.0064314	.0007858	.0028236	.0028567	.2762
%RSD	201.6630	45.82198	10.04445	213.9234	69.08847	.1109458
#1	.0069638	.0125618	.0087144	-.001941	.0009755	249.0905
#2	.0044389	.0084690	.0075227	.002960	.0065358	249.0959
#3	-.003380	.0210760	.0072314	.002941	.0048930	248.6148
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0043408	.0010388	.0033940	235.2565	.0523524	.0026102
Stddev	.0007030	.0000816	.0002882	.4828	.0003004	.0000119
%RSD	16.19618	7.853069	8.491890	.2052144	.5738582	.4557437
#1	.0038726	.0009932	.0037238	235.4025	.0526116	.0026195
#2	.0051492	.0009903	.0031904	235.6494	.0520231	.0025968
#3	.0040005	.0011330	.0032678	234.7176	.0524224	.0026143
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0028389	91.17955	.0091453	253.5353	.0069315	.0077297
Stddev	.0012043	.68571	.0001202	.3568	.0002791	.0002770
%RSD	42.42312	.7520440	1.314280	.1407474	4.027244	3.583283
#1	.0042293	90.52105	.0090066	253.5859	.0068001	.0076978
#2	.0021644	91.12804	.0092190	253.8641	.0067423	.0074701
#3	.0021229	91.88957	.0092104	253.1558	.0072521	.0080213
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0841757	.0059749	.0055691	.1199206	.0016167	.0016842
Stddev	.0103571	.0021300	.0000667	.0663214	.0034913	.0003121
%RSD	12.30415	35.64872	1.198585	55.30444	215.9549	18.53101
#1	.0734627	.0042462	.0056406	.0533006	-.000631	.0018216
#2	.0849287	.0053242	.0055085	.1205220	-.000158	.0013270
#3	.0941358	.0083543	.0055581	.1859393	.005639	.0019041

Sample Name: ICSA01 Acquired: 12/11/2025 11:54:52 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICSA01 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.008136	-.004129	.0305122	.0008637	.0010453	F .0960789
Stddev	.001037	.000448	.0130526	.0001700	.0040430	.0026543
%RSD	12.74311	10.85990	42.77835	19.68770	386.8008	2.762606

#1	-.006953	-.003622	.0244073	.0010572	.0024030	.0981626
#2	-.008884	-.004293	.0454985	.0007959	-.003502	.0930905
#3	-.008572	-.004473	.0216307	.0007380	.004235	.0969834

Elem	Sr4077
Units	ppm
Avg	.0129010
Stddev	.0006749
%RSD	5.231219

#1	.0135283
#2	.0129878
#3	.0121869

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2480.739	49508.10	6635.704	1884.834	3117.539
Stddev	13.971	139.99	40.081	5.203	14.641
%RSD	.5631893	.2827579	.6040256	.2760633	.4696466

#1	2467.276	49668.88	6613.422	1878.845	3101.943
#2	2495.168	49413.24	6611.714	1887.410	3130.989
#3	2479.774	49442.18	6681.975	1888.247	3119.684

Sample Name: ICSAB01 Acquired: 12/11/2025 11:59:07 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICSAB01 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1049960	.1191109	.0580425	.0461833	.5829057	239.6518
Stddev	.0055669	.0114156	.0010849	.0048392	.0061712	.3507
%RSD	5.302006	9.584045	1.869120	10.47837	1.058688	.1463481
#1	.0989700	.1091708	.0567988	.0406721	.5757817	239.2540
#2	.1099470	.1165836	.0585343	.0481399	.5866070	239.7849
#3	.1060711	.1315785	.0587944	.0497379	.5863285	239.9165
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5021380	.4846130	.9459884	229.2409	.5350497	.4751190
Stddev	.0020968	.0011901	.0043919	.2677	.0031518	.0015644
%RSD	.4175727	.2455796	.4642632	.1167729	.5890634	.3292694
#1	.5005515	.4841620	.9496631	228.9336	.5316680	.4759905
#2	.5013474	.4837142	.9471776	229.3656	.5379054	.4760536
#3	.5045152	.4859627	.9411243	229.4236	.5355758	.4733130
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.4576329	89.78167	.4941256	243.4562	.9438390	.1795308
Stddev	.0023044	.33368	.0019997	.2781	.0040060	.0008344
%RSD	.5035511	.3716627	.4046862	.1142212	.4244375	.4647851
#1	.4580053	89.67710	.4934905	243.1456	.9462860	.1785937
#2	.4597285	90.15511	.4925206	243.6820	.9460151	.1801933
#3	.4551650	89.51279	.4963657	243.5411	.9392159	.1798056
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1003239	.4696151	.9871680	.0587094	.9299572	.9236498
Stddev	.0301098	.0004148	.0030983	.0603798	.0020570	.0037416
%RSD	30.01262	.0883177	.3138531	102.8452	.2211926	.4050912
#1	.0662233	.4700918	.9906371	.0445509	.9308037	.9263574
#2	.1115038	.4693363	.9861909	.0066670	.9276120	.9252118
#3	.1232446	.4694173	.9846761	.1249103	.9314559	.9193803

Sample Name: ICSAB01 Acquired: 12/11/2025 11:59:07 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICSAB01 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.9428843	.9351711	.8742753	F .0005436	F .0049067	1.096461
Stddev	.0039538	.0050927	.0055887	.0004106	.0062388	.008236
%RSD	.4193275	.5445733	.6392403	75.53653	127.1489	.7511889
#1	.9474030	.9302004	.8686465	.0002568	-.002260	1.086950
#2	.9411889	.9349353	.8743563	.0003601	.009122	1.101190
#3	.9400609	.9403776	.8798230	.0010140	.007859	1.101242
Elem	Sr4077					
Units	ppm					
Avg	1.095490					
Stddev	.003180					
%RSD	.2902657					
#1	1.093224					
#2	1.094122					
#3	1.099125					
Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306	
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	
Avg	2504.839	51043.49	6643.328	1986.906	3143.862	
Stddev	10.517	191.78	21.474	10.299	10.248	
%RSD	.4198761	.3757167	.3232363	.5183581	.3259786	
#1	2505.009	51120.25	6663.041	1977.230	3138.875	
#2	2494.238	50825.22	6646.497	1985.756	3137.061	
#3	2515.270	51185.00	6620.446	1997.732	3155.649	

Sample Name: ICSA01DLX20 Acquired: 12/11/2025 12:05:38 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICSA01DLX20 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000444	-.002271	.0009636	-.000430	-.001671	11.96339	.0004395
Stddev	.004031	.010095	.0008886	.001233	.000221	.01092	.0002466
%RSD	908.0883	444.5516	92.22261	286.6708	13.23259	.0913068	56.12381
#1	-.004075	-.013556	.0002372	-.001193	-.001711	11.97069	.0001745
#2	.003893	.005898	.0019544	.000992	-.001432	11.95083	.0004814
#3	-.001150	.000846	.0006991	-.001090	-.001869	11.96864	.0006624
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0001232	.0001591	11.73196	.0025374	.0002477	.0003203	4.443098
Stddev	.0000420	.0001116	.00778	.0004052	.0002007	.0001022	.015233
%RSD	34.13508	70.16832	.0663520	15.96771	81.03807	31.90128	.3428532
#1	.0000766	.0001559	11.73925	.0029769	.0002765	.0004099	4.457523
#2	.0001583	.0000491	11.72376	.0024566	.0004324	.0003422	4.427168
#3	.0001347	.0002723	11.73285	.0021787	.0000341	.0002090	4.444602
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0003514	12.18696	.0009713	.0003609	-.027677	.0007241	-.000294
Stddev	.0010003	.03722	.0000640	.0005020	.017454	.0032653	.000368
%RSD	284.6459	.3053772	6.589236	139.1147	63.06176	450.9584	124.9141
#1	.0001504	12.20051	.0010309	-.000210	-.046072	-.001729	.000061
#2	.0014369	12.21550	.0009795	.000559	-.011349	-.000529	-.000271
#3	-.000533	12.14486	.0009036	.000734	-.025609	.004430	-.000673
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.017669	-.000825	-.000019	-.005792	-.001059	-.033023	.0002484
Stddev	.055477	.000567	.000294	.001050	.001430	.013344	.0003406
%RSD	313.9742	68.75095	1542.510	18.13107	135.0865	40.40736	137.1345
#1	-.081113	-.001261	-.000324	-.005684	-.000677	-.048140	.0004594
#2	.021722	-.001030	.000003	-.006892	.000142	-.028042	-.000145
#3	.006383	-.000184	.000264	-.004800	-.002641	-.022886	.000430

Sample Name: ICSA01DLX20 Acquired: 12/11/2025 12:05:38 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICSA01DLX20 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.005590	.0009605	.0006939
Stddev	.003013	.0019184	.0000604
%RSD	53.90138	199.7273	8.698001

#1	-.002610	.0030805	.0006657
#2	-.005525	.0004569	.0006529
#3	-.008635	-.000656	.0007633

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2680.230	53130.76	6653.766	2063.331	3675.923
Stddev	4.452	18.45	13.174	2.998	4.737
%RSD	.1660926	.0347281	.1979857	.1452796	.1288561

#1	2682.021	53109.48	6644.591	2061.289	3680.482
#2	2683.508	53140.58	6647.846	2061.932	3676.262
#3	2675.162	53142.23	6668.861	2066.773	3671.027

Sample Name: ICSAB01DLX20 Acquired: 12/11/2025 12:09:56 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICSAB01DLX20 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0030233	.0073848	.0053417	.0041254	.0265485	11.76591	.0223244
Stddev	.0015445	.0067157	.0014315	.0052317	.0021264	.03203	.0002155
%RSD	51.08688	90.93862	26.79855	126.8164	8.009610	.2722613	.9651628
#1	.0013183	.0055133	.0038876	.0095560	.0242765	11.73757	.0224558
#2	.0043289	.0148378	.0067495	.0037019	.0284909	11.80066	.0224417
#3	.0034229	.0018035	.0053881	-.000882	.0268782	11.75949	.0220757
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0244682	.0472740	11.56002	.0259046	.0235334	.0250156	4.425264
Stddev	.0001333	.0002486	.02894	.0002266	.0004091	.0003979	.023164
%RSD	.5447132	.5257934	.2503275	.8747964	1.738309	1.590462	.5234546
#1	.0245779	.0474056	11.54045	.0256839	.0230850	.0247469	4.406914
#2	.0245069	.0469873	11.59326	.0258932	.0238863	.0248273	4.417585
#3	.0243199	.0474292	11.54635	.0261367	.0236288	.0254727	4.451293
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0240606	11.99291	.0480388	.0090884	-.005392	.0244817	.0486521
Stddev	.0007136	.07100	.0007994	.0001917	.018770	.0017682	.0005455
%RSD	2.965793	.5920485	1.664042	2.108930	348.1115	7.222522	1.121223
#1	.0247463	11.95142	.0487613	.0090860	-.025767	.0232565	.0483262
#2	.0233221	12.07490	.0471801	.0092813	.011195	.0265087	.0483483
#3	.0241135	11.95241	.0481749	.0088980	-.001604	.0236797	.0492819
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0241268	.0460550	.0489207	.0415361	.0479456	.0193071	.0002007
Stddev	.0171723	.0005502	.0001841	.0011311	.0005625	.0138495	.0002817
%RSD	71.17540	1.194560	.3763615	2.723233	1.173291	71.73273	140.3873
#1	.0294070	.0461449	.0489550	.0416033	.0479864	.0042201	.0000567
#2	.0380390	.0465547	.0487218	.0403728	.0484866	.0222576	.0000200
#3	.0049344	.0454655	.0490852	.0426321	.0473637	.0314436	.0005252

Sample Name: ICSAB01DLX20 Acquired: 12/11/2025 12:09:56 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: ICSAB01DLX20 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.004671	.0458678	.0533599
Stddev	.001540	.0059375	.0000982
%RSD	32.96617	12.94475	.1840658

#1	-.006435	.0508460	.0532467
#2	-.003984	.0474613	.0534218
#3	-.003594	.0392962	.0534113

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2663.696	54593.33	7000.626	2056.699	3653.507
Stddev	5.611	136.34	21.667	10.417	4.904
%RSD	.2106607	.2497317	.3094952	.5064877	.1342219

#1	2670.026	54721.60	6995.639	2062.528	3657.838
#2	2661.726	54608.23	6981.888	2062.896	3654.500
#3	2659.335	54450.15	7024.351	2044.672	3648.182

Sample Name: CCV01 Acquired: 12/11/2025 12:14:12 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV01 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.997898	5.144903	4.998912	5.033901	5.052447	10.07356	9.953731
Stddev	.029573	.222766	.027469	.029517	.014536	.00655	.060318
%RSD	.5917066	4.329841	.5494978	.5863710	.2877072	.0649904	.6059860
#1	4.976042	4.948216	4.967638	5.009724	5.036221	10.06951	10.02321
#2	5.031548	5.386810	5.009965	5.066795	5.064280	10.08111	9.92322
#3	4.986104	5.099685	5.019132	5.025184	5.056840	10.07006	9.91476
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.432864	2.492919	25.03738	9.9876112	2.493331	1.264513	4.958809
Stddev	.0018501	.010903	.07110	.0107020	.009587	.004309	.045767
%RSD	.7604698	.4373746	.2839604	1.083629	.3844875	.3408002	.9229332
#1	.2451870	2.480741	25.11947	.9892330	2.482512	1.259602	4.962001
#2	.2431811	2.496242	24.99685	.9974098	2.496708	1.266275	5.002896
#3	.2414912	2.501775	24.99581	.9761908	2.500771	1.267662	4.911530
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.470628	25.04496	2.494524	1.239077	24.17687	2.512063	2.539941
Stddev	.012914	.03891	.009746	.015420	.28528	.011449	.039827
%RSD	.5227005	.1553502	.3907078	1.244480	1.179974	.4557712	1.568029
#1	2.485239	25.06569	2.483369	1.239619	24.15225	2.525135	2.527833
#2	2.465903	25.06912	2.498806	1.254219	24.47366	2.503814	2.584416
#3	2.460742	25.00008	2.501396	1.223393	23.90469	2.507240	2.507572
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	24.76305	4.850447	5.116561	4.963040	4.981150	5.070739	5.024625
Stddev	.30136	.040183	.020576	.018704	.026573	.067009	.032117
%RSD	1.216963	.8284456	.4021536	.3768572	.5334800	1.321475	.6391838
#1	24.66468	4.895062	5.094978	4.941551	5.011777	5.027299	4.991943
#2	25.10130	4.839177	5.135956	4.975654	4.967456	5.147910	5.056144
#3	24.52317	4.817102	5.118749	4.971914	4.964216	5.037007	5.025787

Sample Name: CCV01 Acquired: 12/11/2025 12:14:12 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV01 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.881745	4.705181	4.984395
Stddev	.044503	.047093	.066911
%RSD	.9116115	1.000868	1.342400
#1	4.844808	4.756738	5.061482
#2	4.931152	4.694374	4.950347
#3	4.869275	4.664432	4.941355

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2609.974	53078.86	7053.405	1960.434	3487.876
Stddev	6.840	584.77	60.245	27.271	13.206
%RSD	.2620645	1.101702	.8541272	1.391060	.3786153
#1	2617.514	52960.86	6983.922	1972.641	3501.012
#2	2608.240	52562.09	7085.221	1929.192	3488.015
#3	2604.168	53713.64	7091.072	1979.469	3474.602

Sample Name: CCB01 Acquired: 12/11/2025 12:18:17 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB01 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000844	-.002983	.0011196	.0002555	-.001279	.0043173	-.000205
Stddev	.001905	.004613	.0002578	.0026528	.000778	.0090952	.000407
%RSD	225.7487	154.6435	23.02873	1038.415	60.85467	210.6667	198.6212

#1	-.000718	-.001670	.0010274	.0033129	-.001172	-.003191	-.000552
#2	.000995	-.008110	.0014109	-.001111	-.000559	.001712	.000243
#3	-.002809	.000831	.0009206	-.001435	-.002104	.014431	-.000306

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000154	.0000840	.0036121	.0006435	.0002235	.0000970	.0045974
Stddev	.0000403	.0000220	.0098573	.0005085	.0001573	.0005029	.0039202
%RSD	261.8308	26.13826	272.9011	79.01076	70.41484	518.2890	85.27011

#1	.0000556	.0000602	.0059064	.0012286	.0003224	-.000456	.0003629
#2	.0000155	.0000884	.0121199	.0003089	.0003059	.000527	.0053291
#3	-.000025	.0001034	-.007190	.0003930	.0000420	.000220	.0081003

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0001076	.0197054	.0005131	.0001527	-.001857	.0010949	-.000276
Stddev	.0000448	.0239917	.0003233	.0003092	.023772	.0005277	.000145
%RSD	41.65091	121.7516	63.00374	202.5209	1280.196	48.19499	52.39389

#1	.0001421	.0441739	.0001399	.0004379	-.020834	.0016247	-.000442
#2	.0000570	-.003779	.0007037	-.000176	-.009544	.0010907	-.000205
#3	.0001239	.018722	.0006959	.000196	.024807	.0005693	-.000181

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0316399	.0062519	.0002860	-.004570	-.000997	-.027057	.0003792
Stddev	.0474178	.0009185	.0001347	.000174	.001651	.007316	.0001741
%RSD	149.8673	14.69180	47.10305	3.815200	165.5676	27.03717	45.91238

#1	-.002424	.0072719	.0001308	-.004381	.000444	-.018616	.0004138
#2	.011547	.0059936	.0003556	-.004606	-.000637	-.030995	.0001904
#3	.085796	.0054902	.0003718	-.004724	-.002799	-.031560	.0005334

Sample Name: CCB01 Acquired: 12/11/2025 12:18:17 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB01 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.006767	.0016130	.0002291
Stddev	.006121	.0035570	.0000538
%RSD	90.45378	220.5169	23.48614

#1	-.011125	.0039848	.0001674
#2	.000231	-.002477	.0002534
#3	-.009405	.003331	.0002664

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2680.947	53156.46	6777.523	2040.563	3774.278
Stddev	3.957	95.31	37.382	10.227	1.867
%RSD	.1475995	.1793039	.5515653	.5012045	.0494777

#1	2679.251	53244.43	6735.879	2041.560	3775.207
#2	2685.469	53055.20	6788.509	2029.874	3775.500
#3	2678.120	53169.76	6808.182	2050.256	3772.129

Sample Name: Q3780-02 Acquired: 12/11/2025 12:22:37 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.004046	-.009341	.0216500	-.000751	.0096591	.3240931	.1955388
Stddev	.002640	.002700	.0007476	.001580	.0011597	.0044525	.0057347
%RSD	65.25139	28.90913	3.452922	210.4428	12.00611	1.373847	2.932752

#1	-.004244	-.006521	.0224828	-.000895	.0083258	.3191850	.1931160
#2	-.006580	-.011904	.0210371	-.002254	.0102178	.3278730	.2020873
#3	-.001312	-.009597	.0214301	.000896	.0104337	.3252212	.1914132

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000068	.0005077	4.379664	.0200875	.0649560	.0027797	.1874725
Stddev	.000024	.0000545	.127768	.0003231	.0008370	.0004738	.0016648
%RSD	35.14945	10.73010	2.917298	1.608333	1.288641	17.04353	.8879946

#1	-.000076	.0004544	4.310251	.0199101	.0652696	.0023713	.1867696
#2	-.000088	.0005056	4.527113	.0198920	.0655910	.0032991	.1862745
#3	-.000041	.0005633	4.301627	.0204604	.0640074	.0026688	.1893734

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2734129	.2891336	.0071847	.0002130	473.8292	.0013422	18.22217
Stddev	.0074149	.0249966	.0002801	.0005273	2.7142	.0009150	.16511
%RSD	2.711971	8.645353	3.897872	247.6274	.5728211	68.17447	.9061192

#1	.2701098	.2634609	.0074473	-.000249	472.4588	.0004881	18.38793
#2	.2819053	.3133943	.0072169	.000100	472.0735	.0023079	18.05771
#3	.2682236	.2905456	.0068900	.000788	476.9554	.0012305	18.22085

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.346138	.0301083	-.005247	-.015228	.0014411	1.046947	.0071958
Stddev	.013798	.0010854	.000456	.000687	.0002069	.011059	.0001424
%RSD	.5881066	3.604858	8.685856	4.509035	14.35997	1.056266	1.979391

#1	2.356883	.0291642	-.004776	-.014616	.0012120	1.056673	.0073557
#2	2.330578	.0312942	-.005281	-.015097	.0016145	1.034919	.0070826
#3	2.350954	.0298663	-.005685	-.015971	.0014967	1.049250	.0071492

Sample Name: Q3780-02 Acquired: 12/11/2025 12:22:37 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.7336772	.0053373	.0089152
Stddev	.0072141	.0026860	.0003026
%RSD	.9832870	50.32436	3.394166
#1	.7417358	.0080121	.0087380
#2	.7314753	.0026403	.0092646
#3	.7278207	.0053595	.0087430

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2582.081	50072.59	6844.790	1974.376	3359.083
Stddev	21.082	244.33	166.627	30.369	25.111
%RSD	.8164834	.4879474	2.434363	1.538144	.7475614
#1	2566.304	49893.04	6921.815	1946.405	3343.314
#2	2573.913	50350.82	6653.585	2006.678	3345.895
#3	2606.025	49973.89	6958.969	1970.045	3388.041

Sample Name: Q3792-01 Acquired: 12/11/2025 12:27:01 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0030918	-.005837	.0073173	.0014150	-.000938	.5604772	.0127600
Stddev	.0039353	.005232	.0000868	.0018543	.000949	.0086088	.0010530
%RSD	127.2826	89.63074	1.186245	131.0491	101.1577	1.535975	8.251988

#1	-.000620	-.003972	.0074115	.0031166	-.001786	.5668223	.0126455
#2	.002677	-.001794	.0072998	.0016896	.000087	.5506777	.0117690
#3	.007218	-.011747	.0072405	-.000561	-.001114	.5639314	.0138656

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000825	-.000092	15.23707	.0099250	.0005653	.0090810	.7459347
Stddev	.0000051	.000021	.51279	.0013498	.0001293	.0011069	.0134451
%RSD	6.174663	23.25923	3.365411	13.59990	22.88236	12.18911	1.802454

#1	.0000883	-.000078	14.99377	.0114234	.0007113	.0103155	.7529693
#2	.0000806	-.000082	14.89122	.0088042	.0004650	.0081772	.7304316
#3	.0000786	-.000117	15.82622	.0095473	.0005195	.0087502	.7544030

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0308458	2.991821	.0066575	.0008208	24.46822	.0040945	.0498929
Stddev	.0005039	.086755	.0001295	.0000347	.66293	.0033049	.0013192
%RSD	1.633645	2.899722	1.945311	4.230775	2.709345	80.71432	2.644060

#1	.0303766	2.947793	.0067721	.0008252	25.01791	.0019887	.0510481
#2	.0307824	2.935910	.0065170	.0008531	23.73201	.0079036	.0484554
#3	.0313785	3.091762	.0066834	.0007840	24.65475	.0023913	.0501750

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.674346	.0264246	.0026986	-.019830	.0240048	2.456852	.0059810
Stddev	.082685	.0009990	.0001479	.000372	.0011734	.075326	.0003086
%RSD	4.938362	3.780655	5.482098	1.873934	4.888278	3.065944	5.159010

#1	1.727219	.0258508	.0025844	-.020031	.0235511	2.535462	.0063328
#2	1.579061	.0258448	.0026456	-.019401	.0231259	2.385308	.0058542
#3	1.716758	.0275782	.0028657	-.020057	.0253373	2.449786	.0057560

Sample Name: Q3792-01 Acquired: 12/11/2025 12:27:01 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	8.091762	.0055095	.1157242
Stddev	.117338	.0037908	.0039240
%RSD	1.450095	68.80499	3.390840

#1	8.225952	.0094301	.1139976
#2	8.008446	.0052350	.1129595
#3	8.040890	.0018634	.1202154

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2789.950	56369.54	7142.567	2206.017	3834.686
Stddev	26.653	1329.56	198.382	56.453	37.070
%RSD	.9553268	2.358654	2.777461	2.559048	.9666959

#1	2761.779	55316.31	7244.747	2167.248	3796.048
#2	2814.768	57863.51	7269.029	2270.785	3869.959
#3	2793.302	55928.81	6913.925	2180.017	3838.049

Sample Name: PB170841BL Acquired: 12/11/2025 12:31:17 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000430	-.002472	.0010254	-.000584	.0000411	.0053833	-.000147
Stddev	.0008180	.004006	.0010530	.004400	.0005474	.0074156	.000476
%RSD	1904.296	162.0707	102.6885	752.9046	1332.187	137.7528	324.7735

#1	.0009099	-.003188	.0013402	.003123	-.000545	.0098487	-.000285
#2	-.000066	-.006071	.0018851	-.005447	.000128	.0094780	-.000539
#3	-.000715	.001844	-.000149	.000571	.000540	-.003177	.000383

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0001157	.0000025	.0222782	.0002269	.0001100	.0000206	.0112321
Stddev	.0000120	.0000400	.0054593	.0001703	.0002820	.0002287	.0065204
%RSD	10.33473	1593.419	24.50512	75.04364	256.4984	1112.037	58.05133

#1	.0001022	.0000443	.0255719	.0002705	-.000013	-.000205	.0181494
#2	.0001198	-.000035	.0159765	.0003713	-.000090	.000014	.0103479
#3	.0001250	-.000001	.0252863	.0000391	.000433	.000253	.0051989

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0003189	-.008701	.0007249	.0002939	.0837490	-.000780	.0035000
Stddev	.0000517	.008173	.0001400	.0003347	.0314262	.001866	.0003790
%RSD	16.21486	93.92940	19.31180	113.8963	37.52430	239.3207	10.82832

#1	.0003406	-.002054	.0008319	.0006683	.0487103	.000928	.0033015
#2	.0003563	-.017827	.0007762	.0001898	.0930939	-.000495	.0039370
#3	.0002599	-.006223	.0005665	.0000236	.1094429	-.002771	.0032615

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0337359	-.000803	.0000528	-.010665	-.000197	-.019959	.0005641
Stddev	.0232480	.000682	.0005344	.000774	.001585	.006855	.0003884
%RSD	68.91182	84.96773	1011.846	7.254199	804.5292	34.34489	68.85168

#1	.0542731	-.001589	.0006687	-.009921	-.002025	-.023262	.0002375
#2	.0084960	-.000437	-.000222	-.011465	.000793	-.024537	.0004612
#3	.0384386	-.000382	-.000288	-.010608	.000641	-.012078	.0009936

Sample Name: PB170841BL Acquired: 12/11/2025 12:31:17 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0051883	.0033762	.0000492
Stddev	.0045860	.0018200	.0000591
%RSD	88.39194	53.90648	119.9951

#1	.0103809	.0047305	.0000178
#2	.0034911	.0040907	.0000126
#3	.0016927	.0013074	.0001174

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2797.680	54836.45	6723.634	2065.161	4026.333
Stddev	27.217	772.64	196.272	26.501	44.747
%RSD	.9728494	1.408992	2.919130	1.283238	1.111354

#1	2828.916	55694.88	6716.551	2094.623	4076.143
#2	2779.055	54196.77	6923.351	2043.267	3989.533
#3	2785.070	54617.68	6531.000	2057.594	4013.323

Sample Name: PB170841BS Acquired: 12/11/2025 12:35:37 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.8235016	2.085437	1.001689	2.144175	.8367680	2.087244
Stddev	.0040830	.045009	.009132	.020548	.0076414	.022140
%RSD	.4958107	2.158260	.9116910	.9583033	.9132075	1.060715

#1	.8195470	2.104201	.993567	2.143212	.8336367	2.064083
#2	.8277019	2.118029	1.011575	2.165187	.8454777	2.089454
#3	.8232558	2.034082	.999926	2.124125	.8311896	2.108196

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2016535	.2132483	.2034928	1.056293	.4028214	.2022468
Stddev	.0024474	.0013821	.0019848	.007874	.0013813	.0015247
%RSD	1.213640	.6481151	.9753692	.7454312	.3429035	.7538917

#1	.1991300	.2116559	.2021313	1.048112	.4012265	.2015166
#2	.2018137	.2139530	.2057701	1.063820	.4036331	.2039993
#3	.2040168	.2141361	.2025769	1.056946	.4036046	.2012245

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3191917	2.917337	.2054323	2.109698	.5116324	.0753028
Stddev	.0039046	.034006	.0011773	.038326	.0046806	.0004468
%RSD	1.223289	1.165662	.5731018	1.816635	.9148423	.5933945

#1	.3174442	2.915685	.2048593	2.066643	.5084884	.0755295
#2	.3236649	2.884188	.2046512	2.122360	.5170116	.0747881
#3	.3164660	2.952140	.2067865	2.140090	.5093972	.0755910

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.915747	.3097824	.2172004	9.724342	.3141035	.4235216
Stddev	.028936	.0034670	.0015744	.090686	.0034193	.0056315
%RSD	.9924186	1.119186	.7248490	.9325645	1.088577	1.329674

#1	2.901792	.3060752	.2189422	9.681751	.3104770	.4220204
#2	2.896433	.3129448	.2158787	9.662791	.3172686	.4297516
#3	2.949016	.3103271	.2167804	9.828483	.3145650	.4187929

Sample Name: PB170841BS Acquired: 12/11/2025 12:35:37 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6978913	.2045000	.8766304	F .6351988	F .0045084	.1961533
Stddev	.0050018	.0012170	.0023329	.0045765	.0071929	.0013947
%RSD	.7166969	.5951358	.2661268	.7204746	159.5421	.7110328

#1	.6961101	.2034530	.8745352	.6324165	.0126165	.1977496
#2	.7035398	.2042118	.8791444	.6404807	-.001105	.1955398
#3	.6940239	.2058354	.8762118	.6326991	.002014	.1951706

Elem	Sr4077
Units	ppm
Avg	.2021499
Stddev	.0012570
%RSD	.6218126

#1	.2010569
#2	.2018693
#3	.2035234

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2652.673	53390.74	6768.656	2023.070	3670.836
Stddev	29.439	139.88	40.219	10.142	35.931
%RSD	1.109788	.2619914	.5942003	.5013346	.9788256

#1	2666.009	53385.66	6814.621	2013.535	3690.928
#2	2618.926	53533.08	6751.424	2033.727	3629.353
#3	2673.085	53253.46	6739.924	2021.949	3692.226

Sample Name: Q3739-03 Acquired: 12/11/2025 12:39:42 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0001840	-.006640	.0018305	.0054838	-.000749	2.822348
Stddev	.0017948	.003494	.0017966	.0056527	.001864	.242941
%RSD	975.5896	52.62489	98.15232	103.0801	248.9108	8.607756

#1	-.001847	-.003859	-.000141	.0044713	-.002185	2.702838
#2	.001555	-.005498	.002257	.0115743	.001357	3.101894
#3	.000844	-.010562	.003376	.0004058	-.001419	2.662311

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3766246	-.000060	.0000224	118.6520	.0588933	.0007487
Stddev	.0333706	.000079	.0000756	10.1826	.0027803	.0002942
%RSD	8.860449	130.6453	337.8719	8.581943	4.720956	39.29953

#1	.3592276	-.000035	.0000314	113.4001	.0580303	.0004490
#2	.4150991	-.000148	.0000931	130.3884	.0566468	.0010372
#3	.3555472	.000003	-.000057	112.1676	.0620028	.0007599

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0096861	1.332786	.0519411	29.34877	.0187696	-.000055
Stddev	.0002052	.009211	.0046493	2.61360	.0005491	.000316
%RSD	2.118899	.6910885	8.951154	8.905312	2.925413	573.2451

#1	.0099099	1.341224	.0495245	28.01005	.0190727	.000294
#2	.0095067	1.334175	.0573010	32.36052	.0181358	-.000138
#3	.0096419	1.322960	.0489976	27.67574	.0191005	-.000321

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	43.21470	.0220166	.0475876	9.033261	.9649775	.0304798
Stddev	.18323	.0030562	.0009834	.050979	.0752613	.0002700
%RSD	.4240001	13.88126	2.066548	.5643507	7.799280	.8858496

#1	43.22658	.0187252	.0487213	9.046142	.9338800	.0307857
#2	43.39171	.0247647	.0470761	9.076564	1.050804	.0303787
#3	43.02582	.0225599	.0469653	8.977076	.910249	.0302749

Sample Name: Q3739-03 Acquired: 12/11/2025 12:39:42 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.016547	.1061476	F 20.74630	.0134603	F 21.75989	.1593553
Stddev	.000179	.0107367	.10104	.0003971	.20214	.0156849
%RSD	1.084727	10.11484	.4870054	2.950444	.9289708	9.842699

#1	-.016722	.1005590	20.82842	.0130605	21.85785	.1567355
#2	-.016363	.1185258	20.77701	.0134656	21.52744	.1761852
#3	-.016556	.0993580	20.63347	.0138547	21.89440	.1451454

Elem	Sr4077
Units	ppm
Avg	1.252823
Stddev	.106910
%RSD	8.533508

#1	1.195366
#2	1.376175
#3	1.186926

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2507.466	51232.03	6785.808	1886.688	3418.365
Stddev	20.355	564.62	509.280	25.277	39.377
%RSD	.8117634	1.102082	7.505069	1.339778	1.151939

#1	2490.892	50582.55	6998.645	1857.857	3390.277
#2	2530.185	51507.55	6204.636	1897.161	3463.375
#3	2501.320	51606.01	7154.144	1905.045	3401.443

Sample Name: Q3739-03DUP Acquired: 12/11/2025 12:43:56 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0013198	-.004149	.0030137	-.000414	.0004823	2.768106
Stddev	.0023497	.005140	.0018630	.004795	.0015770	.014607
%RSD	178.0323	123.8848	61.81839	1159.515	326.9785	.5276892
#1	.0037352	-.007522	.0047874	-.004129	-.000115	2.754407
#2	.0011823	.001767	.0010727	.004999	-.000708	2.766434
#3	-.000958	-.006692	.0031810	-.002111	.002271	2.783477
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3799210	-.000005	-.000080	116.3191	.0596358	.0007535
Stddev	.0038992	.000060	.000071	.4679	.0021887	.0001186
%RSD	1.026320	1108.157	89.56729	.4022593	3.670079	15.74126
#1	.3755451	.000011	-.000014	115.9160	.0576761	.0006914
#2	.3811914	.000045	-.000069	116.2090	.0619977	.0006788
#3	.3830266	-.000072	-.000156	116.8322	.0592336	.0008902
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0095087	1.278336	.0518111	28.60903	.0181174	-.000253
Stddev	.0005005	.019625	.0007906	.13517	.0001909	.000584
%RSD	5.263595	1.535180	1.526016	.4724769	1.053383	230.3543
#1	.0098810	1.260174	.0509662	28.47605	.0183148	.000265
#2	.0089397	1.299153	.0525331	28.60475	.0181035	-.000886
#3	.0097055	1.275681	.0519342	28.74629	.0179338	-.000139
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	43.69063	.0191911	.0477190	8.799642	1.000269	.0297185
Stddev	1.15839	.0011695	.0010535	.258950	.001570	.0004505
%RSD	2.651341	6.094038	2.207804	2.942739	.1569106	1.515838
#1	42.75123	.0201280	.0469051	8.607494	.998719	.0292678
#2	44.98496	.0195648	.0489090	9.094121	1.001858	.0301687
#3	43.33571	.0178804	.0473430	8.697311	1.000230	.0297191

Sample Name: Q3739-03DUP Acquired: 12/11/2025 12:43:56 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.017794	.1007826	F 19.73317	.0134138	F 20.97411	.1701484
Stddev	.000584	.0007284	.52976	.0004568	.02057	.0039521
%RSD	3.284491	.7227520	2.684602	3.405200	.0980509	2.322756

#1	-.018384	.1016093	19.34076	.0132699	20.98782	.1666569
#2	-.017782	.1002353	20.33576	.0130463	20.95047	.1693491
#3	-.017215	.1005032	19.52297	.0139252	20.98405	.1744390

Elem	Sr4077
Units	ppm
Avg	1.248718
Stddev	.006803
%RSD	.5448089

#1	1.241131
#2	1.250749
#3	1.254275

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2554.090	51074.47	6545.936	1941.376	3485.249
Stddev	1.208	1262.05	15.443	49.594	4.308
%RSD	.0472810	2.471002	.2359237	2.554593	.1236084

#1	2555.433	51851.09	6563.546	1961.770	3482.566
#2	2553.094	49618.26	6534.700	1884.836	3490.218
#3	2553.741	51754.06	6539.563	1977.521	3482.963

Sample Name: Q3739-03LX5 Acquired: 12/11/2025 12:48:10 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0017609	-.004144	.0037939	.0014601	.0004830	.5807606	.0802700
Stddev	.0035176	.006096	.0012683	.0022463	.0005399	.0218866	.0027639
%RSD	199.7633	147.0900	33.42938	153.8476	111.7680	3.768615	3.443309

#1	-.002150	-.010938	.0036775	-.000571	.0003514	.5788011	.0776946
#2	.002768	.000847	.0051164	.001078	.0000211	.5599196	.0799251
#3	.004665	-.002342	.0025879	.003873	.0010765	.6035611	.0831902

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0001146	-.000050	24.67114	.0119090	.0003036	.0015382	.2784451
Stddev	.0000621	.000063	.59086	.0002583	.0001546	.0003449	.0047577
%RSD	54.18957	127.0505	2.394953	2.168944	50.93050	22.42183	1.708679

#1	.0001479	.000014	24.31344	.0117538	.0001925	.0016570	.2732538
#2	.0000430	-.000113	24.34684	.0122072	.0004802	.0018080	.2794842
#3	.0001531	-.000050	25.35313	.0117661	.0002382	.0011496	.2825975

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0111291	6.013741	.0043924	.0007363	8.652556	.0061491	.0087841
Stddev	.0001803	.156996	.0002064	.0002974	.120683	.0022392	.0004382
%RSD	1.620261	2.610624	4.698833	40.38855	1.394762	36.41460	4.988401

#1	.0113354	5.898285	.0045091	.0010692	8.513848	.0048044	.0083615
#2	.0110020	5.950430	.0045140	.0006430	8.733499	.0049089	.0087544
#3	.0110497	6.192507	.0041541	.0004968	8.710321	.0087340	.0092364

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.738299	.2128389	.0060728	-.007282	.0206956	3.942506	.0031715
Stddev	.031375	.0039980	.0001644	.000639	.0020448	.042527	.0001795
%RSD	1.804936	1.878408	2.707885	8.770720	9.880323	1.078690	5.660612

#1	1.703338	.2119231	.0062616	-.007995	.0198080	3.904786	.0033711
#2	1.747552	.2093783	.0059611	-.006760	.0192446	3.988596	.0030232
#3	1.764007	.2172154	.0059956	-.007092	.0230342	3.934137	.0031203

Sample Name: Q3739-03LX5 Acquired: 12/11/2025 12:48:10 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.275505	.0340829	.2613631
Stddev	.051325	.0028195	.0064344
%RSD	1.200444	8.272378	2.461876
#1	4.317805	.0359490	.2569914
#2	4.290304	.0308395	.2583463
#3	4.218407	.0354603	.2687517

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2732.651	56069.28	6960.877	2153.119	3787.464
Stddev	12.233	227.30	134.021	9.928	17.933
%RSD	.4476535	.4053869	1.925344	.4610784	.4734946
#1	2736.692	56286.05	7014.767	2164.224	3791.921
#2	2742.352	55832.75	7059.564	2145.103	3802.748
#3	2718.909	56089.04	6808.300	2150.029	3767.722

Sample Name: Q3739-03MS Acquired: 12/11/2025 12:52:27 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7928091	1.858701	.9118745	1.918883	.7756934	3.524135
Stddev	.0058321	.038318	.0030048	.007149	.0039756	.044106
%RSD	.7356253	2.061530	.3295161	.3725812	.5125287	1.251537

#1	.7914837	1.902623	.9116541	1.918538	.7728538	3.473391
#2	.7877537	1.841367	.9089859	1.911912	.7739893	3.545749
#3	.7991898	1.832114	.9149833	1.926198	.7802370	3.553264

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5770824	.1856152	.1849699	121.7286	.4007898	.1895621
Stddev	.0064156	.0017120	.0005339	1.3165	.0020853	.0008958
%RSD	1.111723	.9223283	.2886309	1.081534	.5203047	.4725654

#1	.5697179	.1836742	.1846738	120.2426	.3985291	.1892336
#2	.5800699	.1869102	.1846496	122.1937	.4026381	.1888770
#3	.5814593	.1862611	.1855862	122.7494	.4012021	.1905758

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2938162	3.779572	.2415595	31.61427	.4729734	.0523509
Stddev	.0008969	.020558	.0024868	.34916	.0015707	.0003501
%RSD	.3052683	.5439341	1.029489	1.104424	.3320902	.6687481

#1	.2939401	3.778031	.2386882	31.21122	.4719144	.0527268
#2	.2928637	3.759827	.2430297	31.82441	.4722277	.0520340
#3	.2946447	3.800857	.2429606	31.80717	.4747780	.0522920

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	48.97082	.3087075	.2493286	19.07637	1.272257	.4533848
Stddev	.22601	.0038393	.0004939	.06325	.020483	.0015224
%RSD	.4615162	1.243667	.1980896	.3315552	1.610002	.3357740

#1	49.01943	.3051028	.2494017	19.05410	1.248858	.4526193
#2	48.72446	.3082749	.2488022	19.02726	1.286944	.4523971
#3	49.16857	.3127448	.2497819	19.14774	1.280969	.4551380

Sample Name: Q3739-03MS Acquired: 12/11/2025 12:52:27 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6321894	.1982109	F 19.79048	.6262224	F 22.90725	.3481379
Stddev	.0016937	.0040104	.11061	.0024260	.08056	.0054821
%RSD	.2679160	2.023293	.5589089	.3873944	.3516646	1.574698

#1	.6314730	.1937134	19.78027	.6247603	22.97001	.3419343
#2	.6309716	.1995040	19.68534	.6248841	22.81641	.3501487
#3	.6341236	.2014151	19.90585	.6290227	22.93534	.3523306

Elem	Sr4077
Units	ppm
Avg	1.470798
Stddev	.018063
%RSD	1.228134

#1	1.450384
#2	1.477297
#3	1.484712

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2560.463	52066.59	7039.448	1960.525	3462.730
Stddev	3.688	226.81	60.171	12.698	5.684
%RSD	.1440327	.4356219	.8547636	.6477000	.1641537

#1	2558.137	51908.02	7108.892	1953.133	3463.505
#2	2564.715	52326.39	7002.816	1975.187	3467.988
#3	2558.537	51965.36	7006.635	1953.254	3456.699

Sample Name: Q3739-03MSD Acquired: 12/11/2025 12:56:29 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7672703	1.864943	.8788953	1.870034	.7579258	3.389243
Stddev	.0032901	.030450	.0014678	.009845	.0030897	.019051
%RSD	.4287996	1.632770	.1670003	.5264359	.4076563	.5621127

#1	.7671198	1.890319	.8773846	1.859063	.7543772	3.379847
#2	.7706330	1.873333	.8803160	1.878096	.7600196	3.376715
#3	.7640581	1.831177	.8789852	1.872945	.7593807	3.411167

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5322121	.1797816	.1787111	112.1775	.4762153	.1822842
Stddev	.0021033	.0006853	.0006140	.2145	.0014433	.0008297
%RSD	.3951993	.3811765	.3435815	.1911778	.3030692	.4551978

#1	.5326622	.1799294	.1781037	111.9319	.4758252	.1817367
#2	.5299201	.1790344	.1793316	112.3273	.4778135	.1832389
#3	.5340538	.1803809	.1786979	112.2734	.4750072	.1818770

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2832487	4.084531	.2307428	29.34546	.4642774	.0534823
Stddev	.0002341	.018251	.0003928	.11035	.0021247	.0004336
%RSD	.0826454	.4468423	.1702435	.3760343	.4576290	.8107796

#1	.2829862	4.064538	.2305264	29.21846	.4623715	.0537544
#2	.2834356	4.088755	.2305058	29.40001	.4665682	.0529822
#3	.2833245	4.100300	.2311962	29.41791	.4638925	.0537103

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	44.36684	.2982151	.2384698	17.79938	1.183168	.4384619
Stddev	.09080	.0016091	.0008525	.05798	.003222	.0010466
%RSD	.2046661	.5395668	.3574987	.3257309	.2723005	.2386959

#1	44.32767	.2967143	.2382479	17.76829	1.185567	.4372535
#2	44.47065	.2999141	.2377502	17.86628	1.179506	.4390829
#3	44.30219	.2980170	.2394114	17.76359	1.184431	.4390492

Sample Name: Q3739-03MSD Acquired: 12/11/2025 12:56:29 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6165267	.1936458	F 18.45900	.6026351	F 21.20937	.3210927
Stddev	.0018205	.0011941	.10110	.0024978	.06796	.0026390
%RSD	.2952848	.6166263	.5476971	.4144804	.3204276	.8218785

#1	.6144291	.1941005	18.37281	.5998965	21.17122	.3238972
#2	.6176941	.1922911	18.57028	.6047880	21.28783	.3186583
#3	.6174571	.1945457	18.43389	.6032208	21.16905	.3207226

Elem	Sr4077
Units	ppm
Avg	1.349100
Stddev	.002821
%RSD	.2090781

#1	1.350837
#2	1.345845
#3	1.350617

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2572.297	51779.88	7003.054	1933.235	3478.438
Stddev	1.733	103.19	16.745	1.270	7.109
%RSD	.0673671	.1992783	.2391120	.0657079	.2043854

#1	2570.561	51736.95	6985.188	1931.771	3482.432
#2	2574.026	51705.08	7018.391	1933.887	3470.230
#3	2572.304	51897.59	7005.583	1934.047	3482.652

Sample Name: Q3739-03A Acquired: 12/11/2025 13:00:32 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7326337	1.840814	.8385042	1.807998	.7459383	4.514223
Stddev	.0062019	.056202	.0087408	.006050	.0084885	.005750
%RSD	.8465200	3.053080	1.042431	.3346222	1.137969	.1273801
#1	.7382749	1.828364	.8284854	1.801018	.7361406	4.508643
#2	.7336337	1.791881	.8445719	1.811231	.7505942	4.513895
#3	.7259926	1.902197	.8424553	1.811744	.7510802	4.520130
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5390706	.1739554	.1707547	114.4371	.4202630	.1753571
Stddev	.0056205	.0010248	.0012621	.6168	.0024014	.0020255
%RSD	1.042623	.5890942	.7391322	.5389873	.5714050	1.155064
#1	.5399593	.1739557	.1693063	114.0828	.4174924	.1731445
#2	.5441938	.1749800	.1713391	115.1493	.4215492	.1758071
#3	.5330587	.1729305	.1716187	114.0791	.4217472	.1771198
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2729284	4.006424	.2273621	29.83625	.4493096	.0639590
Stddev	.0025664	.002057	.0023376	.17818	.0039863	.0008498
%RSD	.9403078	.0513443	1.028138	.5971898	.8872039	1.328615
#1	.2699848	4.005053	.2262418	29.72832	.4447068	.0631536
#2	.2746956	4.008789	.2300490	30.04191	.4515697	.0638763
#3	.2741050	4.005429	.2257954	29.73852	.4516521	.0648471
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	45.66790	.2978890	.2411777	18.21052	1.184538	.4316853
Stddev	.25314	.0051876	.0005965	.07576	.007018	.0027849
%RSD	.5543141	1.741455	.2473202	.4160171	.5924766	.6451128
#1	45.65912	.2925636	.2405980	18.20382	1.182014	.4284875
#2	45.92532	.3029268	.2417897	18.28941	1.192469	.4329906
#3	45.41926	.2981766	.2411455	18.13834	1.179131	.4335778

Sample Name: Q3739-03A Acquired: 12/11/2025 13:00:32 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6234562	.2840203	F 21.36387	.5728580	F 21.14098	.3253878
Stddev	.0092695	.0047775	.05996	.0092909	.16671	.0051345
%RSD	1.486797	1.682107	.2806609	1.621860	.7885825	1.577962

#1	.6128130	.2800590	21.30392	.5622453	20.98361	.3245237
#2	.6277956	.2893260	21.36385	.5768039	21.12364	.3308995
#3	.6297601	.2826760	21.42384	.5795247	21.31568	.3207402

Elem	Sr4077
Units	ppm
Avg	1.377045
Stddev	.012736
%RSD	.9248763

#1	1.374774
#2	1.390763
#3	1.365597

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2555.076	50509.02	6888.975	1873.776	3475.925
Stddev	16.718	99.25	31.758	8.938	31.277
%RSD	.6543124	.1965072	.4610045	.4770115	.8998123

#1	2573.931	50401.22	6879.574	1863.455	3511.458
#2	2542.062	50596.62	6862.978	1878.969	3452.565
#3	2549.235	50529.23	6924.373	1878.903	3463.753

Sample Name: CCV02 Acquired: 12/11/2025 13:04:34 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV02 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	5.060554	5.352964	4.995099	5.064474	5.072494	10.17563	10.38676
Stddev	.003208	.233069	.006226	.009265	.012399	.03556	.05305
%RSD	.0633853	4.354010	.1246384	.1829452	.2444338	.3494644	.5107040

#1	5.061870	5.118990	4.999532	5.068275	5.085424	10.14547	10.35121
#2	5.056897	5.354784	4.997784	5.053913	5.060704	10.21484	10.36134
#3	5.062894	5.585116	4.987982	5.071234	5.071354	10.16658	10.44773

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.549433	2.484222	25.40577	1.038354	2.491829	1.262571	5.040407
Stddev	.0010830	.001608	.01631	.004326	.003067	.001679	.044953
%RSD	.4247800	.0647359	.0641850	.4166605	.1230692	.1330168	.8918530

#1	.2561791	2.484582	25.41712	1.033586	2.492496	1.264377	5.024564
#2	.2544914	2.482464	25.38709	1.039449	2.488484	1.262277	5.005520
#3	.2541596	2.485619	25.41311	1.042029	2.494507	1.261057	5.091136

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.576058	25.30353	2.488129	1.270192	25.54179	2.548294	2.573531
Stddev	.009462	.02619	.003292	.000628	.25603	.005318	.013148
%RSD	.3672972	.1035142	.1323116	.0494226	1.002378	.2086856	.5108866

#1	2.575380	25.33135	2.491759	1.269584	25.30096	2.549976	2.588036
#2	2.566953	25.27934	2.485336	1.270156	25.51371	2.552567	2.570162
#3	2.585840	25.29992	2.487293	1.270837	25.81070	2.542338	2.562396

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	25.22010	5.117381	5.081641	5.078302	5.123945	5.050553	5.163726
Stddev	.27376	.022143	.006684	.002077	.012419	.070256	.006271
%RSD	1.085497	.4326992	.1315376	.0408980	.2423648	1.391065	.1214447

#1	24.97957	5.140012	5.089196	5.075908	5.115521	4.983241	5.166626
#2	25.16272	5.116369	5.079234	5.079380	5.118108	5.044994	5.156530
#3	25.51800	5.095761	5.076494	5.079619	5.138207	5.123424	5.168023

Sample Name: CCV02 Acquired: 12/11/2025 13:04:34 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV02 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	5.009278	5.203088	5.127503
Stddev	.033214	.049848	.022670
%RSD	.6630410	.9580455	.4421177
#1	4.979445	5.174776	5.119029
#2	5.003324	5.173843	5.110291
#3	5.045066	5.260644	5.153189

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2659.513	52671.43	6851.221	2052.705	3513.184
Stddev	2.681	3.47	38.827	10.392	4.645
%RSD	.1008203	.0065866	.5667096	.5062665	.1322102
#1	2657.316	52672.71	6807.416	2042.384	3511.555
#2	2662.501	52674.07	6864.856	2052.564	3518.424
#3	2658.723	52667.50	6881.391	2063.167	3509.574

Sample Name: CCB02 Acquired: 12/11/2025 13:08:40 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB02 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001219	-.003080	.0014368	-.000519	-.000290	.0060746	-.001091
Stddev	.000725	.004360	.0004588	.004014	.003096	.0026094	.000698
%RSD	59.45593	141.5567	31.93469	773.3959	1066.490	42.95521	64.02189

#1	-.000686	-.001756	.0014602	-.004989	.002247	.0088489	-.001893
#2	-.002045	.000464	.0009667	.000654	.000623	.0036696	-.000762
#3	-.000927	-.007949	.0018834	.002778	-.003741	.0057052	-.000617

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0001195	.0000481	-.001672	.0002461	.0001332	-.000059	.0111900
Stddev	.0000399	.0000253	.006376	.0003753	.0000396	.000617	.0060477
%RSD	33.34697	52.46576	381.3866	152.4699	29.76618	1038.099	54.04552

#1	.0001495	.0000679	.005584	.0006770	.0000878	.000058	.0069477
#2	.0001348	.0000568	-.006379	-.000009	.0001611	-.000727	.0085073
#3	.0000743	.0000197	-.004220	.000071	.0001506	.000491	.0181149

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000152	-.001555	.0006682	.0004989	.0359310	.0006708	-.000115
Stddev	.0003711	.015668	.0002115	.0006256	.0231831	.0029040	.000337
%RSD	2437.427	1007.789	31.64599	125.3917	64.52121	432.9076	291.8352

#1	.0003189	.002995	.0007286	.0003047	.0250318	-.000915	-.000288
#2	-.000398	.011335	.0004331	-.000007	.0202060	.004022	.000273
#3	.000125	-.018993	.0008430	.001199	.0625551	-.001095	-.000331

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0483467	.0062643	.0002336	-.008528	-.000045	-.013345	.0001091
Stddev	.0210619	.0006483	.0002184	.000982	.001145	.007685	.0000479
%RSD	43.56438	10.34907	93.46976	11.51489	2534.180	57.59019	43.89008

#1	.0270144	.0070108	.0004312	-.009237	-.000888	-.006860	.0001088
#2	.0691274	.0059401	-.000001	-.008939	-.000506	-.011342	.0000614
#3	.0488983	.0058422	.000271	-.007407	.001258	-.021834	.0001572

Sample Name: CCB02 Acquired: 12/11/2025 13:08:40 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB02 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0013341	.0035598	.0002521
Stddev	.0018232	.0017709	.0000300
%RSD	136.6636	49.74658	11.90069
#1	.0003242	.0017460	.0002720
#2	.0002393	.0036490	.0002666
#3	.0034387	.0052845	.0002176

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2736.055	54536.98	7059.844	2147.927	3846.546
Stddev	21.105	171.46	20.109	3.291	31.848
%RSD	.7713765	.3143869	.2848310	.1532264	.8279658
#1	2757.238	54710.59	7060.926	2151.394	3879.259
#2	2715.028	54367.76	7079.390	2144.846	3815.640
#3	2735.899	54532.59	7039.216	2147.540	3844.740

Sample Name: Q3796-01 Acquired: 12/11/2025 13:12:59 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.003686	-.003147	.0016584	-.001245	-.000412	.4491082
Stddev	.008157	.007004	.0022229	.001199	.001918	.0032651
%RSD	221.3106	222.5544	134.0377	96.35075	465.6361	.7270095
#1	-.008329	-.001250	.0041992	-.002567	-.001052	.4454903
#2	.005733	.002713	.0000721	-.000229	.001744	.4518356
#3	-.008461	-.010905	.0007040	-.000937	-.001928	.4499989
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1693381	-.000043	.0000381	106.1137	.0073426	-.000190
Stddev	.0010226	.000090	.0000731	.3723	.0001300	.000248
%RSD	.6038874	211.0423	192.2198	.3508549	1.770938	129.9730
#1	.1702735	-.000109	-.000019	105.7310	.0074312	-.000232
#2	.1682463	.000060	.000120	106.1355	.0071933	-.000414
#3	.1694947	-.000079	.000013	106.4746	.0074032	.000075
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0084468	.3096670	.0068831	3.694325	.0041314	.0003050
Stddev	.0003048	.0039619	.0003173	.026114	.0001223	.0003711
%RSD	3.608746	1.279393	4.609668	.7068787	2.959364	121.6510
#1	.0084441	.3137762	.0068689	3.684437	.0040731	-.000122
#2	.0081434	.3093538	.0072072	3.674598	.0040491	.000550
#3	.0087530	.3058711	.0065731	3.723939	.0042719	.000487
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	15.68510	.0059925	.0220556	5.975580	.0752055	.0024486
Stddev	.07424	.0009169	.0003446	.026058	.0003111	.0001882
%RSD	.4733120	15.30049	1.562352	.4360674	.4136844	7.686734
#1	15.73152	.0049622	.0221521	5.954468	.0749841	.0024458
#2	15.72431	.0062964	.0223416	6.004702	.0750712	.0026382
#3	15.59948	.0067188	.0216730	5.967569	.0755612	.0022618

Sample Name: Q3796-01 Acquired: 12/11/2025 13:12:59 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.022107	-.001509	7.710927	.0048466	F 16.72069	.0348134
Stddev	.000613	.001275	.090844	.0001162	.10321	.0035244
%RSD	2.771689	84.48543	1.178116	2.397085	.6172862	10.12374

#1	-.022000	-.002062	7.614071	.0047127	16.71474	.0320531
#2	-.021554	-.000051	7.794237	.0049215	16.62058	.0387834
#3	-.022765	-.002413	7.724473	.0049055	16.82675	.0336037

Elem	Sr4077
Units	ppm
Avg	.7263144
Stddev	.0019904
%RSD	.2740442

#1	.7277014
#2	.7240338
#3	.7272080

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2629.521	52941.77	7107.123	1998.949	3624.714
Stddev	4.168	323.73	8.019	17.044	10.832
%RSD	.1584910	.6114802	.1128342	.8526573	.2988368

#1	2633.863	53144.11	7098.159	2014.688	3637.206
#2	2629.148	52568.40	7113.615	1980.846	3619.010
#3	2625.553	53112.80	7109.595	2001.311	3617.926

Sample Name: Q3796-02 Acquired: 12/11/2025 13:17:15 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000932	-.004202	-.001959	.0029712	-.000769	.1067614
Stddev	.006170	.001559	.001888	.0020765	.002302	.0099872
%RSD	661.9994	37.09129	96.36156	69.88703	299.1765	9.354746

#1	-.005977	-.003064	-.002365	.0005959	.001885	.0957274
#2	.005947	-.003563	.000099	.0044423	-.002218	.1151825
#3	-.002766	-.005979	-.003612	.0038755	-.001975	.1093742

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2276863	-.000078	-.000127	129.7994	.0055236	-.000158
Stddev	.0034372	.000049	.000052	1.6818	.0002416	.000095
%RSD	1.509629	63.76616	41.02862	1.295663	4.374381	60.40279

#1	.2254446	-.000098	-.000073	128.2897	.0052595	-.000234
#2	.2316436	-.000114	-.000130	131.6120	.0057336	-.000051
#3	.2259706	-.000021	-.000177	129.4966	.0055778	-.000188

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0029298	.0700484	.0032671	8.407576	.0053021	.0001391
Stddev	.0002509	.0085515	.0004527	.158615	.0000517	.0001283
%RSD	8.561971	12.20806	13.85489	1.886567	.9742669	92.19323

#1	.0031603	.0745585	.0027566	8.268860	.0053520	.0000748
#2	.0026627	.0754008	.0036197	8.580505	.0052489	.0000558
#3	.0029663	.0601859	.0034248	8.373364	.0053055	.0002868

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	33.44684	.0072766	.0099085	5.529222	.1974952	.0051581
Stddev	.06232	.0008304	.0000835	.048933	.0021145	.0002452
%RSD	.1863217	11.41186	.8430340	.8849947	1.070660	4.754379

#1	33.40918	.0066384	.0098268	5.494391	.1957412	.0054360
#2	33.51878	.0069760	.0099050	5.508108	.1998432	.0050663
#3	33.41257	.0082155	.0099938	5.585167	.1969012	.0049720

Sample Name: Q3796-02 Acquired: 12/11/2025 13:17:15 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.020244	-.003897	F 11.02388	.0051245	F 21.43391	.0505174
Stddev	.000113	.001032	.09052	.0000661	.34205	.0024816
%RSD	.5559680	26.47801	.8211031	1.290951	1.595852	4.912411

#1	-.020359	-.003832	10.92055	.0051250	21.17285	.0505107
#2	-.020238	-.004960	11.06194	.0050580	21.30776	.0530024
#3	-.020135	-.002899	11.08915	.0051903	21.82113	.0480392

Elem	Sr4077
Units	ppm
Avg	.9937078
Stddev	.0139283
%RSD	1.401649

#1	.9829353
#2	1.009436
#3	.988752

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2600.865	52797.39	6954.406	1953.484	3557.214
Stddev	9.579	103.74	71.995	8.888	19.511
%RSD	.3683089	.1964933	1.035237	.4549737	.5484893

#1	2602.703	52850.43	6998.632	1947.266	3567.369
#2	2609.392	52863.88	6871.332	1963.664	3569.553
#3	2590.500	52677.85	6993.254	1949.521	3534.720

Sample Name: PB170849BL Acquired: 12/11/2025 13:21:30 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.002655	-.003650	.0014944	.0009255	-.000502	.0109127	-.001796
Stddev	.003284	.002077	.0006085	.0021979	.000895	.0121909	.000440
%RSD	123.6821	56.92415	40.72127	237.4754	178.2145	111.7131	24.48577

#1	-.005921	-.002615	.0017415	-.000352	-.000918	.0007679	-.001590
#2	.000646	-.006041	.0008012	-.000335	-.001112	.0244368	-.001497
#3	-.002691	-.002292	.0019405	.003463	.000525	.0075334	-.002301

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0001184	-.000046	.0098028	.0000973	.0003310	.0007725	.0006330
Stddev	.0000800	.000091	.0014591	.0005516	.0001474	.0002212	.0031943
%RSD	67.54666	199.1258	14.88414	566.9888	44.53341	28.62786	504.6100

#1	.0000356	-.000078	.0114659	.0005623	.0002328	.0009466	-.002679
#2	.0001244	.000057	.0092049	-.000512	.0002596	.0008473	.003695
#3	.0001951	-.000117	.0087377	.000242	.0005005	.0005237	.000884

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000051	.0217373	.0007925	.0001504	.0073079	.0005154	-.000208
Stddev	.000183	.0271533	.0001241	.0004058	.0374678	.0023334	.000111
%RSD	362.1029	124.9156	15.65479	269.7914	512.7058	452.7470	53.37985

#1	-.000251	.0027819	.0006691	-.000011	-.031516	-.001027	-.000202
#2	-.000008	.0095859	.0007910	.000612	.043254	-.000626	-.000100
#3	.000107	.0528441	.0009173	-.000150	.010185	.003200	-.000321

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0061553	-.000236	-.000066	-.010198	-.000471	-.017617	.0002178
Stddev	.0314232	.001028	.000316	.001448	.000417	.012089	.0002022
%RSD	510.5062	435.9979	480.2802	14.20153	88.54054	68.62145	92.83995

#1	-.007553	-.000545	.000297	-.010116	-.000173	-.024892	.0004442
#2	-.016085	.000912	-.000281	-.008792	-.000292	-.003662	.0000552
#3	.042104	-.001075	-.000214	-.011685	-.000947	-.024296	.0001539

Sample Name: PB170849BL Acquired: 12/11/2025 13:21:30 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0082106	.0052654	.0000634
Stddev	.0051665	.0027759	.0000235
%RSD	62.92503	52.71871	37.04183

#1	.0133084	.0041349	.0000425
#2	.0029780	.0084281	.0000888
#3	.0083453	.0032332	.0000590

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2758.890	54414.86	7130.315	2083.432	3860.398
Stddev	10.304	161.32	16.527	1.256	17.586
%RSD	.3734786	.2964603	.2317828	.0602725	.4555365

#1	2769.776	54474.01	7111.412	2084.713	3877.176
#2	2757.605	54232.32	7142.033	2082.203	3861.915
#3	2749.289	54538.26	7137.501	2083.380	3842.103

Sample Name: PB170849BS Acquired: 12/11/2025 13:25:50 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7796389	2.072013	.9447180	1.982208	.7878703	1.977463
Stddev	.0046457	.112721	.0052577	.016771	.0059804	.004147
%RSD	.5958750	5.440176	.5565322	.8460724	.7590541	.2097352
#1	.7788770	2.201643	.9498621	1.999673	.7918561	1.975991
#2	.7846184	2.017345	.9449382	1.980721	.7907610	1.982146
#3	.7754212	1.997049	.9393537	1.966230	.7809938	1.974253
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2031213	.2043634	.1904469	1.015118	.4113520	.1917626
Stddev	.0006067	.0006658	.0007103	.009055	.0027202	.0005226
%RSD	.2986652	.3258047	.3729534	.8919832	.6612763	.2725409
#1	.2026678	.2050104	.1912659	1.021850	.4091910	.1923661
#2	.2038104	.2036802	.1900757	1.004824	.4104585	.1914633
#3	.2028857	.2043997	.1899992	1.018681	.4144066	.1914584
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3025638	2.926980	.2066305	2.006528	.4841968	.0734064
Stddev	.0001235	.012374	.0011729	.047117	.0011331	.0002429
%RSD	.0408271	.4227452	.5676521	2.348189	.2340145	.3308376
#1	.3026986	2.924650	.2078318	2.055114	.4852104	.0731371
#2	.3025368	2.915938	.2054881	2.003439	.4844065	.0736087
#3	.3024560	2.940354	.2065717	1.961032	.4829735	.0734735
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.007119	.2995953	.2119522	9.579489	.3034998	.3986319
Stddev	.044171	.0028722	.0012465	.140706	.0007236	.0021199
%RSD	1.468864	.9587013	.5881225	1.468827	.2384022	.5318008
#1	2.958061	.2996040	.2110924	9.507584	.3030165	.4000830
#2	3.019565	.2967188	.2113824	9.489264	.3031513	.3996135
#3	3.043732	.3024632	.2133818	9.741617	.3043317	.3961990

Sample Name: PB170849BS Acquired: 12/11/2025 13:25:50 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6652002	.2002728	.8086245	F .6097125	F .0050454	.2118173
Stddev	.0037469	.0012729	.0121653	.0019291	.0032591	.0034345
%RSD	.5632709	.6355636	1.504442	.3163869	64.59505	1.621456

#1	.6692966	.2009132	.8086733	.6117514	.0029363	.2105146
#2	.6619463	.1988069	.7964348	.6094697	.0087992	.2157126
#3	.6643577	.2010982	.8207652	.6079163	.0034008	.2092248

Elem	Sr4077
Units	ppm
Avg	.2019635
Stddev	.0007255
%RSD	.3592322

#1	.2025234
#2	.2011438
#3	.2022232

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2769.500	54682.49	6917.600	2152.992	3825.245
Stddev	8.986	129.38	20.957	5.162	6.832
%RSD	.3244505	.2366053	.3029580	.2397438	.1786106

#1	2767.679	54813.83	6893.497	2153.507	3818.700
#2	2761.564	54678.50	6927.780	2157.878	3824.704
#3	2779.257	54555.15	6931.523	2147.593	3832.332

Sample Name: PB170889BL Acquired: 12/11/2025 13:30:13 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.003043	-.001947	.0023101	.0002088	.0006038	.0088366	-.002109
Stddev	.004284	.003105	.0014093	.0022956	.0022030	.0060060	.000301
%RSD	140.7847	159.5229	61.00891	1099.466	364.8760	67.96685	14.26532

#1	-.006999	-.005518	.0037693	-.001442	.0008621	.0115286	-.001984
#2	.001507	.000121	.0022044	.002830	.0026662	.0019556	-.002452
#3	-.003637	-.000444	.0009565	-.000762	-.001717	.0130257	-.001890

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0001050	.0000935	.0036824	-.000093	.0001974	-.000013	.0059378
Stddev	.0000642	.0001031	.0106245	.000150	.0000907	.000285	.0051417
%RSD	61.15555	110.2761	288.5211	160.9333	45.94575	2180.645	86.59351

#1	.0001713	-.000008	.0159263	-.000167	.0003020	.000201	.0045516
#2	.0001005	.000091	-.003108	.000079	.0001411	-.000337	.0016312
#3	.0000431	.000198	-.001771	-.000192	.0001490	.000097	.0116305

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000073	.0048563	.0008154	.0003898	.0034256	-.000256	-.000768
Stddev	.000300	.0172805	.0003096	.0003233	.0193288	.002807	.000227
%RSD	411.3465	355.8395	37.96423	82.94725	564.2528	1096.805	29.58132

#1	-.000086	.0240478	.0006869	.0005833	-.017623	-.000266	-.000642
#2	.000233	-.000009	.0005908	.0005694	.007520	-.003058	-.001031
#3	-.000365	-.009470	.0011686	.0000165	.020379	.002556	-.000632

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0344314	-.000520	.0002316	-.005738	.0000862	-.024842	.0004003
Stddev	.0638519	.001017	.0002119	.000530	.0003292	.018115	.0000984
%RSD	185.4470	195.5739	91.48197	9.230730	381.7184	72.92223	24.56723

#1	-.035531	-.000202	.0004619	-.006064	.0003599	-.017150	.0002868
#2	.089562	-.001657	.0001879	-.005127	-.000279	-.011842	.0004580
#3	.049264	.000300	.0000450	-.006024	.000178	-.045534	.0004562

Sample Name: PB170889BL Acquired: 12/11/2025 13:30:13 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.002768	.0009312	.0001142
Stddev	.001700	.0032924	.0000390
%RSD	61.41705	353.5721	34.16300

#1	-.003265	-.000821	.0000694
#2	-.000875	-.001115	.0001329
#3	-.004165	.004729	.0001403

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2750.149	55457.50	7005.904	2167.565	3865.885
Stddev	11.353	92.69	11.027	6.074	13.692
%RSD	.4128076	.1671346	.1573910	.2802124	.3541740

#1	2756.248	55410.46	6997.310	2170.363	3871.377
#2	2757.148	55564.27	7018.337	2171.736	3875.979
#3	2737.050	55397.76	7002.066	2160.597	3850.300

Sample Name: PB170889BS Acquired: 12/11/2025 13:34:33 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7756368	2.031446	.9340006	1.987460	.7832884	1.982496
Stddev	.0042634	.070537	.0029694	.005530	.0010830	.019917
%RSD	.5496597	3.472242	.3179212	.2782304	.1382568	1.004660

#1	.7794934	1.975557	.9367860	1.987265	.7844718	1.959523
#2	.7710588	2.110701	.9308763	1.993085	.7830465	1.994911
#3	.7763582	2.008081	.9343395	1.982031	.7823468	1.993056

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1960338	.2000869	.1896183	1.013597	.3953100	.1894160
Stddev	.0001219	.0006081	.0002818	.003935	.0015732	.0003788
%RSD	.0622019	.3038989	.1486279	.3882095	.3979741	.1999720

#1	.1961716	.1997571	.1893889	1.009240	.3969055	.1894518
#2	.1959902	.2007886	.1899329	1.014659	.3937600	.1897757
#3	.1959397	.1997151	.1895332	1.016892	.3952644	.1890206

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2994936	2.899272	.2006942	1.985286	.4793687	.0734509
Stddev	.0010818	.030076	.0006958	.018634	.0006492	.0003348
%RSD	.3612203	1.037367	.3467110	.9386041	.1354170	.4558697

#1	.3003938	2.912694	.2008156	2.002681	.4790070	.0737480
#2	.2982934	2.864821	.1999457	1.987556	.4801181	.0735168
#3	.2997936	2.920299	.2013214	1.965621	.4789810	.0730881

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.951066	.2958146	.2112304	9.623398	.2948345	.3969975
Stddev	.017674	.0009140	.0000905	.088761	.0011742	.0009615
%RSD	.5989029	.3089749	.0428196	.9223428	.3982679	.2422037

#1	2.959889	.2947901	.2112915	9.616724	.2954628	.3969424
#2	2.930718	.2961075	.2112732	9.538163	.2955610	.3979854
#3	2.962592	.2965463	.2111265	9.715308	.2934798	.3960647

Sample Name: PB170889BS Acquired: 12/11/2025 13:34:33 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6549660	.1961462	.8379125	F .6015577	F .0020223	.1953309
Stddev	.0033980	.0018812	.0220779	.0032144	.0020134	.0026813
%RSD	.5188056	.9590913	2.634872	.5343426	99.55800	1.372698

#1	.6540750	.1978552	.8224646	.5999522	.0000696	.1924927
#2	.6587208	.1941305	.8280736	.6052585	.0040913	.1978214
#3	.6521024	.1964530	.8631994	.5994623	.0019060	.1956786

Elem	Sr4077
Units	ppm
Avg	.1958149
Stddev	.0008956
%RSD	.4573759

#1	.1964278
#2	.1947871
#3	.1962299

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2797.491	54936.03	7112.412	2123.587	3871.206
Stddev	7.627	63.92	13.991	1.525	7.422
%RSD	.2726360	.1163509	.1967115	.0718110	.1917298

#1	2789.214	54895.35	7113.979	2125.099	3864.895
#2	2799.023	55009.70	7097.703	2123.612	3869.338
#3	2804.235	54903.03	7125.552	2122.050	3879.383

Sample Name: Q3814-01 Acquired: 12/11/2025 13:38:39 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0694046	.0053161	.5117735	-.034796	.0126430	254.5083	1.875693
Stddev	.0029012	.0078383	.0032181	.006018	.0033237	1.7174	.026108
%RSD	4.180179	147.4435	.6288205	17.29465	26.28913	.6747737	1.391938
#1	.0697172	-.003361	.5098961	-.038511	.0113391	254.7916	1.879013
#2	.0663597	.011883	.5099350	-.038024	.0164209	256.0664	1.899983
#3	.0721369	.007427	.5154894	-.027853	.0101689	252.6669	1.848084
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0199467	.0234734	24.22829	.3172888	.2562734	.1577930	413.4858
Stddev	.0002234	.0003303	.21642	.0014769	.0015570	.0038268	1.8459
%RSD	1.119794	1.406972	.8932488	.4654679	.6075748	2.425224	.4464277
#1	.0201036	.0234868	24.23331	.3189627	.2558753	.1573718	413.1789
#2	.0200456	.0231367	24.44215	.3167342	.2549540	.1541942	415.4659
#3	.0196910	.0237968	24.00940	.3161695	.2579908	.1618130	411.8125
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	15.68756	93.96040	.5257145	.0554707	2.170632	.4193802	1.088943
Stddev	.17529	.53750	.0033466	.0002328	.020438	.0058158	.002214
%RSD	1.117380	.5720454	.6365793	.4196042	.9415612	1.386764	.2033614
#1	15.69729	93.92549	.5239394	.0552819	2.163526	.4219057	1.089845
#2	15.85779	94.51450	.5236294	.0557307	2.193674	.4235062	1.090564
#3	15.50761	93.44121	.5295747	.0553994	2.154695	.4127285	1.086420
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	25.73469	.1372350	.0069321	.0438243	3.019656	3.825531	.9897184
Stddev	.14211	.0011692	.0000812	.0007543	.021713	.015412	.0036415
%RSD	.5521998	.8519634	1.171844	1.721195	.7190467	.4028833	.3679300
#1	25.74331	.1369882	.0069167	.0437627	3.023092	3.841321	.9885472
#2	25.87229	.1362089	.0068596	.0431028	3.039447	3.824745	.9868066
#3	25.58847	.1385079	.0070199	.0446076	2.996431	3.810526	.9938013

Sample Name: Q3814-01 Acquired: 12/11/2025 13:38:39 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	2.849222	.7338372	-.243242
Stddev	.019662	.0123463	.000422
%RSD	.6900724	1.682430	.1734106

#1	2.865881	.7283746	-.242824
#2	2.827534	.7479725	-.243667
#3	2.854251	.7251646	-.243236

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3411.824	68787.30	9191.285	2560.036	3635.630
Stddev	9.165	126.67	66.504	3.112	12.292
%RSD	.2686237	.1841508	.7235502	.1215671	.3381056

#1	3409.914	68856.23	9187.981	2562.081	3633.059
#2	3421.794	68641.11	9126.494	2556.454	3649.005
#3	3403.765	68864.55	9259.378	2561.573	3624.827

Sample Name: Q3814-03 Acquired: 12/11/2025 13:42:43 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0367034	.0008708	.4662272	-.058627	.0153901	276.1500	1.537635
Stddev	.0009172	.0119116	.0045901	.003082	.0009813	2.1424	.006906
%RSD	2.499029	1367.887	.9845266	5.256140	6.376403	.7758048	.4490988
#1	.0377559	.0136873	.4639648	-.055744	.0147131	273.6762	1.531826
#2	.0360745	-.001215	.4632075	-.061875	.0149417	277.3796	1.535808
#3	.0362797	-.009860	.4715094	-.058261	.0165156	277.3943	1.545270
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0192419	.0423024	27.96115	.4336115	.3968180	.1526491	573.5435
Stddev	.0000666	.0013809	.02080	.0017344	.0041238	.0051630	3.0194
%RSD	.3458365	3.264369	.0743865	.3999872	1.039215	3.382277	.5264409
#1	.0192199	.0418897	27.93947	.4328310	.3940505	.1542109	570.2857
#2	.0191891	.0411750	27.98094	.4324044	.3948459	.1468856	576.2478
#3	.0193167	.0438427	27.96305	.4355990	.4015575	.1568510	574.0971
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	14.79979	114.7144	.7916023	.0836783	3.414790	.5451098	1.199511
Stddev	.03100	.1957	.0081772	.0016880	.048608	.0019470	.002469
%RSD	.2094327	.1705999	1.032997	2.017257	1.423442	.3571823	.2058552
#1	14.77336	114.9396	.7871531	.0817414	3.368690	.5463215	1.202360
#2	14.79211	114.6188	.7866143	.0848353	3.410113	.5461439	1.198164
#3	14.83390	114.5849	.8010394	.0844583	3.465567	.5428639	1.198007
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	33.81827	.2751219	.0089979	.0471907	5.434763	3.280161	.7179579
Stddev	.20459	.0100111	.0006536	.0017403	.001888	.014507	.0083180
%RSD	.6049632	3.638768	7.264459	3.687837	.0347466	.4422651	1.158566
#1	33.58211	.2728480	.0096758	.0454618	5.435457	3.289126	.7134055
#2	33.94160	.2860743	.0083715	.0471682	5.432626	3.287933	.7129096
#3	33.93110	.2664435	.0089465	.0489422	5.436206	3.263424	.7275584

Sample Name: Q3814-03 Acquired: 12/11/2025 13:42:43 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	2.317207	.9995290	-.354513
Stddev	.039750	.0085383	.002684
%RSD	1.715430	.8542285	.7572092
#1	2.288109	.9902957	-.351876
#2	2.301013	1.001152	-.357243
#3	2.362497	1.007139	-.354418

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3521.386	71820.90	9844.899	2751.835	3240.361
Stddev	16.501	305.21	25.766	11.076	23.201
%RSD	.4685878	.4249612	.2617195	.4024812	.7160143
#1	3527.434	72168.95	9853.714	2749.610	3252.844
#2	3534.009	71598.93	9865.100	2742.040	3254.649
#3	3502.714	71694.81	9815.882	2763.854	3213.591

Sample Name: Q3814-05 Acquired: 12/11/2025 13:46:56 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0451451	-.001180	.2454894	-.036309	.0074844	253.5788	2.477888
Stddev	.0012748	.007887	.0069777	.004247	.0028054	.1420	.023843
%RSD	2.823679	668.1283	2.842375	11.69695	37.48355	.0559908	.9622179
#1	.0466155	.007444	.2501086	-.040713	.0056559	253.5764	2.450658
#2	.0443525	-.002960	.2488969	-.032238	.0060828	253.7220	2.487985
#3	.0444671	-.008026	.2374626	-.035977	.0107144	253.4381	2.495020
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0157129	.0184461	13.17720	.3548003	.1936962	.2222540	402.9484
Stddev	.0000498	.0011275	.06321	.0055182	.0047555	.0109237	2.8628
%RSD	.3167531	6.112245	.4797062	1.555291	2.455150	4.914948	.7104734
#1	.0156599	.0191791	13.10481	.3610944	.1976065	.2283771	406.2468
#2	.0157201	.0190114	13.22150	.3507936	.1950798	.2287427	401.1085
#3	.0157586	.0171478	13.20528	.3525130	.1884023	.2096422	401.4900
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	13.43787	73.20188	.3723345	.0715942	1.221553	.4996746	.8725836
Stddev	.09875	.13697	.0087354	.0001962	.024546	.0014560	.0137420
%RSD	.7348573	.1871194	2.346112	.2739930	2.009377	.2913922	1.574864
#1	13.32574	73.34561	.3787766	.0716826	1.193225	.4989640	.8878489
#2	13.47605	73.18717	.3758350	.0717306	1.234907	.4987104	.8611998
#3	13.51184	73.07285	.3623917	.0713694	1.236525	.5013495	.8687019
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	23.80069	.1531835	.0020479	.0181676	2.918273	3.459100	.6099337
Stddev	.15292	.0080211	.0002633	.0011836	.012139	.038116	.0136874
%RSD	.6424892	5.236243	12.85577	6.515009	.4159614	1.101900	2.244075
#1	23.97703	.1620638	.0017573	.0195254	2.904587	3.498766	.6196333
#2	23.72031	.1464645	.0021158	.0173535	2.922495	3.455783	.6158905
#3	23.70472	.1510223	.0022706	.0176238	2.927738	3.422751	.5942773

Sample Name: Q3814-05 Acquired: 12/11/2025 13:46:56 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.056008	.6344206	-.276028
Stddev	.030179	.0126228	.003517
%RSD	2.857866	1.989658	1.274215
#1	1.087693	.6203382	-.280077
#2	1.052731	.6382063	-.273732
#3	1.027601	.6447174	-.274275

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3231.998	63282.83	8350.208	2521.715	3500.332
Stddev	62.860	708.97	16.257	35.517	76.442
%RSD	1.944921	1.120316	.1946867	1.408429	2.183859
#1	3182.276	62464.77	8367.781	2481.384	3441.686
#2	3211.063	63718.80	8347.138	2548.322	3472.525
#3	3302.654	63664.91	8335.705	2535.439	3586.786

Sample Name: Q3814-07 Acquired: 12/11/2025 13:51:00 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0384684	-.011109	.4064543	-.043480	.0144457	218.4353	1.185910
Stddev	.0012362	.010191	.0021506	.005622	.0031627	1.4450	.010453
%RSD	3.213604	91.74203	.5291170	12.93056	21.89345	.6615265	.8814510

#1	.0381708	-.012363	.4042801	-.047935	.0120009	216.7700	1.174123
#2	.0398262	-.000348	.4065025	-.037163	.0180175	219.3586	1.194056
#3	.0374081	-.020615	.4085805	-.045343	.0133188	219.1772	1.189551

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0176371	.0293111	58.92354	.3780716	.3040278	.1581712	476.8442
Stddev	.0001803	.0006526	.41345	.0014854	.0007279	.0031743	2.9386
%RSD	1.022458	2.226401	.7016646	.3928870	.2394276	2.006892	.6162574

#1	.0174301	.0292687	58.45484	.3796069	.3046566	.1608943	473.6239
#2	.0177604	.0286808	59.23647	.3779663	.3032303	.1546848	479.3804
#3	.0177208	.0299839	59.07933	.3766417	.3041964	.1589345	477.5284

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.061684	99.92786	.5630664	.1275866	2.874527	.4691965	1.144576
Stddev	.073411	.63712	.0012840	.0007239	.026020	.0058928	.004969
%RSD	.8101225	.6375763	.2280364	.5673886	.9051817	1.255928	.4341423

#1	8.978336	99.19292	.5624552	.1272611	2.846330	.4623921	1.139270
#2	9.116735	100.2668	.5622022	.1284161	2.879643	.4726003	1.145339
#3	9.089981	100.3239	.5645418	.1270825	2.897609	.4725970	1.149120

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	32.32545	.2204076	.0067408	.0300620	6.149142	3.785901	.4709632
Stddev	.17414	.0051287	.0003803	.0027558	.039456	.025955	.0020262
%RSD	.5386951	2.326924	5.641049	9.166896	.6416585	.6855751	.4302138

#1	32.14411	.2182554	.0069228	.0274951	6.103821	3.803220	.4705245
#2	32.49135	.2262617	.0069958	.0329741	6.175849	3.798425	.4691923
#3	32.34088	.2167056	.0063038	.0297169	6.167755	3.756059	.4731727

Sample Name: Q3814-07 Acquired: 12/11/2025 13:51:00 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	3.180807	.8537746	-.109157
Stddev	.025811	.0077922	.000503
%RSD	.8114728	.9126775	.4611147

#1	3.190985	.8460271	-.109387
#2	3.151458	.8616108	-.108580
#3	3.199977	.8536858	-.109505

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3197.894	64919.77	8597.666	2516.710	3327.883
Stddev	9.512	188.57	46.900	19.827	2.678
%RSD	.2974548	.2904641	.5454935	.7878093	.0804576

#1	3207.744	65137.51	8651.751	2539.407	3328.305
#2	3197.178	64810.18	8573.012	2502.763	3330.325
#3	3188.760	64811.62	8568.235	2507.960	3325.020

Sample Name: CCV03 Acquired: 12/11/2025 13:55:04 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV03 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.873413	5.065805	4.791879	4.938188	4.888881	9.665588	9.541589
Stddev	.023540	.024633	.019901	.014952	.019985	.027903	.037628
%RSD	.4830384	.4862522	.4153015	.3027831	.4087763	.2886872	.3943539

#1	4.848337	5.091680	4.787875	4.926342	4.872455	9.641247	9.555920
#2	4.876865	5.063099	4.774285	4.933233	4.883059	9.659475	9.498902
#3	4.895036	5.042638	4.813478	4.954988	4.911130	9.696040	9.569945

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2465320	2.384002	23.80004	.9576610	2.383449	1.215607	4.586708
Stddev	.0008098	.012600	.07453	.0055343	.010556	.005549	.037660
%RSD	.3284604	.5285334	.3131621	.5778969	.4429033	.4565199	.8210606

#1	.2471198	2.379398	23.82043	.9640178	2.378087	1.212217	4.543510
#2	.2456084	2.374351	23.71744	.9539150	2.376650	1.212592	4.603981
#3	.2468679	2.398257	23.86227	.9550503	2.395610	1.222011	4.612633

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.363649	23.76419	2.390538	1.209933	23.24487	2.386916	2.445466
Stddev	.009591	.08142	.010569	.003413	.19516	.004238	.012676
%RSD	.4057606	.3426073	.4421207	.2821100	.8396032	.1775414	.5183389

#1	2.366557	23.74804	2.386789	1.207405	23.03931	2.382155	2.447979
#2	2.352940	23.69206	2.382354	1.208579	23.26765	2.388316	2.431722
#3	2.371449	23.85247	2.402471	1.213816	23.42764	2.390277	2.456698

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	23.27898	4.903690	4.875257	4.816730	4.789668	4.684426	4.937606
Stddev	.22209	.028071	.012117	.018662	.015043	.066632	.012234
%RSD	.9540318	.5724362	.2485481	.3874361	.3140683	1.422422	.2477628

#1	23.03609	4.933828	4.868081	4.801628	4.783085	4.616133	4.940568
#2	23.32918	4.878289	4.868443	4.810970	4.779038	4.687882	4.924163
#3	23.47167	4.898954	4.889247	4.837593	4.806880	4.749263	4.948086

Sample Name: CCV03 Acquired: 12/11/2025 13:55:04 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV03 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.826281	4.743120	4.809610
Stddev	.030912	.025778	.030308
%RSD	.6404856	.5434840	.6301590
#1	4.790698	4.750285	4.774692
#2	4.846498	4.714517	4.825041
#3	4.841648	4.764557	4.829098

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2737.510	54810.08	7057.030	2082.019	3634.514
Stddev	5.435	179.27	27.640	14.397	11.718
%RSD	.1985258	.3270774	.3916729	.6914946	.3224008
#1	2735.676	55000.58	7026.539	2096.337	3632.607
#2	2743.624	54784.99	7080.445	2082.175	3647.068
#3	2733.229	54644.68	7064.105	2067.544	3623.866

Sample Name: CCB03 Acquired: 12/11/2025 13:59:09 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB03 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0009328	-.003359	.0021832	-.001501	-.000175	.0039746	-.001991
Stddev	.0031823	.002054	.0012943	.002563	.000818	.0042872	.000657
%RSD	341.1480	61.16362	59.28423	170.8179	466.9876	107.8641	32.99934

#1	-.001516	-.003746	.0033595	-.001004	-.000064	.0073988	-.001781
#2	-.000216	-.001138	.0007966	-.004276	.000582	-.000834	-.001464
#3	.004530	-.005192	.0023936	.000778	-.001043	.005359	-.002727

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000733	.0000994	-.001042	.0001877	.0002111	.0002111	.0061536
Stddev	.0000213	.0000418	.009778	.0001718	.0001406	.0000726	.0080021
%RSD	28.99244	42.04510	938.7597	91.49767	66.59707	34.39220	130.0393

#1	.0000887	.0000650	.003629	.0000215	.0001697	.0002765	.0118044
#2	.0000491	.0000872	-.012279	.0003645	.0003677	.0001330	.0096596
#3	.0000822	.0001459	.005526	.0001771	.0000958	.0002239	-.003003

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000297	-.003424	.0009055	.0003073	-.016323	.0030119	-.000353
Stddev	.000222	.032980	.0003541	.0002114	.019246	.0021043	.000259
%RSD	74.89074	963.1410	39.10209	68.80114	117.9039	69.86792	73.40089

#1	-.000543	-.041167	.0011554	.0000975	-.021932	.0052701	-.000104
#2	-.000236	.011059	.0010610	.0003040	.005104	.0026596	-.000334
#3	-.000111	.019836	.0005003	.0005203	-.032141	.0011059	-.000621

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0420007	.0049597	.0002255	-.004580	-.000524	-.022072	.0002103
Stddev	.0928551	.0005080	.0000989	.000683	.001519	.004392	.0002160
%RSD	221.0801	10.24232	43.88724	14.91096	289.7955	19.89665	102.6917

#1	-.031075	.0053234	.0003361	-.005340	-.001527	-.023722	.0001052
#2	.010590	.0051763	.0001453	-.004017	-.001270	-.025399	.0000670
#3	.146487	.0043793	.0001950	-.004384	.001224	-.017094	.0004587

Sample Name: CCB03 Acquired: 12/11/2025 13:59:09 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB03 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.007716	.0008547	.0001266
Stddev	.001886	.0037193	.0000743
%RSD	24.44110	435.1671	58.72732
#1	-.005548	-.001655	.0002121
#2	-.008974	-.000909	.0000775
#3	-.008625	.005128	.0000901

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2845.977	56878.70	7522.235	2168.036	3992.833
Stddev	4.224	1115.26	38.324	41.738	7.067
%RSD	.1484206	1.960763	.5094764	1.925162	.1769971
#1	2844.208	56304.58	7488.694	2144.285	3989.393
#2	2850.798	56167.47	7514.007	2143.593	4000.962
#3	2842.925	58164.05	7564.005	2216.229	3988.145

Sample Name: Q3814-09 Acquired: 12/11/2025 14:03:29 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0214252	-.001515	.1648851	-.042726	.0070159	203.1584	2.246526
Stddev	.0016194	.001483	.0011733	.002149	.0024348	.2823	.002852
%RSD	7.558639	97.86665	.7116114	5.028941	34.70461	.1389479	.1269613
#1	.0211884	-.000913	.1662396	-.044814	.0044471	203.1600	2.243491
#2	.0199372	-.000428	.1642330	-.040522	.0073106	203.4399	2.249150
#3	.0231500	-.003204	.1641826	-.042841	.0092900	202.8754	2.246937
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0166368	.0279718	17.47212	.3445705	.2976501	.1730493	403.0750
Stddev	.0000933	.0013977	.02917	.0085345	.0039135	.0075238	8.2068
%RSD	.5605507	4.996756	.1669490	2.476841	1.314792	4.347780	2.036054
#1	.0165368	.0295275	17.44019	.3376397	.3013011	.1812570	397.1313
#2	.0166524	.0275659	17.49737	.3541031	.2981308	.1664791	412.4387
#3	.0167213	.0268220	17.47880	.3419689	.2935186	.1714117	399.6549
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	19.18913	81.49663	.6260351	.0782116	1.568359	.4190351	.9789022
Stddev	.01026	.15714	.0082259	.0012555	.047793	.0032902	.0257333
%RSD	.0534715	.1928228	1.313976	1.605219	3.047306	.7851891	2.628791
#1	19.19943	81.58539	.6320066	.0770332	1.523301	.4206001	.9622978
#2	19.17891	81.58930	.6294464	.0795321	1.618483	.4152545	1.008545
#3	19.18904	81.31519	.6166523	.0780694	1.563294	.4212507	.965864
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	28.76547	.1905495	.0061296	.0293282	2.961503	2.143385	.5836910
Stddev	.66384	.0130773	.0006863	.0003182	.000913	.058823	.0053355
%RSD	2.307784	6.862941	11.19598	1.084835	.0308297	2.744390	.9140937
#1	28.32224	.1826063	.0065504	.0293753	2.962555	2.116068	.5873258
#2	29.52870	.2056429	.0065007	.0289892	2.960912	2.210900	.5861816
#3	28.44547	.1833991	.0053377	.0296203	2.961043	2.103188	.5775657

Sample Name: Q3814-09 Acquired: 12/11/2025 14:03:29 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.4266108	.6767949	-.236525
Stddev	.0051429	.0036930	.007633
%RSD	1.205521	.5456540	3.227345

#1	.4306455	.6725466	-.230823
#2	.4208199	.6792381	-.245197
#3	.4283671	.6786000	-.233555

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3685.973	74469.71	10253.11	2885.571	3397.518
Stddev	25.832	1359.28	47.82	57.630	40.231
%RSD	.7008136	1.825281	.4664244	1.997177	1.184137

#1	3664.276	75242.16	10198.84	2915.402	3362.580
#2	3679.095	72900.21	10289.08	2819.140	3388.473
#3	3714.547	75266.76	10271.41	2922.170	3441.502

Sample Name: Q3814-11 Acquired: 12/11/2025 14:07:33 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0509167	.0019899	.3465991	-.040898	.0126191	247.0163	1.333896
Stddev	.0011892	.0053448	.0055379	.005127	.0024729	10.3980	.060022
%RSD	2.335600	268.5928	1.597782	12.53584	19.59671	4.209459	4.499719
#1	.0498056	.0080977	.3446090	-.037670	.0117913	235.0097	1.264755
#2	.0521710	-.001831	.3423313	-.046810	.0153997	253.0471	1.372611
#3	.0507735	-.000297	.3528571	-.038215	.0106663	252.9920	1.364323
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0183429	.0297323	21.79832	.3893373	.2482114	.2645411	415.1340
Stddev	.0005947	.0019348	.89126	.0077863	.0052022	.0175748	12.9872
%RSD	3.242092	6.507545	4.088654	1.999875	2.095866	6.643520	3.128431
#1	.0176598	.0307997	20.77032	.3811823	.2484453	.2756163	401.2869
#2	.0186234	.0274988	22.35409	.3966932	.2428961	.2442766	427.0435
#3	.0187454	.0308982	22.27057	.3901365	.2532926	.2737303	417.0716
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	8.183459	87.08945	.4868736	.1340602	1.893798	.5712347	.9583717
Stddev	.358478	3.67268	.0087693	.0037863	.075782	.0214644	.0191934
%RSD	4.380518	4.217140	1.801146	2.824327	4.001579	3.757537	2.002706
#1	7.770502	82.84861	.4856130	.1301985	1.818674	.5464515	.9390086
#2	8.414568	89.21673	.4788028	.1377663	1.970221	.5838788	.9773907
#3	8.365306	89.20302	.4962050	.1342160	1.892501	.5833738	.9587157
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	25.21768	.0619995	.0076745	.0262803	5.862438	2.003304	.5683537
Stddev	.69755	.0103741	.0004951	.0022152	.249308	.054387	.0106087
%RSD	2.766096	16.73253	6.450588	8.429285	4.252637	2.714872	1.866564
#1	24.47167	.0651507	.0075104	.0238966	5.574858	1.951109	.5656895
#2	25.85369	.0704327	.0072823	.0266687	6.017545	2.059646	.5593310
#3	25.32767	.0504153	.0082307	.0282757	5.994911	1.999158	.5800405

Sample Name: Q3814-11 Acquired: 12/11/2025 14:07:33 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.9841600	.7757712	-.216692
Stddev	.0250582	.0315556	.005787
%RSD	2.546150	4.067641	2.670600
#1	.9749469	.7396148	-.212419
#2	.9650125	.7977595	-.223278
#3	1.012520	.7899393	-.214380

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3266.058	66941.88	7917.211	2624.742	3491.949
Stddev	43.190	1574.54	292.102	64.207	59.776
%RSD	1.322374	2.352094	3.689460	2.446214	1.711814
#1	3274.101	68590.55	8254.425	2691.269	3500.370
#2	3304.661	65453.78	7742.394	2563.138	3547.067
#3	3219.413	66781.30	7754.812	2619.819	3428.409

Sample Name: Q3814-13 Acquired: 12/11/2025 14:11:46 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0287704	.0291645	.4930722	-.060074	.0104859	219.5380	8.069456
Stddev	.0044813	.0062970	.0009598	.006668	.0027921	.2507	.032626
%RSD	15.57598	21.59115	.1946560	11.09978	26.62689	.1142083	.4043141

#1	.0337778	.0324291	.4937647	-.057981	.0116692	219.7413	8.050922
#2	.0251369	.0331588	.4934752	-.067538	.0124915	219.2578	8.050318
#3	.0273966	.0219056	.4919766	-.054704	.0072971	219.6148	8.107128

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0170289	.0401481	26.86645	.3865655	.4122162	.2260560	490.2125
Stddev	.0001559	.0004339	.10011	.0024176	.0015422	.0030135	.4815
%RSD	.9153670	1.080784	.3726098	.6254064	.3741323	1.333060	.0982205

#1	.0171593	.0398097	26.97227	.3865039	.4111434	.2245691	490.5056
#2	.0170712	.0399973	26.85384	.3890134	.4115216	.2240749	489.6568
#3	.0168563	.0406373	26.77325	.3841794	.4139836	.2295239	490.4751

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	48.78625	85.84202	.7114198	.0969081	1.970249	.4430199	1.072309
Stddev	.43376	.05655	.0039299	.0007764	.009546	.0044662	.001775
%RSD	.8891100	.0658726	.5524024	.8011776	.4844851	1.008121	.1655647

#1	48.77291	85.88653	.7092652	.0960999	1.959287	.4456442	1.070664
#2	49.22653	85.77839	.7090385	.0969761	1.976724	.4378630	1.072071
#3	48.35931	85.86114	.7159558	.0976483	1.974737	.4455524	1.074191

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	27.23151	.1583228	.0140780	.0395565	4.001801	2.109411	.6888315
Stddev	.07811	.0019276	.0002919	.0014113	.016408	.020870	.0028040
%RSD	.2868503	1.217533	2.073071	3.567745	.4100043	.9893612	.4070638

#1	27.23343	.1605195	.0142340	.0405044	4.020292	2.121326	.6906171
#2	27.15245	.1569135	.0137413	.0402305	3.996128	2.121594	.6855997
#3	27.30865	.1575353	.0142586	.0379346	3.988983	2.085313	.6902779

Sample Name: Q3814-13 Acquired: 12/11/2025 14:11:46 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.7754568	.7344957	-.290377
Stddev	.0151712	.0059725	.000952
%RSD	1.956418	.8131455	.3276870
#1	.7695007	.7401647	-.289488
#2	.7641675	.7350624	-.290263
#3	.7927023	.7282601	-.291380

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3517.009	73111.82	9607.816	2751.106	3370.816
Stddev	8.891	73.10	41.707	7.653	8.290
%RSD	.2528026	.0999839	.4340940	.2781744	.2459269
#1	3519.824	73095.27	9562.709	2747.244	3373.120
#2	3524.152	73191.78	9615.757	2759.920	3377.710
#3	3507.051	73048.41	9644.981	2746.154	3361.618

Sample Name: Q3814-15 Acquired: 12/11/2025 14:16:11 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0456928	.0054503	.3891476	-.043381	.0148157	287.1125	1.542398
Stddev	.0027412	.0035998	.0029211	.004067	.0022929	1.4922	.005560
%RSD	5.999103	66.04744	.7506417	9.374306	15.47640	.5197352	.3604742

#1	.0474455	.0090541	.3917962	-.047866	.0130832	287.0302	1.537155
#2	.0470990	.0018545	.3896321	-.039933	.0174159	288.6442	1.541810
#3	.0425339	.0054424	.3860145	-.042345	.0139481	285.6631	1.548228

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0194251	.0271721	15.43167	.3616354	.2831202	.1474098	485.9417
Stddev	.0001664	.0001484	.08524	.0022738	.0002426	.0025430	2.4527
%RSD	.8565389	.5460597	.5523612	.6287532	.0856824	1.725146	.5047254

#1	.0192706	.0273371	15.34128	.3639374	.2834003	.1450033	487.5310
#2	.0196013	.0271294	15.44314	.3615778	.2829826	.1500703	483.1170
#3	.0194034	.0270498	15.51059	.3593909	.2829777	.1471559	487.1771

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	10.28726	103.2663	.5883514	.0616354	1.752901	.4682361	1.314697
Stddev	.01910	.4203	.0011600	.0010385	.022710	.0019323	.003206
%RSD	.1856496	.4070350	.1971590	1.684834	1.295565	.4126856	.2438516

#1	10.26718	102.8525	.5886079	.0624797	1.751295	.4660687	1.314565
#2	10.28941	103.2535	.5870847	.0604759	1.731036	.4688610	1.317967
#3	10.30520	103.6929	.5893618	.0619506	1.776370	.4697788	1.311559

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	25.54812	.1713964	.0065621	.0239532	3.143713	3.272021	.6066022
Stddev	.10677	.0105749	.0003782	.0018707	.009893	.023791	.0008799
%RSD	.4179126	6.169874	5.762597	7.809906	.3146977	.7271051	.1450466

#1	25.62920	.1774398	.0062350	.0259436	3.134708	3.274396	.6056969
#2	25.42715	.1591857	.0069762	.0236847	3.142128	3.247132	.6074542
#3	25.58801	.1775636	.0064752	.0222312	3.154303	3.294536	.6066554

Sample Name: Q3814-15 Acquired: 12/11/2025 14:16:11 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.191206	.8536910	-.338348
Stddev	.005810	.0047759	.002373
%RSD	.4877218	.5594381	.7013871

#1	1.186631	.8565827	-.340199
#2	1.197743	.8563118	-.335673
#3	1.189245	.8481785	-.339173

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3169.108	63178.41	8665.246	2373.064	3470.036
Stddev	4.050	308.91	24.854	4.589	7.096
%RSD	.1277991	.4889529	.2868189	.1933599	.2044990

#1	3164.434	62822.04	8659.331	2368.275	3462.611
#2	3171.575	63369.80	8643.883	2377.422	3476.749
#3	3171.315	63343.40	8692.523	2373.495	3470.748

Sample Name: Q3782-03 Acquired: 12/11/2025 14:20:19 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0219546	.0025189	.0431655	-.024092	.0066365	91.17918
Stddev	.0102537	.0040860	.0019133	.001905	.0040741	.86997
%RSD	46.70408	162.2172	4.432352	7.906878	61.38881	.9541304
#1	.0337864	.0065509	.0409605	-.023138	.0113351	91.90835
#2	.0156579	.0026247	.0441503	-.022853	.0044883	91.41298
#3	.0164195	-.001619	.0443858	-.026286	.0040861	90.21620
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5833683	.0042768	.0059914	F 2737.430	.2353540	.0269653
Stddev	.0061797	.0001043	.0003264	17.000	.0053149	.0012015
%RSD	1.059311	2.439533	5.447908	.6210048	2.258240	4.455542
#1	.5890177	.0043972	.0063658	2757.000	.2414527	.0283504
#2	.5843187	.0042196	.0057662	2728.957	.2317109	.0263402
#3	.5767684	.0042134	.0058424	2726.332	.2328985	.0262053
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0799852	83.25918	2.537903	1149.522	.0921963	.0052207
Stddev	.0046452	1.26248	.019887	11.137	.0037577	.0003015
%RSD	5.807540	1.516327	.7835991	.9688305	4.075778	5.774789
#1	.0853479	84.69095	2.559493	1159.876	.0964750	.0053962
#2	.0773982	82.30584	2.533882	1150.949	.0906814	.0048726
#3	.0772096	82.78076	2.520333	1137.740	.0894325	.0053934
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.067046	.1142439	.5501307	40.11011	.1627207	.0263329
Stddev	.097424	.0016373	.0139190	.49703	.0029174	.0020218
%RSD	1.074483	1.433182	2.530125	1.239173	1.792865	7.678054
#1	9.172551	.1149487	.5662029	40.66043	.1660678	.0286231
#2	8.980486	.1154109	.5420893	39.69388	.1613762	.0255800
#3	9.048103	.1123722	.5420998	39.97601	.1607180	.0247955

Sample Name: Q3782-03 Acquired: 12/11/2025 14:20:19 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0168493	3.780911	F 21.22507	.4417789	F 52.47305	1.300429
Stddev	.0041342	.024272	.29423	.0174336	2.31108	.027827
%RSD	24.53629	.6419706	1.386257	3.946225	4.404312	2.139845

#1	.0216211	3.802434	21.56031	.4618760	55.13478	1.315584
#2	.0143423	3.785697	21.10523	.4307257	50.97650	1.317388
#3	.0145847	3.754602	21.00967	.4327349	51.30786	1.268314

Elem	Sr4077
Units	ppm
Avg	5.977558
Stddev	.043184
%RSD	.7224426

#1	6.012395
#2	5.991039
#3	5.929242

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2597.149	52195.05	7556.754	1941.537	2832.138
Stddev	71.382	788.55	67.491	32.595	85.338
%RSD	2.748482	1.510774	.8931259	1.678800	3.013196

#1	2514.741	51322.69	7485.039	1904.127	2733.609
#2	2636.927	52857.17	7566.196	1963.820	2882.668
#3	2639.781	52405.29	7619.027	1956.663	2880.137

Sample Name: Q3782-03LX5 Acquired: 12/11/2025 14:29:01 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0052375	.0025501	.0092762	-.008318	-.000855	13.42341
Stddev	.0007256	.0085258	.0018954	.007039	.001016	11.26068
%RSD	13.85445	334.3315	20.43313	84.62345	118.8901	83.88833
#1	.0060691	.0057994	.0088207	-.016407	-.000641	.43081
#2	.0047329	.0089735	.0076500	-.004957	.000037	19.47585
#3	.0049106	-.007123	.0113579	-.003589	-.001961	20.36358
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0844938	.0010753	.0016220	435.7867	.0560058	.0064727
Stddev	.0716929	.0000930	.0008393	365.2231	.0002507	.0010906
%RSD	84.84982	8.646873	51.74596	83.80775	.4476688	16.84913
#1	.0018075	.0009788	.0025851	14.1066	.0562928	.0077306
#2	.1223593	.0011643	.0012339	641.4026	.0558296	.0057907
#3	.1293148	.0010828	.0010469	651.8510	.0558948	.0058970
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0269098	11.83425	.3999066	174.2710	.0214432	-.000707
Stddev	.0083391	9.80571	.3352752	146.1628	.0007907	.003548
%RSD	30.98901	82.85869	83.83837	83.87096	3.687522	501.7838
#1	.0365282	.52511	.0130219	5.6006	.0214332	-.004792
#2	.0224938	17.00983	.5811164	253.4806	.0206575	.001056
#3	.0217074	17.96781	.6055814	263.7318	.0222388	.001614
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.071506	.0179103	.1171273	5.020676	.0236229	.0068455
Stddev	1.021408	.0134062	.0021750	4.327489	.0199840	.0006232
%RSD	95.32447	74.85169	1.856910	86.19336	84.59577	9.103523
#1	-.104441	.0025050	.1191761	.030707	.0005491	.0071120
#2	1.581153	.0242970	.1148451	7.286924	.0349153	.0072911
#3	1.737806	.0269290	.1173607	7.744397	.0354042	.0061334

Sample Name: Q3782-03LX5 Acquired: 12/11/2025 14:29:01 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.007983	.5755474	2.438643	.0896243	F 10.45103	.1519325
Stddev	.000828	.4819720	1.567485	.0002356	.11735	.1280752
%RSD	10.37137	83.74149	64.27693	.2628538	1.122834	84.29741
#1	-.008930	.0193216	.628728	.0893819	10.57341	.0045355
#2	-.007395	.8376417	3.356421	.0898525	10.44022	.2151980
#3	-.007625	.8696791	3.330779	.0896385	10.33946	.2360640
Elem	Sr4077					
Units	ppm					
Avg	.9003661					
Stddev	.7570162					
%RSD	84.07871					
#1	.0267758					
#2	1.310637					
#3	1.363685					
Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306	
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	
Avg	2826.011	57656.93	8127.134	2202.535	3467.394	
Stddev	18.475	298.02	1299.287	17.047	27.064	
%RSD	.6537546	.5168880	15.98703	.7739576	.7805333	
#1	2835.293	57982.08	9627.006	2218.561	3474.402	
#2	2838.003	57591.94	7346.623	2204.420	3490.265	
#3	2804.735	57396.76	7407.774	2184.624	3437.515	

Sample Name: Q3782-03A Acquired: 12/11/2025 14:37:39 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6545433	1.427712	.7646513	1.528400	.6372743	50.43088
Stddev	.0134393	.012514	.0057211	.020878	.0072231	43.23662
%RSD	2.053236	.8764979	.7481930	1.366006	1.133441	85.73441

#1	.6529677	1.429303	.7617490	1.540555	.6364827	.51935
#2	.6419611	1.414479	.7609631	1.504292	.6304795	76.40383
#3	.6687009	1.439354	.7712418	1.540353	.6448606	74.36947

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.4052780	.1279150	.1535111	1633.247	.4506869	.1731250
Stddev	.3501119	.0258451	.0043778	1397.742	.0045004	.0039373
%RSD	86.38809	20.20492	2.851760	85.58060	.9985586	2.274273

#1	.0012077	.0982077	.1582672	19.409	.4459355	.1769517
#2	.6184381	.1452337	.1496499	2421.986	.4548851	.1690857
#3	.5961882	.1403037	.1526164	2458.345	.4512403	.1733376

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2847259	46.28844	1.562155	735.2793	.4374137	.0545011
Stddev	.0348118	39.39867	1.337860	629.8630	.0051974	.0154912
%RSD	12.22641	85.11556	85.64196	85.66309	1.188221	28.42363

#1	.3246480	.79600	.017927	8.1840	.4383090	.0366146
#2	.2606995	69.32266	2.371539	1113.883	.4318267	.0636178
#3	.2688301	68.74667	2.296999	1083.771	.4421053	.0632710

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	6.526130	.1963470	.6335489	25.93215	.2619464	.3052161
Stddev	5.649275	.1639477	.0064217	22.22236	.1116539	.0035817
%RSD	86.56394	83.49892	1.013608	85.69423	42.62471	1.173511

#1	.003007	.0070525	.6279734	.27210	.1331237	.3069543
#2	9.818616	.2931205	.6405703	38.82987	.3308439	.3010969
#3	9.756767	.2888680	.6321030	38.69448	.3218717	.3075971

Sample Name: Q3782-03A Acquired: 12/11/2025 14:37:39 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5494445	2.120074	9.891711	.9887517	F 41.40402	.9265157
Stddev	.0035733	1.816313	7.879489	.0157016	.65518	.7987672
%RSD	.6503491	85.67214	79.65749	1.588022	1.582418	86.21195

#1	.5506433	.023378	.795858	.9890272	41.70857	.0045360
#2	.5454259	3.211905	14.62788	.9729142	40.65199	1.409734
#3	.5522642	3.124940	14.25139	1.004314	41.85150	1.365277

Elem	Sr4077
Units	ppm
Avg	3.389804
Stddev	2.906108
%RSD	85.73087

#1	.034386
#2	5.104155
#3	5.030871

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2637.623	55390.72	9220.081	2035.598	2901.591
Stddev	23.837	715.21	2102.151	20.136	32.187
%RSD	.9037124	1.291202	22.79970	.9891911	1.109287
#1	2634.782	56143.01	11642.09	2054.851	2897.988
#2	2662.753	54719.50	7869.60	2014.682	2935.428
#3	2615.334	55309.66	8148.56	2037.260	2871.358

Sample Name: Q3782-03MS Acquired: 12/11/2025 14:46:05 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7948676	1.660197	.9301793	1.847182	.7883100	84.66089
Stddev	.0140049	.069481	.0172506	.028674	.0119309	2.01860
%RSD	1.761914	4.185077	1.854540	1.552322	1.513474	2.384336
#1	.7900279	1.739788	.9197061	1.842894	.7894183	82.33827
#2	.7839245	1.611657	.9207422	1.820894	.7758637	85.65242
#3	.8106505	1.629145	.9500895	1.877759	.7996481	85.99199
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7274049	.1689021	.1819355	F 3042.851	.5397860	.2054366
Stddev	.0158696	.0031444	.0033296	28.959	.0187324	.0038476
%RSD	2.181670	1.861671	1.830122	.9517030	3.470345	1.872907
#1	.7091077	.1653231	.1810733	3011.318	.5233189	.2044264
#2	.7356854	.1712209	.1791217	3048.979	.5601657	.2021948
#3	.7374215	.1701622	.1856114	3068.255	.5358734	.2096885
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3124863	79.66231	2.831337	1357.356	.5187227	.0787272
Stddev	.0066891	2.56664	.053499	31.149	.0097832	.0025412
%RSD	2.140618	3.221905	1.889534	2.294860	1.886014	3.227880
#1	.3122497	77.32305	2.769683	1321.848	.5142947	.0758635
#2	.3059186	82.40787	2.865519	1370.144	.5119364	.0807133
#3	.3192906	79.25601	2.858809	1380.077	.5299370	.0796049
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	12.20452	.3527553	.7501020	43.49681	.3855886	.3702904
Stddev	.39638	.0095049	.0255356	1.44783	.0110574	.0059378
%RSD	3.247788	2.694484	3.404282	3.328589	2.867665	1.603563
#1	11.83264	.3426737	.7260963	42.04641	.3736218	.3683832
#2	12.62153	.3540392	.7769325	44.94206	.3954272	.3655406
#3	12.15938	.3615531	.7472771	43.50197	.3877167	.3769475

Sample Name: Q3782-03MS Acquired: 12/11/2025 14:46:05 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6769675	3.584919	F 23.94521	1.197877	F 43.49995	1.546124
Stddev	.0081439	.074230	.83307	.019590	.67421	.075675
%RSD	1.203002	2.070606	3.479076	1.635363	1.549914	4.894485

#1	.6732505	3.499687	23.11913	1.194452	43.50870	1.459021
#2	.6713454	3.619683	24.78510	1.180225	42.82141	1.583634
#3	.6863068	3.635386	23.93138	1.218953	44.16975	1.595717

Elem	Sr4077
Units	ppm
Avg	5.925592
Stddev	.108729
%RSD	1.834900

#1	5.805141
#2	5.955149
#3	6.016487

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2235.760	46708.03	6897.866	1737.354	2432.713
Stddev	33.543	1308.26	95.478	45.449	36.801
%RSD	1.500279	2.800935	1.384170	2.615969	1.512758

#1	2241.634	47829.87	7007.627	1775.581	2441.981
#2	2265.977	45270.95	6851.950	1687.102	2463.995
#3	2199.668	47023.27	6834.020	1749.379	2392.164

Sample Name: Q3782-03DUP Acquired: 12/11/2025 14:50:23 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0316053	.0136276	.0571583	-.029411	.0111812	100.9073
Stddev	.0022268	.0079652	.0023746	.007792	.0039785	.2478
%RSD	7.045488	58.44912	4.154511	26.49247	35.58217	.2455655
#1	.0305412	.0047484	.0566377	-.038337	.0154036	101.1927
#2	.0301103	.0201442	.0550872	-.023969	.0106377	100.7820
#3	.0341645	.0159903	.0597501	-.025928	.0075024	100.7471
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6292806	.0047733	.0080486	F 3007.077	.2524851	.0323254
Stddev	.0016430	.0000753	.0002078	17.487	.0014185	.0006469
%RSD	.2610845	1.577187	2.581900	.5815440	.5617986	2.001224
#1	.6304933	.0048537	.0082884	2993.601	.2513001	.0327596
#2	.6299377	.0047045	.0079206	3000.792	.2520984	.0315819
#3	.6274108	.0047617	.0079368	3026.839	.2540568	.0326348
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1011252	90.01601	2.725522	1260.932	.1097411	.0055603
Stddev	.0017959	.69140	.000940	2.357	.0003892	.0005281
%RSD	1.775929	.7680854	.0344799	.1869558	.3546287	9.497711
#1	.1031967	89.24008	2.724960	1263.419	.1099904	.0050560
#2	.1000057	90.24124	2.725000	1258.731	.1092926	.0061093
#3	.1001733	90.56672	2.726607	1260.645	.1099402	.0055155
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.776796	.1245163	.6161699	44.65512	.1729237	.0317385
Stddev	.068542	.0040340	.0063284	.34194	.0010742	.0005243
%RSD	.7010669	3.239723	1.027052	.7657331	.6211878	1.652051
#1	9.700659	.1281844	.6156616	44.27637	.1717990	.0323439
#2	9.796143	.1201960	.6101111	44.74788	.1730331	.0314289
#3	9.833584	.1251686	.6227372	44.94111	.1739390	.0314426

Sample Name: Q3782-03DUP Acquired: 12/11/2025 14:50:23 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0180969	4.144033	F 27.14893	.5177815	F 60.85965	1.543144
Stddev	.0014514	.007113	.08568	.0012394	.26509	.003250
%RSD	8.020140	.1716347	.3155952	.2393569	.4355763	.2105811
#1	.0176383	4.137615	27.05042	.5191164	60.57836	1.545915
#2	.0169302	4.142804	27.20609	.5166675	61.10484	1.539568
#3	.0197222	4.151680	27.19029	.5175604	60.89575	1.543950

Elem	Sr4077
Units	ppm
Avg	6.473808
Stddev	.037284
%RSD	.5759227
#1	6.503581
#2	6.431990
#3	6.485853

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2228.593	47830.50	7013.679	1718.006	2419.703
Stddev	3.844	188.53	34.220	10.948	4.299
%RSD	.1725005	.3941687	.4879088	.6372781	.1776527
#1	2224.951	47974.89	6977.061	1726.814	2418.158
#2	2232.612	47899.39	7044.849	1721.456	2424.560
#3	2228.216	47617.20	7019.127	1705.748	2416.390

Sample Name: Q3782-03MSD Acquired: 12/11/2025 14:55:10 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.8236944	1.714900	.9724943	1.939962	.8133400	92.21477
Stddev	.0121312	.035602	.0067496	.012735	.0040302	1.13621
%RSD	1.472780	2.076052	.6940546	.6564676	.4955165	1.232139
#1	.8113346	1.706543	.9655492	1.932632	.8091166	90.91171
#2	.8355833	1.753937	.9790298	1.954667	.8137593	92.99863
#3	.8241651	1.684220	.9729041	1.932586	.8171442	92.73396
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7485396	.1645296	.1906106	F 3051.066	.5470632	.2158903
Stddev	.0091953	.0014604	.0001726	40.298	.0029978	.0001309
%RSD	1.228426	.8876222	.0905368	1.320783	.5479803	.0606315
#1	.7379498	.1637640	.1904913	3012.922	.5445391	.2159441
#2	.7545011	.1662136	.1908085	3093.218	.5462738	.2159858
#3	.7531680	.1636112	.1905321	3047.056	.5503767	.2157411
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3316697	88.96763	2.820666	1327.228	.5515804	.0798221
Stddev	.0004826	.92278	.041529	18.215	.0018999	.0001392
%RSD	.1454950	1.037214	1.472314	1.372422	.3444414	.1744157
#1	.3313234	87.97276	2.772720	1306.446	.5495823	.0796695
#2	.3314647	89.13461	2.843922	1340.422	.5533638	.0798546
#3	.3322209	89.79552	2.845356	1334.817	.5517949	.0799422
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	12.57913	.3588958	.7874506	49.67258	.3945213	.3828246
Stddev	.15836	.0046777	.0050841	.54205	.0027481	.0010769
%RSD	1.258878	1.303363	.6456362	1.091238	.6965761	.2813087
#1	12.43389	.3547313	.7844269	49.09536	.3913601	.3826064
#2	12.55554	.3579991	.7846047	49.75163	.3963414	.3818735
#3	12.74795	.3639569	.7933203	50.17077	.3958624	.3839939

Sample Name: Q3782-03MSD Acquired: 12/11/2025 14:55:10 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6962152	3.855854	F 18.90347	1.251289	F 52.49856	1.772064
Stddev	.0032356	.056404	.10654	.002923	.13792	.023730
%RSD	.4647389	1.462805	.5636034	.2335722	.2627045	1.339143

#1	.6942719	3.790904	18.80463	1.248029	52.35748	1.745434
#2	.6944235	3.892511	18.88945	1.252166	52.63307	1.779786
#3	.6999503	3.884146	19.01633	1.253673	52.50512	1.790971

Elem	Sr4077
Units	ppm
Avg	6.191681
Stddev	.080017
%RSD	1.292336

#1	6.099292
#2	6.236899
#3	6.238852

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2178.171	46529.28	7215.405	1681.555	2367.383
Stddev	7.120	165.91	72.357	12.286	6.350
%RSD	.3268774	.3565710	1.002817	.7306334	.2682241

#1	2184.325	46715.46	7281.679	1692.479	2374.629
#2	2179.815	46475.30	7138.206	1683.933	2364.730
#3	2170.373	46397.08	7226.331	1668.254	2362.789

Sample Name: CCV04 Acquired: 12/11/2025 14:59:26 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV04 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	5.026024	4.738528	4.938675	5.029509	5.087194	9.978979	10.28812
Stddev	.019960	.020655	.026090	.014645	.014810	.071889	.18246
%RSD	.3971281	.4358913	.5282889	.2911730	.2911281	.7204069	1.773510

#1	5.006842	4.721011	4.908715	5.020766	5.070118	9.899750	10.16393
#2	5.024549	4.761304	4.950918	5.046416	5.094919	9.997139	10.20283
#3	5.046680	4.733269	4.956393	5.021345	5.096544	10.04005	10.49761

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2416112	2.438324	25.04552	1.021766	2.459340	1.256472	5.199231
Stddev	.0018383	.011342	.28276	.004438	.012002	.004978	.044912
%RSD	.7608688	.4651420	1.128996	.4343841	.4880146	.3961621	.8638247

#1	.2403220	2.425421	24.80313	1.022317	2.445658	1.251153	5.180355
#2	.2407954	2.442835	24.97726	1.017078	2.464270	1.257245	5.166838
#3	.2437163	2.446716	25.35616	1.025903	2.468092	1.261019	5.250501

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.571106	24.59767	2.466289	1.248042	26.51797	2.520078	2.530680
Stddev	.038633	.19878	.012199	.005416	.35741	.020121	.012628
%RSD	1.502565	.8081088	.4946162	.4339531	1.347786	.7984311	.4990057

#1	2.535438	24.43762	2.452521	1.248637	26.24911	2.497885	2.525033
#2	2.565737	24.53522	2.470598	1.242352	26.38124	2.525218	2.521861
#3	2.612141	24.82017	2.475748	1.253135	26.92355	2.537130	2.545147

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	25.66789	4.873007	4.988906	4.969461	5.118047	5.448519	5.104215
Stddev	.21025	.041712	.010183	.013869	.055001	.039324	.026734
%RSD	.8191134	.8559707	.2041190	.2790756	1.074657	.7217354	.5237681

#1	25.50564	4.835374	4.977598	4.954634	5.064192	5.429246	5.079468
#2	25.59260	4.865791	4.991765	4.982114	5.115824	5.422550	5.100606
#3	25.90541	4.917856	4.997354	4.971636	5.174127	5.493762	5.132570

Sample Name: CCV04 Acquired: 12/11/2025 14:59:26 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV04 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.907784	5.270204	5.191058
Stddev	.010301	.105744	.032810
%RSD	.2098813	2.006443	.6320417
#1	4.895920	5.181238	5.153538
#2	4.914447	5.242262	5.214364
#3	4.912985	5.387113	5.205272

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2669.087	53765.61	7215.821	2083.711	3534.628
Stddev	7.184	296.95	36.081	5.289	12.210
%RSD	.2691565	.5523105	.5000243	.2538388	.3454318
#1	2677.034	53504.95	7233.451	2078.384	3548.519
#2	2667.175	54088.87	7239.698	2088.961	3529.770
#3	2663.053	53703.01	7174.315	2083.787	3525.595

Sample Name: CCB04 Acquired: 12/11/2025 15:04:05 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB04 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.004731	-.000654	.0007803	.0000358	.0031539	.0203279	-.002805
Stddev	.004038	.002533	.0004861	.0013639	.0005566	.0101776	.001028
%RSD	85.34922	387.0326	62.30297	3814.108	17.64691	50.06715	36.64386

#1	-.008244	-.003462	.0002893	-.000879	.0025237	.0183698	-.001665
#2	-.000320	.001458	.0012614	-.000617	.0035780	.0313422	-.003090
#3	-.005627	.000041	.0007902	.001603	.0033600	.0112715	-.003661

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000771	.0000082	.0178023	-.000160	.0001091	.0002957	.0057245
Stddev	.0000439	.0001022	.0085994	.000340	.0001904	.0002978	.0076967
%RSD	56.97130	1246.939	48.30517	213.0109	174.4284	100.7214	134.4517

#1	.0000877	.0000892	.0157518	.000229	.0002975	-.000020	-.002796
#2	.0000289	.0000419	.0104134	-.000305	.0001131	.000571	.012173
#3	.0001148	-.000107	.0272416	-.000403	-.000083	.000336	.007797

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000311	.0084477	.0005385	.0004446	.0473274	-.001072	.0044430
Stddev	.000394	.0127575	.0002476	.0001752	.0303768	.000222	.0001704
%RSD	126.8632	151.0183	45.98614	39.41290	64.18425	20.68566	3.836090

#1	-.000576	-.002626	.0008184	.0002426	.0156968	-.001290	.0044960
#2	-.000499	.022398	.0003481	.0005564	.0500137	-.001078	.0045807
#3	.000142	.005571	.0004489	.0005347	.0762719	-.000847	.0042524

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0330914	.0033464	.0005218	-.008124	.0003868	.0012528	.0004040
Stddev	.0400209	.0002807	.0002340	.000526	.0005426	.0119683	.0001164
%RSD	120.9405	8.386605	44.84096	6.479273	140.2626	955.3349	28.80278

#1	-.009362	.0033127	.0004912	-.008256	.0009436	.0134893	.0002696
#2	.038508	.0030841	.0003046	-.008572	-.000140	.0006972	.0004696
#3	.070128	.0036423	.0007695	-.007544	.000357	-.010428	.0004727

Sample Name: CCB04 Acquired: 12/11/2025 15:04:05 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB04 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0065351	.0029527	.0002001
Stddev	.0009607	.0015030	.0000296
%RSD	14.70074	50.90128	14.79896
#1	.0074608	.0028409	.0001690
#2	.0055429	.0045084	.0002034
#3	.0066014	.0015087	.0002280

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2807.476	56227.57	7114.385	2214.537	3933.458
Stddev	9.686	218.25	32.978	10.343	2.848
%RSD	.3450104	.3881506	.4635392	.4670659	.0723987
#1	2817.239	56396.04	7076.369	2223.619	3936.110
#2	2807.320	56305.64	7131.484	2216.714	3933.814
#3	2797.869	55981.02	7135.301	2203.278	3930.448

Sample Name: Q3826-09 Acquired: 12/11/2025 15:08:24 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1378488	.0103912	.7349571	-.044741	.0142153	240.6649	2.065561
Stddev	.0076477	.0080472	.0017809	.000848	.0013847	.5105	.003597
%RSD	5.547881	77.44219	.2423193	1.894268	9.741205	.2121241	.1741403

#1	.1303053	.0177963	.7356400	-.044976	.0128549	240.1688	2.067901
#2	.1376448	.0115499	.7329358	-.045447	.0156232	241.1887	2.061420
#3	.1455965	.0018275	.7362955	-.043801	.0141678	240.6374	2.067364

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0210970	.0745534	35.73471	.4685854	.3403268	.2623250	491.3817
Stddev	.0000706	.0004558	.06788	.0017156	.0006691	.0014584	.8556
%RSD	.3348996	.6114388	.1899578	.3661314	.1966103	.5559309	.1741199

#1	.0211166	.0743141	35.79381	.4692046	.3406260	.2633417	491.1769
#2	.0210187	.0742670	35.74975	.4666462	.3395603	.2629791	490.6471
#3	.0211558	.0750791	35.66057	.4699056	.3407941	.2606541	492.3211

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	17.10993	123.0055	.6966041	.2826703	5.471442	.5665285	1.617752
Stddev	.04565	.2029	.0019105	.0002253	.019332	.0023066	.001691
%RSD	.2668070	.1649128	.2742546	.0797039	.3533319	.4071402	.1045500

#1	17.15745	123.1922	.6958777	.2825625	5.490796	.5650557	1.618333
#2	17.06642	123.0347	.6951635	.2825191	5.452131	.5653430	1.615846
#3	17.10590	122.7896	.6987713	.2829292	5.471400	.5691867	1.619076

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	42.27819	.1816715	.0110736	.0386734	6.735826	2.553619	.7965465
Stddev	.07839	.0045597	.0005067	.0024171	.003075	.014125	.0027725
%RSD	.1854173	2.509834	4.576046	6.250132	.0456582	.5531518	.3480624

#1	42.20440	.1764067	.0116411	.0410789	6.738391	2.569252	.7966671
#2	42.26968	.1842657	.0109134	.0362447	6.732417	2.541773	.7992567
#3	42.36049	.1843422	.0106664	.0386965	6.736672	2.549832	.7937156

Sample Name: Q3826-09 Acquired: 12/11/2025 15:08:24 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.862980	.9560800	-.298951
Stddev	.013324	.0053877	.001009
%RSD	.7151950	.5635202	.3376755
#1	1.847608	.9620685	-.298077
#2	1.871211	.9516261	-.298720
#3	1.870121	.9545454	-.300056

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3148.617	64729.92	8477.601	2455.773	3185.691
Stddev	3.420	189.17	50.368	3.497	4.218
%RSD	.1086241	.2922518	.5941318	.1424078	.1324175
#1	3146.609	64512.31	8420.108	2452.586	3181.921
#2	3146.676	64822.27	8498.739	2455.221	3190.247
#3	3152.566	64855.18	8513.956	2459.514	3184.906

Sample Name: Q3826-11 Acquired: 12/11/2025 15:12:28 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0677999	.0024488	.5621594	-.025826	.0158491	218.9993	1.600999
Stddev	.0047338	.0046494	.0015251	.008012	.0020453	2.0629	.002312
%RSD	6.982081	189.8664	.2712913	31.02232	12.90501	.9419499	.1444302

#1	.0627657	.0019238	.5604277	-.020368	.0170020	216.6210	1.600879
#2	.0684725	-.001916	.5633023	-.035024	.0134876	220.3024	1.598750
#3	.0721615	.007338	.5627482	-.022086	.0170578	220.0746	1.603370

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0150817	.0238652	12.94870	.3046480	.1885393	.2964370	378.3888
Stddev	.0001038	.0003902	.07967	.0016113	.0006901	.0013142	2.8633
%RSD	.6880475	1.635027	.6153017	.5289231	.3660479	.4433393	.7567147

#1	.0149620	.0241854	12.85867	.3058458	.1880967	.2976599	376.9559
#2	.0151378	.0239795	12.97737	.3028160	.1893345	.2966038	376.5247
#3	.0151454	.0234306	13.01008	.3052821	.1881868	.2950474	381.6857

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.220440	68.51479	.4233882	.2490243	1.191206	.4056714	1.111077
Stddev	.016635	.74604	.0010239	.0012738	.021310	.0021832	.003530
%RSD	.1804152	1.088876	.2418307	.5115189	1.788906	.5381779	.3176709

#1	9.205901	67.65489	.4245665	.2487127	1.176452	.4031508	1.114438
#2	9.216838	68.89996	.4228826	.2479353	1.181528	.4068915	1.107400
#3	9.238581	68.98952	.4227155	.2504250	1.215637	.4069719	1.111394

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	17.58955	.1750376	.0104153	.0370594	2.656177	3.414831	.8003469
Stddev	.18503	.0083661	.0001114	.0017365	.010389	.018380	.0024129
%RSD	1.051928	4.779578	1.069438	4.685666	.3911413	.5382353	.3014849

#1	17.51518	.1694145	.0104961	.0360089	2.644227	3.398952	.8031328
#2	17.45327	.1710464	.0102883	.0361056	2.663065	3.410575	.7989902
#3	17.80019	.1846518	.0104615	.0390637	2.661239	3.434965	.7989178

Sample Name: Q3826-11 Acquired: 12/11/2025 15:12:28 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	3.512786	.5226792	-.257827
Stddev	.022267	.0055112	.002562
%RSD	.6338766	1.054406	.9937004
#1	3.535902	.5290040	-.256596
#2	3.510976	.5201256	-.256113
#3	3.491479	.5189080	-.260772

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2968.566	60579.45	8527.650	2253.872	3400.554
Stddev	3.923	263.64	18.676	1.884	4.220
%RSD	.1321499	.4351987	.2190009	.0835726	.1240828
#1	2972.809	60691.96	8538.721	2255.313	3401.156
#2	2967.817	60768.18	8506.088	2254.563	3396.066
#3	2965.071	60278.22	8538.141	2251.741	3404.440

Sample Name: Q3826-13 Acquired: 12/11/2025 15:16:31 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0676370	.0165322	.5160028	-.049311	.0169094	298.6100	2.014460
Stddev	.0035766	.0029916	.0005566	.008782	.0018587	7.8002	.053428
%RSD	5.287932	18.09543	.1078753	17.80936	10.99230	2.612184	2.652225
#1	.0675720	.0164283	.5154565	-.059308	.0172523	305.9790	2.063545
#2	.0712456	.0135940	.5165692	-.042839	.0149031	299.4108	2.022284
#3	.0640933	.0195744	.5159828	-.045787	.0185728	290.4403	1.957552
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0208102	.0346932	61.82943	.4303668	.3043657	.2377961	542.5950
Stddev	.0005405	.0003285	1.58443	.0011550	.0017317	.0033874	1.7538
%RSD	2.597360	.9469168	2.562585	.2683672	.5689607	1.424480	.3232239
#1	.0212970	.0345823	63.32087	.4311261	.3039956	.2348784	544.1103
#2	.0209052	.0344344	62.00139	.4290377	.3028491	.2369991	540.6738
#3	.0202285	.0350628	60.16603	.4309368	.3062526	.2415109	543.0008
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	31.14100	116.3715	.5862188	.0968954	31.65099	.7388059	1.459674
Stddev	.80114	3.0210	.0027590	.0014513	.05482	.0214288	.003475
%RSD	2.572607	2.595974	.4706413	1.497759	.1732071	2.900461	.2380860
#1	31.88248	119.2210	.5847296	.0976808	31.67757	.7590459	1.461591
#2	31.24929	116.6892	.5845245	.0952207	31.58795	.7410128	1.461769
#3	30.29123	113.2042	.5894024	.0977847	31.68746	.7163591	1.455663
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	27.68198	.3919090	.0076479	.0332595	5.209208	3.234894	1.012289
Stddev	.10464	.0169964	.0002998	.0007700	.135824	.055091	.008148
%RSD	.3779906	4.336823	3.920294	2.315015	2.607387	1.703026	.8049275
#1	27.77931	.3812171	.0073776	.0340977	5.341814	3.288132	1.007613
#2	27.57132	.3830024	.0075956	.0330969	5.215429	3.238430	1.007556
#3	27.69531	.4115077	.0079704	.0325838	5.070380	3.178120	1.021697

Sample Name: Q3826-13 Acquired: 12/11/2025 15:16:31 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	3.133306	.9057692	-.305346
Stddev	.044377	.0220835	.005860
%RSD	1.416289	2.438088	1.919072
#1	3.090929	.9241391	-.301421
#2	3.129544	.9119005	-.302535
#3	3.179443	.8812679	-.312082

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2931.735	59586.05	7988.690	2246.143	3175.830
Stddev	4.139	227.58	174.739	11.093	14.501
%RSD	.1411775	.3819416	2.187326	.4938681	.4565904
#1	2934.571	59632.26	7826.825	2243.994	3183.874
#2	2933.649	59786.97	7965.299	2258.153	3184.526
#3	2926.986	59338.90	8173.946	2236.282	3159.091

Sample Name: LR-1 Acquired: 12/11/2025 15:20:35 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.008181	.0034725	.0057817	-.016824	.0043220	.2866761	-.000024
Stddev	.007652	.0109496	.0014215	.004015	.0061392	.0026383	.000274
%RSD	93.53198	315.3219	24.58632	23.86727	142.0458	.9203009	1137.974

#1	-.004625	-.001201	.0056901	-.014996	.0050899	.2837919	.000069
#2	-.016965	.015983	.0072469	-.014048	.0100411	.2889676	-.000332
#3	-.002954	-.004365	.0044083	-.021429	-.002165	.2872689	.000191

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0003912	.0010335	2121.201	.0318734	.0005626	.0093419	.6153999
Stddev	.0000542	.0000636	13.549	.0011261	.0001667	.0007801	.0081610
%RSD	13.84941	6.155679	.6387579	3.533141	29.62768	8.350151	1.326132

#1	.0003293	.0010676	2112.504	.0314546	.0003861	.0085611	.6204509
#2	.0004297	.0009601	2114.287	.0331490	.0005845	.0093433	.6197641
#3	.0004147	.0010728	2136.813	.0310168	.0007173	.0101213	.6059848

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0227466	2273.662	.0228558	-.000430	2192.381	.0020258	.0280755
Stddev	.0011564	2.700	.0012209	.000945	18.216	.0007769	.0005778
%RSD	5.083717	.1187305	5.341528	219.7479	.8308728	38.35172	2.058142

#1	.0231511	2270.772	.0242019	-.001044	2178.628	.0024252	.0274749
#2	.0236465	2274.097	.0225453	.000659	2213.040	.0025218	.0286275
#3	.0214424	2276.118	.0218201	-.000905	2185.474	.0011304	.0281242

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.026919	.0089247	.0062593	-.022134	-.098652	-.056709	.0008116
Stddev	.259749	.0012720	.0003903	.000245	.000414	.006483	.0004949
%RSD	25.29403	14.25231	6.234844	1.107553	.4192827	11.43173	60.98528

#1	.748853	.0096392	.0063123	-.022376	-.098462	-.050567	.0010849
#2	1.068591	.0096787	.0066203	-.021886	-.098367	-.063486	.0002403
#3	1.263313	.0074561	.0058452	-.022142	-.099126	-.056075	.0011097

Sample Name: LR-1 Acquired: 12/11/2025 15:20:35 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.2189606	.7544439	.0603404
Stddev	.0019359	.0090361	.0002222
%RSD	.8841452	1.197710	.3681632
#1	.2185662	.7488035	.0601317
#2	.2172522	.7648661	.0603155
#3	.2210633	.7496621	.0605740

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	1935.746	41733.25	6115.565	1566.092	2267.964
Stddev	3.370	202.10	31.971	10.774	6.293
%RSD	.1740895	.4842712	.5227736	.6879387	.2774873
#1	1936.701	41576.86	6113.955	1553.692	2275.067
#2	1932.002	41661.44	6148.311	1573.156	2263.082
#3	1938.536	41961.45	6084.430	1571.429	2265.745

Sample Name: LR-2 Acquired: 12/11/2025 15:25:08 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0216829	.0313581	.1642696	-.207781	.0766213	1826.515	.0298911
Stddev	.0094302	.0191374	.0075408	.008828	.0079525	65.878	.0018430
%RSD	43.49125	61.02836	4.590527	4.248511	10.37894	3.606770	6.165740
#1	.0325715	.0309332	.1563275	-.197895	.0705059	1750.601	.0285503
#2	.0161567	.0124368	.1713320	-.210573	.0856114	1868.675	.0319927
#3	.0163205	.0507044	.1651493	-.214876	.0737465	1860.271	.0291303
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0289563	.1569866	2.140295	-.150298	.0947252	-.012800	2553.572
Stddev	.0012084	.0034859	.109340	.001667	.0009369	.021204	11.687
%RSD	4.173302	2.220488	5.108622	1.109181	.9890290	165.6614	.4576790
#1	.0275672	.1541048	2.048987	-.152015	.0958056	-.032022	2566.378
#2	.0297659	.1559938	2.261462	-.150194	.0942327	-.016323	2550.857
#3	.0295356	.1608612	2.110435	-.148686	.0941372	.009945	2543.482
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.195358	1.525164	.0617694	.1633677	4.303051	.0905338	.1863329
Stddev	.006614	.067775	.0009104	.0052743	.016388	.0037331	.0028915
%RSD	3.385705	4.443768	1.473886	3.228482	.3808478	4.123429	1.551770
#1	-.187887	1.477450	.0609582	.1581776	4.321855	.0865144	.1894747
#2	-.200466	1.602742	.0615960	.1632031	4.291816	.0911945	.1857403
#3	-.197722	1.495301	.0627541	.1687224	4.295481	.0938924	.1837836
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1771.541	^ *****	-.013729	.0374390	.0038610	1.536607	.0097984
Stddev	21.196	-----	.000506	.0003670	.0004869	.005428	.0005597
%RSD	1.196495	-----	3.683681	.9802676	12.61165	.3532291	5.712561
#1	1795.245	^ -----	-.013656	.0377671	.0035953	1.542679	.0093718
#2	1754.409	^ -----	-.013264	.0370427	.0035647	1.534912	.0104322
#3	1764.968	^ -----	-.014267	.0375072	.0044230	1.532228	.0095911

Sample Name: LR-2 Acquired: 12/11/2025 15:25:08 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-411311	.2602470	-2.28149
Stddev	.005905	.0025178	.01653
%RSD	1.435616	.9674464	.7244793
#1	-.404521	.2613277	-2.30048
#2	-.414163	.2620440	-2.27359
#3	-.415247	.2573693	-2.27039

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2343.432	47218.18	6957.690	1798.885	2545.612
Stddev	10.135	324.83	227.952	11.072	12.341
%RSD	.4324933	.6879372	3.276267	.6155013	.4848020
#1	2347.184	46862.12	7214.347	1786.227	2548.574
#2	2351.157	47498.34	6778.789	1803.660	2556.203
#3	2331.956	47294.09	6879.935	1806.769	2532.059

Sample Name: LR-3 Acquired: 12/11/2025 15:29:38 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0871648	.0304750	236.4623	-.003303	.0127481	.3240778	-.001418
Stddev	.0026573	.0040986	.2855	.001352	.0034183	.0242982	.001058
%RSD	3.048548	13.44907	.1207507	40.93785	26.81407	7.497655	74.60018

#1	.0900851	.0257907	236.2591	-.002289	.0111866	.3518269	-.001535
#2	.0848893	.0334014	236.3392	-.004838	.0103894	.3137941	-.000307
#3	.0865200	.0322331	236.7888	-.002781	.0166682	.3066123	-.002413

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.003497	-.004093	.2728650	24.34312	.0064541	53.51324	.5221506
Stddev	.000098	.000077	.0024097	.05136	.0002597	.15436	.0277330
%RSD	2.796278	1.885819	.8830996	.2110040	4.023461	.2884500	5.311303

#1	-.003418	-.004163	.2736393	24.30291	.0067060	53.36931	.5540799
#2	-.003466	-.004106	.2701633	24.32546	.0061873	53.49416	.5083096
#3	-.003606	-.004011	.2747923	24.40098	.0064692	53.67626	.5040623

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	47.42629	-.127577	24.64081	.0025217	.2717881	-.011570	30.98564
Stddev	.36571	.031521	.03246	.0002353	.0343429	.001366	.51356
%RSD	.7711047	24.70739	.1317219	9.331130	12.63592	11.80765	1.657423

#1	47.19606	-.161636	24.61315	.0027673	.2339963	-.010167	31.49684
#2	47.23483	-.099431	24.63273	.0022983	.2802784	-.012896	30.99035
#3	47.84798	-.121664	24.67654	.0024995	.3010894	-.011646	30.46974

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6521993	-.003026	-.010472	-.008386	-.027082	-.164346	-.029504
Stddev	.0733677	.000363	.000537	.000279	.000723	.011671	.000357
%RSD	11.24928	12.00678	5.130578	3.322991	2.670772	7.101469	1.208493

#1	.5703724	-.003445	-.009935	-.008360	-.027613	-.151447	-.029128
#2	.6741105	-.002826	-.010471	-.008122	-.027376	-.167414	-.029548
#3	.7121151	-.002806	-.011009	-.008677	-.026259	-.174176	-.029837

Sample Name: LR-3 Acquired: 12/11/2025 15:29:38 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0344895	.0020454	.0005154
Stddev	.0037413	.0032037	.0000191
%RSD	10.84760	156.6325	3.703932

#1	.0382446	-.001085	.0004935
#2	.0344615	.005318	.0005237
#3	.0307623	.001903	.0005288

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2500.193	55939.49	7471.775	1988.021	3704.687
Stddev	3.821	17.91	17.775	11.349	3.456
%RSD	.1528371	.0320130	.2378953	.5708894	.0932984

#1	2502.117	55929.99	7489.620	1982.353	3702.671
#2	2502.671	55960.14	7471.635	1980.623	3708.678
#3	2495.793	55928.33	7454.070	2001.088	3702.713

Sample Name: Q3827-01 Acquired: 12/11/2025 15:34:09 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2995234	-.048139	.1823956	-.081095	.0181673	106.5321	.1111918
Stddev	.0119682	.006446	.0025903	.005527	.0018245	1.5118	.0025303
%RSD	3.995745	13.38927	1.420127	6.815540	10.04255	1.419123	2.275580
#1	.3130090	-.040702	.1801515	-.083291	.0182338	105.1495	.1088485
#2	.2953966	-.052093	.1818052	-.074807	.0163104	108.1464	.1138747
#3	.2901647	-.051624	.1852301	-.085186	.0199575	106.3004	.1108522
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0189761	.0259801	6.160200	1.128194	.0587420	.1352937	785.1207
Stddev	.0002476	.0011864	.087648	.015706	.0005767	.0107232	12.5906
%RSD	1.304959	4.566595	1.422817	1.392154	.9817430	7.925895	1.603651
#1	.0190121	.0273395	6.075173	1.115056	.0585237	.1468039	770.7100
#2	.0187124	.0254477	6.250254	1.123935	.0593960	.1334915	790.6610
#3	.0192037	.0251532	6.155173	1.145590	.0583063	.1255859	793.9911
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.4048228	9.061106	.0964826	.0667058	.3703726	.8433809	.5518393
Stddev	.0072142	.126906	.0010189	.0019055	.0322047	.0109897	.0068603
%RSD	1.782061	1.400562	1.056062	2.856616	8.695213	1.303055	1.243172
#1	.3987825	8.916554	.0954595	.0649748	.3332372	.8326784	.5460503
#2	.4128109	9.154211	.0964911	.0687476	.3872480	.8546369	.5500508
#3	.4028751	9.112552	.0974973	.0663949	.3906325	.8428275	.5594167
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	18.76417	.2196020	.0038445	.0125950	1.572482	3.664429	1.410991
Stddev	.27117	.0169516	.0006668	.0018458	.026024	.046990	.008181
%RSD	1.445132	7.719246	17.34437	14.65483	1.654994	1.282321	.5798178
#1	18.45128	.2027553	.0045511	.0142734	1.552708	3.612237	1.418178
#2	18.91020	.2193941	.0037561	.0128935	1.601965	3.677678	1.412708
#3	18.93102	.2366566	.0032263	.0106182	1.562773	3.703371	1.402088

Sample Name: Q3827-01 Acquired: 12/11/2025 15:34:09 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.9772602	.1076781	-.717606
Stddev	.0071670	.0017320	.011665
%RSD	.7333766	1.608465	1.625571

#1	.9853817	.1072471	-.704335
#2	.9718224	.1062024	-.722247
#3	.9745764	.1095849	-.726237

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2867.867	58505.56	7949.559	2178.582	3453.837
Stddev	6.674	740.95	56.418	26.078	11.844
%RSD	.2327286	1.266469	.7097040	1.196999	.3429311

#1	2868.449	59161.92	8002.454	2204.555	3452.687
#2	2860.921	58652.69	7890.178	2178.790	3442.610
#3	2874.231	57702.09	7956.044	2152.401	3466.215

Sample Name: Q3827-01DUP Acquired: 12/11/2025 15:38:15 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3265147	-.056699	.2035770	-.092026	.0203100	118.2154	.1413255
Stddev	.0075578	.003220	.0030822	.004479	.0027860	.3838	.0009440
%RSD	2.314687	5.679531	1.514016	4.867139	13.71728	.3246582	.6679917
#1	.3352077	-.056976	.2034353	-.096449	.0231595	117.7723	.1402358
#2	.3215012	-.053349	.2067276	-.092137	.0175923	118.4436	.1418935
#3	.3228353	-.059772	.2005681	-.087493	.0201781	118.4302	.1418474
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0212338	.0290965	6.577278	.8978074	.0681754	.1403902	888.3125
Stddev	.0000955	.0004689	.054349	.0026623	.0001669	.0014072	4.3490
%RSD	.4495674	1.611674	.8263104	.2965341	.2447574	1.002369	.4895839
#1	.0213402	.0293322	6.514827	.8955073	.0679901	.1420117	886.1391
#2	.0212055	.0285565	6.613857	.9007238	.0683137	.1394873	885.4787
#3	.0211556	.0294009	6.603151	.8971912	.0682224	.1396717	893.3199
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5217127	9.558286	.1157849	.0820141	.3930690	.8652052	.5941073
Stddev	.0024220	.033885	.0017320	.0015903	.0124932	.0077826	.0012079
%RSD	.4642432	.3545114	1.495909	1.938998	3.178369	.8995139	.2033193
#1	.5189730	9.527146	.1151395	.0814713	.3799497	.8577575	.5930089
#2	.5225957	9.594373	.1144682	.0807663	.3944332	.8645737	.5939120
#3	.5235692	9.553339	.1177469	.0838047	.4048240	.8732844	.5954010
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	21.52320	.2280597	.0088714	.0167598	1.612263	3.866383	1.576238
Stddev	.11690	.0200329	.0001135	.0007971	.006805	.023531	.003791
%RSD	.5431290	8.784037	1.278926	4.756252	.4220730	.6086114	.2404814
#1	21.38846	.2112843	.0087405	.0167855	1.604742	3.839838	1.577169
#2	21.58354	.2226541	.0089352	.0159501	1.614054	3.874629	1.572068
#3	21.59759	.2502407	.0089387	.0175438	1.617994	3.884681	1.579476

Sample Name: Q3827-01DUP Acquired: 12/11/2025 15:38:15 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.9652907	.1196394	-.809859
Stddev	.0060452	.0037886	.004163
%RSD	.6262534	3.166672	.5140328

#1	.9642107	.1180415	-.807682
#2	.9598583	.1169116	-.807236
#3	.9718030	.1239652	-.814659

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2885.765	59068.59	7966.631	2268.626	3389.090
Stddev	15.061	62.36	21.235	12.007	18.945
%RSD	.5218968	.1055806	.2665469	.5292724	.5589986

#1	2891.006	59123.05	7943.199	2269.662	3398.396
#2	2897.506	59082.17	7972.096	2280.081	3401.582
#3	2868.784	59000.56	7984.600	2256.134	3367.291

Sample Name: Q3827-01LX5 Acquired: 12/11/2025 15:42:25 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0646170	-.010363	.0378675	-.021266	.0021489	23.99670	.0244757
Stddev	.0032136	.003045	.0010930	.001275	.0010785	.25601	.0005592
%RSD	4.973265	29.38493	2.886447	5.997303	50.18893	1.066868	2.284566
#1	.0610747	-.013096	.0383189	-.020866	.0009345	23.83446	.0245593
#2	.0673452	-.010913	.0366210	-.022694	.0029949	23.86381	.0238795
#3	.0654312	-.007081	.0386625	-.020239	.0025174	24.29183	.0249884
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0044346	.0023155	1.417874	.2673764	.0119013	.0233662	181.7299
Stddev	.0001297	.0002343	.004616	.0014965	.0002629	.0022658	.9059
%RSD	2.923543	10.11820	.3255526	.5597158	2.209306	9.696990	.4984660
#1	.0043955	.0023944	1.418374	.2690233	.0121654	.0258974	181.2977
#2	.0043291	.0020519	1.413028	.2670065	.0116396	.0215274	182.7709
#3	.0045793	.0025001	1.422219	.2660996	.0118990	.0226738	181.1211
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0954822	2.107249	.0200925	.0173076	.1033984	.1923853	.1221220
Stddev	.0005952	.029518	.0006759	.0005118	.0348332	.0046227	.0007890
%RSD	.6234047	1.400781	3.363931	2.957059	33.68830	2.402854	.6460861
#1	.0952438	2.073945	.0205527	.0177315	.0657836	.1899179	.1230307
#2	.0950432	2.130181	.0204083	.0174522	.1098690	.1895199	.1216113
#3	.0961597	2.117621	.0193165	.0167390	.1345425	.1977183	.1217238
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.233684	.0476915	.0005175	-.002860	.3638825	.8502352	.2888086
Stddev	.027111	.0056177	.0005921	.001124	.0038753	.0080248	.0020703
%RSD	.6403592	11.77931	114.4098	39.29917	1.064993	.9438282	.7168434
#1	4.203448	.0482446	.0011109	-.003099	.3594284	.8532282	.2910443
#2	4.255827	.0530123	.0005148	-.001636	.3657374	.8563333	.2869577
#3	4.241777	.0418178	-.000073	-.003845	.3664818	.8411441	.2884238

Sample Name: Q3827-01LX5 Acquired: 12/11/2025 15:42:25 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1785313	.0249351	-.166085
Stddev	.0029384	.0023910	.000837
%RSD	1.645856	9.588793	.5042565
#1	.1752671	.0275565	-.165796
#2	.1793617	.0228742	-.167029
#3	.1809652	.0243745	-.165430

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2828.650	56464.23	7301.257	2210.438	3755.912
Stddev	12.186	33.04	87.304	8.317	17.499
%RSD	.4308015	.0585235	1.195733	.3762691	.4658951
#1	2829.196	56426.11	7341.897	2210.377	3758.537
#2	2840.554	56481.81	7360.831	2218.785	3771.950
#3	2816.200	56484.76	7201.042	2202.151	3737.249

Sample Name: Q3827-01MS Acquired: 12/11/2025 15:46:38 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.9965699	1.598698	1.100144	1.577845	.5147968	126.2461	.3167533
Stddev	.0207055	.066957	.036223	.042903	.0173421	.5546	.0026987
%RSD	2.077679	4.188234	3.292604	2.719081	3.368721	.4392637	.8519817

#1	.9910383	1.538325	1.097846	1.573030	.5179790	125.6561	.3159435
#2	1.019479	1.670713	1.137462	1.622953	.5303274	126.7567	.3197642
#3	.979192	1.587055	1.065124	1.537553	.4960840	126.3254	.3145523

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1874730	.2171828	6.588481	1.129285	.2525657	.3745209	827.7273
Stddev	.0005475	.0089511	.080987	.006037	.0081649	.0255637	4.7146
%RSD	.2920156	4.121464	1.229216	.5346100	3.232780	6.825696	.5695798

#1	.1874839	.2176349	6.512357	1.122318	.2525470	.3714687	824.1938
#2	.1880149	.2258994	6.673582	1.132977	.2607400	.4014736	833.0805
#3	.1869201	.2080143	6.579504	1.132559	.2444102	.3506204	825.9076

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5758849	12.43060	.5659930	.1365245	2.983264	1.064647	.7214856
Stddev	.0055706	.07068	.0174602	.0031218	.040446	.004906	.0037946
%RSD	.9673164	.5685932	3.084882	2.286608	1.355749	.4608482	.5259430

#1	.5713859	12.35966	.5653379	.1339496	2.948481	1.059440	.7256955
#2	.5821157	12.50101	.5837716	.1399966	3.027646	1.069184	.7183287
#3	.5741530	12.43112	.5488696	.1356271	2.973665	1.065316	.7204326

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	34.58368	.3667004	.3636827	.6577533	1.789784	4.102315	2.012600
Stddev	.16361	.0053088	.0107700	.0220651	.016100	.020171	.067062
%RSD	.4730985	1.447720	2.961379	3.354613	.8995394	.4916916	3.332117

#1	34.39643	.3631101	.3638519	.6551556	1.779655	4.079098	1.996985
#2	34.69900	.3727985	.3743671	.6810022	1.808349	4.115533	2.086093
#3	34.65563	.3641926	.3528291	.6371020	1.781348	4.112314	1.954723

Sample Name: Q3827-01MS Acquired: 12/11/2025 15:46:38 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.8684376	.2967214	-.570747
Stddev	.0435733	.0048773	.002350
%RSD	5.017439	1.643718	.4117965

#1	.8563016	.2922518	-.568872
#2	.9167924	.3019235	-.573384
#3	.8322188	.2959891	-.569987

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2816.804	58132.20	7725.296	2152.251	3353.518
Stddev	72.407	98.25	29.831	4.236	96.160
%RSD	2.570544	.1690066	.3861504	.1968285	2.867450

#1	2821.794	58244.44	7736.602	2147.523	3356.297
#2	2742.031	58061.75	7691.464	2155.701	3255.998
#3	2886.588	58090.43	7747.821	2153.528	3448.259

Sample Name: CCV05 Acquired: 12/11/2025 15:50:40 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV05 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	5.024744	4.801814	4.931124	5.091180	5.060053	9.816936	9.766507
Stddev	.015231	.292248	.016415	.029973	.021689	.049285	.104915
%RSD	.3031288	6.086210	.3328940	.5887212	.4286372	.5020403	1.074231
#1	5.007707	4.582078	4.926618	5.068960	5.041751	9.834173	9.879169
#2	5.029479	4.689881	4.917432	5.079310	5.054398	9.855287	9.748746
#3	5.037045	5.133484	4.949322	5.125270	5.084009	9.761347	9.671607
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2355395	2.457903	24.28837	.9677551	2.457514	1.256604	5.049887
Stddev	.0021149	.006931	.20842	.0032999	.006056	.003854	.047849
%RSD	.8979010	.2819880	.8581201	.3409890	.2464426	.3066710	.9475215
#1	.2368098	2.453754	24.46979	.9713274	2.455277	1.255249	5.104973
#2	.2367106	2.454050	24.33460	.9671174	2.452894	1.253610	5.026040
#3	.2330981	2.465904	24.06071	.9648206	2.464371	1.260952	5.018649
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.399237	24.17060	2.462728	1.243117	24.65952	2.447714	2.492579
Stddev	.029361	.10561	.006705	.009277	.38088	.010907	.015132
%RSD	1.223785	.4369290	.2722408	.7463075	1.544543	.4455832	.6070707
#1	2.431110	24.18155	2.459777	1.253211	25.09769	2.459720	2.505685
#2	2.393308	24.27031	2.458005	1.241175	24.47316	2.445005	2.476019
#3	2.373292	24.05995	2.470402	1.234963	24.40770	2.438418	2.496033
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	25.19061	4.676239	5.014933	4.937020	4.842869	5.355182	5.089336
Stddev	.30255	.034574	.011161	.019656	.038386	.042592	.013436
%RSD	1.201040	.7393476	.2225522	.3981389	.7926194	.7953502	.2639993
#1	25.53994	4.687826	5.008871	4.919631	4.880289	5.306265	5.090013
#2	25.01301	4.703531	5.008114	4.933080	4.844733	5.384056	5.075575
#3	25.01886	4.637360	5.027812	4.958347	4.803586	5.375224	5.102421

Sample Name: CCV05 Acquired: 12/11/2025 15:50:40 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV05 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.928218	4.585075	4.897499
Stddev	.069768	.096767	.056771
%RSD	1.415675	2.110485	1.159192
#1	4.875058	4.693207	4.952780
#2	4.902376	4.555390	4.900371
#3	5.007220	4.506627	4.839346

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2661.218	53533.74	7445.394	1991.109	3540.216
Stddev	4.962	457.82	60.953	9.253	6.644
%RSD	.1864711	.8552078	.8186670	.4647267	.1876636
#1	2656.528	53059.29	7412.800	1981.651	3534.303
#2	2666.414	53569.04	7407.669	2000.142	3547.405
#3	2660.713	53972.89	7515.714	1991.534	3538.940

Sample Name: CCB05 Acquired: 12/11/2025 15:54:49 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB05 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001443	-.000985	.0017697	.0009066	-.000539	.0138033	-.001114
Stddev	.001898	.002281	.0012309	.0036695	.001954	.0073580	.000308
%RSD	131.5360	231.6121	69.55409	404.7572	362.3089	53.30611	27.65902

#1	.000733	-.000014	.0031339	.0051265	-.002035	.0053371	-.001382
#2	-.002303	.000650	.0007422	-.001535	-.001254	.0186556	-.000778
#3	-.002758	-.003591	.0014330	-.000872	.001671	.0174171	-.001183

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000766	.0001092	.0085566	.0002169	.0003684	.0001349	.0100402
Stddev	.0000289	.0000572	.0144805	.0002604	.0000189	.0005752	.0046092
%RSD	37.68478	52.38243	169.2327	120.0775	5.137681	426.5739	45.90732

#1	.0000631	.0000664	.0001178	-.000015	.0003485	.0007873	.0120850
#2	.0001097	.0000871	.0002749	.000167	.0003704	-.000299	.0047624
#3	.0000570	.0001742	.0252769	.000498	.0003862	-.000084	.0132733

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000463	.0160392	.0007896	.0004850	.0886619	-.000100	-.000059
Stddev	.0001666	.0449277	.0005603	.0004009	.0227190	.000864	.000186
%RSD	360.0812	280.1125	70.95941	82.66854	25.62433	859.7436	316.1305

#1	-.000015	-.034127	.0010671	.0009075	.0646407	-.000961	-.000227
#2	-.000081	.029676	.0011570	.0004375	.0915408	-.000106	.000141
#3	.000235	.052568	.0001447	.0001099	.1098043	.000766	-.000091

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1717710	.0039256	.0003016	-.009323	-.000287	-.021405	.0004653
Stddev	.0571858	.0010106	.0002564	.000161	.001511	.009230	.0001880
%RSD	33.29189	25.74360	85.00504	1.724334	526.5361	43.12145	40.40766

#1	.1172560	.0044178	.0005481	-.009407	.000241	-.015411	.0006780
#2	.1667592	.0045958	.0000364	-.009424	-.001991	-.032034	.0003965
#3	.2312977	.0027632	.0003202	-.009137	.000889	-.016770	.0003213

Sample Name: CCB05 Acquired: 12/11/2025 15:54:49 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB05 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.005016	.0046729	.0004265
Stddev	.003413	.0028299	.0000215
%RSD	68.03311	60.55959	5.038275

#1	-.008946	.0032363	.0004369
#2	-.003300	.0079329	.0004018
#3	-.002802	.0028495	.0004408

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2793.316	55957.40	7111.611	2180.122	3902.605
Stddev	4.473	86.71	54.390	3.618	8.104
%RSD	.1601436	.1549548	.7648014	.1659753	.2076502

#1	2791.460	56052.43	7174.415	2183.988	3910.191
#2	2790.069	55937.18	7080.368	2179.560	3894.067
#3	2798.418	55882.59	7080.051	2176.817	3903.558

Sample Name: Q3827-01MSD Acquired: 12/11/2025 15:59:08 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.9907936	1.602320	1.096643	1.529275	.4913958	128.9242	.3349614
Stddev	.0046752	.026681	.001950	.005386	.0017016	.9473	.0043399
%RSD	.4718597	1.665131	.1778602	.3521641	.3462774	.7348025	1.295647
#1	.9854880	1.574738	1.098296	1.534302	.4933542	127.8581	.3318493
#2	.9943097	1.604224	1.097141	1.523592	.4902786	129.6693	.3399191
#3	.9925830	1.627998	1.094492	1.529931	.4905547	129.2453	.3331160
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1827014	.2082089	6.614505	1.012360	.2532387	.3631266	837.5925
Stddev	.0010452	.0004944	.071346	.000863	.0003763	.0056805	5.2651
%RSD	.5720860	.2374673	1.078631	.0852701	.1485918	1.564319	.6285973
#1	.1818482	.2081842	6.569744	1.013337	.2535124	.3694624	831.6498
#2	.1838672	.2077273	6.696783	1.011700	.2533942	.3584886	841.6748
#3	.1823886	.2087152	6.576990	1.012044	.2528096	.3614289	839.4528
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7400846	12.79295	.5621741	.1392945	3.085968	1.075464	.7387982
Stddev	.0089266	.06974	.0008166	.0012769	.028594	.007050	.0025669
%RSD	1.206155	.5451645	.1452603	.9167040	.9265773	.6555740	.3474400
#1	.7336029	12.71931	.5619336	.1378826	3.056804	1.067323	.7362900
#2	.7502662	12.85800	.5615048	.1403685	3.113955	1.079491	.7386845
#3	.7363847	12.80154	.5630840	.1396323	3.087145	1.079579	.7414200
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	36.17233	.4676966	.3474490	.6515898	1.875790	4.413450	2.041361
Stddev	.24094	.0073606	.0006964	.0013132	.018469	.030373	.004021
%RSD	.6660882	1.573787	.2004327	.2015399	.9845964	.6881949	.1969797
#1	35.93700	.4592668	.3476450	.6509198	1.857221	4.378526	2.041429
#2	36.41851	.4709727	.3466757	.6531029	1.894157	4.433696	2.045348
#3	36.16148	.4728502	.3480265	.6507466	1.875992	4.428129	2.037307

Sample Name: Q3827-01MSD Acquired: 12/11/2025 15:59:08 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.9218555	.3155354	-.574839
Stddev	.0053474	.0039713	.003008
%RSD	.5800720	1.258576	.5233580

#1	.9168525	.3143214	-.571426
#2	.9212229	.3199719	-.575986
#3	.9274910	.3123128	-.577106

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2839.953	58160.74	7654.167	2238.585	3334.131
Stddev	3.505	64.24	29.298	5.052	3.855
%RSD	.1234208	.1104553	.3827678	.2256760	.1156176

#1	2836.029	58232.28	7674.273	2242.098	3330.081
#2	2842.774	58107.98	7620.552	2240.861	3334.557
#3	2841.056	58141.96	7667.676	2232.795	3337.755

Sample Name: Q3827-01A Acquired: 12/11/2025 16:03:10 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.9470218	1.435758	1.007685	1.492259	.6868770	106.6331	.2814547
Stddev	.0077566	.042827	.004669	.013701	.0068390	1.2048	.0029984
%RSD	.8190564	2.982864	.4633277	.9181580	.9956632	1.129871	1.065312

#1	.9516739	1.386391	1.004167	1.477531	.6920642	105.2455	.2784647
#2	.9513241	1.462953	1.005907	1.504628	.6791267	107.4141	.2844614
#3	.9380675	1.457929	1.012982	1.494618	.6894400	107.2397	.2814380

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1735208	.1961807	6.980210	1.455242	.2329640	.3507307	774.5507
Stddev	.0013549	.0004588	.100335	.004667	.0000848	.0041288	5.2002
%RSD	.7808440	.2338709	1.437420	.3206781	.0363903	1.177213	.6713809

#1	.1720887	.1962088	6.868900	1.453723	.2329420	.3545787	771.6325
#2	.1747824	.1966249	7.008035	1.451525	.2328924	.3512444	771.4649
#3	.1736913	.1957085	7.063696	1.460479	.2330576	.3463691	780.5545

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5689026	10.49706	.5295381	.1313187	2.915938	1.076173	.7124531
Stddev	.0057910	.11398	.0011340	.0020656	.023154	.011223	.0050101
%RSD	1.017919	1.085816	.2141487	1.572927	.7940378	1.042874	.7032256

#1	.5626568	10.36674	.5290811	.1290052	2.894672	1.063418	.7101206
#2	.5740937	10.54629	.5287038	.1319730	2.912539	1.084537	.7090344
#3	.5699574	10.57815	.5308293	.1329778	2.940604	1.080564	.7182042

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	26.73967	.3861181	.3537740	.6414628	1.735475	4.539722	1.935879
Stddev	.18674	.0222106	.0004356	.0007665	.018433	.050565	.002975
%RSD	.6983556	5.752293	.1231232	.1195003	1.062150	1.113826	.1536820

#1	26.72696	.4054534	.3533166	.6413975	1.714430	4.514955	1.932753
#2	26.55962	.3618586	.3541838	.6422599	1.748754	4.506315	1.938675
#3	26.93244	.3910423	.3538216	.6407310	1.743243	4.597895	1.936208

Sample Name: Q3827-01A Acquired: 12/11/2025 16:03:10 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.9181843	.2697019	-.539698
Stddev	.0066989	.0054913	.005024
%RSD	.7295762	2.036059	.9308325
#1	.9167919	.2635709	-.538662
#2	.9254699	.2741682	-.535272
#3	.9122910	.2713666	-.545158

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2859.153	58461.61	7795.537	2205.246	3437.151
Stddev	5.368	357.67	72.863	15.131	4.228
%RSD	.1877418	.6118081	.9346811	.6861568	.1230129
#1	2853.282	58604.49	7874.176	2211.785	3432.359
#2	2863.810	58725.75	7730.314	2216.008	3438.740
#3	2860.366	58054.58	7782.120	2187.945	3440.354

Sample Name: Q3815-01 Acquired: 12/11/2025 16:07:12 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0685793	.0027037	.4099775	-.033509	.0112661	200.0940	1.522722
Stddev	.0005560	.0067902	.0028295	.005182	.0012008	1.1854	.012678
%RSD	.8108146	251.1415	.6901613	15.46565	10.65848	.5924297	.8326062

#1	.0680617	-.005048	.4093553	-.029858	.0125838	198.8654	1.514180
#2	.0685090	.005558	.4075108	-.031228	.0102335	201.2309	1.537290
#3	.0691671	.007601	.4130663	-.039441	.0109809	200.1859	1.516697

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0142725	.0274309	32.53316	.2867656	.2090592	.2751183	395.6177
Stddev	.0001024	.0004214	.19795	.0011047	.0006000	.0018935	.7392
%RSD	.7177638	1.536031	.6084662	.3852168	.2869826	.6882425	.1868474

#1	.0143334	.0278912	32.36554	.2869925	.2084083	.2770026	394.9028
#2	.0141542	.0270644	32.75155	.2855651	.2091791	.2732158	396.3790
#3	.0143299	.0273369	32.48238	.2877391	.2095901	.2751364	395.5713

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	10.21218	69.37873	.4341460	.1973458	1.401438	.3980083	.9282334
Stddev	.07363	.44317	.0012091	.0004799	.011005	.0019176	.0016723
%RSD	.7210496	.6387715	.2785049	.2431654	.7852399	.4817939	.1801569

#1	10.17843	68.97720	.4354528	.1978507	1.406314	.3967327	.9297507
#2	10.29663	69.85423	.4330669	.1972910	1.409163	.4002135	.9264404
#3	10.16146	69.30476	.4339184	.1968956	1.388838	.3970788	.9285091

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	21.38422	.1505380	.0063675	.0386464	3.405582	2.762219	.7391684
Stddev	.11921	.0046900	.0000460	.0025662	.020481	.005264	.0039292
%RSD	.5574854	3.115489	.7229848	6.640284	.6013904	.1905806	.5315703

#1	21.25274	.1484307	.0063158	.0375585	3.392251	2.759516	.7430647
#2	21.41464	.1472713	.0064040	.0415775	3.429164	2.758855	.7392333
#3	21.48528	.1559120	.0063827	.0368035	3.395331	2.768286	.7352071

Sample Name: Q3815-01 Acquired: 12/11/2025 16:07:12 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.8467588	.4745585	-.228751
Stddev	.0173586	.0055703	.000790
%RSD	2.050007	1.173779	.3453368

#1	.8624447	.4729660	-.228705
#2	.8497227	.4807516	-.227985
#3	.8281091	.4699579	-.229563

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3234.628	65594.42	9200.016	2454.080	3369.652
Stddev	6.358	77.89	54.509	.688	4.351
%RSD	.1965700	.1187523	.5924868	.0280277	.1291334

#1	3232.260	65600.73	9207.758	2454.821	3371.636
#2	3241.830	65513.57	9142.051	2453.958	3372.658
#3	3229.792	65668.97	9250.241	2453.462	3364.662

Sample Name: Q3821-01 Acquired: 12/11/2025 16:11:16 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1022265	-.005687	.2431131	-.015167	.0082000	99.24112	.4592302
Stddev	.0005434	.009387	.0012181	.002768	.0005005	.60738	.0037339
%RSD	.5316001	165.0684	.5010353	18.24641	6.104154	.6120243	.8130769

#1	.1025137	-.014178	.2417121	-.013487	.0087618	98.54964	.4551180
#2	.1015998	.004393	.2439210	-.013654	.0078016	99.68837	.4601641
#3	.1025662	-.007274	.2437064	-.018362	.0080364	99.48534	.4624085

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0074298	.0049358	13.48605	.1957653	.0479392	.1402687	187.3178
Stddev	.0000827	.0001557	.07488	.0010396	.0003400	.0002085	.7501
%RSD	1.113487	3.153954	.5552276	.5310609	.7091404	.1486407	.4004462

#1	.0073369	.0051092	13.39984	.1947591	.0482930	.1403843	188.1465
#2	.0074567	.0048080	13.52352	.1957014	.0479096	.1403939	186.6853
#3	.0074957	.0048901	13.53480	.1968354	.0476150	.1400280	187.1215

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.8295271	16.58563	.0962185	.0174863	.6888193	.3284927	.4401643
Stddev	.0031120	.02419	.0002937	.0008402	.0059635	.0034607	.0039037
%RSD	.3751491	.1458223	.3052008	4.804753	.8657611	1.053514	.8868674

#1	.8270503	16.56990	.0963709	.0181562	.6921863	.3245574	.4423952
#2	.8285109	16.61348	.0964047	.0165436	.6819338	.3310619	.4424410
#3	.8330202	16.57351	.0958800	.0177589	.6923379	.3298587	.4356568

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	12.16483	.0816702	.0034045	.0068336	1.801648	3.100934	.3902105
Stddev	.01117	.0032407	.0000559	.0005643	.006421	.012169	.0015840
%RSD	.0918517	3.967985	1.643122	8.258372	.3563848	.3924331	.4059215

#1	12.17633	.0853644	.0033454	.0070668	1.794370	3.089173	.3917174
#2	12.15401	.0793069	.0034567	.0072439	1.804063	3.100154	.3885594
#3	12.16415	.0803393	.0034113	.0061900	1.806511	3.113473	.3903546

Sample Name: Q3821-01 Acquired: 12/11/2025 16:11:16 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	3.295697	.1080207	-.106499
Stddev	.028834	.0015506	.001118
%RSD	.8749025	1.435432	1.049949
#1	3.325352	.1079564	-.107789
#2	3.267760	.1065033	-.105804
#3	3.293979	.1096025	-.105904

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2958.561	59819.69	8161.751	2266.580	3631.202
Stddev	5.657	350.36	66.127	20.337	9.955
%RSD	.1912027	.5856938	.8102053	.8972676	.2741455
#1	2952.961	59632.72	8220.740	2249.840	3624.026
#2	2958.449	59602.47	8090.269	2260.688	3627.013
#3	2964.273	60223.87	8174.244	2289.213	3642.566

Sample Name: Q3826-01 Acquired: 12/11/2025 16:15:24 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0398246	.0095671	.3950202	-.046406	.0093925	206.5603	2.352597
Stddev	.0004368	.0161902	.0022178	.004018	.0021803	1.7084	.027005
%RSD	1.096838	169.2283	.5614465	8.657644	23.21304	.8270863	1.147890
#1	.0393206	.0168221	.3961623	-.042249	.0069707	204.6396	2.323015
#2	.0400928	-.008982	.3924641	-.050268	.0111990	207.9105	2.375931
#3	.0400604	.020861	.3964342	-.046701	.0100078	207.1308	2.358845
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0175052	.0330661	59.05215	.3502248	.2895106	.3210665	457.9104
Stddev	.0003774	.0002311	.45749	.0026552	.0007555	.0048071	4.8389
%RSD	2.156070	.6989256	.7747301	.7581417	.2609707	1.497213	1.056732
#1	.0177530	.0333311	58.54986	.3518245	.2900854	.3259901	452.6705
#2	.0176919	.0329066	59.44500	.3516902	.2886548	.3208240	458.8502
#3	.0170708	.0329604	59.16157	.3471598	.2897915	.3163852	462.2104
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	17.95060	93.50485	.6422733	.0635888	2.479977	.3683496	.9586484
Stddev	.14314	.52479	.0011879	.0021397	.056222	.0052004	.0027111
%RSD	.7974309	.5612451	.1849550	3.364958	2.267023	1.411802	.2828017
#1	17.79769	92.91594	.6415727	.0615399	2.418283	.3625123	.9591225
#2	18.08140	93.92297	.6416024	.0634173	2.493323	.3724883	.9557316
#3	17.97270	93.67565	.6436449	.0658091	2.528325	.3700483	.9610912
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	43.16126	.2687352	.0040988	.0198871	4.916594	2.375844	1.064463
Stddev	.55771	.0146596	.0004158	.0012450	.043475	.037650	.000850
%RSD	1.292145	5.455030	10.14347	6.260221	.8842580	1.584708	.0798624
#1	42.52988	.2526862	.0044767	.0191780	4.871315	2.381669	1.064789
#2	43.36716	.2720986	.0041664	.0213246	4.958008	2.335621	1.063498
#3	43.58675	.2814208	.0036534	.0191586	4.920460	2.410242	1.065101

Sample Name: Q3826-01 Acquired: 12/11/2025 16:15:24 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.9731523	.7366830	-.178452
Stddev	.0071252	.0073757	.003786
%RSD	.7321808	1.001201	2.121848
#1	.9773797	.7288486	-.175742
#2	.9771515	.7434928	-.176836
#3	.9649259	.7377075	-.182779

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3581.382	73297.92	10117.15	2787.689	3279.267
Stddev	3.601	508.45	35.06	33.272	4.981
%RSD	.1005564	.6936707	.3464977	1.193525	.1518885
#1	3578.056	73762.33	10145.60	2812.177	3274.249
#2	3580.884	73376.78	10077.98	2801.083	3284.209
#3	3585.207	72754.65	10127.85	2749.808	3279.343

Sample Name: Q3826-03 Acquired: 12/11/2025 16:19:26 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0712112	.0081409	.7534442	-.052223	.0165255	317.6784	1.912145
Stddev	.0056751	.0046592	.0068491	.002882	.0019309	2.8873	.013916
%RSD	7.969355	57.23179	.9090420	5.519253	11.68461	.9088878	.7277796
#1	.0715981	.0047075	.7462047	-.049091	.0143557	315.1588	1.899879
#2	.0653525	.0134447	.7543066	-.054765	.0171663	320.8291	1.927268
#3	.0766829	.0062705	.7598213	-.052811	.0180546	317.0474	1.909288
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0233982	.0462518	47.54579	.5009740	.3794706	.3543577	618.1531
Stddev	.0003829	.0009385	.20450	.0038882	.0025407	.0018240	3.0612
%RSD	1.636255	2.029135	.4301062	.7761365	.6695404	.5147428	.4952122
#1	.0229570	.0451953	47.41149	.4979730	.3769733	.3526018	616.1566
#2	.0236424	.0465712	47.78114	.5053665	.3793859	.3562430	621.6774
#3	.0235952	.0469889	47.44472	.4995824	.3820526	.3542284	616.6252
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	13.68047	117.8066	.7104666	.1314381	2.637441	.6264761	1.785790
Stddev	.08899	.7151	.0063930	.0006245	.038582	.0041124	.013727
%RSD	.6505156	.6070006	.8998299	.4751420	1.462844	.6564323	.7686974
#1	13.62043	117.0982	.7031174	.1319261	2.595423	.6218293	1.774574
#2	13.78271	118.5282	.7135391	.1316539	2.671273	.6296464	1.801098
#3	13.63826	117.7934	.7147432	.1307343	2.645627	.6279525	1.781699
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	45.83398	.2143635	.0114430	.0412733	5.767212	2.156467	.9597301
Stddev	.22122	.0071863	.0005048	.0004523	.039552	.012985	.0044679
%RSD	.4826577	3.352401	4.411797	1.095965	.6858136	.6021407	.4655380
#1	45.68237	.2218072	.0115760	.0417864	5.730798	2.154838	.9547947
#2	46.08783	.2074657	.0118681	.0411016	5.809292	2.144373	.9608966
#3	45.73175	.2138174	.0108850	.0409320	5.761548	2.170189	.9634991

Sample Name: Q3826-03 Acquired: 12/11/2025 16:19:26 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.354855	.9707488	-.348008
Stddev	.009388	.0129432	.001387
%RSD	.6929469	1.333324	.3985598

#1	1.351860	.9610358	-.348036
#2	1.365375	.9854425	-.349381
#3	1.347329	.9657682	-.346607

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3387.528	69242.10	9331.630	2647.387	3247.679
Stddev	13.954	495.16	81.142	19.761	23.081
%RSD	.4119202	.7151145	.8695331	.7464172	.7106808

#1	3403.323	69560.06	9390.035	2659.212	3274.079
#2	3376.873	68671.58	9238.980	2624.574	3237.638
#3	3382.388	69494.65	9365.874	2658.374	3231.320

Sample Name: Q3826-05 Acquired: 12/11/2025 16:23:39 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0660113	.0036988	.5345449	-.047910	.0172629	309.8908	1.847889
Stddev	.0037148	.0050395	.0023186	.003856	.0044045	2.2512	.012556
%RSD	5.627518	136.2460	.4337500	8.048963	25.51407	.7264628	.6794559
#1	.0701385	-.000816	.5332143	-.051785	.0181162	309.0577	1.841473
#2	.0629356	.002776	.5331982	-.047875	.0211782	308.1749	1.862357
#3	.0649598	.009136	.5372221	-.044072	.0124942	312.4399	1.839838
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0216905	.0382397	34.03207	.4278028	.3854504	.3541406	576.7725
Stddev	.0002113	.0003707	.09478	.0012587	.0014360	.0027572	1.6805
%RSD	.9741255	.9692990	.2784898	.2942217	.3725595	.7785653	.2913625
#1	.0216344	.0379364	33.92682	.4280531	.3842302	.3520564	575.4470
#2	.0219242	.0381298	34.11068	.4289175	.3850880	.3530983	578.6626
#3	.0215130	.0386529	34.05871	.4264378	.3870329	.3572670	576.2080
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	11.67524	124.1708	.6720281	.1052717	2.922687	.5023791	1.236155
Stddev	.05251	.2511	.0018709	.0002638	.023358	.0020275	.007666
%RSD	.4497967	.2022135	.2783933	.2505590	.7991834	.4035825	.6201272
#1	11.64507	123.9633	.6698703	.1049742	2.898191	.5008142	1.228479
#2	11.73588	124.0993	.6730155	.1054768	2.944709	.5046696	1.236175
#3	11.64478	124.4499	.6731984	.1053642	2.925162	.5016536	1.243811
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	52.17836	.1921409	.0178646	.0319346	5.478194	2.472736	.7759603
Stddev	.19448	.0074322	.0006932	.0010658	.020372	.020857	.0039502
%RSD	.3727132	3.868121	3.880221	3.337573	.3718711	.8434721	.5090704
#1	51.98533	.1968922	.0186533	.0307604	5.458976	2.457116	.7790315
#2	52.37425	.1959546	.0175886	.0322025	5.499551	2.464669	.7715041
#3	52.17548	.1835760	.0173520	.0328409	5.476056	2.496421	.7773453

Sample Name: Q3826-05 Acquired: 12/11/2025 16:23:39 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.9715326	.9301137	-.350639
Stddev	.0122553	.0105729	.000267
%RSD	1.261437	1.136730	.0760249
#1	.9794875	.9272858	-.350403
#2	.9574195	.9418130	-.350928
#3	.9776907	.9212424	-.350586

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3122.187	63361.98	8774.545	2370.901	3194.217
Stddev	6.404	235.91	31.791	17.594	8.888
%RSD	.2051068	.3723162	.3623037	.7421017	.2782597
#1	3126.813	63588.05	8810.491	2390.411	3199.940
#2	3124.871	63380.57	8763.018	2366.053	3198.734
#3	3114.879	63117.33	8750.127	2356.239	3183.978

Sample Name: Q3826-07 Acquired: 12/11/2025 16:27:51 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0990845	.0205788	.3991442	-.040432	.0215972	266.4826	2.707930
Stddev	.0064256	.0048560	.0019201	.001585	.0037401	1.2897	.012628
%RSD	6.485003	23.59716	.4810519	3.919981	17.31766	.4839655	.4663327
#1	.1035137	.0221011	.3971211	-.038895	.0258564	264.9946	2.697659
#2	.0917147	.0151440	.4009412	-.042061	.0188487	267.1741	2.704102
#3	.1020250	.0244913	.3993703	-.040340	.0200865	267.2789	2.722030
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0167295	.0402416	177.4338	.3397281	.2504433	.3606903	409.1469
Stddev	.0003115	.0004079	.7327	.0031045	.0012205	.0026929	3.5240
%RSD	1.862006	1.013722	.4129407	.9138201	.4873151	.7465871	.8612933
#1	.0167788	.0398736	176.5881	.3405115	.2490355	.3585725	409.0737
#2	.0163963	.0406802	177.8366	.3363069	.2510904	.3637209	405.6602
#3	.0170134	.0401711	177.8768	.3423658	.2512038	.3597773	412.7069
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	21.93823	75.61010	.5169560	.1372392	1.605450	.4818355	10.64647
Stddev	.10584	.34651	.0016064	.0015277	.021476	.0021234	.16396
%RSD	.4824389	.4582866	.3107332	1.113129	1.337679	.4406928	1.540035
#1	21.83010	75.21362	.5151281	.1367461	1.596029	.4829462	10.72880
#2	21.94298	75.85495	.5175967	.1360191	1.590295	.4831731	10.45766
#3	22.04161	75.76172	.5181431	.1389525	1.630026	.4793870	10.75295
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	23.11669	.1036361	.0085070	.0519415	3.819045	2.923348	.5923910
Stddev	.22747	.0044923	.0002092	.0018674	.017401	.028972	.0021256
%RSD	.9839910	4.334699	2.459524	3.595244	.4556378	.9910573	.3588104
#1	23.12236	.1034662	.0085130	.0503102	3.799166	2.931264	.5901365
#2	22.88644	.0992312	.0087132	.0539784	3.826451	2.891241	.5926780
#3	23.34127	.1082110	.0082948	.0515360	3.831518	2.947539	.5943584

Sample Name: Q3826-07 Acquired: 12/11/2025 16:27:51 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	3.537819	.6139108	.7386291
Stddev	.033488	.0069081	.0037558
%RSD	.9465835	1.125257	.5084780

#1	3.503063	.6127967	.7344576
#2	3.540515	.6076274	.7417418
#3	3.569877	.6213082	.7396879

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3002.674	62153.38	8523.253	2307.571	3184.537
Stddev	5.234	622.91	43.557	33.921	12.502
%RSD	.1743128	1.002213	.5110332	1.470002	.3925827

#1	3008.698	62048.90	8555.974	2299.917	3198.518
#2	3000.086	62821.92	8539.972	2344.665	3180.659
#3	2999.238	61589.31	8473.814	2278.130	3174.434

Sample Name: Q3829-01 Acquired: 12/11/2025 16:31:55 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0446954	.0003840	.1556345	-.026841	.0107322	96.71640
Stddev	.0044121	.0056174	.0020702	.001713	.0026485	.54569
%RSD	9.871513	1462.998	1.330185	6.380843	24.67797	.5642122

#1	.0419322	-.005942	.1572291	-.028814	.0113337	97.08425
#2	.0423702	.002303	.1532949	-.025967	.0130282	96.97553
#3	.0497838	.004790	.1563796	-.025742	.0078347	96.08943

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5581648	.0053587	.0093825	F 2446.449	.6291868	.0470489
Stddev	.0036665	.0000658	.0002581	28.482	.0035069	.0001940
%RSD	.6568919	1.227373	2.751010	1.164228	.5573763	.4123713

#1	.5609663	.0053039	.0092881	2444.855	.6330185	.0472144
#2	.5540150	.0053406	.0091848	2475.695	.6261364	.0470969
#3	.5595131	.0054316	.0096745	2418.798	.6284056	.0468354

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3744056	137.7962	5.443743	864.4053	.2762455	.0170991
Stddev	.0015972	1.1682	.022466	6.1794	.0002711	.0002917
%RSD	.4265997	.8477872	.4126876	.7148696	.0981268	1.706046

#1	.3741675	138.5029	5.468311	867.4340	.2765077	.0172215
#2	.3761086	136.4478	5.424247	868.4859	.2762624	.0167661
#3	.3729409	138.4380	5.438669	857.2958	.2759663	.0173096

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.324247	.3010256	.8788505	6.448129	.2326533	.0361739
Stddev	.043300	.0019490	.0023498	.112937	.0014494	.0005890
%RSD	1.862954	.6474569	.2673732	1.751464	.6229919	1.628334

#1	2.306067	.3010042	.8799366	6.396387	.2335232	.0360712
#2	2.293000	.2990874	.8761541	6.370334	.2309801	.0368076
#3	2.373672	.3029852	.8804608	6.577667	.2334566	.0356430

Sample Name: Q3829-01 Acquired: 12/11/2025 16:31:55 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0491587	4.175219	3.508488	.6350982	F 67.51727	1.077789
Stddev	.0037734	.014491	.045845	.0035858	.41864	.020960
%RSD	7.675930	.3470748	1.306677	.5646073	.6200418	1.944739

#1	.0505990	4.191835	3.560616	.6374598	67.88770	1.075631
#2	.0519999	4.165201	3.474440	.6309720	67.06309	1.099745
#3	.0448773	4.168620	3.490408	.6368628	67.60102	1.057992

Elem	Sr4077
Units	ppm
Avg	9.412039
Stddev	.044194
%RSD	.4695429

#1	9.462951
#2	9.389583
#3	9.383582

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2384.690	50608.75	7295.972	1862.661	2532.572
Stddev	3.166	107.87	48.136	6.973	4.531
%RSD	.1327775	.2131365	.6597637	.3743331	.1789223

#1	2381.716	50507.36	7274.509	1867.889	2528.478
#2	2384.336	50722.10	7262.300	1865.350	2537.441
#3	2388.019	50596.78	7351.106	1854.744	2531.797

Sample Name: Q3831-01 Acquired: 12/11/2025 16:36:18 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0313407	-.000184	.1769074	-.024490	.0073264	140.9100	.5377521
Stddev	.0026211	.006587	.0022637	.005243	.0011941	1.3588	.0079248
%RSD	8.363295	3580.557	1.279578	21.41067	16.29811	.9642785	1.473694

#1	.0342955	-.001727	.1744738	-.021818	.0081616	139.3487	.5295015
#2	.0304308	-.005863	.1789503	-.030531	.0078590	141.8247	.5453050
#3	.0292958	.007037	.1772981	-.021121	.0059587	141.5567	.5384499

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0077739	.0102589	40.03265	.2585917	.1445859	.3720459	265.3534
Stddev	.0000199	.0001360	.44038	.0004320	.0003658	.0016253	1.9115
%RSD	.2563613	1.325870	1.100047	.1670451	.2529688	.4368506	.7203431

#1	.0077963	.0104107	39.53174	.2581066	.1442802	.3729902	263.1611
#2	.0077675	.0101480	40.35891	.2587338	.1444863	.3729783	266.2279
#3	.0077580	.0102180	40.20730	.2589347	.1449911	.3701692	266.6712

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.696530	71.23218	.2512983	.0284418	5.046582	.4178790	.5365543
Stddev	.062152	.73658	.0007475	.0015332	.065984	.0063067	.0028380
%RSD	1.323355	1.034059	.2974429	5.390799	1.307494	1.509221	.5289335

#1	4.628291	70.40756	.2505280	.0266730	4.970427	.4107071	.5374161
#2	4.749896	71.82490	.2513463	.0293924	5.082613	.4225593	.5333852
#3	4.711404	71.46409	.2520207	.0292599	5.086705	.4203706	.5388614

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	10.70621	.5686758	.0051632	.0106481	5.186090	7.063687	.4660006
Stddev	.10765	.0042419	.0005859	.0004424	.069978	.002493	.0014335
%RSD	1.005509	.7459183	11.34759	4.154624	1.349337	.0352895	.3076121

#1	10.58301	.5641404	.0044995	.0104491	5.113321	7.063702	.4646689
#2	10.75347	.5693415	.0053812	.0111551	5.252896	7.066172	.4658152
#3	10.78215	.5725454	.0056088	.0103402	5.192054	7.061187	.4675178

Sample Name: Q3831-01 Acquired: 12/11/2025 16:36:18 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.336458	.2401087	-.106423
Stddev	.021520	.0046245	.000990
%RSD	.4962532	1.926013	.9299013

#1	4.357368	.2350255	-.106714
#2	4.337629	.2440670	-.105320
#3	4.314376	.2412336	-.107234

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2973.904	60356.95	8127.903	2343.651	3408.720
Stddev	7.568	159.70	59.324	22.960	6.332
%RSD	.2544654	.2645896	.7298790	.9796643	.1857637

#1	2982.622	60458.89	8191.819	2330.152	3411.637
#2	2970.057	60439.06	8074.606	2370.161	3413.068
#3	2969.032	60172.90	8117.282	2330.639	3401.455

Sample Name: CCV06 Acquired: 12/11/2025 16:40:21 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV06 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.988548	4.656573	4.878423	4.951213	5.009518	10.06511	10.35834
Stddev	.024090	.143340	.002092	.020646	.007105	.04939	.01526
%RSD	.4828965	3.078229	.0428772	.4169968	.1418324	.4907097	.1473382
#1	4.985232	4.817481	4.876560	4.969601	5.004101	10.01495	10.35186
#2	5.014124	4.609703	4.878022	4.955161	5.017563	10.11369	10.34739
#3	4.966288	4.542535	4.880686	4.928878	5.006889	10.06670	10.37577
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2485518	2.433618	24.88911	1.015658	2.452566	1.255397	5.025281
Stddev	.0003994	.001417	.10629	.001538	.001091	.003867	.016354
%RSD	.1606854	.0582406	.4270678	.1514333	.0444997	.3080173	.3254443
#1	.2481270	2.434590	24.76832	1.013898	2.451317	1.251559	5.006659
#2	.2486090	2.431992	24.93066	1.016328	2.453045	1.259292	5.031875
#3	.2489196	2.434272	24.96835	1.016747	2.453336	1.255341	5.037310
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.530002	24.52542	2.445385	1.258095	25.55884	2.503561	2.507747
Stddev	.014948	.13319	.001431	.002660	.10022	.016306	.010394
%RSD	.5908364	.5430709	.0585347	.2114013	.3921262	.6513001	.4144792
#1	2.513733	24.37176	2.444362	1.255517	25.46261	2.486307	2.510627
#2	2.543130	24.60789	2.444771	1.257939	25.66263	2.518715	2.496217
#3	2.533143	24.59661	2.447020	1.260830	25.55128	2.505662	2.516398
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	24.99970	5.057398	5.016526	4.944320	5.046561	5.166874	5.110016
Stddev	.14815	.003889	.009354	.029768	.018870	.072708	.022120
%RSD	.5925923	.0768955	.1864685	.6020554	.3739116	1.407203	.4328751
#1	24.83663	5.053581	5.021144	4.977427	5.031345	5.083935	5.134310
#2	25.03645	5.061355	5.022673	4.935769	5.067675	5.197059	5.104701
#3	25.12601	5.057257	5.005761	4.919764	5.040662	5.219628	5.091039

Sample Name: CCV06 Acquired: 12/11/2025 16:40:21 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV06 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.835069	5.245628	5.116993
Stddev	.044312	.028000	.067061
%RSD	.9164658	.5337734	1.310547
#1	4.886203	5.229937	5.081285
#2	4.811093	5.277954	5.075342
#3	4.807912	5.228992	5.194352

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2663.918	53510.48	6996.941	2071.012	3533.930
Stddev	7.925	44.07	7.917	6.586	3.430
%RSD	.2974793	.0823542	.1131509	.3179960	.0970491
#1	2671.476	53459.71	6989.240	2067.735	3535.246
#2	2655.671	53532.95	6996.524	2078.593	3530.037
#3	2664.607	53538.79	7005.058	2066.707	3536.507

Sample Name: CCB06 Acquired: 12/11/2025 16:44:28 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB06 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0011711	-.000918	.0010783	.0027149	-.001323	.0082071	-.003778
Stddev	.0039323	.004305	.0013411	.0006369	.000171	.0031414	.000117
%RSD	335.7742	468.9403	124.3816	23.45776	12.94830	38.27691	3.087802
#1	-.000974	.002424	.0025527	.0019795	-.001270	.0059653	-.003651
#2	.005710	-.005776	-.000069	.0030785	-.001515	.0117977	-.003803
#3	-.001222	.000598	.000751	.0030866	-.001185	.0068583	-.003880
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0001369	.0000214	-.002920	.0003296	.0001252	.0000938	.0087858
Stddev	.0000375	.0000750	.003583	.0003482	.0002648	.0002082	.0004263
%RSD	27.38391	349.7690	122.7067	105.6563	211.4495	221.9809	4.852330
#1	.0001754	.0000999	-.006408	.0005275	.0004284	.0003207	.0092764
#2	.0001005	.0000140	.000750	-.000073	-.000061	-.000088	.0085763
#3	.0001349	-.000050	-.003101	.000534	.000008	.000049	.0085049
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0005520	.0011264	.0012749	.0005818	.0476595	.0027493	-.000633
Stddev	.0003060	.0171551	.0001739	.0006079	.0209915	.0001557	.000206
%RSD	55.43128	1523.055	13.64374	104.4724	44.04469	5.664191	32.49953
#1	.0004737	-.018428	.0012426	-.000117	.0261295	.0025738	-.000469
#2	.0002927	.008162	.0014627	.000872	.0487815	.0028032	-.000566
#3	.0008895	.013645	.0011193	.000990	.0680674	.0028709	-.000864
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1166077	.0035122	.0002177	-.005039	.0007054	-.019393	-.000185
Stddev	.0386557	.0007267	.0001567	.000561	.0014403	.011326	.000125
%RSD	33.15024	20.69120	71.97836	11.13866	204.1782	58.40076	67.43339
#1	.0770952	.0040247	.0002388	-.004395	.0011016	-.009981	-.000315
#2	.1183825	.0038313	.0000515	-.005302	.0019061	-.016235	-.000066
#3	.1543455	.0026805	.0003629	-.005421	-.000892	-.031962	-.000174

Sample Name: CCB06 Acquired: 12/11/2025 16:44:28 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB06 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.008791	-.004093	.0001363
Stddev	.002985	.003880	.0000300
%RSD	33.95985	94.80169	21.97858
#1	-.011888	-.007186	.0001686
#2	-.008554	-.005353	.0001309
#3	-.005931	.000261	.0001094

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2758.201	55654.70	7443.510	2113.499	3865.394
Stddev	6.563	118.16	157.878	6.106	7.420
%RSD	.2379515	.2123018	2.121014	.2888851	.1919650
#1	2763.256	55567.29	7617.012	2106.499	3869.418
#2	2760.563	55789.13	7308.301	2117.722	3869.933
#3	2750.784	55607.68	7405.217	2116.278	3856.831

Sample Name: Q3782-03DLX5 Acquired: 12/11/2025 16:48:49 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0060009	.0029472	.0105152	-.014890	-.000224	20.72619
Stddev	.0085387	.0026952	.0007879	.004305	.001675	.12930
%RSD	142.2899	91.44938	7.493262	28.91171	747.0440	.6238661
#1	-.003706	-.000147	.0114243	-.014948	.000369	20.58504
#2	.009358	.004786	.0100295	-.019166	.001073	20.75462
#3	.012351	.004202	.0100918	-.010556	-.002115	20.83891
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1277016	.0010339	.0010830	680.0717	.0573237	.0063022
Stddev	.0014103	.0001062	.0000990	6.5530	.0001644	.0002694
%RSD	1.104361	10.27584	9.141170	.9635813	.2868387	4.273912
#1	.1265034	.0010555	.0011970	672.6666	.0574722	.0064771
#2	.1273456	.0011277	.0010186	682.4273	.0571470	.0059920
#3	.1292558	.0009185	.0010334	685.1214	.0573519	.0064375
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0231999	19.35611	.6017701	266.3076	.0226287	.0016917
Stddev	.0005596	.06994	.0055750	1.5656	.0003985	.0003258
%RSD	2.411920	.3613587	.9264267	.5878838	1.761104	19.26173
#1	.0227444	19.30108	.5955723	264.5799	.0230248	.0017398
#2	.0238245	19.33243	.6033621	266.7106	.0226333	.0013445
#3	.0230309	19.43482	.6063759	267.6323	.0222279	.0019908
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.976191	.0276333	.1242551	8.692441	.0393562	.0068568
Stddev	.047872	.0018667	.0007634	.105501	.0005730	.0002915
%RSD	2.422446	6.755049	.6143459	1.213710	1.456028	4.251037
#1	1.925146	.0294276	.1251070	8.593548	.0387262	.0069429
#2	1.983342	.0257019	.1240252	8.680278	.0398463	.0070955
#3	2.020086	.0277705	.1236331	8.803496	.0394962	.0065320

Sample Name: Q3782-03DLX5 Acquired: 12/11/2025 16:48:49 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.005277	.8835129	5.227873	.0948809	F 11.04974	.2546348
Stddev	.000527	.0095223	.032968	.0015705	.12794	.0034083
%RSD	9.996307	1.077777	.6306118	1.655255	1.157831	1.338510

#1	-.005269	.8727826	5.200081	.0931243	10.91163	.2585593
#2	-.005808	.8867993	5.264298	.0961495	11.16421	.2529287
#3	-.004753	.8909567	5.219240	.0953689	11.07338	.2524165

Elem	Sr4077
Units	ppm
Avg	1.364501
Stddev	.016679
%RSD	1.222357

#1	1.346375
#2	1.367926
#3	1.379202

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2461.195	50519.64	7086.533	1875.503	3039.511
Stddev	29.276	12.25	42.025	.940	35.718
%RSD	1.189495	.0242446	.5930259	.0501007	1.175132

#1	2483.550	50521.87	7134.136	1876.127	3067.018
#2	2428.057	50530.62	7070.892	1875.960	2999.143
#3	2471.979	50506.43	7054.572	1874.423	3052.373

Sample Name: Q3782-03DUPDLX5 Acquired: 12/11/2025 16:53:11 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0010064	.0069244	.0116660	-.009583	-.001168	22.15233
Stddev	.0010661	.0053061	.0028234	.005044	.003266	.07045
%RSD	105.9355	76.62802	24.20231	52.63465	279.4864	.3180200
#1	.0007315	.0009934	.0110321	-.015400	-.000276	22.07458
#2	.0001046	.0112210	.0147525	-.006923	.001558	22.17050
#3	.0021830	.0085589	.0092134	-.006425	-.004787	22.21192
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1443762	.0010166	.0010848	727.0335	.0623224	.0068339
Stddev	.0009781	.0000488	.0000346	10.4432	.0005680	.0003909
%RSD	.6774551	4.801339	3.190734	1.436410	.9114550	5.720609
#1	.1435365	.0010480	.0011199	716.9108	.0619576	.0071116
#2	.1454501	.0009604	.0010840	737.7701	.0629769	.0070031
#3	.1441419	.0010414	.0010507	726.4197	.0620328	.0063868
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0239828	20.57020	.6652936	284.3980	.0237183	.0013644
Stddev	.0007001	.07988	.0035731	1.0409	.0003313	.0004092
%RSD	2.919088	.3883298	.5370779	.3659868	1.396683	29.99494
#1	.0247880	20.49974	.6617596	283.3146	.0235781	.0009305
#2	.0236430	20.55389	.6689046	284.4891	.0240966	.0014191
#3	.0235175	20.65698	.6652165	285.3903	.0234802	.0017435
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.173532	.0312060	.1317866	9.193641	.0416657	.0070301
Stddev	.027934	.0007904	.0013168	.051632	.0007437	.0003573
%RSD	1.285200	2.532737	.9991577	.5616082	1.785023	5.082816
#1	2.141497	.0307840	.1323412	9.149716	.0424805	.0070656
#2	2.186290	.0307161	.1327353	9.250515	.0410232	.0066564
#3	2.192809	.0321178	.1302833	9.180692	.0414934	.0073684

Sample Name: Q3782-03DUPDLX5 Acquired: 12/11/2025 16:53:11 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.004712	.9620598	5.416840	.1007731	F 11.61538	.2375384
Stddev	.001389	.0046458	.016219	.0005626	.12907	.0032498
%RSD	29.47736	.4829001	.2994268	.5582920	1.111228	1.368121
#1	-.003183	.9567826	5.435532	.1012164	11.76414	.2342649
#2	-.005897	.9655331	5.406478	.1001402	11.54892	.2407639
#3	-.005054	.9638637	5.408510	.1009627	11.53308	.2375863
Elem	Sr4077					
Units	ppm					
Avg	1.502129					
Stddev	.007798					
%RSD	.5191327					
#1	1.493200					
#2	1.507598					
#3	1.505590					
Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306	
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	
Avg	2472.287	50750.35	6861.970	1939.058	3030.199	
Stddev	9.496	135.52	16.273	12.121	9.584	
%RSD	.3840953	.2670291	.2371544	.6251103	.3162940	
#1	2463.502	50674.74	6879.387	1925.157	3019.887	
#2	2470.998	50669.50	6847.153	1944.595	3031.876	
#3	2482.362	50906.80	6859.371	1947.421	3038.835	

Sample Name: Q3782-03LDLX25 Acquired: 12/11/2025 16:57:32 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.002597	.0026702	.0029731	-.000965	-.002371	4.178036	.0243046
Stddev	.002233	.0031305	.0015467	.002849	.000891	.032002	.0010716
%RSD	85.96398	117.2372	52.02374	295.0983	37.57170	.7659657	4.409168
#1	-.003723	.0062763	.0027909	.000291	-.002044	4.152946	.0254026
#2	-.000026	.0010834	.0015256	.001039	-.003379	4.167085	.0242499
#3	-.004043	.0006509	.0046029	-.004226	-.001690	4.214076	.0232614
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0002742	.0000526	141.9349	.0116870	.0014451	.0042375	4.078293
Stddev	.0000439	.0000910	1.4773	.0004184	.0001480	.0005131	.048573
%RSD	16.02374	173.0596	1.040819	3.579767	10.24087	12.10823	1.191018
#1	.0002671	-.000045	140.2303	.0112062	.0016138	.0046511	4.024240
#2	.0003213	.000069	142.7303	.0118867	.0013375	.0036633	4.118285
#3	.0002343	.000134	142.8440	.0119681	.0013839	.0043980	4.092352
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1322742	53.75121	.0056034	.0005300	.4233534	.0081359	.0237719
Stddev	.0017321	.47908	.0002743	.0002154	.0248715	.0007465	.0003301
%RSD	1.309501	.8912968	4.895256	40.63680	5.874873	9.174883	1.388513
#1	.1303181	53.20058	.0052986	.0004418	.3991435	.0084785	.0239891
#2	.1336138	54.07257	.0056813	.0003727	.4220792	.0086496	.0239346
#3	.1328906	53.98050	.0058303	.0007755	.4488375	.0072797	.0233921
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.722359	.0061923	.0017501	-.008359	.1868888	.9834923	.0172988
Stddev	.033975	.0002466	.0003034	.000250	.0006502	.0212653	.0005186
%RSD	1.972557	3.982741	17.33735	2.992566	.3478843	2.162227	2.997609
#1	1.690557	.0064759	.0015008	-.008113	.1861658	1.003489	.0167035
#2	1.718368	.0060279	.0016615	-.008350	.1870752	.985836	.0176522
#3	1.758153	.0060731	.0020879	-.008613	.1874254	.961152	.0175406

Sample Name: Q3782-03LDLX25 Acquired: 12/11/2025 16:57:32 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.961766	.0391720	.2876353
Stddev	.011263	.0031833	.0031423
%RSD	.5741065	8.126461	1.092463
#1	1.964418	.0376672	.2840163
#2	1.971467	.0370200	.2892184
#3	1.949414	.0428287	.2896711

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2659.424	53995.40	7178.719	2085.335	3515.120
Stddev	2.162	412.19	50.968	14.823	9.121
%RSD	.0812802	.7633734	.7099848	.7108007	.2594669
#1	2661.416	54306.75	7231.607	2096.543	3524.727
#2	2657.125	53527.96	7129.918	2068.528	3506.579
#3	2659.731	54151.49	7174.633	2090.933	3514.055

Sample Name: Q3782-03MSDLX5 Acquired: 12/11/2025 17:01:49 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1573517	.3414772	.1918921	.3648998	.1515668	18.71527	.1559271
Stddev	.0051441	.0043239	.0020108	.0037244	.0013794	.13048	.0012470
%RSD	3.269159	1.266238	1.047859	1.020650	.9101229	.6971763	.7997062
#1	.1561323	.3429589	.1906057	.3637903	.1522939	18.56467	.1560317
#2	.1529269	.3366073	.1942092	.3618563	.1524306	18.79444	.1571185
#3	.1629959	.3448655	.1908613	.3690529	.1499759	18.78669	.1546312
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0357537	.0376156	707.1252	.1224630	.0427401	.0722845	18.05736
Stddev	.0002075	.0002383	8.4321	.0008091	.0005126	.0004952	.06459
%RSD	.5804756	.6334442	1.192451	.6606591	1.199322	.6850562	.3577113
#1	.0355619	.0378904	698.4306	.1227162	.0432444	.0728030	18.08172
#2	.0357250	.0374898	707.6773	.1231151	.0427565	.0722337	18.10624
#3	.0359740	.0374666	715.2677	.1215576	.0422196	.0718166	17.98413
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6413887	290.3926	.1100002	.0159031	2.491119	.0786234	.1560020
Stddev	.0050805	1.9606	.0007296	.0002443	.057022	.0021294	.0005686
%RSD	.7921034	.6751588	.6633164	1.536187	2.288996	2.708319	.3645107
#1	.6361505	288.1334	.1108076	.0156319	2.425279	.0809532	.1566472
#2	.6462952	291.3957	.1098050	.0159715	2.524552	.0781392	.1555738
#3	.6417205	291.6487	.1093880	.0161059	2.523528	.0767779	.1557850
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.053143	.0867685	.0800416	.1259542	.8133509	4.226984	.2219167
Stddev	.037396	.0016849	.0002679	.0024796	.0047462	.017700	.0012391
%RSD	.4130773	1.941810	.3347383	1.968666	.5835308	.4187406	.5583393
#1	9.015329	.0849991	.0797911	.1279253	.8080584	4.237156	.2218681
#2	9.090107	.0883538	.0800097	.1267672	.8147650	4.237250	.2231793
#3	9.053993	.0869526	.0803241	.1231701	.8172292	4.206546	.2207026

Sample Name: Q3782-03MSDLX5 Acquired: 12/11/2025 17:01:49 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	8.615779	.2763356	1.308312
Stddev	.054610	.0048359	.010488
%RSD	.6338419	1.750011	.8016615

#1	8.609363	.2708209	1.296586
#2	8.564660	.2798522	1.316798
#3	8.673313	.2783338	1.311553

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2445.274	49941.67	7067.627	1862.228	3019.782
Stddev	9.027	107.47	29.552	2.532	13.505
%RSD	.3691749	.2151944	.4181386	.1359742	.4472280

#1	2444.968	49855.66	7096.542	1863.364	3013.725
#2	2436.404	50062.15	7068.863	1863.993	3010.365
#3	2454.451	49907.20	7037.476	1859.327	3035.255

Sample Name: Q3782-03MSDDLX5 Acquired: 12/11/2025 17:06:08 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1550095	.3393314	.1906695	.3673056	.1549110	18.91990	.1552392
Stddev	.0071653	.0169393	.0052818	.0081627	.0037997	.25012	.0008342
%RSD	4.622515	4.991978	2.770109	2.222333	2.452814	1.322020	.5373416
#1	.1576522	.3367140	.1935975	.3713128	.1580576	19.20164	.1560588
#2	.1604781	.3574271	.1938386	.3726904	.1559857	18.83407	.1552677
#3	.1468981	.3238531	.1845722	.3579137	.1506897	18.72399	.1543912
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0354099	.0377543	710.7365	.1215945	.0427378	.0731816	18.38188
Stddev	.0005052	.0008538	5.1142	.0002930	.0007187	.0015609	.14339
%RSD	1.426853	2.261544	.7195596	.2409878	1.681549	2.132883	.7800498
#1	.0359764	.0380149	713.6337	.1216875	.0428885	.0739483	18.24702
#2	.0350059	.0384474	704.8315	.1218298	.0433691	.0742108	18.53250
#3	.0352473	.0368005	713.7443	.1212663	.0419557	.0713856	18.36612
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6419570	294.2770	.1104446	.0161127	2.476554	.0828255	.1558794
Stddev	.0040173	3.3889	.0017450	.0007490	.059318	.0042237	.0004788
%RSD	.6257897	1.151591	1.580006	4.648374	2.395165	5.099490	.3071706
#1	.6465775	298.1873	.1114929	.0153634	2.409788	.0855727	.1561654
#2	.6400036	292.4516	.1114107	.0161136	2.523176	.0779620	.1561463
#3	.6392900	292.1922	.1084302	.0168613	2.496699	.0849417	.1553267
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.188474	.0869820	.0804666	.1259825	.8183527	4.357001	.2227709
Stddev	.093785	.0007571	.0015719	.0005095	.0106004	.025927	.0041137
%RSD	1.020680	.8703565	1.953445	.4044567	1.295334	.5950723	1.846598
#1	9.110638	.0871933	.0814976	.1260572	.8305914	4.358428	.2224241
#2	9.292598	.0861418	.0812448	.1264505	.8120623	4.382185	.2270470
#3	9.162186	.0876110	.0786575	.1254397	.8124043	4.330389	.2188416

Sample Name: Q3782-03MSDDLX5 Acquired: 12/11/2025 17:06:08 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	8.639100	.3009069	1.310858
Stddev	.170172	.0111791	.010733
%RSD	1.969791	3.715142	.8187705

#1	8.665778	.3117054	1.323241
#2	8.794357	.3016327	1.304223
#3	8.457164	.2893825	1.305111

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2450.648	50404.23	7254.891	1874.835	3033.266
Stddev	35.635	264.58	86.186	19.591	47.406
%RSD	1.454106	.5249106	1.187977	1.044932	1.562880

#1	2446.997	50598.80	7158.113	1889.324	3034.609
#2	2416.980	50102.96	7323.373	1852.546	2985.202
#3	2487.968	50510.93	7283.186	1882.635	3079.986

Sample Name: Q3782-03ADLX5 Acquired: 12/11/2025 17:10:27 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1579710	.3251543	.1934394	.3674805	.1533759	18.44378	.1600430
Stddev	.0023183	.0061362	.0016014	.0063375	.0015528	.07307	.0011268
%RSD	1.467566	1.887171	.8278357	1.724579	1.012384	.3961526	.7040883
#1	.1601149	.3183003	.1928895	.3742641	.1547879	18.35952	.1598632
#2	.1555108	.3270254	.1952432	.3664659	.1536269	18.48216	.1590169
#3	.1582872	.3301371	.1921854	.3617115	.1517130	18.48965	.1612490
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0360520	.0375153	726.6614	.1227146	.0425847	.0716650	17.92160
Stddev	.0000425	.0002582	6.4070	.0008305	.0006514	.0002909	.09645
%RSD	.1178016	.6882367	.8817041	.6767351	1.529728	.4059656	.5381532
#1	.0360064	.0377937	719.3826	.1235527	.0433280	.0718741	17.92726
#2	.0360905	.0374684	729.1545	.1226991	.0421130	.0717882	18.01508
#3	.0360591	.0372838	731.4470	.1218920	.0423132	.0713328	17.82244
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6648670	303.1605	.1095292	.0161916	2.511382	.0826129	.1534181
Stddev	.0009742	1.1771	.0006009	.0004946	.027306	.0010909	.0009039
%RSD	.1465215	.3882703	.5486374	3.054887	1.087280	1.320457	.5891833
#1	.6648329	301.8106	.1100169	.0167228	2.482755	.0819494	.1524642
#2	.6658578	303.9725	.1097128	.0161078	2.537139	.0838719	.1535280
#3	.6639104	303.6985	.1088579	.0157443	2.514253	.0820172	.1542620
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	8.741575	.0889665	.0793224	.1278759	.8129127	4.893555	.2234280
Stddev	.019633	.0000930	.0004439	.0015250	.0040993	.039628	.0000402
%RSD	.2245953	.1045545	.5596821	1.192545	.5042737	.8098028	.0179984
#1	8.730007	.0890553	.0797579	.1267971	.8084436	4.901010	.2233852
#2	8.764243	.0889745	.0788705	.1296206	.8164980	4.928925	.2234339
#3	8.730473	.0888698	.0793389	.1272101	.8137966	4.850728	.2234649

Sample Name: Q3782-03ADLX5 Acquired: 12/11/2025 17:10:27 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	7.954898	.2740205	1.326623
Stddev	.031770	.0036854	.003806
%RSD	.3993715	1.344953	.2869052

#1	7.932456	.2725475	1.322320
#2	7.991250	.2782146	1.327997
#3	7.940988	.2712993	1.329551

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2472.843	51125.74	7133.474	1934.858	3041.726
Stddev	1.950	179.71	27.117	6.832	1.666
%RSD	.0788583	.3515101	.3801368	.3530843	.0547696

#1	2470.633	51171.17	7164.506	1942.479	3040.835
#2	2474.321	50927.67	7121.575	1929.283	3043.648
#3	2473.575	51278.37	7114.341	1932.812	3040.695

Sample Name: PB170888BL Acquired: 12/11/2025 17:14:46 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0008120	-.003626	.0004798	-.003250	-.000938	-.003762	-.002643
Stddev	.0011967	.003365	.0014012	.001682	.001266	.004500	.000436
%RSD	147.3704	92.82109	292.0169	51.75958	135.0284	119.5918	16.49577
#1	.0006329	-.007460	.0013131	-.005174	-.002203	-.008588	-.003142
#2	.0020882	-.002256	.0012642	-.002514	-.000939	.000318	-.002457
#3	-.000285	-.001161	-.001138	-.002061	.000329	-.003016	-.002331
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000196	.0000141	.0164422	.0000581	.0002359	.0000373	.0044531
Stddev	.0000440	.0000334	.0137970	.0004442	.0003103	.0002316	.0056259
%RSD	224.0103	236.9110	83.91228	765.2215	131.5450	621.2181	126.3366
#1	-.000027	.0000022	.0005108	-.000321	.0003755	-.000178	.0062438
#2	.000026	-.000012	.0243847	.000547	-.000120	.000282	-.001850
#3	.000060	.000052	.0244311	-.000051	.000452	.000008	.008966
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000838	.0168688	.0003143	.0002648	.0135294	-.000686	-.000581
Stddev	.0006572	.0192526	.0003025	.0005233	.0112982	.001542	.000171
%RSD	784.6577	114.1315	96.24006	197.6349	83.50805	224.6055	29.38265
#1	-.000524	.0046176	.0002560	.0002970	.0018777	-.002457	-.000535
#2	.000781	.0069290	.0000453	.0007712	.0142734	.000359	-.000770
#3	-.000005	.0390596	.0006418	-.000274	.0244372	.000039	-.000438
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0852438	-.002642	.0002056	-.005501	.0002769	-.014167	-.000080
Stddev	.0712197	.000838	.0002731	.000657	.0015756	.003958	.000167
%RSD	83.54824	31.73464	132.7984	11.93849	569.1114	27.93646	207.7971
#1	.0045216	-.002871	.0001786	-.005581	.0003382	-.014243	-.000217
#2	.1119966	-.001713	.0004913	-.004808	-.001329	-.010171	-.000128
#3	.1392132	-.003343	-.000053	-.006114	.001821	-.018086	.000105

Sample Name: PB170888BL Acquired: 12/11/2025 17:14:46 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	F -.010305	.0002599	.0000104
Stddev	.003153	.0035107	.0000562
%RSD	30.59690	1350.622	538.8068

#1	-.013191	.0043130	.0000463
#2	-.010783	-.001835	-.000054
#3	-.006940	-.001698	.000039

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2810.054	55921.87	6972.774	2204.307	3979.375
Stddev	3.248	168.85	30.269	5.921	5.316
%RSD	.1156023	.3019369	.4340957	.2686052	.1336013

#1	2813.770	56064.97	7006.351	2211.106	3985.504
#2	2808.639	55735.64	6964.385	2200.284	3976.609
#3	2807.753	55965.00	6947.584	2201.532	3976.011

Sample Name: PB170888BS Acquired: 12/11/2025 17:23:43 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7467531	1.693965	.8918665	1.886851	.7525195	1.869565
Stddev	.0011549	.031735	.0044227	.006367	.0046892	.013764
%RSD	.1546581	1.873394	.4958981	.3374309	.6231368	.7362401
#1	.7480544	1.723660	.8905112	1.889720	.7535860	1.858671
#2	.7458501	1.660523	.8882800	1.879555	.7473888	1.864991
#3	.7463546	1.697711	.8968083	1.891278	.7565835	1.885035
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1818131	.1848288	.1832626	.9406550	.3719841	.1830002
Stddev	.0008994	.0007984	.0008679	.0120794	.0029994	.0007718
%RSD	.4946835	.4319555	.4735739	1.284143	.8063348	.4217438
#1	.1810558	.1842452	.1828812	.9362637	.3716970	.1831478
#2	.1815763	.1857386	.1826508	.9543157	.3691386	.1821652
#3	.1828072	.1845025	.1842559	.9313856	.3751168	.1836875
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2901615	2.741085	.1835221	1.838635	.4603299	.0700931
Stddev	.0006304	.015909	.0012433	.019529	.0015522	.0007122
%RSD	.2172621	.5804044	.6774758	1.062132	.3371952	1.016080
#1	.2900188	2.750706	.1822397	1.855183	.4598949	.0692785
#2	.2896147	2.722721	.1836043	1.817095	.4590417	.0704028
#3	.2908511	2.749828	.1847222	1.843629	.4620532	.0705980
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.714327	.2809150	.2007537	9.161619	.2735466	.3846892
Stddev	.008207	.0011211	.0001566	.030577	.0009324	.0016939
%RSD	.3023675	.3990846	.0779887	.3337521	.3408552	.4403367
#1	2.710326	.2802145	.2009342	9.131521	.2745393	.3854666
#2	2.708888	.2803224	.2006543	9.160683	.2726893	.3827461
#3	2.723768	.2822080	.2006727	9.192654	.2734112	.3858548

Sample Name: PB170888BS Acquired: 12/11/2025 17:23:43 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6317980	.1825307	.8141711	F .5731114	F -.006377	.1695300
Stddev	.0028139	.0016657	.0126649	.0012346	.003365	.0048369
%RSD	.4453783	.9125583	1.555557	.2154178	52.77078	2.853120

#1	.6313737	.1807307	.8284714	.5737418	-.010253	.1750100
#2	.6292203	.1840176	.8096717	.5716889	-.004681	.1658559
#3	.6347999	.1828437	.8043703	.5739035	-.004198	.1677241

Elem	Sr4077
Units	ppm
Avg	.1816450
Stddev	.0003489
%RSD	.1920688

#1	.1812633
#2	.1819475
#3	.1817241

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2763.035	55028.61	7346.918	2082.245	3826.229
Stddev	10.360	215.60	13.991	3.396	14.576
%RSD	.3749600	.3917961	.1904397	.1631103	.3809609

#1	2768.618	55000.00	7357.845	2078.995	3833.405
#2	2769.405	55257.09	7331.149	2081.970	3835.825
#3	2751.080	54828.74	7351.759	2085.771	3809.455

Sample Name: Q3811-01 Acquired: 12/11/2025 17:27:50 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.005345	-.000882	-.000074	.0049415	.0000488	.2747439
Stddev	.003014	.001355	.000414	.0022119	.0014957	.0047014
%RSD	56.39175	153.6087	561.1281	44.76290	3065.779	1.711190
#1	-.002125	-.000980	-.000387	.0074532	-.001389	.2765891
#2	-.008099	-.002186	.000396	.0032842	.001596	.2782428
#3	-.005812	.000519	-.000230	.0040870	-.000061	.2693998
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1759176	-.000065	.0000308	108.2670	.0052417	-.000040
Stddev	.0041272	.000024	.0000642	1.9932	.0004439	.000192
%RSD	2.346118	36.88170	208.1909	1.841040	8.468549	476.0759
#1	.1713000	-.000054	.0001041	105.9688	.0048464	.000080
#2	.1772056	-.000048	-.000016	109.3077	.0051569	.000061
#3	.1792473	-.000092	.000004	109.5245	.0057219	-.000262
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0056343	.1703686	.0065902	3.701718	.0035453	.0001299
Stddev	.0000794	.0056865	.0006550	.062450	.0002555	.0003353
%RSD	1.409812	3.337788	9.939527	1.687068	7.207531	258.1705
#1	.0057171	.1756850	.0059333	3.629631	.0037944	.0004529
#2	.0056271	.1710480	.0065941	3.739403	.0035576	.0001532
#3	.0055588	.1643729	.0072433	3.736118	.0032838	-.000216
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	14.89551	.0043268	.0163940	4.986757	.0781412	.0023951
Stddev	.09045	.0015139	.0007006	.056519	.0010538	.0002343
%RSD	.6072061	34.99014	4.273483	1.133384	1.348613	9.784456
#1	14.80290	.0060240	.0157163	4.933132	.0781465	.0022479
#2	14.89999	.0031155	.0163503	4.981356	.0770847	.0026653
#3	14.98363	.0038408	.0171154	5.045782	.0791924	.0022720

Sample Name: Q3811-01 Acquired: 12/11/2025 17:27:50 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.022604	-.001790	7.365869	.0026195	F 14.91126	.0326803
Stddev	.000696	.001158	.024382	.0001458	.02035	.0022612
%RSD	3.078813	64.68478	.3310194	5.567878	.1365062	6.919203

#1	-.022413	-.002947	7.359033	.0024621	14.93441	.0313096
#2	-.022023	-.000631	7.392939	.0026464	14.90322	.0352902
#3	-.023375	-.001791	7.345633	.0027501	14.89615	.0314410

Elem	Sr4077
Units	ppm
Avg	.7736509
Stddev	.0144368
%RSD	1.866057

#1	.7572762
#2	.7791322
#3	.7845443

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2659.181	53525.36	7402.146	2011.232	3670.144
Stddev	3.022	78.57	114.282	2.422	1.625
%RSD	.1136279	.1467930	1.543905	.1204445	.0442726

#1	2655.725	53615.73	7534.010	2010.913	3668.511
#2	2660.497	53473.21	7340.608	2008.985	3671.761
#3	2661.322	53487.15	7331.820	2013.798	3670.159

Sample Name: Q3811-02 Acquired: 12/11/2025 17:32:05 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0013877	-.004663	.0012143	.0016227	-.001012	.2206145
Stddev	.0046578	.004502	.0019631	.0019581	.002295	.0060522
%RSD	335.6433	96.55846	161.6633	120.6688	226.9195	2.743352
#1	.0030822	-.003340	.0034388	-.000386	-.002474	.2213640
#2	.0049612	-.000970	-.000275	.001728	.001634	.2142224
#3	-.003880	-.009678	.000480	.003526	-.002195	.2262570
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1917875	-.000103	-.000044	105.2068	.0058880	-.000148
Stddev	.0015243	.000103	.000100	1.1494	.0003248	.000354
%RSD	.7947844	99.45568	224.5351	1.092494	5.515897	239.6876
#1	.1935093	-.000157	.000058	106.5293	.0062393	.000243
#2	.1906104	-.000168	-.000050	104.4494	.0058259	-.000448
#3	.1912427	.000015	-.000142	104.6415	.0055987	-.000238
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0033463	.1269652	.0044651	6.691015	.0048823	.0003329
Stddev	.0005531	.0071297	.0002981	.083506	.0002700	.0003053
%RSD	16.52856	5.615439	6.675443	1.248030	5.530741	91.71507
#1	.0039779	.1347970	.0041347	6.786893	.0045712	.0003121
#2	.0029487	.1208517	.0047138	6.651949	.0050563	.0006480
#3	.0031123	.1252469	.0045469	6.634201	.0050194	.0000385
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	29.70902	.0105569	.0127480	4.821496	.1703095	.0044823
Stddev	.16700	.0009998	.0001394	.024543	.0014454	.0001045
%RSD	.5621146	9.470468	1.093418	.5090397	.8487138	2.331394
#1	29.60662	.0100337	.0127764	4.793157	.1714475	.0045454
#2	29.61872	.0099273	.0128710	4.835498	.1707978	.0045398
#3	29.90173	.0117097	.0125966	4.835834	.1686831	.0043617

Sample Name: Q3811-02 Acquired: 12/11/2025 17:32:05 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.021527	-.000386	9.476018	.0041579	F 17.05091	.0324093
Stddev	.000529	.002152	.038787	.0004226	.17356	.0024754
%RSD	2.456480	557.4085	.4093181	10.16253	1.017901	7.637940

#1	-.021482	.001695	9.516694	.0037204	16.90852	.0295632
#2	-.022077	-.002602	9.439446	.0045637	16.99997	.0340609
#3	-.021023	-.000252	9.471915	.0041897	17.24424	.0336038

Elem	Sr4077
Units	ppm
Avg	.8225691
Stddev	.0073966
%RSD	.8992104

#1	.8305960
#2	.8160284
#3	.8210831

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2689.342	53879.14	7264.725	2065.182	3678.401
Stddev	5.369	17.59	63.656	3.728	15.054
%RSD	.1996293	.0326464	.8762406	.1805017	.4092655

#1	2695.421	53898.11	7192.376	2069.470	3694.128
#2	2687.357	53875.92	7312.137	2062.712	3676.950
#3	2685.248	53863.38	7289.663	2063.365	3664.124

Sample Name: CCV07 Acquired: 12/11/2025 17:53:52 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV07 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.803025	4.603955	4.684097	4.747475	4.778767	9.684318
Stddev	.013672	.128767	.001297	.008168	.012768	.077221
%RSD	.2846495	2.796885	.0276876	.1720518	.2671793	.7973815
#1	4.818536	4.611431	4.685348	4.749718	4.792121	9.595671
#2	4.797814	4.471613	4.684184	4.738420	4.777500	9.720316
#3	4.792725	4.728822	4.682758	4.754288	4.766680	9.736967
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.981975	.2364315	2.358318	24.37836	.9687486	2.349203
Stddev	.011367	.0001479	.000623	.15464	.0036721	.001691
%RSD	.1138755	.0625501	.0264349	.6343504	.3790588	.0719742
#1	9.981366	.2362619	2.358795	24.20280	.9645981	2.348683
#2	9.970925	.2364993	2.358546	24.49440	.9715753	2.351093
#3	9.993635	.2365334	2.357612	24.43788	.9700723	2.347834
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.195472	4.603667	2.426686	23.88133	2.332917	1.182241
Stddev	.001903	.017886	.005520	.22498	.001993	.002089
%RSD	.1591924	.3885164	.2274750	.9420888	.0854353	.1767075
#1	1.197186	4.610772	2.421421	23.62344	2.330938	1.184410
#2	1.195805	4.616908	2.432430	24.03745	2.332889	1.182070
#3	1.193424	4.583320	2.426208	23.98309	2.334924	1.180242
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	23.37934	2.442054	2.434656	23.52772	4.886473	4.885471
Stddev	.13870	.010106	.004776	.03060	.019248	.014130
%RSD	.5932661	.4138453	.1961810	.1300564	.3939111	.2892202
#1	23.50542	2.431136	2.439248	23.56305	4.864743	4.901784
#2	23.23077	2.443943	2.429714	23.51019	4.901382	4.877054
#3	23.40183	2.451082	2.435007	23.50991	4.893293	4.877576

Sample Name: CCV07 Acquired: 12/11/2025 17:53:52 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV07 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.780726	4.846717	4.684630	F .5147045	4.576280	4.830106
Stddev	.004638	.017545	.047790	.0012751	.009666	.030472
%RSD	.0970229	.3619879	1.020141	.2477291	.2112290	.6308769
#1	4.785476	4.827212	4.632404	.5155569	4.565778	4.850251
#2	4.776209	4.861210	4.695312	.5132387	4.578256	4.795050
#3	4.780493	4.851730	4.726175	.5153180	4.584806	4.845017

Elem	Sr4077
Units	ppm
Avg	5.054093
Stddev	.015999
%RSD	.3165499
#1	5.036941
#2	5.068612
#3	5.056725

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2681.514	54420.71	6970.088	2072.117	3550.870
Stddev	5.312	108.48	26.261	8.703	2.509
%RSD	.1981125	.1993377	.3767725	.4200022	.0706619
#1	2675.528	54354.84	7000.388	2063.514	3548.318
#2	2685.667	54545.92	6955.998	2080.916	3553.334
#3	2683.346	54361.38	6953.879	2071.922	3550.956

Sample Name: CCB07 Acquired: 12/11/2025 17:57:57 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB07 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001838	.0000349	.0012703	.0006658	.0003156	.0091051	-.001858
Stddev	.001208	.0004232	.0018986	.0017993	.0017259	.0013116	.001060
%RSD	65.73121	1211.923	149.4530	270.2297	546.8807	14.40536	57.05625

#1	-.000492	-.000173	-.000405	-.001059	-.001075	.0103898	-.001067
#2	-.002191	-.000244	.003332	.002531	.002247	.0077681	-.003063
#3	-.002829	.000522	.000884	.000526	-.000226	.0091573	-.001446

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000855	.0001297	.0051417	-.000179	.0000706	-.000101	.0239389
Stddev	.0000522	.0000580	.0062593	.000248	.0002409	.000114	.0102106
%RSD	60.99181	44.71377	121.7344	138.2955	341.0084	113.2351	42.65262

#1	.0001342	.0000636	.0044077	-.000435	.0002508	-.000228	.0309111
#2	.0000920	.0001720	-.000718	-.000161	.0001641	-.000065	.0286867
#3	.0000304	.0001535	.011736	.000059	-.000203	-.000008	.0122189

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0001937	.0020513	.0008839	.0001618	.0119504	-.002385	-.000059
Stddev	.0001993	.0174900	.0005219	.0004005	.0183295	.003642	.000098
%RSD	102.8947	852.6537	59.04208	247.5327	153.3798	152.7004	167.2048

#1	.0001969	.0220397	.0002813	-.000244	-.002950	-.006344	-.000084
#2	.0003914	-.010443	.0011843	.000556	.006383	-.001636	-.000142
#3	-.000007	-.005443	.0011861	.000173	.032418	.000824	.000050

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0192556	.0062230	.0006991	-.004723	.0001636	-.016038	.0002677
Stddev	.0203900	.0009338	.0004344	.000169	.0005267	.006109	.0002922
%RSD	105.8910	15.00525	62.13548	3.583395	321.9666	38.09073	109.1327

#1	.0151492	.0071709	.0010415	-.004597	.0005191	-.014378	.0006040
#2	.0012314	.0061941	.0008451	-.004916	-.000441	-.010930	.0000758
#3	.0413864	.0053040	.0002105	-.004657	.000413	-.022805	.0001234

Sample Name: CCB07 Acquired: 12/11/2025 17:57:57 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB07 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.005794	-.003444	.0002703
Stddev	.002738	.003111	.0000768
%RSD	47.24862	90.32061	28.41310

#1	-.003584	-.005764	.0002547
#2	-.004942	.000091	.0002025
#3	-.008857	-.004661	.0003537

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2776.952	54909.48	7107.035	2144.499	3887.270
Stddev	2.784	59.87	5.284	8.222	5.277
%RSD	.1002363	.1090298	.0743441	.3833958	.1357565

#1	2773.738	54923.68	7106.891	2143.871	3884.431
#2	2778.579	54843.79	7112.389	2153.017	3893.359
#3	2778.538	54960.97	7101.825	2136.609	3884.020

Sample Name: Q3811-03 Acquired: 12/11/2025 18:02:07 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0013322	-.001604	.0032720	.0053992	-.000100	1.756799
Stddev	.0037286	.005933	.0017476	.0044555	.002330	.019220
%RSD	279.8909	369.9159	53.41014	82.52090	2325.585	1.094025

#1	.0010185	.004797	.0038842	.0105357	-.002789	1.746304
#2	.0052077	-.006920	.0046311	.0030843	.001332	1.778981
#3	-.002230	-.002688	.0013007	.0025777	.001157	1.745111

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3751128	-.009076	.0000321	113.7368	.0076270	.0001980
Stddev	.0035775	.000120	.0000778	.7431	.0007175	.0001010
%RSD	.9537231	1.318080	242.4466	.6533230	9.406672	50.98891

#1	.3723346	-.009214	.0000622	112.8806	.0068022	.0000855
#2	.3791495	-.009000	-.000056	114.2127	.0079720	.0002280
#3	.3738543	-.009015	.000090	114.1172	.0081068	.0002806

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0068937	.8224326	.0394792	30.30773	.0064724	-.000111
Stddev	.0003735	.0007492	.0003733	.14419	.0001947	.000193
%RSD	5.418564	.0910954	.9456494	.4757551	3.008472	174.4420

#1	.0065865	.8217090	.0394669	30.14134	.0066931	-.000231
#2	.0067851	.8223838	.0398585	30.38589	.0063992	.000112
#3	.0073095	.8232050	.0391121	30.39597	.0063249	-.000214

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	49.62250	.0203127	.0359109	8.195053	1.043032	.0320676
Stddev	.29299	.0029606	.0004310	.070829	.004529	.0002086
%RSD	.5904353	14.57501	1.200190	.8642844	.4342355	.6503682

#1	49.41193	.0198857	.0354401	8.114406	1.044126	.0318485
#2	49.95710	.0234636	.0360067	8.247152	1.046913	.0320905
#3	49.49846	.0175888	.0362860	8.223603	1.038056	.0322637

Sample Name: Q3811-03 Acquired: 12/11/2025 18:02:07 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.018654	.0639362	F 18.43478	.0098664	F 20.99650	.1633762
Stddev	.002319	.0037578	.11951	.0002473	.06392	.0037053
%RSD	12.43247	5.877479	.6482599	2.506125	.3044082	2.267933

#1	-.019009	.0596751	18.29918	.0098350	20.95854	.1599426
#2	-.020775	.0667763	18.52474	.0101278	20.96066	.1673036
#3	-.016178	.0653573	18.48041	.0096363	21.07029	.1628824

Elem	Sr4077
Units	ppm
Avg	1.227202
Stddev	.007764
%RSD	.6326453

#1	1.218848
#2	1.234197
#3	1.228560

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2680.088	55368.80	7221.092	2042.233	3639.756
Stddev	3.422	22.10	8.483	5.094	3.373
%RSD	.1276738	.0399213	.1174704	.2494237	.0926712

#1	2681.340	55343.56	7220.216	2041.147	3639.451
#2	2676.216	55384.72	7213.082	2037.770	3636.546
#3	2682.706	55378.12	7229.979	2047.783	3643.271

Sample Name: Q3811-03DUP Acquired: 12/11/2025 18:06:21 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000629	-.002905	.0026413	.0021538	.0001059	1.750525
Stddev	.003041	.000991	.0020378	.0010574	.0021187	.009505
%RSD	483.8195	34.12447	77.15266	49.09593	2001.365	.5429687
#1	-.000190	-.004027	.0032013	.0009358	-.002012	1.747173
#2	.002170	-.002146	.0003820	.0028375	.000104	1.743151
#3	-.003865	-.002543	.0043405	.0026880	.002226	1.761252
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3637055	-.009103	-.000041	112.6657	.0080683	.0001815
Stddev	.0069309	.000132	.000052	1.6643	.0002183	.0001928
%RSD	1.905642	1.454237	126.6160	1.477163	2.705563	106.1775
#1	.3568179	-.008971	.000017	110.8706	.0078950	.0004023
#2	.3636197	-.009100	-.000085	112.9693	.0079964	.0000958
#3	.3706789	-.009236	-.000055	114.1573	.0083134	.0000465
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0067833	.8186582	.0383405	30.37974	.0063573	.0001420
Stddev	.0004058	.0110359	.0010054	.41803	.0002274	.0004263
%RSD	5.983026	1.348042	2.622304	1.376006	3.576348	300.2691
#1	.0072079	.8313360	.0372763	29.94418	.0062634	.0005827
#2	.0063992	.8134358	.0384706	30.41733	.0066166	-.000268
#3	.0067427	.8112029	.0392745	30.77769	.0061919	.000112
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	48.64935	.0197883	.0365260	8.120631	1.043188	.0320993
Stddev	.31113	.0020570	.0003286	.090330	.014194	.0004183
%RSD	.6395328	10.39486	.8996594	1.112356	1.360596	1.303153
#1	48.35409	.0210541	.0367555	8.045611	1.027064	.0316882
#2	48.61975	.0174149	.0366729	8.095384	1.048709	.0325245
#3	48.97423	.0208959	.0361496	8.220899	1.053792	.0320852

Sample Name: Q3811-03DUP Acquired: 12/11/2025 18:06:21 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.019486	.0666511	F 18.64555	.0100053	F 20.66642	.1597065
Stddev	.000971	.0041742	.00871	.0003501	.01345	.0067184
%RSD	4.980671	6.262720	.0467083	3.498868	.0650755	4.206720
#1	-.018854	.0710653	18.63550	.0097371	20.65188	.1544780
#2	-.020603	.0661201	18.65049	.0104013	20.66898	.1573575
#3	-.018999	.0627678	18.65068	.0098776	20.67841	.1672840

Elem	Sr4077
Units	ppm
Avg	1.200143
Stddev	.021680
%RSD	1.806414
#1	1.177550
#2	1.202104
#3	1.220776

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2691.075	54640.27	7240.810	2019.936	3666.454
Stddev	1.271	144.45	75.920	8.630	7.627
%RSD	.0472272	.2643628	1.048503	.4272348	.2080229
#1	2691.085	54507.23	7325.134	2010.027	3674.060
#2	2692.342	54619.68	7219.409	2023.971	3666.497
#3	2689.800	54793.91	7177.888	2025.809	3658.806

Sample Name: Q3811-03LX5 Acquired: 12/11/2025 18:10:35 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001724	-.006058	.0019883	.0039647	-.000301	.3851074	.0751089
Stddev	.002645	.003419	.0017486	.0030482	.000822	.0296234	.0049737
%RSD	153.3831	56.43314	87.94383	76.88289	273.6568	7.692235	6.621938

#1	-.001190	-.009965	.0025028	.0008068	-.000453	.3657340	.0715599
#2	.000612	-.004594	.0034219	.0041975	-.001036	.4192082	.0807937
#3	-.004595	-.003615	.0000402	.0068899	.000587	.3703799	.0729729

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001725	-.000040	24.07486	.0015572	-.000010	.0013552	.1790618
Stddev	.000089	.000146	1.41676	.0004234	.000156	.0005610	.0101545
%RSD	5.130149	362.0085	5.884813	27.18647	1529.308	41.39768	5.670960

#1	-.001637	-.000151	23.01811	.0014396	-.000105	.0011800	.1884196
#2	-.001814	.000125	25.68475	.0020269	.000170	.0009027	.1805017
#3	-.001725	-.000095	23.52172	.0012051	-.000095	.0019830	.1682642

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0079346	6.465851	.0022363	.0009193	9.471975	.0027963	.0060863
Stddev	.0001498	.391590	.0002516	.0001902	.267529	.0010474	.0001337
%RSD	1.887958	6.056280	11.24853	20.69539	2.824423	37.45486	2.196931

#1	.0078874	6.135645	.0022394	.0011228	9.483674	.0039581	.0060104
#2	.0081024	6.898472	.0019832	.0008891	9.733462	.0025062	.0062407
#3	.0078142	6.363435	.0024863	.0007459	9.198788	.0019245	.0060079

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.621396	.2304307	.0063481	-.009636	.0145469	3.736422	.0018141
Stddev	.009496	.0115649	.0003202	.001764	.0014679	.155634	.0001388
%RSD	.5856989	5.018825	5.044065	18.30487	10.09103	4.165314	7.649614

#1	1.632033	.2229520	.0066770	-.007696	.0128558	3.736728	.0019595
#2	1.618385	.2437512	.0063298	-.010069	.0154917	3.891902	.0017995
#3	1.613769	.2245888	.0060374	-.011143	.0152933	3.580635	.0016832

Sample Name: Q3811-03LX5 Acquired: 12/11/2025 18:10:35 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.333319	.0339163	.2506277
Stddev	.016683	.0068330	.0140003
%RSD	.3850004	20.14677	5.586085
#1	4.343774	.0313977	.2399870
#2	4.314079	.0416511	.2664879
#3	4.342105	.0287000	.2454081

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2774.210	56252.04	7188.076	2119.170	3813.673
Stddev	2.169	1524.14	344.007	57.034	1.052
%RSD	.0781724	2.709487	4.785797	2.691349	.0275795
#1	2774.163	55475.94	7451.133	2082.718	3813.159
#2	2776.402	55272.15	6798.785	2089.894	3812.976
#3	2772.065	58008.03	7314.309	2184.897	3814.882

Sample Name: Q3811-03MS Acquired: 12/11/2025 18:14:52 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7248404	1.584396	.8842878	1.714096	.7143268	3.405955
Stddev	.0018998	.018459	.0029107	.002229	.0011081	.088903
%RSD	.2621050	1.165041	.3291537	.1300281	.1551294	2.610208

#1	.7240392	1.563588	.8849733	1.714339	.7146158	3.306878
#2	.7270096	1.598800	.8867946	1.711756	.7152617	3.432226
#3	.7234723	1.590801	.8810956	1.716194	.7131028	3.478762

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5478249	.1765482	.1682306	115.5154	.3592085	.1714037
Stddev	.0103967	.0028662	.0003503	2.3498	.0023082	.0000643
%RSD	1.897822	1.623450	.2082240	2.034147	.6425916	.0375072

#1	.5359254	.1733306	.1678524	112.8644	.3569259	.1713365
#2	.5523987	.1774864	.1685439	116.3405	.3615416	.1714646
#3	.5551506	.1788278	.1682956	117.3413	.3591581	.1714100

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2643334	3.533558	.2115425	32.42949	.4755150	.0612124
Stddev	.0002270	.023747	.0042896	.73493	.0016948	.0008629
%RSD	.0858879	.6720467	2.027797	2.266235	.3564141	1.409714

#1	.2640773	3.506143	.2068793	31.59402	.4735751	.0618854
#2	.2644127	3.547743	.2124276	32.71836	.4767085	.0602395
#3	.2645100	3.546789	.2153205	32.97609	.4762614	.0615122

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	53.85908	.2866229	.2184884	17.13485	1.318935	.4143814
Stddev	.26517	.0094659	.0010220	.07150	.019501	.0002243
%RSD	.4923407	3.302575	.4677392	.4172602	1.478539	.0541290

#1	53.65992	.2772956	.2195108	17.07392	1.297010	.4141300
#2	54.16007	.2863515	.2184875	17.21356	1.325456	.4145611
#3	53.75724	.2962216	.2174668	17.11706	1.334340	.4144530

Sample Name: Q3811-03MS Acquired: 12/11/2025 18:14:52 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5941977	.2270311	F 19.49333	.5558685	F 21.59707	.3300323
Stddev	.0031917	.0016095	.09085	.0035157	.05791	.0070436
%RSD	.5371465	.7089270	.4660359	.6324772	.2681316	2.134219

#1	.5905799	.2253631	19.38888	.5518731	21.53023	.3219083
#2	.5966155	.2271553	19.53713	.5572430	21.62892	.3337583
#3	.5953978	.2285749	19.55398	.5584893	21.63207	.3344304

Elem	Sr4077
Units	ppm
Avg	1.405871
Stddev	.025724
%RSD	1.829744

#1	1.376543
#2	1.416460
#3	1.424610

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2663.117	53679.69	7158.821	2015.587	3574.805
Stddev	3.985	124.98	118.414	7.200	6.807
%RSD	.1496541	.2328255	1.654093	.3572006	.1904212

#1	2662.922	53771.72	7289.075	2010.358	3582.237
#2	2659.232	53537.40	7129.710	2023.799	3568.873
#3	2667.196	53729.94	7057.678	2012.605	3573.306

Sample Name: Q3811-03MSD Acquired: 12/11/2025 18:18:53 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7210332	1.655721	.8853668	1.709930	.7192680	3.434129
Stddev	.0015052	.039075	.0021536	.007903	.0008455	.048234
%RSD	.2087506	2.360002	.2432424	.4621907	.1175478	1.404547
#1	.7224285	1.638300	.8863183	1.702431	.7183999	3.378483
#2	.7194381	1.628386	.8829013	1.709176	.7193153	3.459923
#3	.7212331	1.700476	.8868807	1.718184	.7200888	3.463982
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5783590	.1760746	.1673225	117.6266	.3695439	.1718957
Stddev	.0126739	.0035833	.0003114	2.8584	.0003027	.0003118
%RSD	2.191346	2.035075	.1861095	2.430023	.0819174	.1814095
#1	.5637443	.1720968	.1669655	114.3489	.3696179	.1715396
#2	.5863248	.1790496	.1674633	119.6010	.3698027	.1720280
#3	.5850079	.1770774	.1675386	118.9300	.3692110	.1721197
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2660303	3.586470	.2214151	32.70918	.4746599	.0593288
Stddev	.0008412	.028671	.0050397	.97262	.0013586	.0006867
%RSD	.3162239	.7994227	2.276126	2.973529	.2862233	1.157483
#1	.2652842	3.563897	.2155962	31.58702	.4733100	.0600950
#2	.2669421	3.576783	.2242622	33.30960	.4760270	.0591226
#3	.2658647	3.618730	.2243868	33.23093	.4746427	.0587688
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	55.54976	.2876960	.2188860	17.15026	1.335880	.4238044
Stddev	.21935	.0069307	.0006790	.08802	.025137	.0010788
%RSD	.3948654	2.409045	.3101974	.5132280	1.881655	.2545389
#1	55.38989	.2797346	.2182656	17.07998	1.308389	.4225987
#2	55.45958	.2923812	.2187811	17.12182	1.357689	.4246781
#3	55.79983	.2909723	.2196114	17.24899	1.341563	.4241364

Sample Name: Q3811-03MSD Acquired: 12/11/2025 18:18:53 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5985755	.2346392	F 19.21276	.5580943	F 21.40107	.3553735
Stddev	.0003067	.0025469	.14210	.0030965	.12131	.0139003
%RSD	.0512313	1.085455	.7395965	.5548339	.5668613	3.911459

#1	.5986062	.2317036	19.09986	.5547108	21.42181	.3400743
#2	.5988657	.2359545	19.16609	.5587848	21.27072	.3672265
#3	.5982547	.2362596	19.37232	.5607873	21.51067	.3588198

Elem	Sr4077
Units	ppm
Avg	1.454947
Stddev	.032572
%RSD	2.238707

#1	1.417593
#2	1.477424
#3	1.469824

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2653.164	54576.78	7070.450	2077.860	3581.029
Stddev	11.553	7.77	142.485	7.645	14.134
%RSD	.4354529	.0142447	2.015223	.3679145	.3946840

#1	2664.698	54585.58	7227.197	2085.190	3596.723
#2	2641.591	54570.86	6948.777	2078.453	3569.304
#3	2653.204	54573.89	7035.376	2069.935	3577.061

Sample Name: Q3811-03A Acquired: 12/11/2025 18:22:55 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7253490	1.633515	.8870406	1.725032	.7287905	3.488251
Stddev	.0027828	.074906	.0021954	.004239	.0025473	.076628
%RSD	.3836545	4.585559	.2474957	.2457081	.3495171	2.196757
#1	.7237798	1.553669	.8895508	1.721980	.7288974	3.399785
#2	.7237052	1.644638	.8854794	1.723245	.7261915	3.530991
#3	.7285621	1.702237	.8860915	1.729872	.7312826	3.533977
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5457049	.1778348	.1688798	111.4874	.3680126	.1722124
Stddev	.0094945	.0036092	.0002324	2.0878	.0015960	.0003138
%RSD	1.739867	2.029522	.1376075	1.872662	.4336684	.1821892
#1	.5352546	.1739106	.1686263	109.0785	.3661906	.1718501
#2	.5538005	.1785816	.1689301	112.6099	.3686843	.1723925
#3	.5480597	.1810122	.1690828	112.7738	.3691629	.1723945
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2654916	3.616383	.2140750	31.24344	.4780713	.0620743
Stddev	.0002253	.027314	.0048281	.58538	.0017503	.0015317
%RSD	.0848624	.7552848	2.255334	1.873621	.3661279	2.467525
#1	.2652687	3.606786	.2086218	30.57169	.4770235	.0636883
#2	.2657192	3.647200	.2178054	31.51419	.4770985	.0618935
#3	.2654870	3.595162	.2157978	31.64444	.4800920	.0606409
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	52.79630	.2867335	.2230156	16.90335	1.292030	.4222991
Stddev	.67462	.0049564	.0009969	.09937	.023494	.0012610
%RSD	1.277782	1.728560	.4469974	.5878708	1.818383	.2985992
#1	52.75241	.2819045	.2241654	16.91231	1.267927	.4208430
#2	53.49179	.2864879	.2223937	16.99794	1.293299	.4230356
#3	52.14468	.2918081	.2224876	16.79980	1.314864	.4230185

Sample Name: Q3811-03A Acquired: 12/11/2025 18:22:55 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6185416	.2400059	F 19.17136	.5647107	F 20.80847	.3335119
Stddev	.0029159	.0051585	.07542	.0017354	.17115	.0087411
%RSD	.4714150	2.149328	.3933768	.3073039	.8225148	2.620913

#1	.6152772	.2340810	19.08616	.5628813	20.61292	.3235763
#2	.6194595	.2434993	19.22956	.5663336	20.88149	.3369407
#3	.6208881	.2424374	19.19835	.5649171	20.93100	.3400187

Elem	Sr4077
Units	ppm
Avg	1.368925
Stddev	.024512
%RSD	1.790596

#1	1.341142
#2	1.387501
#3	1.378131

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2677.288	54035.84	7167.307	2058.119	3592.328
Stddev	4.088	173.84	131.150	5.418	6.516
%RSD	.1527045	.3217124	1.829834	.2632614	.1813740

#1	2681.446	54174.94	7317.246	2061.931	3599.224
#2	2677.145	53840.95	7110.749	2051.917	3586.275
#3	2673.273	54091.61	7073.925	2060.509	3591.485

Sample Name: PB170906BL Acquired: 12/11/2025 18:26:58 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000136	-.005026	.0022156	-.000647	-.000652	.0090541	-.002672
Stddev	.001270	.000970	.0009916	.001388	.000876	.0057915	.000954
%RSD	933.0328	19.30244	44.75525	214.6771	134.3348	63.96570	35.70992
#1	.000523	-.005974	.0016086	-.001286	.000067	.0148310	-.002130
#2	.000669	-.005067	.0033599	.000946	-.000396	.0090832	-.002112
#3	-.001600	-.004035	.0016784	-.001601	-.001628	.0032481	-.003774
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0003118	.0000439	.0059274	-.000013	-.000031	-.000197	.0051157
Stddev	.0000381	.0000954	.0128370	.000378	.000177	.000323	.0049358
%RSD	12.20371	217.2215	216.5705	2860.825	563.4033	163.6579	96.48180
#1	.0002688	.0001528	.0197077	-.000362	-.000017	-.000505	.0047910
#2	.0003410	.0000031	.0037668	.000388	-.000215	.000139	.0003504
#3	.0003257	-.000024	-.005692	-.000065	.000138	-.000225	.0102059
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000076	.0060105	.0010202	.0003543	-.018914	-.000417	-.000954
Stddev	.000422	.0206516	.0001998	.0001310	.035017	.001175	.000465
%RSD	554.1327	343.5916	19.58357	36.96358	185.1394	281.3486	48.74926
#1	-.000338	.0252605	.0011007	.0003793	-.054526	-.000248	-.000541
#2	.000410	-.015803	.0011672	.0002126	-.017693	.000663	-.001458
#3	-.000301	.008574	.0007927	.0004709	.015477	-.001667	-.000864
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.024618	.0015865	-.000046	-.005531	.0005172	-.018462	-.000058
Stddev	.021182	.0001735	.000208	.000437	.0005292	.005442	.000390
%RSD	86.04356	10.93340	451.0980	7.899123	102.3028	29.47644	674.8354
#1	-.025502	.0016078	.000105	-.005087	.0002767	-.016575	.000094
#2	-.045344	.0014034	.000040	-.005960	.0011239	-.014215	-.000501
#3	-.003007	.0017484	-.000283	-.005545	.0001511	-.024596	.000233

Sample Name: PB170906BL Acquired: 12/11/2025 18:26:58 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.003980	-.003609	.0000416
Stddev	.001664	.001319	.0000229
%RSD	41.81445	36.55015	55.15001

#1	-.004381	-.004745	.0000468
#2	-.002152	-.003920	.0000614
#3	-.005407	-.002162	.0000165

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2811.849	56569.48	7286.443	2118.550	3998.878
Stddev	6.361	110.50	78.570	2.587	7.864
%RSD	.2262310	.1953430	1.078302	.1220938	.1966593

#1	2809.156	56684.92	7205.066	2115.636	3994.102
#2	2807.278	56464.67	7292.396	2119.442	3994.577
#3	2819.114	56558.87	7361.867	2120.573	4007.954

Sample Name: PB170906BS Acquired: 12/11/2025 18:31:17 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7336235	1.751406	.9382466	1.837174	.7295656	1.809058
Stddev	.0032445	.071920	.0046017	.022977	.0015658	.022164
%RSD	.4422624	4.106435	.4904615	1.250674	.2146192	1.225157
#1	.7342829	1.815154	.9376726	1.859852	.7293694	1.785046
#2	.7364877	1.765626	.9431085	1.837761	.7312203	1.813395
#3	.7300999	1.673438	.9339589	1.813909	.7281072	1.828732
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1753688	.2005093	.1789407	.9066341	.3649728	.1777894
Stddev	.0020375	.0011057	.0008956	.0118211	.0059311	.0006734
%RSD	1.161829	.5514647	.5004781	1.303842	1.625093	.3787764
#1	.1730317	.1995732	.1790178	.9057940	.3624910	.1778577
#2	.1767718	.2002253	.1797951	.8952554	.3606857	.1784261
#3	.1763028	.2017293	.1780090	.9188528	.3717417	.1770845
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2805374	2.812980	.1789668	1.829462	.4990231	.0681670
Stddev	.0007974	.049288	.0010657	.026780	.0023943	.0006424
%RSD	.2842506	1.752177	.5954880	1.463791	.4798036	.9423581
#1	.2808416	2.772186	.1778044	1.799674	.4990695	.0676978
#2	.2811380	2.799007	.1791980	1.851543	.5013939	.0679039
#3	.2796327	2.867746	.1798979	1.837170	.4966059	.0688991
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.035800	.2713368	.1962740	8.784246	.2750596	.3749245
Stddev	.063999	.0026627	.0022190	.185119	.0018482	.0030959
%RSD	2.108130	.9813331	1.130584	2.107394	.6719254	.8257332
#1	2.990947	.2693293	.1954845	8.625000	.2759344	.3780379
#2	3.007365	.2703236	.1945577	8.740380	.2729365	.3748892
#3	3.109089	.2743573	.1987798	8.987358	.2763080	.3718464

Sample Name: PB170906BS Acquired: 12/11/2025 18:31:17 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6170373	.1765316	.7782413	F .5498802	F -.006065	.1663777
Stddev	.0043480	.0020016	.0041700	.0035020	.002986	.0084298
%RSD	.7046551	1.133867	.5358221	.6368601	49.23640	5.066689
#1	.6193321	.1742262	.7767378	.5518391	-.004882	.1573158
#2	.6197572	.1775419	.7750316	.5519644	-.003851	.1678309
#3	.6120227	.1778267	.7829545	.5458371	-.009461	.1739865
Elem	Sr4077					
Units	ppm					
Avg	.1757181					
Stddev	.0013514					
%RSD	.7690619					
#1	.1741579					
#2	.1764738					
#3	.1765226					
Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306	
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	
Avg	2814.246	55374.19	7294.807	2084.693	3897.536	
Stddev	11.025	649.59	20.790	23.746	17.421	
%RSD	.3917501	1.173095	.2849907	1.139080	.4469802	
#1	2807.653	55587.18	7317.694	2097.961	3893.463	
#2	2808.111	55890.55	7289.636	2098.840	3882.513	
#3	2826.973	54644.84	7277.091	2057.277	3916.633	

Sample Name: Q3735-04 Acquired: 12/11/2025 18:39:53 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000295	-.005825	.0081782	.0043869	-.001020	.0390019	.3448435
Stddev	.003122	.004046	.0021036	.0025288	.001606	.0025374	.0050533
%RSD	1057.574	69.46587	25.72220	57.64387	157.4284	6.505854	1.465396

#1	-.003207	-.002848	.0077168	.0022365	-.001399	.0362529	.3403106
#2	.003002	-.004195	.0063436	.0037514	-.002402	.0412542	.3439280
#3	-.000680	-.010432	.0104742	.0071727	.000741	.0394987	.3502920

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000169	.0000610	32.10046	.0027909	.0040976	.0010494	.0414639
Stddev	.000030	.0001023	.33959	.0003467	.0001625	.0007222	.0051892
%RSD	17.81359	167.5944	1.057900	12.42107	3.966994	68.82020	12.51502

#1	-.000200	.0000325	31.79883	.0026247	.0039835	.0004951	.0467609
#2	-.000166	-.000024	32.03428	.0025586	.0042837	.0007869	.0363896
#3	-.000140	.000175	32.46827	.0031894	.0040255	.0018661	.0412413

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7506197	7.625646	.0049764	.0004710	407.6399	.0016322	.1640612
Stddev	.0100033	.066773	.0002560	.0003506	5.5926	.0009956	.0007382
%RSD	1.332673	.8756372	5.144426	74.42819	1.371946	60.99910	.4499645

#1	.7417256	7.568445	.0051382	.0003156	413.1264	.0027799	.1635301
#2	.7486841	7.609474	.0051097	.0008724	407.8465	.0009993	.1649042
#3	.7614493	7.699020	.0046812	.0002250	401.9469	.0011175	.1637494

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.161210	.0719276	.0007276	-.017934	-.001960	1.525465	.0013690
Stddev	.059700	.0011899	.0002335	.000424	.001122	.020243	.0003204
%RSD	2.762359	1.654370	32.09592	2.366951	57.21887	1.327030	23.40301

#1	2.183805	.0708031	.0008524	-.018046	-.000685	1.548835	.0010417
#2	2.206315	.0718061	.0004582	-.018291	-.002792	1.514218	.0016820
#3	2.093511	.0731737	.0008721	-.017465	-.002405	1.513343	.0013835

Sample Name: Q3735-04 Acquired: 12/11/2025 18:39:53 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.9663326	.0090143	.1249148
Stddev	.0033166	.0059622	.0014099
%RSD	.3432157	66.14149	1.128704
#1	.9696647	.0158813	.1234892
#2	.9663013	.0060056	.1249466
#3	.9630317	.0051560	.1263085

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2619.471	52201.00	6957.938	2004.091	3429.641
Stddev	6.616	341.74	87.117	10.711	11.215
%RSD	.2525824	.6546548	1.252054	.5344733	.3270142
#1	2626.996	51841.04	7043.450	1994.454	3442.584
#2	2616.850	52240.98	6961.065	2002.196	3423.527
#3	2614.566	52520.99	6869.300	2015.624	3422.810

Sample Name: PB170874TB Acquired: 12/11/2025 18:44:19 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0016746	-.003885	.0016866	-.001696	.0007482	-.000020	-.001974
Stddev	.0041830	.004209	.0014399	.003176	.0015974	.003393	.000290
%RSD	249.7971	108.3182	85.36944	187.3272	213.5036	17092.57	14.69226

#1	-.000597	-.000810	.0032474	-.005354	.0020332	-.003510	-.001682
#2	-.000881	-.008682	.0004100	.000364	-.001040	.003267	-.002261
#3	.006502	-.002164	.0014025	-.000097	.001252	.000183	-.001978

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0002582	-.000120	.0025007	.0003249	-.000119	.0003588	.0086891
Stddev	.0000484	.000038	.0036382	.0002811	.000290	.0005389	.0044213
%RSD	18.72787	31.39756	145.4886	86.53154	244.3579	150.1960	50.88311

#1	.0003023	-.000126	.0050202	.0000055	.000181	.0006173	.0135913
#2	.0002657	-.000155	.0041522	.0005347	-.000397	.0007197	.0074730
#3	.0002065	-.000080	-.001670	.0004344	-.000140	-.000261	.0050032

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000530	.0327231	.0010860	.0004188	335.0640	.0014201	-.000530
Stddev	.000375	.0593762	.0003633	.0006290	3.6925	.0012299	.000264
%RSD	70.88427	181.4504	33.45000	150.1973	1.102014	86.60469	49.83201

#1	-.000773	.0030011	.0009868	-.000300	330.8502	.0028220	-.000810
#2	-.000097	-.005923	.0014885	.000688	337.7340	.0009156	-.000497
#3	-.000719	.101091	.0007826	.000868	336.6078	.0005227	-.000284

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1281574	-.001311	.0002254	-.005527	-.000280	-.027157	-.000136
Stddev	.0720465	.000395	.0005205	.000510	.000891	.006140	.000387
%RSD	56.21720	30.14113	230.9067	9.223747	318.3185	22.61131	284.9139

#1	.0452579	-.001465	-.000374	-.005932	.000034	-.028042	-.000251
#2	.1635698	-.000862	.000487	-.004954	.000412	-.020622	.000296
#3	.1756446	-.001607	.000563	-.005693	-.001285	-.032807	-.000452

Sample Name: PB170874TB Acquired: 12/11/2025 18:44:19 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.005362	.0017289	.0000149
Stddev	.006208	.0027693	.0000640
%RSD	115.7616	160.1753	430.5786

#1	-.011949	.0027466	.0000294
#2	-.004517	-.001405	.0000704
#3	.000379	.003845	-.000055

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2671.134	52622.65	6855.161	2090.669	3439.114
Stddev	3.670	158.21	25.928	5.870	8.583
%RSD	.1373813	.3006565	.3782234	.2807850	.2495706

#1	2672.798	52672.44	6867.553	2084.213	3434.294
#2	2666.927	52445.53	6825.362	2092.108	3434.024
#3	2673.677	52749.98	6872.567	2095.686	3449.024

Sample Name: CCV08 Acquired: 12/11/2025 18:48:47 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV08 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.800060	4.878378	5.037092	4.759929	4.741743	9.546786
Stddev	.006112	.084399	.010228	.007404	.005830	.042953
%RSD	.1273273	1.730058	.2030518	.1555455	.1229533	.4499178
#1	4.799424	4.975679	5.033418	4.759519	4.736126	9.566849
#2	4.794291	4.824982	5.029208	4.752739	4.741337	9.497473
#3	4.806465	4.834472	5.048649	4.767530	4.747765	9.576036
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.681528	2.435871	2.354098	23.82354	9.457178	2.333254
Stddev	.067540	.0008009	.001530	.13246	.0036607	.001908
%RSD	.6976165	.3287948	.0649831	.5559886	.3870833	.0817935
#1	9.716551	2.439483	2.353917	23.92741	9.431051	2.333300
#2	9.603670	2.426692	2.352666	23.67438	9.441465	2.331324
#3	9.724363	2.441439	2.355710	23.86883	9.499019	2.335140
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.187839	4.842602	2.364533	23.48642	2.587212	1.176646
Stddev	.004249	.026955	.013164	.12490	.002333	.000564
%RSD	.3577219	.5566300	.5567188	.5317796	.0901688	.0479238
#1	1.182966	4.811581	2.374267	23.53837	2.586548	1.175995
#2	1.190771	4.855904	2.349555	23.34393	2.585282	1.176953
#3	1.189780	4.860320	2.369775	23.57695	2.589804	1.176989
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	26.82064	2.401684	2.410416	23.09086	4.811562	4.818818
Stddev	.12394	.009421	.009106	.17372	.026088	.002491
%RSD	.4621152	.3922544	.3777683	.7523511	.5421936	.0516871
#1	26.72238	2.409445	2.400855	22.90941	4.827586	4.819148
#2	26.77965	2.391202	2.418986	23.10752	4.781459	4.821127
#3	26.95988	2.404405	2.411406	23.25566	4.825642	4.816179

Sample Name: CCV08 Acquired: 12/11/2025 18:48:47 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV08 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.751251	4.728633	4.618119	F .5202646	4.592600	4.657995
Stddev	.011843	.028603	.045660	.0022768	.025940	.039422
%RSD	.2492585	.6048798	.9887041	.4376312	.5648280	.8463320
#1	4.764877	4.748746	4.568677	.5221277	4.618320	4.678515
#2	4.743443	4.695889	4.626986	.5177266	4.566445	4.612546
#3	4.745432	4.741265	4.658695	.5209396	4.593034	4.682925
Elem	Sr4077					
Units	ppm					
Avg	4.818465					
Stddev	.043685					
%RSD	.9066065					
#1	4.816984					
#2	4.775540					
#3	4.862871					
Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306	
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	
Avg	2657.315	53671.51	6920.775	2044.651	3507.131	
Stddev	6.437	90.82	41.825	4.691	9.825	
%RSD	.2422222	.1692099	.6043360	.2294195	.2801547	
#1	2657.890	53773.53	6885.132	2049.300	3500.296	
#2	2650.610	53641.54	6966.819	2039.919	3502.706	
#3	2663.444	53599.47	6910.375	2044.734	3518.391	

Sample Name: CCB08 Acquired: 12/11/2025 18:52:52 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB08 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000135	-.003722	.0021550	-.000069	-.000463	.0066629	-.000245
Stddev	.0021198	.003594	.0007280	.001135	.001573	.0156120	.001100
%RSD	15694.47	96.54945	33.78170	1637.015	340.0283	234.3136	448.1576

#1	.0023478	-.006819	.0013753	.001167	.000318	.0238215	-.001503
#2	-.000516	.000219	.0022727	-.001064	-.002273	-.006704	.000230
#3	-.001792	-.004567	.0028169	-.000310	.000568	.002871	.000537

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0002486	-.000041	-.005132	.0001131	.0000337	-.000170	.0064604
Stddev	.0000616	.000056	.003310	.0004606	.0000698	.000566	.0012055
%RSD	24.78021	134.5052	64.49934	407.1080	207.3061	332.9360	18.65950

#1	.0003121	.000022	-.002756	-.000001	.0001039	-.000787	.0057984
#2	.0002446	-.000081	-.008913	-.000280	.0000328	.000325	.0078518
#3	.0001890	-.000065	-.003728	.000620	-.000036	-.000048	.0057309

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000064	-.001524	.0013578	.0000526	.0547023	.0010147	-.000392
Stddev	.000202	.008133	.0002739	.0005771	.0447760	.0008808	.000145
%RSD	315.2517	533.6156	20.17557	1096.804	81.85397	86.80914	37.09753

#1	-.000131	-.010076	.0010455	.0005775	.0039059	.0015517	-.000224
#2	-.000224	.006112	.0015577	-.000565	.0717527	.0014942	-.000467
#3	.000163	-.000608	.0014702	.000146	.0884483	-.000002	-.000484

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0446695	.0040516	.0003819	-.005299	-.000161	-.017934	.0003710
Stddev	.0392427	.0004780	.0001551	.000252	.001265	.006903	.0001639
%RSD	87.85112	11.79897	40.61624	4.762368	786.6332	38.49132	44.16854

#1	.0364731	.0045802	.0005576	-.005444	.001244	-.009975	.0002597
#2	.0101724	.0039249	.0002636	-.005008	-.001208	-.022292	.0005591
#3	.0873631	.0036496	.0003246	-.005446	-.000518	-.021534	.0002942

Sample Name: CCB08 Acquired: 12/11/2025 18:52:52 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB08 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.008841	-.002820	.0001979
Stddev	.002592	.001449	.0000793
%RSD	29.31933	51.39112	40.04415
#1	-.006337	-.004288	.0002891
#2	-.011513	-.001391	.0001455
#3	-.008672	-.002781	.0001592

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2771.450	54420.79	7040.378	2079.083	3900.007
Stddev	14.281	63.87	57.551	10.705	19.265
%RSD	.5153059	.1173712	.8174435	.5148978	.4939711
#1	2763.872	54491.13	7091.481	2089.559	3890.172
#2	2787.923	54404.80	7051.615	2068.162	3922.204
#3	2762.553	54366.42	6978.036	2079.528	3887.644

Sample Name: Q3814-02 Acquired: 12/11/2025 18:57:12 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.003170	-.003714	.0042294	.0044311	-.001835	.0764718	.1658035
Stddev	.001178	.006588	.0009359	.0039526	.001703	.0051481	.0009531
%RSD	37.15829	177.4091	22.12779	89.20089	92.78932	6.732086	.5748632

#1	-.002720	.003274	.0032862	.0036751	-.001268	.0815894	.1647152
#2	-.002284	-.004602	.0051578	.0087070	-.003749	.0712936	.1664895
#3	-.004507	-.009812	.0042441	.0009111	-.000488	.0765325	.1662058

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0001540	.0002957	9.402702	.0043121	.0000400	.0036189	.0225282
Stddev	.0000632	.0000320	.056353	.0001753	.0002726	.0003109	.0039234
%RSD	41.02291	10.80899	.5993307	4.066145	682.2650	8.590714	17.41539

#1	.0001327	.0002922	9.337676	.0044196	-.000115	.0036220	.0234979
#2	.0002251	.0003292	9.437299	.0044070	-.000119	.0039282	.0182109
#3	.0001042	.0002655	9.433132	.0041098	.000355	.0033064	.0258758

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0387664	1.372137	.0026035	-.000012	252.4701	.0023437	.0382236
Stddev	.0003979	.015691	.0000626	.000303	3.1561	.0021626	.0003988
%RSD	1.026347	1.143532	2.404819	2563.001	1.250108	92.27065	1.043314

#1	.0390540	1.382818	.0026735	.000110	248.9921	.0016808	.0385921
#2	.0383123	1.354122	.0025529	.000211	253.2663	.0005902	.0382785
#3	.0389329	1.379471	.0025839	-.000357	255.1519	.0047602	.0378002

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6926510	.0173359	.0003281	-.017228	.0005803	.3100699	.0009969
Stddev	.0262568	.0007713	.0005941	.000626	.0006922	.0199021	.0004483
%RSD	3.790764	4.449448	181.0533	3.633863	119.2923	6.418590	44.96693

#1	.6646919	.0179645	-.000256	-.016556	.0008928	.2880030	.0004890
#2	.7167860	.0164752	.000309	-.017336	-.000213	.3266605	.0011645
#3	.6964752	.0175681	.000932	-.017794	.001061	.3155463	.0013372

Sample Name: Q3814-02 Acquired: 12/11/2025 18:57:12 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.7117779	-.002335	.0357172
Stddev	.0068168	.001734	.0001488
%RSD	.9577207	74.27819	.4165046

#1	.7089744	-.004009	.0355458
#2	.7068099	-.000546	.0358127
#3	.7195495	-.002450	.0357932

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2661.321	52840.39	7094.359	2002.545	3514.496
Stddev	5.885	117.17	11.369	3.276	9.856
%RSD	.2211245	.2217490	.1602514	.1635719	.2804410

#1	2659.584	52931.08	7093.668	2005.670	3509.251
#2	2667.879	52881.99	7106.058	1999.137	3525.865
#3	2656.500	52708.09	7083.352	2002.828	3508.372

Sample Name: Q3814-04 Acquired: 12/11/2025 19:01:38 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001687	-.001140	.0028844	.0078769	-.001355	.1013874	.1217063
Stddev	.002601	.003712	.0006648	.0026119	.001440	.0037676	.0013159
%RSD	154.2257	325.6649	23.04824	33.15921	106.3031	3.716075	1.081214

#1	-.003262	-.003183	.0026686	.0101044	.000308	.1011684	.1207977
#2	-.003114	-.003381	.0023543	.0050022	-.002158	.1052597	.1211058
#3	.001316	.003145	.0036303	.0085240	-.002215	.0977340	.1232153

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000576	.0005057	16.78541	.0081112	-.000255	.0023556	.0584716
Stddev	.0000540	.0001061	.10564	.0005085	.000260	.0002960	.0046693
%RSD	93.70558	20.97925	.6293459	6.268627	101.9892	12.56447	7.985655

#1	.0000308	.0005779	16.69547	.0082040	-.000260	.0020153	.0613351
#2	.0000223	.0003839	16.90175	.0085670	-.000512	.0024982	.0609961
#3	.0001197	.0005554	16.75903	.0075628	.000008	.0025533	.0530834

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1278953	2.117285	.0075796	-.000031	295.0763	-.000960	.0288491
Stddev	.0011969	.038539	.0004709	.000350	2.2456	.002686	.0002961
%RSD	.9358609	1.820202	6.212700	1114.691	.7610101	279.8590	1.026368

#1	.1267343	2.074682	.0081188	.000370	293.2061	-.002919	.0291512
#2	.1291252	2.127451	.0073705	-.000194	297.5668	-.002062	.0288366
#3	.1278264	2.149721	.0072494	-.000271	294.4560	.002102	.0285594

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.9209171	.0108142	.0006326	-.016885	.0007194	.5959098	.0009287
Stddev	.0270447	.0006342	.0003920	.000619	.0006966	.0131630	.0002724
%RSD	2.936715	5.864709	61.96818	3.667095	96.82678	2.208895	29.33086

#1	.9390631	.0100876	.0007647	-.016374	.0014786	.6018882	.0009692
#2	.9338546	.0112567	.0001916	-.016707	.0005702	.5808186	.0006383
#3	.8898337	.0110984	.0009415	-.017574	.0001096	.6050226	.0011786

Sample Name: Q3814-04 Acquired: 12/11/2025 19:01:38 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.517071	.0038360	.0730817
Stddev	.006113	.0011147	.0002962
%RSD	.4029380	29.05962	.4052276
#1	1.510902	.0036095	.0727503
#2	1.517185	.0028519	.0733204
#3	1.523126	.0050465	.0731744

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2695.286	52977.44	7108.183	2019.152	3532.921
Stddev	2.432	267.67	38.456	15.890	12.522
%RSD	.0902203	.5052462	.5410158	.7869849	.3544332
#1	2696.229	52728.04	7106.472	2011.495	3526.236
#2	2697.104	52944.05	7070.610	2008.540	3547.367
#3	2692.523	53260.24	7147.466	2037.421	3525.161

Sample Name: Q3814-06 Acquired: 12/11/2025 19:06:04 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.002631	-.001045	.0018321	.0047576	.0006566	.1798647	.1535585
Stddev	.004427	.003412	.0013172	.0013897	.0010966	.0017634	.0009615
%RSD	168.2544	326.6545	71.89615	29.20938	167.0103	.9804151	.6261463
#1	.000769	.002306	.0033516	.0033232	-.000608	.1816994	.1529592
#2	-.001026	-.000925	.0010136	.0048518	.001345	.1781824	.1546675
#3	-.007638	-.004515	.0011312	.0060977	.001232	.1797124	.1530487
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000798	.0008064	6.059663	.0014020	.0000063	.0018606	.0187141
Stddev	.0000707	.0000213	.035006	.0002033	.0000839	.0004489	.0076068
%RSD	88.65555	2.644611	.5776890	14.49916	1331.514	24.12699	40.64716
#1	-.000002	.0008277	6.019986	.0011707	.0000749	.0016886	.0102968
#2	.000123	.0007851	6.086189	.0015522	-.000087	.0023700	.0207493
#3	.000118	.0008065	6.072814	.0014831	.000031	.0015231	.0250963
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0411935	.6613833	.0031413	.0003762	306.6355	-.000568	.0234469
Stddev	.0008333	.0056359	.0003140	.0007797	6.5799	.000664	.0001430
%RSD	2.022918	.8521300	9.994561	207.2806	2.145839	116.9540	.6097975
#1	.0402742	.6548796	.0032358	-.000353	299.9015	-.000048	.0233433
#2	.0414072	.6648322	.0033971	.000283	306.9554	-.000340	.0236100
#3	.0418992	.6644382	.0027909	.001198	313.0497	-.001316	.0233873
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5091056	.0058532	.0007369	-.017803	-.000045	.2214604	.0009687
Stddev	.0238269	.0008779	.0002801	.001887	.000880	.0151390	.0001086
%RSD	4.680152	14.99832	38.01038	10.59682	1978.242	6.835998	11.21423
#1	.5277091	.0067215	.0005990	-.015709	-.001012	.2208500	.0010940
#2	.4822495	.0049661	.0005524	-.019370	.000709	.2066359	.0009012
#3	.5173582	.0058719	.0010591	-.018330	.000169	.2368955	.0009108

Sample Name: Q3814-06 Acquired: 12/11/2025 19:06:04 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1929856	-.001596	.0318130
Stddev	.0027923	.000211	.0001694
%RSD	1.446895	13.24042	.5324928
#1	.1936145	-.001607	.0316357
#2	.1954098	-.001802	.0318299
#3	.1899325	-.001380	.0319733

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2697.440	53043.90	7389.525	2031.559	3538.618
Stddev	3.451	390.36	30.342	13.793	6.555
%RSD	.1279455	.7359128	.4106109	.6789429	.1852377
#1	2700.915	53340.18	7414.611	2039.234	3546.134
#2	2697.393	53189.95	7355.801	2039.809	3535.633
#3	2694.013	52601.58	7398.164	2015.636	3534.086

Sample Name: Q3814-08 Acquired: 12/11/2025 19:10:31 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001375	-.000635	.0005722	.0023867	.0005895	.0630857	.1304886
Stddev	.001828	.003607	.0012411	.0047322	.0016411	.0048622	.0019433
%RSD	132.9764	568.0522	216.9107	198.2683	278.4058	7.707247	1.489235

#1	-.002719	-.000129	.0001974	.0013409	.0014137	.0666257	.1283019
#2	.000707	.002692	.0019574	-.001735	.0016550	.0650896	.1320182
#3	-.002112	-.004469	-.000438	.007554	-.001300	.0575419	.1311455

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0001028	.0005386	36.16518	.0013079	-.000024	.0011250	.0190177
Stddev	.0000242	.0001258	.42056	.0004815	.000079	.0006917	.0073529
%RSD	23.52062	23.36245	1.162885	36.81287	327.1134	61.48984	38.66354

#1	.0000894	.0004994	35.68300	.0007622	.000054	.0012841	.0243903
#2	.0000883	.0004371	36.35629	.0014884	-.000103	.0017233	.0106378
#3	.0001307	.0006794	36.45625	.0016730	-.000023	.0003675	.0220250

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1026565	2.826981	.0029717	.0001600	302.8829	.0025457	.0234082
Stddev	.0015274	.042142	.0003797	.0004894	3.5261	.0022809	.0004068
%RSD	1.487866	1.490716	12.77595	305.8862	1.164165	89.59622	1.737666

#1	.1009387	2.780520	.0033062	.0006483	299.4298	.0033099	.0229433
#2	.1038617	2.837683	.0025590	.0001623	302.7412	.0043464	.0235826
#3	.1031690	2.862742	.0030498	-.000331	306.4776	-.000019	.0236986

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.024116	.0103064	.0007854	-.019191	-.001099	1.592608	.0015681
Stddev	.031610	.0004685	.0000677	.000891	.000799	.011107	.0002656
%RSD	3.086569	4.545519	8.627028	4.641210	72.67597	.6973959	16.93994

#1	1.021626	.0100185	.0007440	-.020219	-.000448	1.589544	.0013188
#2	.993824	.0100538	.0007485	-.018713	-.000859	1.583354	.0015380
#3	1.056897	.0108470	.0008636	-.018641	-.001991	1.604925	.0018475

Sample Name: Q3814-08 Acquired: 12/11/2025 19:10:31 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	2.158664	.0075982	.1635537
Stddev	.012536	.0012402	.0020514
%RSD	.5807467	16.32185	1.254252
#1	2.151322	.0087420	.1613447
#2	2.151529	.0077725	.1639177
#3	2.173139	.0062801	.1653987

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2682.337	53926.94	7151.527	2110.261	3502.216
Stddev	.765	66.94	77.132	12.115	2.438
%RSD	.0285299	.1241263	1.078542	.5741208	.0696034
#1	2683.019	53929.21	7237.306	2100.442	3505.029
#2	2681.510	53992.72	7129.392	2123.800	3500.886
#3	2682.484	53858.90	7087.882	2106.541	3500.733

Sample Name: Q3814-10 Acquired: 12/11/2025 19:14:57 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000773	-.006986	.0023154	.0025032	-.001509	.1678871	.1871634
Stddev	.002250	.005404	.0009621	.0026876	.001902	.0028584	.0008099
%RSD	291.0090	77.34840	41.55270	107.3657	126.0398	1.702605	.4327270
#1	.000626	-.004167	.0034223	-.000596	-.003103	.1702423	.1868888
#2	.000423	-.003575	.0018437	.004197	.000597	.1687123	.1880749
#3	-.003369	-.013217	.0016801	.003908	-.002022	.1647069	.1865264
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0003230	.0005603	9.133399	.0003080	.0001026	.0024455	.0233762
Stddev	.0001000	.0000076	.033923	.0005750	.0003200	.0003617	.0080900
%RSD	30.94623	1.351080	.3714143	186.6986	311.9017	14.79173	34.60762
#1	.0003050	.0005532	9.123073	.0008190	.0004720	.0028549	.0140547
#2	.0004308	.0005594	9.171285	.0004195	-.000090	.0021690	.0285654
#3	.0002333	.0005682	9.105840	-.000315	-.000074	.0023126	.0275085
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0707907	2.464996	.0031072	.0002154	297.9826	-.000155	.0288786
Stddev	.0005913	.041557	.0003796	.0003485	1.4268	.001560	.0003474
%RSD	.8352392	1.685898	12.21725	161.8310	.4788173	1003.988	1.202951
#1	.0709052	2.419806	.0027961	.0004809	297.1916	-.001665	.0289005
#2	.0713164	2.501569	.0029954	.0003444	299.6297	-.000251	.0292145
#3	.0701506	2.473614	.0035302	-.000179	297.1266	.001450	.0285208
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5378453	.0082977	.0007129	-.017454	.0008086	.3139558	.0013777
Stddev	.0396707	.0007870	.0003036	.000333	.0004038	.0049441	.0002600
%RSD	7.375856	9.484597	42.58722	1.906448	49.93105	1.574776	18.87412
#1	.5728678	.0086796	.0003630	-.017737	.0012383	.3089521	.0016419
#2	.4947639	.0088209	.0009062	-.017536	.0004370	.3188381	.0013690
#3	.5459043	.0073926	.0008696	-.017087	.0007507	.3140772	.0011221

Sample Name: Q3814-10 Acquired: 12/11/2025 19:14:57 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1945415	-.000510	.0513725
Stddev	.0043636	.001091	.0001446
%RSD	2.243006	213.9013	.2815133
#1	.1903681	.000744	.0514916
#2	.1941833	-.001032	.0514142
#3	.1990732	-.001243	.0512116

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2757.599	54390.67	7288.902	2107.241	3596.883
Stddev	4.401	98.07	40.791	12.167	3.196
%RSD	.1595842	.1802985	.5596332	.5773932	.0888437
#1	2756.573	54289.46	7279.076	2095.498	3593.348
#2	2753.802	54485.25	7253.921	2106.432	3597.735
#3	2762.423	54397.30	7333.708	2119.792	3599.567

Sample Name: Q3814-12 Acquired: 12/11/2025 19:19:25 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001399	-.002209	.0021300	-.000347	-.001641	.0494131	.1064214
Stddev	.000913	.005558	.0032501	.004587	.000928	.0023722	.0033650
%RSD	65.28548	251.6068	152.5836	1322.238	56.56356	4.800780	3.161919
#1	-.000863	-.006702	.0003094	-.005255	-.002420	.0483652	.1089425
#2	-.002453	.004007	.0058824	.000385	-.001890	.0477453	.1077213
#3	-.000880	-.003932	.0001983	.003830	-.000614	.0521288	.1026004
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0001181	.0006170	6.990485	.0002758	-.000225	.0019461	.0119996
Stddev	.0000547	.0000701	.206755	.0004862	.000124	.0002720	.0047602
%RSD	46.28161	11.36693	2.957658	176.3005	55.02051	13.97725	39.66957
#1	.0000552	.0006963	7.176322	.0006838	-.000308	.0022249	.0174931
#2	.0001448	.0005633	7.027358	-.000262	-.000083	.0016815	.0090914
#3	.0001544	.0005913	6.767775	.000406	-.000286	.0019318	.0094144
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0382460	1.029890	.0012737	.0005391	202.5945	.0012776	.0201403
Stddev	.0012945	.044488	.0002574	.0000987	1.8380	.0016388	.0007338
%RSD	3.384676	4.319673	20.20668	18.30772	.9072536	128.2775	3.643696
#1	.0393302	1.068832	.0010318	.0006507	203.4590	.0031109	.0194177
#2	.0385951	1.039433	.0015442	.0004634	203.8409	-.000045	.0208849
#3	.0368128	.981405	.0012451	.0005031	200.4836	.000767	.0201183
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5314380	.0061632	.0002001	-.018676	.0004527	.2332188	.0009596
Stddev	.0153943	.0016763	.0002646	.000209	.0008121	.0098835	.0001553
%RSD	2.896716	27.19895	132.2807	1.119955	179.3968	4.237848	16.18039
#1	.5491821	.0080882	.0004804	-.018455	.0002257	.2444867	.0010143
#2	.5234847	.0053770	.0001652	-.018871	.0013541	.2291531	.0007844
#3	.5216474	.0050246	-.000045	-.018703	-.000222	.2260167	.0010802

Sample Name: Q3814-12 Acquired: 12/11/2025 19:19:25 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1159677	-.007093	.0360623
Stddev	.0031193	.000615	.0010160
%RSD	2.689841	8.671902	2.817444
#1	.1125361	-.007797	.0369738
#2	.1167359	-.006828	.0362464
#3	.1186312	-.006655	.0349669

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2777.873	55618.35	7657.656	2116.118	3684.510
Stddev	11.110	62.08	168.370	5.285	10.306
%RSD	.3999512	.1116123	2.198718	.2497629	.2797179
#1	2790.150	55550.45	7486.902	2113.952	3694.352
#2	2768.511	55632.43	7662.530	2112.260	3673.795
#3	2774.960	55672.18	7823.537	2122.143	3685.382

Sample Name: Q3814-14 Acquired: 12/11/2025 19:23:42 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0007093	-.001375	.0004609	.0037120	-.000951	.0529172	.1604976
Stddev	.0053139	.003923	.0004978	.0025295	.002220	.0043158	.0024731
%RSD	749.2164	285.3707	108.0053	68.14332	233.5317	8.155761	1.540902

#1	.0024343	.003139	-.000010	.0029244	-.002425	.0502029	.1582713
#2	-.005253	-.003297	.000412	.0065415	-.002029	.0578938	.1631596
#3	.004946	-.003966	.000981	.0016699	.001602	.0506549	.1600621

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0002020	.0003804	9.380913	.0005446	.0000547	.0034439	.0199251
Stddev	.0000167	.0000245	.064595	.0003849	.0001717	.0002700	.0005757
%RSD	8.252801	6.439920	.6885833	70.66471	314.1832	7.840961	2.889340

#1	.0002147	.0004081	9.338743	.0001065	.0000473	.0035580	.0192824
#2	.0001831	.0003617	9.455278	.0006991	.0002300	.0031356	.0203935
#3	.0002083	.0003713	9.348717	.0008282	-.000113	.0036382	.0200994

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0491077	2.287853	.0032703	.0001415	212.8301	.0046348	.0207781
Stddev	.0006980	.023066	.0003540	.0005537	2.6574	.0011494	.0000896
%RSD	1.421371	1.008186	10.82425	391.4441	1.248580	24.79899	.4314530

#1	.0493394	2.262243	.0031899	.0000281	213.5870	.0033232	.0206857
#2	.0496604	2.306993	.0029634	.0007430	215.0269	.0051147	.0207839
#3	.0483233	2.294323	.0036575	-.000347	209.8764	.0054664	.0208647

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.377479	.0051557	.0003195	-.014587	-.001023	.3752886	.0013115
Stddev	.012175	.0009617	.0002695	.000452	.000663	.0014911	.0002178
%RSD	.8838380	18.65248	84.36810	3.097313	64.80562	.3973243	16.60337

#1	1.363772	.0043977	.0006111	-.014927	-.000365	.3768815	.0013561
#2	1.387035	.0062375	.0000796	-.014761	-.001692	.3750580	.0015036
#3	1.381631	.0048318	.0002676	-.014074	-.001014	.3739262	.0010750

Sample Name: Q3814-14 Acquired: 12/11/2025 19:23:42 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1107974	.0007747	.0389332
Stddev	.0038864	.0034216	.0003151
%RSD	3.507640	441.6476	.8093822
#1	.1095769	-.002957	.0389109
#2	.1076677	.003765	.0392588
#3	.1151475	.001516	.0386298

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2758.250	54662.65	7655.294	2075.470	3650.136
Stddev	14.543	337.95	54.793	17.969	12.316
%RSD	.5272570	.6182530	.7157505	.8657583	.3374009
#1	2741.502	54500.65	7690.186	2058.066	3636.426
#2	2767.689	54436.19	7592.141	2074.389	3660.262
#3	2765.559	55051.10	7683.556	2093.955	3653.722

Sample Name: Q3814-16 Acquired: 12/11/2025 19:28:03 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.002215	-.004429	.0041567	.0017746	-.000206	.2203373	.2136738
Stddev	.001127	.008183	.0005708	.0029508	.000415	.0068687	.0020570
%RSD	50.90776	184.7687	13.73216	166.2811	201.8080	3.117359	.9626821

#1	-.003340	-.005457	.0048156	.0051604	-.000642	.2258393	.2120497
#2	-.002218	.004220	.0038128	.0004127	-.000158	.2126390	.2129848
#3	-.001085	-.012049	.0038418	-.000249	.000183	.2225335	.2159868

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0001499	.0004934	6.497630	.0013844	-.000031	.0055656	.0328475
Stddev	.0000999	.0000620	.097992	.0005098	.000059	.0002803	.0059165
%RSD	66.64779	12.55650	1.508120	36.82187	189.9006	5.036026	18.01209

#1	.0001492	.0005588	6.402821	.0015476	.000019	.0056548	.0385091
#2	.0000503	.0004860	6.491549	.0008131	-.000016	.0052516	.0333280
#3	.0002502	.0004356	6.598521	.0017927	-.000096	.0057904	.0267054

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0332836	.7212167	.0025338	.0004781	257.4353	.0021705	.0426334
Stddev	.0006905	.0465585	.0003960	.0005753	3.0500	.0006726	.0001457
%RSD	2.074716	6.455553	15.62886	120.3172	1.184774	30.98905	.3417348

#1	.0325756	.6767472	.0021440	.0009993	259.9065	.0016182	.0427781
#2	.0333200	.7172875	.0029358	.0005742	258.3729	.0029196	.0426355
#3	.0339553	.7696152	.0025216	-.000139	254.0266	.0019739	.0424867

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5424160	.0132006	.0001579	-.017256	.0005188	.2312620	.0008813
Stddev	.0484339	.0011578	.0002817	.000429	.0010857	.0119411	.0002462
%RSD	8.929289	8.771126	178.4628	2.484578	209.2846	5.163439	27.93790

#1	.5304933	.0119099	.0004309	-.017377	.0017659	.2424182	.0006555
#2	.5010568	.0135438	.0001745	-.017612	-.000216	.2186665	.0008446
#3	.5956978	.0141480	-.000132	-.016780	.000007	.2327014	.0011439

Sample Name: Q3814-16 Acquired: 12/11/2025 19:28:03 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.2285545	.0026498	.0298298
Stddev	.0051076	.0038271	.0003173
%RSD	2.234725	144.4287	1.063885
#1	.2344472	.0002709	.0295039
#2	.2253980	.0006141	.0298477
#3	.2258182	.0070645	.0301378

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2755.828	54008.08	6938.322	2040.038	3629.905
Stddev	13.688	451.04	54.086	8.993	18.642
%RSD	.4967002	.8351366	.7795216	.4408045	.5135581
#1	2743.008	53595.67	6984.970	2029.672	3609.674
#2	2770.244	53938.83	6950.959	2044.693	3646.388
#3	2754.230	54489.74	6879.036	2045.748	3633.653

Sample Name: Q3815-02 Acquired: 12/11/2025 19:32:29 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.004841	-.002495	.0024206	.0050531	-.002052	.0321209	.2228934
Stddev	.003378	.001996	.0021770	.0038716	.001041	.0076853	.0020678
%RSD	69.76861	80.01355	89.93828	76.61791	50.75279	23.92613	.9277208
#1	-.008742	-.004800	.0048249	.0018986	-.003078	.0239860	.2206568
#2	-.002927	-.001326	.0018536	.0093738	-.000996	.0392595	.2247356
#3	-.002856	-.001359	.0005832	.0038870	-.002081	.0331172	.2232879
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000257	.0010841	28.07691	.0101738	.0003547	.0049054	.0700019
Stddev	.0000630	.0000506	.28939	.0004506	.0000943	.0004297	.0008631
%RSD	245.6506	4.665721	1.030694	4.428611	26.58114	8.760246	1.232991
#1	.0000173	.0010265	27.74677	.0106930	.0004140	.0053866	.0699751
#2	.0000924	.0011049	28.19722	.0099422	.0002460	.0045599	.0691526
#3	-.000033	.0011210	28.28673	.0098861	.0004041	.0047696	.0708782
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5759098	.6663452	.0071074	.0000833	261.7983	.0004040	.0353875
Stddev	.0043166	.0107402	.0004054	.0003226	2.4864	.0023200	.0002076
%RSD	.7495279	1.611812	5.704110	387.5204	.9497249	574.2738	.5865508
#1	.5712530	.6700511	.0071719	-.000284	258.9948	-.000261	.0351491
#2	.5766991	.6747418	.0066735	.000323	262.6644	-.001511	.0354853
#3	.5797773	.6542428	.0074766	.000210	263.7359	.002984	.0355281
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6345433	.0122105	.0006653	-.018193	-.001079	.5173451	.0015278
Stddev	.0409606	.0011676	.0000698	.000763	.000703	.0051006	.0001707
%RSD	6.455134	9.562412	10.49728	4.191765	65.15094	.9859146	11.17418
#1	.5984770	.0118649	.0005924	-.017580	-.001109	.5229509	.0016383
#2	.6260775	.0135119	.0007317	-.019047	-.001766	.5129778	.0013312
#3	.6790753	.0112547	.0006719	-.017951	-.000362	.5161066	.0016140

Sample Name: Q3815-02 Acquired: 12/11/2025 19:32:29 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1692703	.0018778	.0606684
Stddev	.0018665	.0043978	.0002404
%RSD	1.102657	234.2041	.3963080
#1	.1712869	-.000170	.0603933
#2	.1676033	-.001123	.0607736
#3	.1689208	.006926	.0608383

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2732.601	53427.37	7367.284	2030.380	3593.384
Stddev	20.991	125.46	47.963	4.624	29.905
%RSD	.7681720	.2348158	.6510233	.2277394	.8322307
#1	2712.068	53337.21	7415.820	2029.913	3565.232
#2	2731.714	53570.64	7319.916	2035.219	3590.140
#3	2754.022	53374.26	7366.115	2026.007	3624.778

Sample Name: Q3821-10 Acquired: 12/11/2025 19:36:55 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.002754	-.002359	.0017540	.0035535	-.001185	.0282968	.1526261
Stddev	.002156	.004888	.0010191	.0018440	.002347	.0044852	.0009927
%RSD	78.26672	207.1913	58.10055	51.89247	197.9747	15.85061	.6503789

#1	-.005044	-.000675	.0028677	.0021493	.001382	.0327476	.1533077
#2	-.002455	-.007867	.0008680	.0028695	-.003219	.0283649	.1514872
#3	-.000764	.001464	.0015264	.0056418	-.001719	.0237779	.1530833

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000020	.0002553	95.53007	.0026913	.0044380	.0001860	.0318795
Stddev	.000071	.0000184	.50686	.0001462	.0003271	.0003170	.0084909
%RSD	347.5659	7.197513	.5305721	5.431643	7.370699	170.4139	26.63437

#1	-.000103	.0002753	96.10263	.0025688	.0047962	.0003080	.0380992
#2	.000021	.0002512	95.34886	.0026521	.0043629	-.000174	.0222060
#3	.000020	.0002393	95.13873	.0028531	.0041550	.000424	.0353333

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3897671	4.541171	.0056083	.0003065	253.5284	.0008108	.0410991
Stddev	.0025671	.030110	.0007242	.0003415	3.3781	.0007573	.0003614
%RSD	.6586119	.6630443	12.91385	111.4441	1.332426	93.39391	.8794248

#1	.3924695	4.575046	.0064446	.0006992	250.0341	.0005406	.0414766
#2	.3873612	4.531015	.0051985	.0001411	253.7743	.0002257	.0410644
#3	.3894707	4.517453	.0051819	.0000790	256.7768	.0016661	.0407563

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.8536597	.0119761	.0006453	-.021781	-.004925	.3364436	.0014015
Stddev	.0479890	.0008285	.0002930	.000509	.001572	.0152824	.0001515
%RSD	5.621567	6.918189	45.40936	2.334955	31.91036	4.542340	10.81147

#1	.8546096	.0110246	.0005132	-.022097	-.004938	.3240688	.0013293
#2	.8052028	.0123654	.0004417	-.022051	-.006490	.3317359	.0012995
#3	.9011668	.0125382	.0009812	-.021194	-.003347	.3535259	.0015756

Sample Name: Q3821-10 Acquired: 12/11/2025 19:36:55 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.464056	.0244977	.1271949
Stddev	.021947	.0031614	.0008171
%RSD	1.499071	12.90485	.6424280
#1	1.484142	.0276732	.1281385
#2	1.467395	.0244694	.1267229
#3	1.440630	.0213506	.1267234

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2741.837	54585.99	6889.460	2092.600	3580.956
Stddev	19.798	131.29	14.757	10.821	30.111
%RSD	.7220791	.2405272	.2142002	.5171103	.8408785
#1	2722.053	54552.51	6872.487	2082.051	3550.316
#2	2741.809	54474.67	6896.633	2092.075	3582.041
#3	2761.649	54730.78	6899.260	2103.674	3610.510

Sample Name: CCV09 Acquired: 12/11/2025 19:41:21 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV09 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.675448	4.798887	4.927054	4.601104	4.625378	9.331197
Stddev	.025161	.088285	.045604	.022433	.030899	.049871
%RSD	.5381619	1.839688	.9255914	.4875634	.6680389	.5344518

#1	4.663488	4.706914	4.889066	4.586661	4.605790	9.280571
#2	4.658497	4.882951	4.914467	4.589704	4.609346	9.332743
#3	4.704359	4.806795	4.977631	4.626949	4.660999	9.380277

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.789858	2.385196	2.290456	23.61183	9.509845	2.284506
Stddev	.089581	.0010113	.021849	.14874	.0039145	.021437
%RSD	.9150378	.4239923	.9539281	.6299304	.4116218	.9383584

#1	9.686937	2.373978	2.270827	23.44012	9.481829	2.265289
#2	9.832362	2.387995	2.286545	23.70090	9.554572	2.280604
#3	9.850275	2.393614	2.313997	23.69446	9.493135	2.307626

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.152984	4.784205	2.380606	23.12525	2.527722	1.141344
Stddev	.010330	.052223	.017498	.14313	.020518	.006057
%RSD	.8959618	1.091566	.7350338	.6189549	.8117001	.5306711

#1	1.145520	4.731215	2.360601	22.96047	2.508626	1.143722
#2	1.148658	4.835625	2.393064	23.21878	2.525126	1.145851
#3	1.164774	4.785773	2.388153	23.19650	2.549414	1.134459

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	27.37289	2.358702	2.349323	22.72245	4.757419	4.808299
Stddev	.43216	.016894	.013107	.18200	.005716	.032194
%RSD	1.578785	.7162286	.5579199	.8009675	.1201568	.6695487

#1	26.88333	2.339650	2.351646	22.52893	4.751740	4.783609
#2	27.70136	2.364599	2.361114	22.89018	4.757344	4.796576
#3	27.53399	2.371856	2.335210	22.74824	4.763172	4.844712

Sample Name: CCV09 Acquired: 12/11/2025 19:41:21 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV09 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.726037	4.710263	F 4.420800	F .5029114	F 4.397994	4.821573
Stddev	.019861	.033358	.042716	.0039673	.035061	.069351
%RSD	.4202473	.7081998	.9662434	.7888611	.7972056	1.438344
#1	4.708976	4.671788	4.377981	.4988162	4.367774	4.741931
#2	4.721293	4.727919	4.463412	.5031809	4.389772	4.854150
#3	4.747840	4.731083	4.421006	.5067370	4.436435	4.868637

Elem	Sr4077
Units	ppm
Avg	4.851774
Stddev	.109461
%RSD	2.256093
#1	4.740476
#2	4.855545
#3	4.959300

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2779.012	56081.25	7099.680	2188.414	3663.896
Stddev	24.595	226.15	17.648	11.241	30.711
%RSD	.8850195	.4032602	.2485735	.5136698	.8381975
#1	2803.560	56102.78	7119.735	2186.039	3696.005
#2	2779.106	55845.10	7092.780	2178.550	3660.878
#3	2754.371	56295.87	7086.524	2200.653	3634.807

Sample Name: CCB09 Acquired: 12/11/2025 19:45:26 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB09 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.002495	-.005643	.0034284	-.000610	.0011113	.0033554	-.002372
Stddev	.003194	.000891	.0009482	.001174	.0015653	.0030306	.000491
%RSD	128.0133	15.78824	27.65873	192.3739	140.8527	90.32005	20.67822

#1	-.003938	-.005291	.0033609	-.000661	.0025677	.0065501	-.002250
#2	-.004714	-.006656	.0025156	-.001758	.0013099	.0029953	-.001955
#3	.001166	-.004982	.0044085	.000588	-.000544	.0005210	-.002913

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0002392	-.000010	-.000153	.0006235	-.000048	.0001109	.0050664
Stddev	.0000328	.000078	.002029	.0003424	.000157	.0005098	.0040669
%RSD	13.70985	798.2161	1329.407	54.90886	328.7792	459.7287	80.27233

#1	.0002689	-.000094	-.000779	.0009274	-.000127	-.000389	.0012954
#2	.0002449	.000058	.002116	.0002526	.000133	.000092	.0045282
#3	.0002040	.000007	-.001795	.0006905	-.000149	.000630	.0093756

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000733	.0128690	.0015826	.0006579	.2393633	.0018558	-.000189
Stddev	.000815	.0120283	.0002373	.0004565	.0571670	.0021177	.000537
%RSD	111.1767	93.46679	14.99527	69.38000	23.88292	114.1111	284.9261

#1	-.001626	-.000675	.0014219	.0011409	.1742511	.0003462	.000430
#2	-.000545	.016975	.0014708	.0002337	.2625198	.0009446	-.000453
#3	-.000028	.022307	.0018552	.0005992	.2813192	.0042766	-.000543

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1858377	.0030027	.0001950	-.005182	-.000412	-.016601	-.000015
Stddev	.0732041	.0007518	.0004442	.000914	.000310	.004900	.000259
%RSD	39.39141	25.03699	227.7751	17.64210	75.30960	29.51689	1763.022

#1	.1344496	.0038333	.0000513	-.004740	-.000372	-.014005	.000002
#2	.1534087	.0028060	.0006933	-.006233	-.000741	-.013546	.000236
#3	.2696548	.0023688	-.000160	-.004573	-.000124	-.022253	-.000282

Sample Name: CCB09 Acquired: 12/11/2025 19:45:26 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB09 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.009538	.0021575	.0001928
Stddev	.006184	.0016632	.0000558
%RSD	64.82885	77.09011	28.93720

#1	-.008693	.0003290	.0002457
#2	-.003821	.0035803	.0001345
#3	-.016101	.0025632	.0001983

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2861.543	55872.14	7251.945	2176.919	4022.766
Stddev	5.463	95.25	75.010	12.004	8.073
%RSD	.1909126	.1704718	1.034343	.5514101	.2006706

#1	2864.819	55877.83	7337.929	2188.894	4030.854
#2	2864.574	55774.17	7217.988	2176.975	4022.733
#3	2855.237	55964.41	7199.920	2164.887	4014.709

Sample Name: Q3826-02 Acquired: 12/11/2025 19:49:46 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.003857	-.000883	.0065124	.0050174	-.000272	.0742912	.3242673
Stddev	.002077	.001421	.0003398	.0038063	.001025	.0034139	.0022839
%RSD	53.84282	160.9130	5.217512	75.86187	377.4968	4.595232	.7043104

#1	-.003608	-.000242	.0062358	.0018334	-.000297	.0779033	.3217595
#2	-.006047	.000105	.0064097	.0092331	.000766	.0738521	.3248146
#3	-.001916	-.002512	.0068917	.0039856	-.001284	.0711181	.3262277

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0001460	.0002824	28.01779	.0001324	-.000244	.0070600	.0191169
Stddev	.0000488	.0000514	.15339	.0001784	.000357	.0002723	.0063293
%RSD	33.43076	18.19156	.5474897	134.7567	146.2398	3.857527	33.10820

#1	.0001444	.0003241	27.84551	.0002984	.000114	.0069788	.0118141
#2	.0000980	.0002981	28.06828	-.000056	-.000247	.0073637	.0230151
#3	.0001955	.0002250	28.13957	.000155	-.000600	.0068376	.0225216

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1334583	1.743386	.0029768	.0002955	300.9388	.0016477	.0503475
Stddev	.0007300	.046243	.0002960	.0003936	5.7306	.0025208	.0000625
%RSD	.5469601	2.652486	9.943746	133.1921	1.904246	152.9825	.1241049

#1	.1330968	1.691391	.0032466	.0006756	294.3236	-.000876	.0503645
#2	.1329796	1.758858	.0030235	-.000110	304.1071	.004166	.0502782
#3	.1342985	1.779910	.0026602	.000321	304.3857	.001654	.0503996

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.301693	.0243441	.0004585	-.019254	-.000904	.7706154	.0016325
Stddev	.024838	.0011128	.0002666	.000338	.001359	.0089551	.0002894
%RSD	1.908117	4.571094	58.14432	1.753049	150.2360	1.162067	17.72501

#1	1.274162	.0244445	.0007588	-.019631	.000632	.7692436	.0015991
#2	1.322418	.0254033	.0003668	-.018979	-.001399	.7624253	.0013613
#3	1.308500	.0231845	.0002498	-.019153	-.001947	.7801772	.0019371

Sample Name: Q3826-02 Acquired: 12/11/2025 19:49:46 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1589579	.0039150	.0794541
Stddev	.0030347	.0024907	.0003476
%RSD	1.909108	63.62036	.4375290
#1	.1623751	.0067712	.0791121
#2	.1565775	.0027798	.0794432
#3	.1579210	.0021941	.0798071

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2644.329	52560.28	7197.248	1998.243	3448.237
Stddev	2.942	140.80	26.567	2.295	1.990
%RSD	.1112565	.2678914	.3691318	.1148516	.0577208
#1	2647.392	52722.58	7227.016	2000.279	3449.553
#2	2641.525	52470.73	7175.943	1998.695	3445.947
#3	2644.069	52487.54	7188.786	1995.756	3449.210

Sample Name: Q3826-04 Acquired: 12/11/2025 19:54:13 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000576	-.002339	.0061663	.0015674	-.001067	.0947195	.2552721
Stddev	.002066	.007288	.0034546	.0018068	.000652	.0050020	.0008460
%RSD	358.4468	311.5356	56.02476	115.2712	61.05353	5.280902	.3314207

#1	.000584	.005225	.0053052	.0026301	-.000874	.0984513	.2556100
#2	-.002962	-.009315	.0099700	-.000519	-.000534	.0890358	.2543093
#3	.000648	-.002928	.0032236	.002591	-.001794	.0966713	.2558970

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000911	.0008875	18.50436	.0015026	-.000008	.0073288	.0272042
Stddev	.0000683	.0000259	.06429	.0004606	.000295	.0003170	.0079224
%RSD	74.98376	2.920237	.3474284	30.65213	3795.703	4.325065	29.12186

#1	.0000805	.0009165	18.48987	.0017585	.000223	.0074389	.0352455
#2	.0001642	.0008798	18.57465	.0017785	.000094	.0069714	.0269608
#3	.0000288	.0008664	18.44854	.0009709	-.000340	.0075760	.0194064

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1110470	1.433326	.0040948	.0003415	285.0797	.0029740	.0626829
Stddev	.0003296	.023098	.0004656	.0003896	.7621	.0039759	.0005616
%RSD	.2967953	1.611496	11.37030	114.0785	.2673408	133.6907	.8959728

#1	.1110979	1.418919	.0043750	.0006760	284.2014	-.000468	.0627447
#2	.1113481	1.459967	.0043521	.0004348	285.5673	.007326	.0620930
#3	.1106949	1.421090	.0035574	-.000086	285.4704	.002064	.0632111

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.9703026	.0226544	.0004622	-.018258	.0001118	.5398783	.0013180
Stddev	.0370039	.0005521	.0000923	.000528	.0003878	.0057680	.0001229
%RSD	3.813649	2.437191	19.97106	2.892552	346.9551	1.068397	9.323813

#1	.9786771	.0221061	.0005395	-.018470	-.000253	.5376634	.0014488
#2	1.002402	.0226468	.0003600	-.018647	.000069	.5355460	.0012050
#3	.929829	.0232102	.0004869	-.017657	.000519	.5464255	.0013001

Sample Name: Q3826-04 Acquired: 12/11/2025 19:54:13 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1748688	.0007830	.0695336
Stddev	.0023144	.0019870	.0001281
%RSD	1.323486	253.7562	.1842594
#1	.1721993	-.001026	.0696687
#2	.1760975	.000465	.0695184
#3	.1763097	.002910	.0694138

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2697.285	53240.15	7206.240	2041.546	3530.167
Stddev	12.118	120.06	39.183	11.342	14.560
%RSD	.4492541	.2255137	.5437311	.5555496	.4124550
#1	2706.406	53133.23	7207.519	2030.889	3541.042
#2	2701.914	53217.19	7166.434	2053.467	3535.833
#3	2683.535	53370.04	7244.768	2040.282	3513.625

Sample Name: Q3826-06 Acquired: 12/11/2025 19:58:39 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.003015	-.003170	.0073153	.0041529	-.002261	.0797743	.2756223
Stddev	.002529	.004859	.0004891	.0018273	.000861	.0069699	.0005583
%RSD	83.90340	153.2642	6.685608	44.00130	38.09801	8.737019	.2025571

#1	-.004598	.001016	.0078792	.0020503	-.002097	.0826711	.2751269
#2	-.000097	-.002029	.0070072	.0050508	-.001494	.0848286	.2755127
#3	-.004349	-.008498	.0070594	.0053576	-.003193	.0718231	.2762273

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0001325	.0006809	16.92378	.0010196	-.000148	.0096024	.0317214
Stddev	.0000273	.0000603	.06870	.0000967	.000135	.0002028	.0060925
%RSD	20.57701	8.851495	.4059623	9.488283	91.39006	2.112430	19.20613

#1	.0001195	.0007190	16.85131	.0009189	.000001	.0093758	.0296387
#2	.0001141	.0006114	16.93206	.0011118	-.000183	.0097670	.0269434
#3	.0001638	.0007122	16.98797	.0010280	-.000262	.0096645	.0385821

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0901525	1.914859	.0048118	-.000035	266.0653	.0028003	.0588480
Stddev	.0004153	.027518	.0002208	.000429	5.5230	.0015218	.0007520
%RSD	.4606169	1.437073	4.588861	1227.185	2.075813	54.34333	1.277863

#1	.0898711	1.905537	.0048750	-.000433	259.6883	.0044348	.0585312
#2	.0906294	1.893214	.0049941	-.000092	269.1889	.0014243	.0583064
#3	.0899569	1.945828	.0045663	.000420	269.3187	.0025420	.0597066

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.9399026	.0291124	.0007040	-.019238	.0000525	.6557806	.0012010
Stddev	.0403129	.0008803	.0003196	.000575	.0011273	.0111725	.0001324
%RSD	4.289049	3.023686	45.39497	2.990064	2146.136	1.703692	11.02347

#1	.9857395	.0292092	.0004103	-.018658	-.000856	.6539630	.0010497
#2	.9240101	.0281878	.0006574	-.019808	-.000300	.6456283	.0012959
#3	.9099582	.0299403	.0010443	-.019248	.001314	.6677504	.0012573

Sample Name: Q3826-06 Acquired: 12/11/2025 19:58:39 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1617735	-.000242	.0594495
Stddev	.0051225	.002670	.0001543
%RSD	3.166457	1102.511	.2595193
#1	.1587118	-.002611	.0593292
#2	.1589214	.002652	.0593960
#3	.1676872	-.000768	.0596235

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2782.067	54626.35	7238.134	2103.507	3659.263
Stddev	23.741	26.48	3.073	7.253	27.855
%RSD	.8533598	.0484789	.0424520	.3448077	.7612324
#1	2809.147	54622.85	7235.678	2107.199	3691.371
#2	2772.219	54601.79	7241.580	2095.150	3644.857
#3	2764.835	54654.40	7237.144	2108.171	3641.561

Sample Name: Q3826-08 Acquired: 12/11/2025 20:03:06 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.005485	-.000906	.0014230	.0040199	-.001748	.0505043	.3452420
Stddev	.004033	.002644	.0012655	.0021885	.003740	.0145342	.0057038
%RSD	73.52341	291.8164	88.92607	54.44228	213.9367	28.77824	1.652112

#1	-.002256	-.003935	.0022968	.0019901	-.004385	.0663405	.3386787
#2	-.010006	.000272	.0020004	.0037311	.002532	.0377743	.3489981
#3	-.004193	.000945	-.000028	.0063385	-.003391	.0473980	.3480492

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000007	.0022565	104.7796	.0013711	.0000058	.0063820	.0183939
Stddev	.000043	.0001207	.9991	.0001692	.0001141	.0006449	.0061977
%RSD	576.1108	5.347085	.9535145	12.34336	1967.066	10.10496	33.69419

#1	.000031	.0022273	103.6260	.0011760	-.000118	.0061473	.0227382
#2	-.000054	.0023890	105.3581	.0014592	.000107	.0058873	.0112967
#3	.000001	.0021531	105.3548	.0014782	.000028	.0071114	.0211467

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1979856	2.255958	.0025778	.0001980	282.0856	.0013428	.0910289
Stddev	.0033316	.056045	.0003105	.0000818	2.8556	.0027301	.0003613
%RSD	1.682737	2.484290	12.04450	41.31768	1.012304	203.3118	.3968558

#1	.1941442	2.194426	.0029182	.0002777	279.7745	.0043171	.0913434
#2	.1997264	2.269367	.0025048	.0001142	281.2044	-.001049	.0911089
#3	.2000861	2.304083	.0023103	.0002023	285.2779	.000761	.0906343

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.459075	.0200773	.0005113	-.022666	-.004867	1.831120	.0019550
Stddev	.042989	.0002171	.0005267	.001234	.000646	.016381	.0001272
%RSD	2.946309	1.081151	103.0127	5.445208	13.26601	.8945690	6.505434

#1	1.508161	.0198690	.0000034	-.021386	-.004717	1.832661	.0019702
#2	1.428133	.0203022	.0004755	-.022764	-.004310	1.814024	.0020739
#3	1.440930	.0200606	.0010551	-.023848	-.005575	1.846677	.0018209

Sample Name: Q3826-08 Acquired: 12/11/2025 20:03:06 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.057754	.0284446	.6150636
Stddev	.006059	.0039387	.0076868
%RSD	.5728597	13.84679	1.249761

#1	1.052179	.0239252	.6062320
#2	1.056881	.0311453	.6187115
#3	1.064203	.0302634	.6202472

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2653.964	53753.56	7163.521	2040.712	3459.968
Stddev	4.850	216.62	52.190	12.081	4.634
%RSD	.1827295	.4029785	.7285462	.5920011	.1339296

#1	2656.859	53617.81	7223.635	2027.787	3463.352
#2	2656.667	54003.37	7137.134	2051.721	3461.865
#3	2648.365	53639.49	7129.793	2042.627	3454.686

Sample Name: Q3826-14 Acquired: 12/11/2025 20:07:33 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.002035	-.003362	.0026019	.0011065	-.001130	.1172144	.1990634
Stddev	.003596	.004145	.0012388	.0023344	.001701	.0093761	.0011690
%RSD	176.7485	123.2702	47.61037	210.9691	150.5279	7.999077	.5872567

#1	-.006186	.000577	.0036392	-.001587	-.000193	.1258275	.1979517
#2	-.000028	-.007686	.0012303	.002553	-.003094	.1072271	.1989562
#3	.000110	-.002979	.0029362	.002353	-.000104	.1185888	.2002823

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000059	.0004076	12.29573	.0008594	.0030738	.0054081	6.502923
Stddev	.000013	.0001092	.03480	.0000309	.0003409	.0003561	.028185
%RSD	21.66447	26.79321	.2830561	3.591329	11.09189	6.584539	.4334224

#1	-.000059	.0003461	12.25881	.0008389	.0027178	.0055364	6.478587
#2	-.000047	.0005336	12.32793	.0008949	.0033974	.0056823	6.496378
#3	-.000072	.0003429	12.30045	.0008443	.0031061	.0050057	6.533805

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.883182	.7715067	.0027516	.0009744	332.7704	.0012371	.0406059
Stddev	.006264	.0077392	.0005001	.0005927	1.1272	.0011322	.0004226
%RSD	.3326072	1.003128	18.17679	60.83066	.3387467	91.51716	1.040686

#1	1.876315	.7735991	.0025672	.0013405	332.1711	.0023198	.0406695
#2	1.888582	.7779846	.0023698	.0012921	334.0707	.0013303	.0409931
#3	1.884649	.7629364	.0033177	.0002905	332.0693	.0000612	.0401551

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.9562124	.0734406	.0007214	-.018707	.0017284	.6978861	.0031547
Stddev	.0471906	.0010945	.0000545	.000749	.0014991	.0110268	.0003541
%RSD	4.935160	1.490368	7.557605	4.005782	86.73031	1.580035	11.22346

#1	.9950756	.0734006	.0006829	-.017922	.0032639	.6855734	.0031453
#2	.9698595	.0723666	.0006976	-.018784	.0002687	.7068512	.0028054
#3	.9037022	.0745546	.0007838	-.019415	.0016527	.7012336	.0035134

Sample Name: Q3826-14 Acquired: 12/11/2025 20:07:33 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1729069	-.001146	.0487635
Stddev	.0029513	.000839	.0004397
%RSD	1.706868	73.20933	.9017605

#1	.1729938	-.001163	.0483017
#2	.1699130	-.001977	.0491773
#3	.1758137	-.000299	.0488114

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2734.814	53948.93	7505.540	2090.875	3568.351
Stddev	22.987	188.08	5.735	1.840	30.625
%RSD	.8405492	.3486177	.0764142	.0880081	.8582338

#1	2709.266	54106.72	7504.788	2088.991	3533.954
#2	2753.825	53999.26	7500.218	2092.668	3592.658
#3	2741.351	53740.81	7511.614	2090.967	3578.440

Sample Name: Q3826-14DUP Acquired: 12/11/2025 20:11:58 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0003028	-.002298	.0036937	.0037249	-.000042	.1163215	.1976436
Stddev	.0022209	.000889	.0012523	.0030405	.000632	.0031077	.0017433
%RSD	733.4271	38.67974	33.90366	81.62671	1491.638	2.671606	.8820337
#1	-.001760	-.001283	.0050931	.0069519	-.000538	.1133287	.1957179
#2	.000014	-.002936	.0033098	.0033092	.000669	.1195325	.1980988
#3	.002654	-.002677	.0026784	.0009136	-.000258	.1161033	.1991141
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000115	.0002347	12.27194	.0010512	.0028784	.0056989	6.342963
Stddev	.0000453	.0000530	.01870	.0000750	.0001143	.0003950	.032110
%RSD	393.8652	22.55656	.1523774	7.130555	3.969407	6.931036	.5062374
#1	.0000636	.0001787	12.25145	.0010461	.0027813	.0055449	6.321599
#2	-.000018	.0002415	12.28809	.0009789	.0028497	.0054041	6.327401
#3	-.000011	.0002840	12.27629	.0011285	.0030043	.0061477	6.379889
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.881626	.7878174	.0029557	.0015776	319.2848	.0018616	.0402571
Stddev	.005122	.0139370	.0003966	.0000747	3.6048	.0014301	.0005850
%RSD	.2722223	1.769061	13.41685	4.737800	1.129036	76.82003	1.453069
#1	1.876199	.8034685	.0030013	.0015683	315.1427	.0002178	.0402774
#2	1.882302	.7767481	.0025383	.0016565	320.9990	.0028194	.0396622
#3	1.886377	.7832357	.0033275	.0015079	321.7127	.0025475	.0408316
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.9481014	.0719821	.0002241	-.018246	.0008626	.6836580	.0028649
Stddev	.0232607	.0009374	.0003736	.000874	.0010761	.0113159	.0001516
%RSD	2.453396	1.302308	166.7050	4.789619	124.7641	1.655195	5.290522
#1	.9432593	.0709499	.0003478	-.017368	.0011116	.6750418	.0027138
#2	.9276429	.0727805	-.000196	-.019115	.0017924	.6964731	.0030170
#3	.9734020	.0722158	.000520	-.018256	-.000316	.6794590	.0028638

Sample Name: Q3826-14DUP Acquired: 12/11/2025 20:11:58 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1637000	-.000441	.0489608
Stddev	.0066385	.001240	.0001799
%RSD	4.055273	281.1013	.3675066

#1	.1695679	.000073	.0487704
#2	.1650374	.000459	.0491281
#3	.1564946	-.001856	.0489840

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2773.660	54779.25	7420.309	2105.145	3621.308
Stddev	24.729	52.29	9.128	3.839	39.700
%RSD	.8915567	.0954475	.1230163	.1823570	1.096295

#1	2745.284	54768.80	7421.707	2107.659	3576.199
#2	2790.609	54732.98	7428.658	2100.727	3650.932
#3	2785.086	54835.97	7410.563	2107.050	3636.793

Sample Name: Q3826-14LX5 Acquired: 12/11/2025 20:16:24 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001966	-.002950	.0011532	-.001134	.0000556	.0293951	.0437194
Stddev	.001451	.003486	.0010347	.001486	.0014298	.0055208	.0014688
%RSD	73.76335	118.1797	89.72237	131.0391	2573.085	18.78145	3.359691

#1	-.003437	-.005628	.0011632	-.000483	-.001585	.0332777	.0432196
#2	-.000537	-.004213	.0001136	-.002835	.001037	.0230750	.0453729
#3	-.001925	.000992	.0021829	-.000085	.000715	.0318325	.0425656

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000158	.0000616	2.802402	.0003636	.0007862	.0017032	1.463958
Stddev	.0000529	.0000336	.015781	.0003967	.0000771	.0003398	.010108
%RSD	334.8517	54.52026	.5631078	109.0872	9.810432	19.95281	.6904615

#1	-.000043	.0000609	2.785642	.0000334	.0007179	.0020287	1.473831
#2	.000059	.0000284	2.816974	.0002538	.0007709	.0013507	1.453630
#3	.000032	.0000955	2.804591	.0008036	.0008698	.0017302	1.464413

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.4357980	.1479705	.0013412	.0004497	72.65720	.0013256	.0084038
Stddev	.0020088	.0093280	.0002643	.0008015	.22656	.0011074	.0005055
%RSD	.4609405	6.303984	19.70737	178.2132	.3118152	83.53537	6.015055

#1	.4334822	.1372959	.0015747	.0011374	72.80934	.0016257	.0089359
#2	.4370696	.1520618	.0013946	-.000431	72.39682	.0000992	.0079300
#3	.4368422	.1545537	.0010542	.000642	72.76542	.0022520	.0083457

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2874040	.0166852	-.000020	-.009147	.0004574	.1286678	.0006171
Stddev	.0649398	.0006259	.000107	.001237	.0006222	.0048581	.0001864
%RSD	22.59529	3.751437	546.1987	13.52560	136.0440	3.775707	30.20422

#1	.2221515	.0170367	.000075	-.009545	.0005255	.1340242	.0008324
#2	.2880339	.0170564	.000002	-.007759	-.000196	.1245462	.0005112
#3	.3520265	.0159626	-.000136	-.010136	.001043	.1274331	.0005078

Sample Name: Q3826-14LX5 Acquired: 12/11/2025 20:16:24 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0342114	.0010214	.0111382
Stddev	.0017228	.0049383	.0001052
%RSD	5.035638	483.4741	.9441241

#1	.0361860	-.002808	.0110973
#2	.0334327	-.000723	.0112576
#3	.0330154	.006595	.0110596

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2825.348	56261.93	7368.938	2182.042	3788.935
Stddev	16.628	292.34	38.403	2.815	31.257
%RSD	.5885123	.5196104	.5211524	.1290216	.8249642

#1	2808.556	55924.91	7383.418	2181.031	3754.335
#2	2841.806	56447.06	7325.400	2179.872	3815.132
#3	2825.683	56413.82	7397.996	2185.223	3797.339

Sample Name: Q3826-14MS Acquired: 12/11/2025 20:20:41 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7619878	1.619470	.8719567	1.857909	.7403420	1.937988	.3934783
Stddev	.0048467	.014772	.0039140	.013499	.0026444	.028859	.0053422
%RSD	.6360588	.9121610	.4488740	.7265668	.3571903	1.489098	1.357680
#1	.7586342	1.627852	.8725644	1.873352	.7414072	1.905015	.3874898
#2	.7675447	1.628144	.8755313	1.848357	.7422877	1.950304	.3977539
#3	.7597844	1.602413	.8677744	1.852017	.7373311	1.958645	.3951914
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1751997	.1837400	13.87837	.3780206	.1872882	.2713265	9.479524
Stddev	.0019328	.0007436	.18217	.0014494	.0010059	.0016496	.046712
%RSD	1.103198	.4047148	1.312616	.3834108	.5370583	.6079939	.4927686
#1	.1730212	.1844511	13.66876	.3766282	.1882343	.2725083	9.446499
#2	.1758691	.1838012	13.99849	.3779126	.1873985	.2694418	9.532970
#3	.1767088	.1829677	13.96786	.3795209	.1862318	.2720294	9.459104
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.173131	2.601115	.4560889	.0682641	347.6927	.2825763	.2385467
Stddev	.024782	.048694	.0013729	.0006031	6.2369	.0039504	.0008425
%RSD	1.140396	1.872059	.3010228	.8834422	1.793800	1.397994	.3531729
#1	2.144567	2.545867	.4571980	.0689544	340.5908	.2790607	.2386084
#2	2.188907	2.637790	.4565153	.0679985	350.2091	.2868513	.2376751
#3	2.185919	2.619687	.4545533	.0678395	352.2783	.2818170	.2393567
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	10.69635	.3299514	.4012369	.6444137	.1851557	1.582400	.5977309
Stddev	.09256	.0022845	.0014881	.0013292	.0013865	.016219	.0038483
%RSD	.8653686	.6923832	.3708858	.2062679	.7488414	1.024966	.6438262
#1	10.59258	.3273883	.4029359	.6453805	.1837346	1.564846	.6009582
#2	10.77041	.3306925	.4001648	.6449628	.1865048	1.596829	.5987626
#3	10.72607	.3317733	.4006099	.6428980	.1852277	1.585525	.5934719

Sample Name: Q3826-14MS Acquired: 12/11/2025 20:20:41 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1768886	.1769739	.2328376
Stddev	.0023033	.0026166	.0031217
%RSD	1.302110	1.478513	1.340731

#1	.1766376	.1771506	.2292367
#2	.1747211	.1742735	.2344964
#3	.1793071	.1794977	.2347798

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2669.124	52642.10	7220.997	2002.854	3479.157
Stddev	8.962	322.83	81.053	7.252	9.518
%RSD	.3357816	.6132635	1.122469	.3620653	.2735810

#1	2658.828	52910.28	7314.250	2009.098	3472.940
#2	2673.373	52283.77	7167.469	1994.900	3474.416
#3	2675.172	52732.25	7181.274	2004.565	3490.115

Sample Name: Q3826-14MSD Acquired: 12/11/2025 20:24:54 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7118098	1.515273	.8207734	1.731693	.6881605	1.833123	.3696113
Stddev	.0104263	.007035	.0043726	.016606	.0069274	.013745	.0019602
%RSD	1.464761	.4642768	.5327368	.9589528	1.006659	.7498082	.5303417
#1	.7083538	1.510832	.8166446	1.723564	.6832467	1.820500	.3674530
#2	.7035503	1.523384	.8203210	1.720717	.6851512	1.847766	.3701001
#3	.7235253	1.511604	.8253545	1.750797	.6960837	1.831101	.3712809
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1656105	.1722491	13.08707	.3517314	.1758368	.2533580	8.860201
Stddev	.0008805	.0009885	.09363	.0022941	.0012054	.0016864	.022651
%RSD	.5316934	.5738721	.7154077	.6522164	.6854946	.6656176	.2556447
#1	.1648777	.1720287	12.98017	.3543129	.1764091	.2526523	8.837827
#2	.1665873	.1713894	13.15449	.3509550	.1744519	.2521390	8.859659
#3	.1653664	.1733292	13.12655	.3499262	.1766493	.2552826	8.883118
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.049569	2.448231	.4270943	.0638101	321.3191	.2685894	.2211326
Stddev	.011588	.018191	.0022665	.0010575	2.3346	.0045451	.0005060
%RSD	.5653912	.7430151	.5306815	1.657302	.7265633	1.692215	.2288333
#1	2.037830	2.428071	.4257945	.0626191	319.0523	.2637633	.2205932
#2	2.061000	2.453204	.4257769	.0641725	323.7160	.2692167	.2212078
#3	2.049877	2.463417	.4297114	.0646388	321.1889	.2727883	.2215968
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.851367	.3107374	.3771978	.6065140	.1749189	1.480987	.5591466
Stddev	.048663	.0010059	.0031285	.0043208	.0012570	.017819	.0023529
%RSD	.4939708	.3237044	.8293968	.7124002	.7186145	1.203159	.4208023
#1	9.795330	.3118568	.3753932	.6050847	.1740059	1.460424	.5601678
#2	9.875782	.3104458	.3753899	.6030890	.1763526	1.490646	.5564556
#3	9.882988	.3099095	.3808102	.6113684	.1743984	1.491891	.5608163

Sample Name: Q3826-14MSD Acquired: 12/11/2025 20:24:54 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1643915	.1660624	.2183185
Stddev	.0024378	.0033696	.0013237
%RSD	1.482945	2.029099	.6062930

#1	.1624412	.1643002	.2167902
#2	.1636088	.1699476	.2191028
#3	.1671246	.1639393	.2190623

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2824.560	55426.47	7502.683	2124.309	3681.604
Stddev	15.842	72.17	37.352	15.805	16.188
%RSD	.5608714	.1302113	.4978471	.7439913	.4396904

#1	2833.219	55454.66	7530.887	2141.721	3687.138
#2	2834.185	55344.46	7460.322	2110.870	3694.299
#3	2806.275	55480.30	7516.840	2120.335	3663.375

Sample Name: Q3826-14A Acquired: 12/11/2025 20:29:06 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7091835	1.514916	.8233289	1.747979	.7050212	1.821008	.3686651
Stddev	.0131272	.067872	.0118471	.027565	.0105308	.004253	.0037777
%RSD	1.851031	4.480236	1.438927	1.576952	1.493678	.2335476	1.024706

#1	.7041806	1.448339	.8184630	1.741956	.7010036	1.816532	.3695486
#2	.6992933	1.512395	.8146896	1.723924	.6970906	1.824996	.3645239
#3	.7240765	1.584012	.8368342	1.778057	.7169693	1.821496	.3719228

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1651702	.1730491	13.05326	.3493206	.1761771	.2554439	8.701125
Stddev	.0002160	.0024699	.08739	.0031603	.0026916	.0037169	.066509
%RSD	.1307618	1.427258	.6695164	.9047031	1.527753	1.455062	.7643712

#1	.1653073	.1720118	12.97588	.3499189	.1754115	.2548632	8.656994
#2	.1649212	.1712671	13.03586	.3521391	.1739512	.2520516	8.777622
#3	.1652820	.1758685	13.14805	.3459039	.1791685	.2594170	8.668759

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.039455	2.442563	.4308268	.0610558	319.6511	.2664401	.2224137
Stddev	.013946	.008246	.0064194	.0003750	3.8360	.0029824	.0013030
%RSD	.6837940	.3376000	1.490013	.6141577	1.200063	1.119350	.5858337

#1	2.033190	2.440037	.4275954	.0609297	315.2804	.2690581	.2223954
#2	2.029740	2.451776	.4266653	.0614775	322.4595	.2631936	.2237258
#3	2.055434	2.435875	.4382198	.0607601	321.2132	.2670688	.2211200

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.575125	.3159231	.3844240	.6169111	.1756290	1.470312	.5600284
Stddev	.145853	.0017610	.0064943	.0103937	.0006108	.026812	.0065311
%RSD	1.523247	.5574033	1.689367	1.684789	.3477668	1.823561	1.166204

#1	9.435772	.3167431	.3820981	.6130134	.1757491	1.478832	.5565839
#2	9.726707	.3139016	.3794129	.6090298	.1749671	1.491830	.5559407
#3	9.562897	.3171245	.3917610	.6286903	.1761708	1.440276	.5675607

Sample Name: Q3826-14A Acquired: 12/11/2025 20:29:06 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1692868	.1676905	.2166539
Stddev	.0099666	.0031790	.0017076
%RSD	5.887411	1.895729	.7881674
#1	.1732687	.1665184	.2154079
#2	.1579448	.1652641	.2159535
#3	.1766468	.1712891	.2186003

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2728.493	54546.04	7291.407	2083.221	3557.238
Stddev	37.650	382.45	45.032	16.743	43.337
%RSD	1.379894	.7011458	.6176026	.8037033	1.218282
#1	2745.555	54472.39	7280.610	2090.146	3579.117
#2	2754.591	54205.77	7340.856	2064.127	3585.273
#3	2685.332	54959.96	7252.755	2095.391	3507.323

Sample Name: CCV10 Acquired: 12/11/2025 20:33:17 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV10 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.829247	4.936476	5.013419	4.824989	4.752879	9.151406
Stddev	.024934	.068392	.019274	.025224	.016677	.176090
%RSD	.5163109	1.385433	.3844462	.5227683	.3508731	1.924184

#1	4.853079	4.887122	5.028435	4.852325	4.769548	8.950480
#2	4.803341	5.014543	4.991685	4.802615	4.736195	9.224864
#3	4.831320	4.907763	5.020136	4.820028	4.752893	9.278874

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.288948	2.311554	2.354410	23.00439	9.9306717	2.325703
Stddev	.170872	.0031998	.006545	.36426	.0012863	.006660
%RSD	1.839516	1.384246	.2779915	1.583456	.1382104	.2863656

#1	9.094206	2.2274609	2.358123	22.58398	9.9296327	2.330607
#2	9.413773	2.2330432	2.346853	23.20319	9.9321104	2.318121
#3	9.358867	2.2329621	2.358255	23.22600	9.9302721	2.328382

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.178800	4.933720	2.255517	22.63903	2.583495	1.171324
Stddev	.004815	.047694	.041223	.36895	.008728	.002151
%RSD	.4084488	.9666924	1.827673	1.629696	.3378308	.1836710

#1	1.180110	4.880192	2.208108	22.21797	2.588546	1.171649
#2	1.173465	4.949269	2.282915	22.79341	2.573417	1.173294
#3	1.182824	4.971699	2.275528	22.90572	2.588522	1.169028

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	27.43879	2.323155	2.409399	23.51617	4.538951	4.840426
Stddev	.38932	.042302	.012714	.23747	.058024	.019233
%RSD	1.418860	1.820892	.5276683	1.009805	1.278359	.3973407

#1	27.00125	2.274757	2.416451	23.24672	4.472683	4.860567
#2	27.74695	2.353068	2.417024	23.60687	4.563531	4.822252
#3	27.56817	2.341641	2.394722	23.69492	4.580639	4.838459

Sample Name: CCV10 Acquired: 12/11/2025 20:33:17 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV10 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.775659	4.535054	4.693461	F .5124692	4.593181	F 4.339005
Stddev	.017043	.073839	.046672	.0015273	.012312	.100507
%RSD	.3568751	1.628193	.9944046	.2980315	.2680504	2.316366
#1	4.795237	4.449813	4.644737	.5140282	4.592507	4.223155
#2	4.764133	4.579324	4.697880	.5109757	4.581220	4.402915
#3	4.767609	4.576024	4.737767	.5124038	4.605816	4.390945
Elem	Sr4077					
Units	ppm					
Avg	4.668855					
Stddev	.120898					
%RSD	2.589457					
#1	4.529485					
#2	4.731591					
#3	4.745490					
Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306	
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	
Avg	2757.661	55468.15	7608.871	2101.540	3631.722	
Stddev	11.826	59.88	96.716	6.861	13.955	
%RSD	.4288447	.1079624	1.271098	.3264708	.3842474	
#1	2752.632	55490.44	7717.210	2101.519	3624.129	
#2	2771.171	55513.70	7578.177	2094.689	3647.827	
#3	2749.181	55400.32	7531.227	2108.411	3623.211	

Sample Name: CCB10 Acquired: 12/11/2025 20:37:26 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB10 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000531	-.006386	.0023371	.0000761	-.000815	.0018490	-.000900
Stddev	.004004	.002316	.0006470	.0032795	.001947	.0120710	.000246
%RSD	754.1311	36.27020	27.68482	4308.639	238.8737	652.8269	27.32463

#1	-.005137	-.008689	.0015902	.0033970	-.003046	-.001769	-.000640
#2	.002121	-.004057	.0026955	-.003160	.000061	-.007999	-.001129
#3	.001423	-.006410	.0027256	-.000008	.000540	.015315	-.000930

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0002335	-.000020	-.004832	-.000009	.0001679	-.000099	.0078040
Stddev	.0000355	.000100	.005283	.000216	.0002311	.000373	.0078518
%RSD	15.20223	495.6486	109.3360	2287.798	137.6097	376.1199	100.6124

#1	.0001926	.000087	-.010871	.000126	-.000077	-.000530	.0120298
#2	.0002564	-.000112	-.002559	-.000259	.000200	.000101	-.001256
#3	.0002514	-.000035	-.001065	.000104	.000382	.000131	.012638

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000330	-.008880	.0013689	.0004164	.3259511	.0013250	.0000290
Stddev	.001108	.018586	.0000083	.0003819	.0602825	.0027818	.0003466
%RSD	336.1368	209.2971	.6075446	91.73506	18.49432	209.9380	1195.524

#1	-.000460	-.006384	.0013656	.0006890	.2634119	.0011343	-.000135
#2	-.001367	-.028589	.0013783	-.000020	.3307519	-.001356	-.000205
#3	.000838	.008331	.0013627	.000580	.3836897	.004197	.000427

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2474952	.0054987	.0003566	-.007477	.0003695	-.029826	.0002397
Stddev	.0719840	.0007346	.0002351	.000261	.0000895	.001610	.0000696
%RSD	29.08501	13.36041	65.93844	3.493376	24.20558	5.396451	29.05111

#1	.1695131	.0055460	.0005504	-.007183	.0003669	-.030434	.0001900
#2	.2615706	.0047415	.0004243	-.007567	.0004603	-.031043	.0002099
#3	.3114020	.0062085	.0000950	-.007681	.0002814	-.028001	.0003193

Sample Name: CCB10 Acquired: 12/11/2025 20:37:26 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB10 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.008197	.0069372	.0002503
Stddev	.000689	.0027661	.0000548
%RSD	8.399704	39.87306	21.87743
#1	-.008251	.0037557	.0003042
#2	-.007484	.0082842	.0001947
#3	-.008858	.0087719	.0002521

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2811.544	54969.32	6867.043	2131.336	3944.165
Stddev	4.382	63.62	16.817	5.782	1.482
%RSD	.1558660	.1157328	.2448877	.2712894	.0375871
#1	2812.658	54959.13	6886.385	2131.184	3942.777
#2	2815.261	55037.42	6855.885	2137.193	3943.991
#3	2806.712	54911.42	6858.859	2125.632	3945.727

Sample Name: Q3826-10 Acquired: 12/11/2025 20:41:45 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.002332	-.005732	.0051819	.0041649	-.002724	.0632748	.3401724
Stddev	.001494	.002725	.0017933	.0037498	.002991	.0004344	.0029172
%RSD	64.09177	47.53951	34.60616	90.03291	109.7807	.6864662	.8575746

#1	-.003700	-.002789	.0042393	.0044099	-.005528	.0634383	.3368146
#2	-.002557	-.008168	.0040566	.0077861	-.003069	.0627824	.3420840
#3	-.000737	-.006241	.0072499	.0002986	.000424	.0636037	.3416186

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000998	.0066261	22.22645	.0012246	-.000024	.0085770	.0505228
Stddev	.0000445	.0000681	.18609	.0000755	.000110	.0004169	.0029069
%RSD	44.56255	1.027489	.8372612	6.162957	464.2171	4.860073	5.753663

#1	.0001376	.0066307	22.01454	.0011410	-.000032	.0084945	.0514224
#2	.0001111	.0065559	22.30151	.0012878	-.000130	.0082076	.0528736
#3	.0000508	.0066918	22.36329	.0012449	.000090	.0090289	.0472725

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1498955	4.074335	.0035200	.0002919	345.1747	.0001654	.1053414
Stddev	.0013051	.031856	.0002165	.0005366	3.5452	.0001226	.0004377
%RSD	.8706856	.7818797	6.149156	183.8236	1.027061	74.08085	.4154944

#1	.1483903	4.046297	.0033609	-.000261	343.4269	.0002169	.1057931
#2	.1505844	4.108975	.0034327	.000326	349.2544	.0002539	.1049192
#3	.1507119	4.067733	.0037665	.000811	342.8428	.0000255	.1053120

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.714113	.0373843	.0007258	-.018124	.0008097	.7865646	.0021947
Stddev	.021825	.0004408	.0002671	.000846	.0010235	.0156477	.0002167
%RSD	1.273228	1.178979	36.80126	4.667377	126.4051	1.989370	9.872919

#1	1.694482	.0371443	.0006117	-.019040	.0008783	.7986795	.0022447
#2	1.737613	.0378930	.0005347	-.017960	.0017972	.7921164	.0023820
#3	1.710243	.0371157	.0010311	-.017372	-.000246	.7688981	.0019574

Sample Name: Q3826-10 Acquired: 12/11/2025 20:41:45 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.2284438	.0022600	.0572278
Stddev	.0048209	.0034191	.0005169
%RSD	2.110306	151.2892	.9032520
#1	.2236895	-.001681	.0566774
#2	.2283132	.004030	.0573032
#3	.2333286	.004431	.0577030

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2662.043	52162.59	7476.572	1997.629	3476.266
Stddev	7.006	106.34	46.938	8.193	5.671
%RSD	.2631975	.2038630	.6277947	.4101339	.1631335
#1	2653.953	52166.46	7526.061	1993.594	3470.677
#2	2666.086	52054.37	7470.965	1992.235	3482.016
#3	2666.091	52266.95	7432.690	2007.057	3476.105

Sample Name: Q3826-12 Acquired: 12/11/2025 20:46:11 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.005676	-.003195	.0032035	.0038437	-.001824	.1726360	.1401783
Stddev	.004793	.002379	.0010827	.0014951	.002056	.0030514	.0003025
%RSD	84.44606	74.47731	33.79597	38.89747	112.7307	1.767560	.2158103
#1	-.010413	-.002772	.0027765	.0054021	-.000122	.1743060	.1398886
#2	-.005786	-.001055	.0044345	.0024212	-.004109	.1744880	.1404922
#3	-.000829	-.005757	.0023994	.0037079	-.001242	.1691141	.1401541
Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000272	.0022513	5.238945	.0010415	.0002566	.0063488	.0532135
Stddev	.0000747	.0000908	.018295	.0002011	.0002438	.0000988	.0044587
%RSD	274.9766	4.034521	.3492030	19.30659	95.01212	1.555844	8.378901
#1	.0000870	.0023097	5.218844	.0012095	.0000492	.0064626	.0483612
#2	-.000057	.0022975	5.254622	.0008187	.0001956	.0062858	.0541493
#3	.000051	.0021466	5.243369	.0010963	.0005252	.0062980	.0571301
Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1091646	.8976955	.0034198	.0012280	261.4711	.0039147	.0531367
Stddev	.0008429	.0258307	.0002741	.0003545	1.3836	.0002639	.0004275
%RSD	.7721685	2.877451	8.016263	28.86958	.5291615	6.741878	.8045197
#1	.1082241	.9022878	.0032831	.0012870	259.9803	.0039239	.0532305
#2	.1094180	.8698766	.0032410	.0008477	262.7141	.0036463	.0526701
#3	.1098519	.9209220	.0037355	.0015493	261.7188	.0041739	.0535095
Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.9498725	.0066554	.0004766	-.017761	.0007660	.2788110	.0017492
Stddev	.0202874	.0008210	.0006493	.001614	.0010778	.0032387	.0001515
%RSD	2.135800	12.33566	136.2332	9.088971	140.7076	1.161604	8.659150
#1	.9675965	.0076026	.0006732	-.017874	.0005438	.2825309	.0019032
#2	.9542758	.0061472	-.000248	-.016093	-.000183	.2766182	.0017439
#3	.9277450	.0062164	.001005	-.019316	.001938	.2772838	.0016004

Sample Name: Q3826-12 Acquired: 12/11/2025 20:46:11 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.2112081	-.000732	.0262040
Stddev	.0013632	.003955	.0000613
%RSD	.6454215	540.0065	.2340045
#1	.2102066	-.004958	.0262355
#2	.2127605	.002881	.0261333
#3	.2106572	-.000121	.0262432

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2785.582	54256.34	7136.151	2081.706	3678.865
Stddev	6.755	254.53	11.853	12.490	10.075
%RSD	.2424831	.4691326	.1661027	.5999956	.2738507
#1	2778.024	54311.95	7143.487	2076.205	3668.142
#2	2787.694	54478.47	7142.491	2096.003	3688.132
#3	2791.028	53978.59	7122.476	2072.912	3680.322

Sample Name: Q3829-01DLX2 Acquired: 12/11/2025 20:50:37 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0225344	.0027125	.0803139	-.022534	.0025435	49.96724
Stddev	.0037829	.0064998	.0010888	.003948	.0027190	.05377
%RSD	16.78718	239.6222	1.355712	17.51848	106.9011	.1076120
#1	.0231745	.0098136	.0804500	-.026859	.0050010	49.97915
#2	.0259564	-.002942	.0813283	-.019125	.0030070	50.01406
#3	.0184723	.001266	.0791634	-.021616	-.000377	49.90851
Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2840858	.0027492	.0036216	1324.177	.3390185	.0228596
Stddev	.0010282	.0000300	.0002775	4.390	.0032951	.0002368
%RSD	.3619248	1.090099	7.661722	.3315515	.9719423	1.035826
#1	.2847058	.0027373	.0036603	1319.675	.3410877	.0231307
#2	.2846527	.0027271	.0033269	1324.411	.3407491	.0226937
#3	.2828990	.0027833	.0038778	1328.446	.3352187	.0227543
Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1984005	72.09818	2.862097	454.3818	.1387805	.0115117
Stddev	.0011243	.27502	.008512	1.2487	.0005025	.0002216
%RSD	.5666821	.3814579	.2973897	.2748230	.3620960	1.925079
#1	.1974477	72.33971	2.862606	453.8183	.1388535	.0116690
#2	.1981132	72.15599	2.870343	455.8130	.1382455	.0116078
#3	.1996405	71.79885	2.853343	453.5141	.1392426	.0112582
Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.456415	.1614934	.4574986	3.217584	.1106858	.0190474
Stddev	.097419	.0033548	.0017780	.106251	.0010405	.0003336
%RSD	6.688989	2.077370	.3886375	3.302186	.9400783	1.751347
#1	1.348122	.1578642	.4592721	3.103804	.1118756	.0193745
#2	1.484201	.1644813	.4575078	3.234727	.1102357	.0190599
#3	1.536923	.1621346	.4557161	3.314221	.1099461	.0187077

Sample Name: Q3829-01DLX2 Acquired: 12/11/2025 20:50:37 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0199090	2.164331	1.788145	.2977848	F 32.21517	.5363461
Stddev	.0017586	.005207	.017231	.0002066	.09769	.0046800
%RSD	8.833264	.2405677	.9636506	.0693714	.3032521	.8725711

#1	.0189051	2.162560	1.807703	.2978399	32.10516	.5309421
#2	.0219396	2.170193	1.781536	.2975562	32.24858	.5390577
#3	.0188822	2.160242	1.775197	.2979582	32.29178	.5390384

Elem	Sr4077
Units	ppm
Avg	4.846042
Stddev	.027826
%RSD	.5741920

#1	4.828750
#2	4.831236
#3	4.878140

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2503.960	51573.82	7405.245	1912.298	2872.803
Stddev	7.988	188.30	19.230	8.155	7.625
%RSD	.3190323	.3651036	.2596833	.4264298	.2654054

#1	2506.416	51364.39	7417.825	1902.926	2876.783
#2	2510.433	51627.94	7383.108	1917.773	2877.613
#3	2495.033	51729.14	7414.801	1916.194	2864.012

Sample Name: CCV11 Acquired: 12/11/2025 20:55:02 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV11 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.599079	4.559683	4.826732	4.524688	4.539473	9.199338
Stddev	.009597	.159682	.021385	.030330	.006090	.086933
%RSD	.2086671	3.502036	.4430514	.6703239	.1341501	.9449902

#1	4.592342	4.689084	4.815283	4.550066	4.534377	9.100906
#2	4.610067	4.608735	4.851404	4.532901	4.546218	9.265600
#3	4.594828	4.381229	4.813508	4.491097	4.537825	9.231510

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.324112	.2321622	2.272530	23.05311	.9129388	2.251336
Stddev	.066661	.0021566	.007099	.12328	.0047010	.006041
%RSD	.7149280	.9289205	.3123890	.5347771	.5149257	.2683177

#1	9.253444	.2296876	2.267067	22.91856	.9077805	2.245968
#2	9.385869	.2331582	2.280555	23.16064	.9169818	2.257877
#3	9.333023	.2336408	2.269969	23.08013	.9140541	2.250163

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.139074	4.744579	2.250394	22.64513	2.498201	1.133372
Stddev	.002372	.017917	.015468	.19711	.010239	.004019
%RSD	.2082811	.3776286	.6873682	.8704245	.4098352	.3546037

#1	1.136563	4.732570	2.233068	22.41756	2.490065	1.129865
#2	1.139381	4.765173	2.262818	22.75538	2.509697	1.132493
#3	1.141278	4.735994	2.255296	22.76244	2.494841	1.137757

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	26.31589	2.319074	2.331352	22.71431	4.560108	4.702312
Stddev	.12532	.026649	.006525	.16916	.038337	.008747
%RSD	.4762204	1.149122	.2798851	.7447248	.8406999	.1860172

#1	26.23225	2.290893	2.325320	22.53814	4.515854	4.703599
#2	26.45997	2.343868	2.330460	22.87546	4.583207	4.710343
#3	26.25543	2.322460	2.338278	22.72932	4.581262	4.692992

Sample Name: CCV11 Acquired: 12/11/2025 20:55:02 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCV11 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.554397	4.545511	F 4.489557	F .4785602	F 4.329575	F 4.372397
Stddev	.017907	.037150	.032817	.0024908	.049206	.027174
%RSD	.3931862	.8173002	.7309619	.5204808	1.136510	.6214937

#1	4.562105	4.504541	4.451748	.4784905	4.373289	4.342684
#2	4.567159	4.577008	4.510665	.4810852	4.339151	4.395988
#3	4.533926	4.554982	4.506257	.4761050	4.276285	4.378518

Elem	Sr4077
Units	ppm
Avg	4.680697
Stddev	.083906
%RSD	1.792603

#1	4.584317
#2	4.720315
#3	4.737459

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2836.721	56927.00	7510.698	2138.581	3769.053
Stddev	6.468	150.31	33.558	3.263	10.128
%RSD	.2280248	.2640439	.4468009	.1525556	.2687222

#1	2844.015	56972.60	7549.349	2135.219	3778.068
#2	2834.465	56759.16	7488.982	2141.734	3758.093
#3	2831.682	57049.22	7493.764	2138.791	3770.997

Sample Name: CCB11 Acquired: 12/11/2025 20:59:06 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB11 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001364	-.004874	.0023164	-.001231	-.000537	.0178548	-.002705
Stddev	.000888	.005480	.0020500	.001049	.000303	.0021156	.000198
%RSD	65.15888	112.4276	88.49911	85.21511	56.32719	11.84904	7.306204

#1	-.000356	.001352	.0042178	-.002377	-.000648	.0199499	-.002872
#2	-.001701	-.008963	.0025867	-.000318	-.000768	.0157192	-.002487
#3	-.002034	-.007011	.0001446	-.000999	-.000195	.0178952	-.002757

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0002931	.0001069	.0289552	.0002733	.0000253	.0003059	.0080633
Stddev	.0000257	.0000671	.0064843	.0004614	.0002076	.0001148	.0065561
%RSD	8.755091	62.78620	22.39440	168.8440	822.2204	37.53345	81.30749

#1	.0002758	.0001448	.0226360	.0006363	-.000210	.0004326	.0156052
#2	.0002810	.0001465	.0286367	-.000246	.000101	.0002767	.0037245
#3	.0003226	.0000294	.0355929	.000429	.000185	.0002086	.0048603

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0002670	.0034756	.0015860	.0007538	.2427181	.0008153	.0045346
Stddev	.0001388	.0285130	.0003617	.0008017	.0528911	.0030788	.0002231
%RSD	51.95988	820.3692	22.80927	106.3574	21.79116	377.6474	4.920693

#1	.0001261	-.014974	.0015057	.0003861	.1871632	.0024146	.0045565
#2	.0002714	.036316	.0012710	.0002019	.2485250	-.002734	.0047460
#3	.0004035	-.010916	.0019811	.0016734	.2924661	.002765	.0043014

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1863448	.0041519	.0004352	-.009523	.0003077	-.015502	.0001738
Stddev	.0754483	.0007313	.0001899	.000552	.0002104	.003268	.0002028
%RSD	40.48855	17.61282	43.63831	5.793636	68.38796	21.08193	116.6483

#1	.1028395	.0047721	.0006028	-.009068	.0004495	-.018153	.0004065
#2	.2496055	.0033456	.0004739	-.009364	.0004078	-.016501	.0000348
#3	.2065894	.0043380	.0002289	-.010137	.0000659	-.011850	.0000802

Sample Name: CCB11 Acquired: 12/11/2025 20:59:06 Type: Unk
Method: 6010-200.7 NEW(v403) Mode: CONC Corr. Factor: 1.000000
User: Jaswal Custom ID1: CCB11 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.004515	-.000589	.0003167
Stddev	.008270	.001096	.0000564
%RSD	183.1584	186.0772	17.80056
#1	-.005326	.000357	.0003612
#2	.004130	-.001790	.0003357
#3	-.012350	-.000334	.0002533

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2868.136	55870.23	7506.822	2143.501	4027.794
Stddev	6.406	215.16	88.067	6.726	9.911
%RSD	.2233443	.3851037	1.173166	.3137686	.2460586
#1	2875.341	56010.19	7608.250	2150.846	4033.614
#2	2865.980	55978.02	7449.769	2137.644	4033.417
#3	2863.085	55622.48	7462.447	2142.013	4016.350

SOP ID : M3010A-Digestion-17

SDG No : N/A

Matrix : WATER

Pipette ID: ICP A

Balance ID : N/A

Filter paper ID : N/A

pH Strip ID : M6069

Hood ID : #3

Block ID: 1. HOT BLOCK #1 2. N/A

Start Digest Date: 12/05/2025 Time : 10:40 Temp : 96 °C

End Digest Date: 12/05/2025 Time : 13:40 Temp : 96 °C

Digestion tube ID: M5595

Block thermometer ID: MET-DIG. #1

Dig Technician Signature: S/Sgt.

Supervisor Signature: JEP

Temp : 1. 96°C 2. N/A

Standard Name	MLS USED	STD REF. # FROM LOG
LFS-1	0.25	M6209
LFS-2	0.25	M6201
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
CONC: HNO3	3.00	M6187
1:1 HCL	5.00	MP87148
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

HOT BLOCK#1 CELL#50 96 C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
12/05/25 14:40	S/Sgt metdiz	JEP Met Lab
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	pH	Initial Vol (ml)	Final Vol (ml)	Color Before	Color After	Clarity Before	Clarity After	Comment	Prep Pos
PB170841BL	PBW841	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	1
PB170841BS	LCS841	<2	50	25	Colorless	Colorless	Clear	Clear	M6209,M6201	2
Q3765-01	MC0KF5	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	3
Q3765-02	MC0KF7	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	4
Q3765-03	MC0KF9	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	5
Q3765-04	MC0KG0	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	6
Q3765-05	MC0KG1	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	7
Q3765-05DUP	MC0KG1DUP	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	8
Q3765-06	MC0KG1MS	<2	50	25	Colorless	Colorless	Clear	Clear	M6209,M6201	9
Q3765-07	MC0KG1MSD	<2	50	25	Colorless	Colorless	Clear	Clear	M6209,M6201	10
Q3765-08	MC0KG2	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	11
Q3765-09	MC0KG3	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	12
Q3765-10	MC0KG4	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	13
Q3765-11	MC0KG5	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	14
Q3765-12	MC0KG6	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	15
Q3765-13	MC0KG7	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	16
Q3765-14	MC0KG8	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	17
Q3776-01	IDW-RAD-20251203	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	18
Q3785-04	WATER-TREATMEN DISCHARGE	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	19

WORKLIST(Hardcopy Internal Chain)

Worklist Name : PB170841

Worklist ID : 193500

Department : Digestion

Date : 12-05-2025 09:52:21

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3765-01	MC0KF5	Water	Metals ICP-TAL	1:1 HNO3 to pH < 2	TETR16	A11	12/01/2025	6010D
Q3765-02	MC0KF7	Water	Metals ICP-TAL	1:1 HNO3 to pH < 2	TETR16	A11	12/01/2025	6010D
Q3765-03	MC0KF9	Water	Metals ICP-TAL	1:1 HNO3 to pH < 2	TETR16	A11	12/01/2025	6010D
Q3765-04	MC0KG0	Water	Metals ICP-TAL	1:1 HNO3 to pH < 2	TETR16	A11	12/01/2025	6010D
Q3765-05	MC0KG1	Water	Metals ICP-TAL	1:1 HNO3 to pH < 2	TETR16	A11	12/01/2025	6010D
Q3765-06	MC0KG1MS	Water	Metals ICP-TAL	1:1 HNO3 to pH < 2	TETR16	A11	12/01/2025	6010D
Q3765-07	MC0KG1MSD	Water	Metals ICP-TAL	1:1 HNO3 to pH < 2	TETR16	A11	12/01/2025	6010D
Q3765-08	MC0KG2	Water	Metals ICP-TAL	1:1 HNO3 to pH < 2	TETR16	A11	12/01/2025	6010D
Q3765-09	MC0KG3	Water	Metals ICP-TAL	1:1 HNO3 to pH < 2	TETR16	A11	12/01/2025	6010D
Q3765-10	MC0KG4	Water	Metals ICP-TAL	1:1 HNO3 to pH < 2	TETR16	A11	12/01/2025	6010D
Q3765-11	MC0KG5	Water	Metals ICP-TAL	1:1 HNO3 to pH < 2	TETR16	A11	12/01/2025	6010D
Q3765-12	MC0KG6	Water	Metals ICP-TAL	1:1 HNO3 to pH < 2	TETR16	A11	12/01/2025	6010D
Q3765-13	MC0KG7	Water	Metals ICP-TAL	1:1 HNO3 to pH < 2	TETR16	A11	12/01/2025	6010D
Q3765-14	MC0KG8	Water	Metals ICP-TAL	1:1 HNO3 to pH < 2	TETR16	A11	12/01/2025	6010D
Q3776-01	IDW-RAD-20251203	Water	Metals ICP-TAL	1:1 HNO3 to pH < 2	TETR06	A11	12/03/2025	6010D
Q3785-04	WATER-TREATMEN DISCHAR	Water	Metals Group5	1:1 HNO3 to pH < 2	VERI01	A11	12/04/2025	6010D

Date/Time 12/05/25 10:20

Raw Sample Received by: SCSmetdlg

Raw Sample Relinquished by: SCSm1

Date/Time 12/05/25 11:20

Raw Sample Received by: SCSm1

Raw Sample Relinquished by: SCSmetdlg

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB138174

Review By	jaswal	Review On	12/10/2025 1:30:05 PM
Supervise By	mohan	Supervise On	12/11/2025 9:29:41 AM

STD. NAME	STD REF.#
ICAL Standard	MP88101,MP88123,MP88121,MP88120,MP88119,MP88118
ICV Standard	MP88124,MP88123
CCV Standard	MP88127
ICSA Standard	MP88125,MP88126
CRI Standard	MP88123
LCS Standard	
Chk Standard	MP88128,MP88129,MP88130,MP88131,MP88132

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	S0	S0	CAL1	12/09/25 11:38		Jaswal	OK
2	S1	S1	CAL2	12/09/25 11:43		Jaswal	OK
3	S2	S2	CAL3	12/09/25 11:47		Jaswal	OK
4	S3	S3	CAL4	12/09/25 11:51		Jaswal	OK
5	S4	S4	CAL5	12/09/25 11:55		Jaswal	OK
6	S5	S5	CAL6	12/09/25 11:59		Jaswal	OK
7	ICV01	ICV01	ICV	12/09/25 12:15		Jaswal	OK
8	LLICV01	LLICV01	LLICV	12/09/25 12:19		Jaswal	OK
9	ICB01	ICB01	ICB	12/09/25 12:24		Jaswal	OK
10	CRI01	CRI01	CRDL	12/09/25 12:28		Jaswal	OK
11	ICSA01	ICSA01	ICSA	12/09/25 12:32		Jaswal	OK
12	ICSAB01	ICSAB01	ICSAB	12/09/25 12:37		Jaswal	OK
13	ICSADL	ICSADL	ICSA	12/09/25 12:41		Jaswal	OK
14	ICSABDL	ICSABDL	ICSAB	12/09/25 12:45		Jaswal	OK
15	CCV01	CCV01	CCV	12/09/25 12:49		Jaswal	OK
16	CCB01	CCB01	CCB	12/09/25 12:53		Jaswal	OK
17	PB170843BL	PB170843BL	MB	12/09/25 12:58		Jaswal	OK
18	PB170843BS	PB170843BS	LCS	12/09/25 13:02		Jaswal	OK

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB138174

Review By	jaswal	Review On	12/10/2025 1:30:05 PM
Supervise By	mohan	Supervise On	12/11/2025 9:29:41 AM

STD. NAME	STD REF.#
ICAL Standard	MP88101,MP88123,MP88121,MP88120,MP88119,MP88118
ICV Standard	MP88124,MP88123
CCV Standard	MP88127
ICSA Standard	MP88125,MP88126
CRI Standard	MP88123
LCS Standard	
Chk Standard	MP88128,MP88129,MP88130,MP88131,MP88132

19	Q3781-01	OK-1242025-1	SAM	12/09/25 13:06		Jaswal	OK
20	Q3782-01	RT857	SAM	12/09/25 13:10		Jaswal	OK
21	Q3782-02	RT3449	SAM	12/09/25 13:15		Jaswal	OK
22	Q3782-03	RBR251673	SAM	12/09/25 13:19		Jaswal	OK
23	Q3782-03DUP	RBR251673DUP	DUP	12/09/25 13:23	Ca high	Jaswal	Dilution
24	Q3782-03L	RBR251673L	SD	12/09/25 13:28		Jaswal	OK
25	Q3782-03MS	RBR251673MS	MS	12/09/25 13:32	Ca high	Jaswal	Dilution
26	Q3782-03MSD	RBR251673MSD	MSD	12/09/25 13:36	Ca high	Jaswal	Dilution
27	CCV02	CCV02	CCV	12/09/25 13:41		Jaswal	OK
28	CCB02	CCB02	CCB	12/09/25 13:45		Jaswal	OK
29	LR-1	LR-1	HIGH STD	12/09/25 14:16		Jaswal	OK
30	LR-2	LR-2	HIGH STD	12/09/25 14:21		Jaswal	OK
31	LR-3	LR-3	HIGH STD	12/09/25 14:26		Jaswal	OK
32	Q3782-03A	RBR251673A	PS	12/09/25 14:39	0.1ML M6008,M6017-10ML SAMPLE	Jaswal	OK
33	Q3779-01	OILY STONE DRUM	SAM	12/09/25 14:43		Jaswal	OK
34	Q3780-01	PLASTIC SHEETING	SAM	12/09/25 14:48		Jaswal	OK
35	PB170827BL	PB170827BL	MB	12/09/25 14:52		Jaswal	OK
36	PB170827BS	PB170827BS	LCS	12/09/25 14:56		Jaswal	OK
37	Q3764-01	MC0KD3	SAM	12/09/25 15:00		Jaswal	OK

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB138174

Review By	jaswal	Review On	12/10/2025 1:30:05 PM
Supervise By	mohan	Supervise On	12/11/2025 9:29:41 AM

STD. NAME	STD REF.#
ICAL Standard	MP88101,MP88123,MP88121,MP88120,MP88119,MP88118
ICV Standard	MP88124,MP88123
CCV Standard	MP88127
ICSA Standard	MP88125,MP88126
CRI Standard	MP88123
LCS Standard	
Chk Standard	MP88128,MP88129,MP88130,MP88131,MP88132

38	Q3764-02	MC0KD4	SAM	12/09/25 15:04		Jaswal	OK
39	CCV03	CCV03	CCV	12/09/25 15:09		Jaswal	OK
40	CCB03	CCB03	CCB	12/09/25 15:13		Jaswal	OK
41	Q3764-03	MC0KD5	SAM	12/09/25 15:17		Jaswal	OK
42	Q3764-04	MC0KD6	SAM	12/09/25 15:22		Jaswal	OK
43	Q3764-05	MC0KD8	SAM	12/09/25 15:26		Jaswal	OK
44	Q3764-06	MC0KD9	SAM	12/09/25 15:30		Jaswal	OK
45	Q3764-07	MC0KE0	SAM	12/09/25 15:34		Jaswal	OK
46	Q3764-08	MC0KE1	SAM	12/09/25 15:39		Jaswal	OK
47	Q3764-09	MC0KE2	SAM	12/09/25 15:43		Jaswal	OK
48	Q3764-10	MC0KE4	SAM	12/09/25 15:47		Jaswal	OK
49	Q3764-10DUP	MC0KE4DUP	DUP	12/09/25 15:51		Jaswal	OK
50	Q3764-10L	MC0KE4L	SD	12/09/25 15:56		Jaswal	OK
51	CCV04	CCV04	CCV	12/09/25 16:00		Jaswal	OK
52	CCB04	CCB04	CCB	12/09/25 16:04		Jaswal	OK
53	Q3764-11	MC0KE4MS	MS	12/09/25 16:08		Jaswal	OK
54	Q3764-12	MC0KE4MSD	MSD	12/09/25 16:12		Jaswal	OK
55	Q3764-10A	MC0KE4A	PS	12/09/25 16:16	0.1ML M6008,M6017-10ML SAMPLE	Jaswal	OK
56	Q3764-13	MC0KF2	SAM	12/09/25 16:21		Jaswal	OK

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB138174

Review By	jaswal	Review On	12/10/2025 1:30:05 PM
Supervise By	mohan	Supervise On	12/11/2025 9:29:41 AM

STD. NAME	STD REF.#
ICAL Standard	MP88101,MP88123,MP88121,MP88120,MP88119,MP88118
ICV Standard	MP88124,MP88123
CCV Standard	MP88127
ICSA Standard	MP88125,MP88126
CRI Standard	MP88123
LCS Standard	
Chk Standard	MP88128,MP88129,MP88130,MP88131,MP88132

57	Q3764-14	MC0KF4	SAM	12/09/25 16:25		Jaswal	OK
58	PB170820BL	PB170820BL	MB	12/09/25 16:29		Jaswal	OK
59	PB170820BS	PB170820BS	LCS	12/09/25 16:33		Jaswal	OK
60	Q3763-01	MC0KC9	SAM	12/09/25 16:37		Jaswal	OK
61	Q3763-02	MC0KD0	SAM	12/09/25 16:42		Jaswal	OK
62	Q3763-03	MC0KD1	SAM	12/09/25 16:46		Jaswal	OK
63	CCV05	CCV05	CCV	12/09/25 16:50		Jaswal	OK
64	CCB05	CCB05	CCB	12/09/25 16:54		Jaswal	OK
65	Q3763-04	MC0KD2	SAM	12/09/25 16:59		Jaswal	OK
66	Q3763-05	MC0KD7	SAM	12/09/25 17:03		Jaswal	OK
67	Q3763-06	MC0KE5	SAM	12/09/25 17:07		Jaswal	OK
68	Q3763-07	MC0KE6	SAM	12/09/25 17:11		Jaswal	OK
69	Q3763-08	MC0KE7	SAM	12/09/25 17:16		Jaswal	OK
70	Q3763-09	MC0KE8	SAM	12/09/25 17:20		Jaswal	OK
71	Q3763-10	MC0KE9	SAM	12/09/25 17:24		Jaswal	OK
72	Q3763-11	MC0KF1	SAM	12/09/25 17:28		Jaswal	OK
73	Q3763-11DUP	MC0KF1DUP	DUP	12/09/25 17:33		Jaswal	OK
74	Q3763-11L	MC0KF1L	SD	12/09/25 17:37		Jaswal	OK
75	CCV06	CCV06	CCV	12/09/25 17:41		Jaswal	OK
76	CCB06	CCB06	CCB	12/09/25 17:45		Jaswal	OK

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB138174

Review By	jaswal	Review On	12/10/2025 1:30:05 PM
Supervise By	mohan	Supervise On	12/11/2025 9:29:41 AM

STD. NAME	STD REF.#
ICAL Standard	MP88101,MP88123,MP88121,MP88120,MP88119,MP88118
ICV Standard	MP88124,MP88123
CCV Standard	MP88127
ICSA Standard	MP88125,MP88126
CRI Standard	MP88123
LCS Standard	
Chk Standard	MP88128,MP88129,MP88130,MP88131,MP88132

77	Q3763-12	MC0KF1MS	MS	12/09/25 17:50		Jaswal	OK
78	Q3763-13	MC0KF1MSD	MSD	12/09/25 17:54		Jaswal	OK
79	Q3763-11A	MC0KF1A	PS	12/09/25 17:58	0.1ML M6008,M6017-10ML SAMPLE	Jaswal	OK
80	Q3763-14	MC0KF3	SAM	12/09/25 18:02		Jaswal	OK
81	Q3765-01	MC0KF5	SAM	12/09/25 18:14		Jaswal	OK
82	Q3765-02	MC0KF7	SAM	12/09/25 18:19		Jaswal	OK
83	Q3765-03	MC0KF9	SAM	12/09/25 18:23		Jaswal	OK
84	Q3765-04	MC0KG0	SAM	12/09/25 18:27		Jaswal	OK
85	CCV07	CCV07	CCV	12/09/25 18:31		Jaswal	OK
86	CCB07	CCB07	CCB	12/09/25 18:36		Jaswal	OK
87	Q3765-05	MC0KG1	SAM	12/09/25 18:40		Jaswal	OK
88	Q3765-05DUP	MC0KG1DUP	DUP	12/09/25 18:44		Jaswal	OK
89	Q3765-05L	MC0KG1L	SD	12/09/25 18:48		Jaswal	OK
90	Q3765-06	MC0KG1MS	MS	12/09/25 18:52		Jaswal	OK
91	Q3765-07	MC0KG1MSD	MSD	12/09/25 18:56		Jaswal	OK
92	Q3765-05A	MC0KG1A	PS	12/09/25 19:01	0.1ML M6008,M6017-10ML SAMPLE	Jaswal	OK
93	Q3765-08	MC0KG2	SAM	12/09/25 19:05		Jaswal	OK
94	Q3765-09	MC0KG3	SAM	12/09/25 19:09		Jaswal	OK
95	Q3765-10	MC0KG4	SAM	12/09/25 19:13		Jaswal	OK

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB138174

Review By	jaswal	Review On	12/10/2025 1:30:05 PM
Supervise By	mohan	Supervise On	12/11/2025 9:29:41 AM

STD. NAME	STD REF.#
ICAL Standard	MP88101,MP88123,MP88121,MP88120,MP88119,MP88118
ICV Standard	MP88124,MP88123
CCV Standard	MP88127
ICSA Standard	MP88125,MP88126
CRI Standard	MP88123
LCS Standard	
Chk Standard	MP88128,MP88129,MP88130,MP88131,MP88132

96	Q3765-11	MC0KG5	SAM	12/09/25 19:17		Jaswal	OK
97	CCV08	CCV08	CCV	12/09/25 19:30		Jaswal	OK
98	CCB08	CCB08	CCB	12/09/25 19:34		Jaswal	OK
99	Q3765-12	MC0KG6	SAM	12/09/25 19:38		Jaswal	OK
100	Q3765-13	MC0KG7	SAM	12/09/25 19:43		Jaswal	OK
101	Q3765-14	MC0KG8	SAM	12/09/25 19:47		Jaswal	OK
102	Q3776-01	IDW-RAD-20251203	SAM	12/09/25 19:51		Jaswal	OK
103	Q3785-04	WATER-TREATMENT	SAM	12/09/25 19:56		Jaswal	OK
104	PB170842BL	PB170842BL	MB	12/09/25 20:00		Jaswal	OK
105	PB170842BS	PB170842BS	LCS	12/09/25 20:04		Jaswal	OK
106	Q3766-01	MC0KG9	SAM	12/09/25 20:08		Jaswal	OK
107	Q3766-02	MC0KH0	SAM	12/09/25 20:12		Jaswal	OK
108	Q3766-03	MC0KH1	SAM	12/09/25 20:17		Jaswal	OK
109	CCV09	CCV09	CCV	12/09/25 20:37		Jaswal	OK
110	CCB09	CCB09	CCB	12/09/25 20:41		Jaswal	OK
111	Q3766-04	MC0KH2	SAM	12/09/25 20:45		Jaswal	OK
112	Q3766-05	MC0KH3	SAM	12/09/25 20:49		Jaswal	OK
113	Q3766-06	MC0KH4	SAM	12/09/25 20:54		Jaswal	OK
114	Q3766-07	MC0KH5	SAM	12/09/25 20:58		Jaswal	OK
115	Q3766-08	MC0KH6	SAM	12/09/25 21:02		Jaswal	OK

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB138174

Review By	jaswal	Review On	12/10/2025 1:30:05 PM
Supervise By	mohan	Supervise On	12/11/2025 9:29:41 AM

STD. NAME	STD REF.#
ICAL Standard	MP88101,MP88123,MP88121,MP88120,MP88119,MP88118
ICV Standard	MP88124,MP88123
CCV Standard	MP88127
ICSA Standard	MP88125,MP88126
CRI Standard	MP88123
LCS Standard	
Chk Standard	MP88128,MP88129,MP88130,MP88131,MP88132

116	Q3766-09	MC0KH7	SAM	12/09/25 21:06		Jaswal	OK
117	Q3766-09DUP	MC0KH7DUP	DUP	12/09/25 21:11		Jaswal	OK
118	Q3766-09L	MC0KH7L	SD	12/09/25 21:15		Jaswal	OK
119	Q3766-10	MC0KH7MS	MS	12/09/25 21:19		Jaswal	OK
120	Q3766-11	MC0KH7MSD	MSD	12/09/25 21:23		Jaswal	OK
121	CCV10	CCV10	CCV	12/09/25 21:27		Jaswal	OK
122	CCB10	CCB10	CCB	12/09/25 21:31		Jaswal	OK
123	Q3766-09A	MC0KH7A	PS	12/09/25 21:36	0.1ML M6008,M6017-10ML SAMPLE	Jaswal	OK
124	Q3766-12	MC0KH8	SAM	12/09/25 21:40		Jaswal	OK
125	Q3766-13	MC0KH9	SAM	12/09/25 21:44		Jaswal	OK
126	Q3766-14	MC0KJ0	SAM	12/09/25 21:48		Jaswal	OK
127	PB170856BL	PB170856BL	MB	12/09/25 21:53		Jaswal	OK
128	PB170856BS	PB170856BS	LCS	12/09/25 21:57		Jaswal	OK
129	Q3790-01	304 FURMAN SOIL	SAM	12/09/25 22:01		Jaswal	OK
130	Q3795-01	72-11966	SAM	12/09/25 22:05		Jaswal	OK
131	Q3795-01DUP	72-11966DUP	DUP	12/09/25 22:09		Jaswal	OK
132	Q3795-01L	72-11966L	SD	12/09/25 22:13		Jaswal	OK
133	CCV11	CCV11	CCV	12/09/25 22:17		Jaswal	OK
134	CCB11	CCB11	CCB	12/09/25 22:22		Jaswal	OK

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB138174

Review By	jaswal	Review On	12/10/2025 1:30:05 PM
Supervise By	mohan	Supervise On	12/11/2025 9:29:41 AM
STD. NAME	STD REF.#		
ICAL Standard	MP88101,MP88123,MP88121,MP88120,MP88119,MP88118		
ICV Standard	MP88124,MP88123		
CCV Standard	MP88127		
ICSA Standard	MP88125,MP88126		
CRI Standard	MP88123		
LCS Standard			
Chk Standard	MP88128,MP88129,MP88130,MP88131,MP88132		

135	Q3795-01MS	72-11966MS	MS	12/09/25 22:26		Jaswal	OK
136	Q3795-01MSD	72-11966MSD	MSD	12/09/25 22:30		Jaswal	OK
137	Q3795-01A	72-11966A	PS	12/09/25 22:34	0.1ML M6008,M6017-10ML SAMPLE	Jaswal	OK
138	Q3795-05	RBR 200059	SAM	12/09/25 22:38		Jaswal	OK
139	Q3800-01	ETGI-288	SAM	12/09/25 22:42		Jaswal	OK
140	Q3800-02	COMP#1	SAM	12/09/25 22:47		Jaswal	OK
141	Q3800-03	COMP#2	SAM	12/09/25 22:51		Jaswal	OK
142	Q3801-01	SOIL#1	SAM	12/09/25 22:55		Jaswal	OK
143	Q3801-06	SOIL#2	SAM	12/09/25 23:00		Jaswal	OK
144	Q3806-01	TR-01-12-5-2025	SAM	12/09/25 23:04		Jaswal	OK
145	CCV12	CCV12	CCV	12/09/25 23:20		Jaswal	OK
146	CCB12	CCB12	CCB	12/09/25 23:25		Jaswal	OK
147	Q3806-03	TR-01-12-5-2025	SAM	12/09/25 23:29		Jaswal	OK
148	Q3806-04	TR-05-12-5-2025	SAM	12/09/25 23:33		Jaswal	OK
149	Q3806-06	TR-05-12-5-2025	SAM	12/09/25 23:37		Jaswal	OK
150	CCV13	CCV13	CCV	12/09/25 23:41		Jaswal	OK
151	CCB13	CCB13	CCB	12/09/25 23:45		Jaswal	OK

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB138198

Review By	jaswal	Review On	12/13/2025 12:33:05 AM
Supervise By	mohan	Supervise On	12/15/2025 8:07:02 AM

STD. NAME	STD REF.#
ICAL Standard	MP88101,MP88123,MP88121,MP88120,MP88119,MP88118
ICV Standard	MP88124,MP88123
CCV Standard	MP88127
ICSA Standard	MP88125,MP88126
CRI Standard	MP88123
LCS Standard	
Chk Standard	MP88128,MP88129,MP88130,MP88131,MP88132

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	S0	S0	CAL1	12/11/25 11:04		Jaswal	OK
2	S1	S1	CAL2	12/11/25 11:09		Jaswal	OK
3	S2	S2	CAL3	12/11/25 11:13		Jaswal	OK
4	S3	S3	CAL4	12/11/25 11:17		Jaswal	OK
5	S4	S4	CAL5	12/11/25 11:21		Jaswal	OK
6	S5	S5	CAL6	12/11/25 11:26		Jaswal	OK
7	ICV01	ICV01	ICV	12/11/25 11:30		Jaswal	OK
8	LLICV01	LLICV01	LLICV	12/11/25 11:41		Jaswal	OK
9	ICB01	ICB01	ICB	12/11/25 11:46		Jaswal	OK
10	CRI01	CRI01	CRDL	12/11/25 11:50		Jaswal	OK
11	ICSA01	ICSA01	ICSA	12/11/25 11:54		Jaswal	OK
12	ICSAB01	ICSAB01	ICSAB	12/11/25 11:59		Jaswal	OK
13	ICSADL	ICSADL	ICSA	12/11/25 12:05		Jaswal	OK
14	ICSABDL	ICSABDL	ICSAB	12/11/25 12:09		Jaswal	OK
15	CCV01	CCV01	CCV	12/11/25 12:14		Jaswal	OK
16	CCB01	CCB01	CCB	12/11/25 12:18		Jaswal	OK
17	Q3780-02	PLASTIC SHEETING	SAM	12/11/25 12:22		Jaswal	OK
18	Q3792-01	FRAC TANK#251193	SAM	12/11/25 12:27		Jaswal	OK

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB138198

Review By	jaswal	Review On	12/13/2025 12:33:05 AM
Supervise By	mohan	Supervise On	12/15/2025 8:07:02 AM

STD. NAME	STD REF.#
ICAL Standard	MP88101,MP88123,MP88121,MP88120,MP88119,MP88118
ICV Standard	MP88124,MP88123
CCV Standard	MP88127
ICSA Standard	MP88125,MP88126
CRI Standard	MP88123
LCS Standard	
Chk Standard	MP88128,MP88129,MP88130,MP88131,MP88132

19	PB170841BL	PB170841BL	MB	12/11/25 12:31		Jaswal	OK
20	PB170841BS	PB170841BS	LCS	12/11/25 12:35		Jaswal	OK
21	Q3796-03	Outfall 003	SAM	12/11/25 12:39		Jaswal	OK
22	Q3796-03DUP	Outfall 003DUP	DUP	12/11/25 12:43		Jaswal	OK
23	Q3796-03L	Outfall 003L	SD	12/11/25 12:48		Jaswal	OK
24	Q3796-03MS	Outfall 003MS	MS	12/11/25 12:52		Jaswal	OK
25	Q3796-03MSD	Outfall 003MSD	MSD	12/11/25 12:56		Jaswal	OK
26	Q3796-03A	Outfall 003A	PS	12/11/25 13:00		Jaswal	OK
27	CCV02	CCV02	CCV	12/11/25 13:04		Jaswal	OK
28	CCB02	CCB02	CCB	12/11/25 13:08		Jaswal	OK
29	Q3796-01	Outfall 001	SAM	12/11/25 13:12		Jaswal	OK
30	Q3796-02	Outfall 002	SAM	12/11/25 13:17		Jaswal	OK
31	PB170849BL	PB170849BL	MB	12/11/25 13:21		Jaswal	OK
32	PB170849BS	PB170849BS	LCS	12/11/25 13:25		Jaswal	OK
33	PB170889BL	PB170889BL	MB	12/11/25 13:30		Jaswal	OK
34	PB170889BS	PB170889BS	LCS	12/11/25 13:34		Jaswal	OK
35	Q3814-01	TP-5	SAM	12/11/25 13:38		Jaswal	OK
36	Q3814-03	TP-6	SAM	12/11/25 13:42		Jaswal	OK
37	Q3814-05	TP-7	SAM	12/11/25 13:46		Jaswal	OK
38	Q3814-07	TP-8	SAM	12/11/25 13:51		Jaswal	OK

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB138198

Review By	jaswal	Review On	12/13/2025 12:33:05 AM
Supervise By	mohan	Supervise On	12/15/2025 8:07:02 AM
STD. NAME	STD REF.#		
ICAL Standard	MP88101,MP88123,MP88121,MP88120,MP88119,MP88118		
ICV Standard	MP88124,MP88123		
CCV Standard	MP88127		
ICSA Standard	MP88125,MP88126		
CRI Standard	MP88123		
LCS Standard			
Chk Standard	MP88128,MP88129,MP88130,MP88131,MP88132		

39	CCV03	CCV03	CCV	12/11/25 13:55		Jaswal	OK
40	CCB03	CCB03	CCB	12/11/25 13:59		Jaswal	OK
41	Q3814-09	TP-9	SAM	12/11/25 14:03		Jaswal	OK
42	Q3814-11	TP-12	SAM	12/11/25 14:07		Jaswal	OK
43	Q3814-13	TP-10	SAM	12/11/25 14:11	Mn is high, need dilution	Jaswal	Dilution
44	Q3814-15	TP-4	SAM	12/11/25 14:16		Jaswal	OK
45	Q3782-03	RBR251673	SAM	12/11/25 14:20		Jaswal	OK
46	Q3782-03L	RBR251673L	SD	12/11/25 14:29	Ca is high, need dilution	Jaswal	Dilution
47	Q3782-03A	RBR251673A	PS	12/11/25 14:37	Ca is high, need dilution	Jaswal	Dilution
48	Q3782-03MS	RBR251673MS	MS	12/11/25 14:46	Ca is high, need dilution	Jaswal	Dilution
49	Q3782-03DUP	RBR251673DUP	DUP	12/11/25 14:50	Ca is high, need dilution	Jaswal	Dilution
50	Q3782-03MSD	RBR251673MSD	MSD	12/11/25 14:55	Ca is high, need dilution	Jaswal	Dilution
51	CCV04	CCV04	CCV	12/11/25 14:59		Jaswal	OK
52	CCB04	CCB04	CCB	12/11/25 15:04		Jaswal	OK
53	Q3826-09	TP-1	SAM	12/11/25 15:08		Jaswal	OK
54	Q3826-11	TP-2	SAM	12/11/25 15:12		Jaswal	OK
55	Q3826-13	TP-3	SAM	12/11/25 15:16		Jaswal	OK
56	LR-1	LR-1	HIGH STD	12/11/25 15:20		Jaswal	OK
57	LR-2	LR-2	HIGH STD	12/11/25 15:25		Jaswal	OK
58	LR-3	LR-3	HIGH STD	12/11/25 15:29		Jaswal	OK

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB138198

Review By	jaswal	Review On	12/13/2025 12:33:05 AM
Supervise By	mohan	Supervise On	12/15/2025 8:07:02 AM
STD. NAME	STD REF.#		
ICAL Standard	MP88101,MP88123,MP88121,MP88120,MP88119,MP88118		
ICV Standard	MP88124,MP88123		
CCV Standard	MP88127		
ICSA Standard	MP88125,MP88126		
CRI Standard	MP88123		
LCS Standard			
Chk Standard	MP88128,MP88129,MP88130,MP88131,MP88132		

59	Q3827-01	RT4262	SAM	12/11/25 15:34		Jaswal	OK
60	Q3827-01DUP	RT4262DUP	DUP	12/11/25 15:38		Jaswal	OK
61	Q3827-01L	RT4262L	SD	12/11/25 15:42		Jaswal	OK
62	Q3827-01MS	RT4262MS	MS	12/11/25 15:46		Jaswal	OK
63	CCV05	CCV05	CCV	12/11/25 15:50		Jaswal	OK
64	CCB05	CCB05	CCB	12/11/25 15:54		Jaswal	OK
65	Q3827-01MSD	RT4262MSD	MSD	12/11/25 15:59		Jaswal	OK
66	Q3827-01A	RT4262A	PS	12/11/25 16:03		Jaswal	OK
67	Q3815-01	RE	SAM	12/11/25 16:07		Jaswal	OK
68	Q3821-01	TP-A-B	SAM	12/11/25 16:11		Jaswal	OK
69	Q3826-01	TP-13	SAM	12/11/25 16:15		Jaswal	OK
70	Q3826-03	TP-14	SAM	12/11/25 16:19		Jaswal	OK
71	Q3826-05	TP-15	SAM	12/11/25 16:23		Jaswal	OK
72	Q3826-07	TP-11	SAM	12/11/25 16:27		Jaswal	OK
73	Q3829-01	FED-FOOTING	SAM	12/11/25 16:31	Ca is high, need dilution	Jaswal	Dilution
74	Q3831-01	PL-01-12102025	SAM	12/11/25 16:36		Jaswal	OK
75	CCV06	CCV06	CCV	12/11/25 16:40		Jaswal	OK
76	CCB06	CCB06	CCB	12/11/25 16:44		Jaswal	OK
77	Q3782-03DL	RBR251673DL	SAM	12/11/25 16:48	Not use	Jaswal	Not Ok
78	Q3782-03DUPDL	RBR251673DUPDL	DUP	12/11/25 16:53	5X For Ca	Jaswal	Confirms

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB138198

Review By	jaswal	Review On	12/13/2025 12:33:05 AM
Supervise By	mohan	Supervise On	12/15/2025 8:07:02 AM

STD. NAME	STD REF.#
ICAL Standard	MP88101,MP88123,MP88121,MP88120,MP88119,MP88118
ICV Standard	MP88124,MP88123
CCV Standard	MP88127
ICSA Standard	MP88125,MP88126
CRI Standard	MP88123
LCS Standard	
Chk Standard	MP88128,MP88129,MP88130,MP88131,MP88132

79	Q3782-03LDL	RBR251673LDL	SD	12/11/25 16:57	25X For Ca	Jaswal	Confirms
80	Q3782-03MSDL	RBR251673MSDL	MS	12/11/25 17:01	5X For Ca	Jaswal	Confirms
81	Q3782-03MSDDL	RBR251673MSDDL	MSD	12/11/25 17:06	5X For Ca	Jaswal	Confirms
82	Q3782-03ADL	RBR251673ADL	PS	12/11/25 17:10	5X For Ca	Jaswal	Confirms
83	PB170888BL	PB170888BL	MB	12/11/25 17:14		Jaswal	OK
84	PB170888BS	PB170888BS	LCS	12/11/25 17:23		Jaswal	OK
85	Q3811-01	Outfall 001	SAM	12/11/25 17:27		Jaswal	OK
86	Q3811-02	Outfall 002	SAM	12/11/25 17:32		Jaswal	OK
87	CCV07	CCV07	CCV	12/11/25 17:53		Jaswal	OK
88	CCB07	CCB07	CCB	12/11/25 17:57		Jaswal	OK
89	Q3811-03	Outfall 003	SAM	12/11/25 18:02		Jaswal	OK
90	Q3811-03DUP	Outfall 003DUP	DUP	12/11/25 18:06		Jaswal	OK
91	Q3811-03L	Outfall 003L	SD	12/11/25 18:10		Jaswal	OK
92	Q3811-03MS	Outfall 003MS	MS	12/11/25 18:14		Jaswal	OK
93	Q3811-03MSD	Outfall 003MSD	MSD	12/11/25 18:18		Jaswal	OK
94	Q3811-03A	Outfall 003A	PS	12/11/25 18:22		Jaswal	OK
95	PB170906BL	PB170906BL	MB	12/11/25 18:26		Jaswal	OK
96	PB170906BS	PB170906BS	LCS	12/11/25 18:31		Jaswal	OK
97	Q3735-04	BU-3-112625	SAM	12/11/25 18:39		Jaswal	OK
98	PB170874TB	PB170874TB	MB	12/11/25 18:44		Jaswal	OK

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB138198

Review By	jaswal	Review On	12/13/2025 12:33:05 AM
Supervise By	mohan	Supervise On	12/15/2025 8:07:02 AM

STD. NAME	STD REF.#
ICAL Standard	MP88101,MP88123,MP88121,MP88120,MP88119,MP88118
ICV Standard	MP88124,MP88123
CCV Standard	MP88127
ICSA Standard	MP88125,MP88126
CRI Standard	MP88123
LCS Standard	
Chk Standard	MP88128,MP88129,MP88130,MP88131,MP88132

99	CCV08	CCV08	CCV	12/11/25 18:48		Jaswal	OK
100	CCB08	CCB08	CCB	12/11/25 18:52		Jaswal	OK
101	Q3814-02	TP-5	SAM	12/11/25 18:57		Jaswal	OK
102	Q3814-04	TP-6	SAM	12/11/25 19:01		Jaswal	OK
103	Q3814-06	TP-7	SAM	12/11/25 19:06		Jaswal	OK
104	Q3814-08	TP-8	SAM	12/11/25 19:10		Jaswal	OK
105	Q3814-10	TP-9	SAM	12/11/25 19:14		Jaswal	OK
106	Q3814-12	TP-12	SAM	12/11/25 19:19		Jaswal	OK
107	Q3814-14	TP-10	SAM	12/11/25 19:23		Jaswal	OK
108	Q3814-16	TP-4	SAM	12/11/25 19:28		Jaswal	OK
109	Q3815-02	RE	SAM	12/11/25 19:32		Jaswal	OK
110	Q3821-10	TP-A-B	SAM	12/11/25 19:36		Jaswal	OK
111	CCV09	CCV09	CCV	12/11/25 19:41		Jaswal	OK
112	CCB09	CCB09	CCB	12/11/25 19:45		Jaswal	OK
113	Q3826-02	TP-13	SAM	12/11/25 19:49		Jaswal	OK
114	Q3826-04	TP-14	SAM	12/11/25 19:54		Jaswal	OK
115	Q3826-06	TP-15	SAM	12/11/25 19:58		Jaswal	OK
116	Q3826-08	TP-11	SAM	12/11/25 20:03		Jaswal	OK
117	Q3826-14	TP-3	SAM	12/11/25 20:07		Jaswal	OK
118	Q3826-14DUP	TP-3DUP	DUP	12/11/25 20:11		Jaswal	OK

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB138198

Review By	jaswal	Review On	12/13/2025 12:33:05 AM
Supervise By	mohan	Supervise On	12/15/2025 8:07:02 AM

STD. NAME	STD REF.#
ICAL Standard	MP88101,MP88123,MP88121,MP88120,MP88119,MP88118
ICV Standard	MP88124,MP88123
CCV Standard	MP88127
ICSA Standard	MP88125,MP88126
CRI Standard	MP88123
LCS Standard	
Chk Standard	MP88128,MP88129,MP88130,MP88131,MP88132

119	Q3826-14L	TP-3L	SD	12/11/25 20:16		Jaswal	OK
120	Q3826-14MS	TP-3MS	MS	12/11/25 20:20		Jaswal	OK
121	Q3826-14MSD	TP-3MSD	MSD	12/11/25 20:24		Jaswal	OK
122	Q3826-14A	TP-3A	PS	12/11/25 20:29		Jaswal	OK
123	CCV10	CCV10	CCV	12/11/25 20:33		Jaswal	OK
124	CCB10	CCB10	CCB	12/11/25 20:37		Jaswal	OK
125	Q3826-10	TP-1	SAM	12/11/25 20:41		Jaswal	OK
126	Q3826-12	TP-2	SAM	12/11/25 20:46		Jaswal	OK
127	Q3829-01DL	FED-FOOTINGDL	SAM	12/11/25 20:50	2X for Ca	Jaswal	Confirms
128	CCV11	CCV11	CCV	12/11/25 20:55		Jaswal	OK
129	CCB11	CCB11	CCB	12/11/25 20:59		Jaswal	OK

Prep Standard - Chemical Standard Summary

Order ID : Q3765

Test : Hardness, Total, Metals ICP-TAL

Prepbatch ID : PB170841,

Sequence ID/Qc Batch ID: LB138174, LB138174, LB138198,

Standard ID :

MP87148, MP88101, MP88118, MP88119, MP88120, MP88121, MP88122, MP88123, MP88124, MP88125, MP88126, MP88127, MP88128, MP88129, MP88130, MP88131, MP88132,

Chemical ID :

M5467, M5658, M5697, M5798, M5799, M5800, M5801, M5814, M5816, M5820, M5962, M5971, M5979, M5985, M5998, M6021, M6023, M6026, M6027, M6028, M6030, M6032, M6058, M6077, M6086, M6128, M6137, M6140, M6142, M6145, M6146, M6151, M6156, M6159, M6163, M6164, M6165, M6171, M6172, M6174, M6176, M6177, M6179, M6182, M6184, M6187, M6200, M6201, M6209, W3112,

Metals STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
170	1:1HCL	MP87148	09/09/2025	02/17/2026	Sagar Kanani	None	None	Sarabjit Jaswal
								09/10/2025

FROM 1250.00000ml of M6151 + 1250.00000ml of W3112 = Final Quantity: 2500.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
902	ICP AES CAL BLK (SO/ICB/CCB)	MP88101	11/25/2025	01/25/2026	Sarabjit Jaswal	None	None	Mohan Bera
								12/09/2025

FROM 125.00000ml of M6200 + 2350.00000ml of W3112 + 25.00000ml of M6187 = Final Quantity: 2500.000 ml

Metals STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
907	ICP AES STD S (S5)	MP88118	11/25/2025	01/25/2026	Sarabjit Jaswal	None	None	Mohan Bera
								12/09/2025

FROM 5.00000ml of M5467 + 5.00000ml of M5816 + 5.00000ml of M5820 + 5.00000ml of M5971 + 5.00000ml of M5998 + 5.00000ml of M6077 + 5.00000ml of M6146 + 5.00000ml of M6174 + 5.00000ml of M6176 + 455.00000ml of MP88101 = Final Quantity: 500.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
910	ICP AES STD S4	MP88119	11/25/2025	01/25/2026	Sarabjit Jaswal	None	Glass Pipette-A	Mohan Bera
								12/09/2025

FROM 50.00000ml of MP88101 + 50.00000ml of MP88118 = Final Quantity: 100.000 ml

Metals STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
909	ICP AES STD S3	MP88120	11/25/2025	01/25/2026	Sarabjit Jaswal	None	None	Mohan Bera 12/09/2025

FROM 25.00000ml of MP88118 + 75.00000ml of MP88101 = Final Quantity: 100.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
908	ICP AES S2/CRI MINERALS ONLY STD	MP88121	11/25/2025	01/25/2026	Sarabjit Jaswal	None	None	Mohan Bera 12/09/2025

FROM 4.00000ml of MP88118 + 96.00000ml of MP88101 = Final Quantity: 100.000 ml

Metals STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
2950	ICP AES S1/CRI STOCK STD	MP88122	11/25/2025	01/25/2026	Sarabjit Jaswal	None	METALS_PIPETTE_3 (A)	Mohan Bera 12/09/2025

FROM 0.03000ml of M5798 + 0.03000ml of M6028 + 0.04000ml of M6137 + 0.05000ml of M5658 + 0.05000ml of M6030 + 0.05000ml of M6140 + 0.05000ml of M6159 + 0.06000ml of M6177 + 0.10000ml of M5697 + 0.10000ml of M5801 + 0.10000ml of M5820 + 0.10000ml of M5962 + 0.10000ml of M5971 + 0.10000ml of M6128 + 0.10000ml of M6176 + 0.15000ml of M5800 + 0.20000ml of M5799 + 0.20000ml of M6021 + 0.20000ml of M6023 + 0.20000ml of M6027 + 0.20000ml of M6145 + 0.25000ml of M5467 + 0.25000ml of M6146 + 0.50000ml of M5814 + 0.50000ml of M6032 + 1.00000ml of M5979 + 1.00000ml of M6086 + 1.00000ml of M6142 + 1.00000ml of M6156 + 1.00000ml of M6171 + 1.00000ml of M6172 + 2.00000ml of M5816 + 88.47000ml of MP88101 = Final Quantity: 100.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
2951	ICP AES S1/CRI WORK STD	MP88123	11/25/2025	01/25/2026	Sarabjit Jaswal	None	None	Mohan Bera 12/09/2025

FROM 2.00000ml of MP88122 + 98.00000ml of MP88101 = Final Quantity: 100.000 ml

Metals STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
4163	NEW ICV-060925	MP88124	11/25/2025	01/25/2026	Sarabjit Jaswal	None	METALS_PIPETTE_3 (A)	Mohan Bera 12/09/2025

FROM 0.20000ml of M6058 + 0.40000ml of M6163 + 0.40000ml of M6164 + 0.40000ml of M6165 + 48.60000ml of MP88101 = Final Quantity: 50.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
904	ICP AES ICSA SOLN	MP88125	11/25/2025	01/25/2026	Sarabjit Jaswal	None	None	Mohan Bera 12/09/2025

FROM 5.00000ml of M6182 + 45.00000ml of MP88101 = Final Quantity: 250.000 ml

Metals STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
905	ICP AES ICSAB SOLN	MP88126	11/25/2025	01/25/2026	Sarabjit Jaswal	None	METALS_PIPETTE_3 (A)	Mohan Bera 12/09/2025

FROM 0.05000ml of M6077 + 5.00000ml of M6182 + 5.00000ml of M6184 + 39.95000ml of MP88101 = Final Quantity: 50.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
911	ICP AES CCV SOLN	MP88127	11/25/2025	01/25/2026	Sarabjit Jaswal	None	None	Mohan Bera 12/09/2025

FROM 50.00000ml of MP88101 + 50.00000ml of MP88118 = Final Quantity: 100.000 ml

Metals STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
919	ICP AES INTERNAL STD	MP88128	11/25/2025	01/25/2026	Sarabjit Jaswal	None	METALS_PIPETTE_3 (A)	Mohan Bera 12/09/2025

FROM 1.00000ml of M6179 + 10.00000ml of M5985 + 1969.00000ml of W3112 + 20.00000ml of M6187 = Final Quantity: 2000.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
903	ICP AES RINSE SOLN	MP88129	11/25/2025	01/25/2026	Sarabjit Jaswal	None	None	Mohan Bera 12/09/2025

FROM 200.00000ml of M6187 + 9800.00000ml of W3112 = Final Quantity: 10000.000 ml

Metals STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
4225	LR-1	MP88130	11/25/2025	01/25/2026	Sarabjit Jaswal	None	METALS_PIPETTE_3 (A)	Mohan Bera 12/09/2025

FROM 11.50000ml of M6086 + 11.50000ml of M6171 + 11.50000ml of M6172 + 15.50000ml of MP88101 = Final Quantity: 50.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
4226	LR-2	MP88131	11/25/2025	01/25/2026	Sarabjit Jaswal	None	METALS_PIPETTE_3 (A)	Mohan Bera 12/09/2025

FROM 13.50000ml of M6140 + 9.00000ml of M6142 + 9.50000ml of M6159 + 18.00000ml of MP88101 = Final Quantity: 50.000 ml

Metals STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
4227	LR-3	MP88132	11/25/2025	01/25/2026	Sarabjit Jaswal	None	METALS_PIPETTE_3 (A)	Mohan Bera 12/09/2025
FROM 1.15000ml of M6026 + 1.25000ml of M5658 + 1.25000ml of M6027 + 1.50000ml of M6145 + 2.50000ml of M5697 + 2.50000ml of M6128 + 39.85000ml of MP88101 = Final Quantity: 50.000 ml								

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57058 / Cerium, 1000PPM, 100ML	020623	02/06/2026	03/06/2023 / bin	03/01/2023 / bin	M5467

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	58024 / Chromium, Cr, 500 ml, 1000 PPM	060523	06/05/2026	08/28/2023 / jaswal	08/25/2023 / jaswal	M5658

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	58029 / Cu, 1000 PPM, 500 ml	102523	10/25/2026	04/03/2024 / jaswal	10/27/2023 / jaswal	M5697

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57004 / Be, 1000 PPM, 125 ml	102523	10/25/2026	02/09/2024 / bin	02/09/2024 / bin	M5798

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57050 / Sn, 1000 PPM, 125 ml	071123	07/11/2026	02/09/2024 / bin	02/09/2024 / bin	M5799

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57027 / CO, 1000 PPM, 125 ml	091923	09/19/2026	05/31/2024 / bin	02/09/2024 / bin	M5800

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57033 / As, 1000 PPM, 125 ml	111323	11/13/2026	02/09/2024 / bin	02/09/2024 / bin	M5801

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57005 / B, 1000 PPM, 125 ml	071123	07/11/2026	03/26/2024 / Sohil	01/03/2024 / jaswal	M5814

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57016 / S, 1000 PPM, 125 ml	122923	12/29/2026	05/20/2024 / Jaswal	02/09/2024 / jaswal	M5816

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57015 / P, 1000 PPM, 125 ml	091123	09/11/2026	05/01/2024 / jaswal	02/09/2024 / jaswal	M5820

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57034 / Se, 1000 PPM, 125 ml	060624	06/06/2027	07/02/2024 / Jaswal	06/14/2024 / Jaswal	M5962

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57003 / Li, 1000 PPM, 125 ml	061224	06/21/2027	06/06/2025 / Janvi	07/01/2024 / Jaswal	M5971

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	CGTI1-1 / TITANIUM 125mL 1000ug/mL	T2-TI719972	08/05/2026	08/06/2025 / Janvi	02/22/2024 / Jaswal	M5979

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	CGIN10-5 / INDIUM 1 x 500 ml	U2-IN729349	02/21/2028	10/08/2024 / Jaswal	06/14/2024 / Jaswal	M5985

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	CLPP-CAL-3 / CLP CAL SOLUTION #3, 125mL	T2-MEB727800	07/30/2026	07/30/2025 / Janvi	02/22/2024 / kareem	M5998

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57023 / V, 1000 PPM, 125 ml	062424	06/24/2027	09/28/2024 / jaswal	08/05/2024 / Jaswal	M6021

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57081 / TI, 1000 PPM, 125 ml	0624724	06/27/2027	08/05/2024 / kareem	08/05/2024 / Jaswal	M6023

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57182 / Pb, 10000 PPM, 125 ml	110923	11/09/2026	12/05/2024 / janvi	08/05/2024 / Jaswal	M6026

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57028 / Ni, 1000 PPM, 125 ml	062024	06/20/2027	06/04/2025 / Janvi	08/05/2024 / Jaswal	M6027

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57048 / Cd, 1000 PPM, 125 ml	070124	07/01/2027	08/05/2024 / kareem	08/05/2024 / Jaswal	M6028

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57047 / Ag, 1000 PPM, 125 ml	122823	12/28/2026	08/05/2024 / kareem	08/05/2024 / Jaswal	M6030

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57056 / Ba, 1000 PPM, 125 ml	010924	01/09/2027	01/14/2025 / Jaswal	08/05/2024 / Jaswal	M6032

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	CHEM-QC-4 / CHEM-QC-4, Second Source, 1000 ug/ml, B, Mo, Si, Sn, Ti	V2-MEB746173	01/29/2026	01/29/2025 / JANVI	08/22/2024 / Jaswal	M6058

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	Z9651Q / CHEM-CLP-4/.25L	V2-MEB746762	09/06/2029	01/23/2025 / kareem	09/19/2024 / kareem	M6077

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	58120 / Calcium, 500 ml, 10000 PPM	082324	08/23/2027	03/06/2025 / JANVI	10/14/2024 / jaswal	M6086

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	58025 / Mn, 1000 PPM, 500 ml	101124	10/11/2027	01/13/2025 / kareem	01/13/2025 / kareem	M6128

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	CGSI1-1 / SILICON 125mL 1000ug/mL	V2-SI744713	07/10/2029	01/14/2025 / Jaswal	10/03/2024 / Jaswal	M6137

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	58126 / Fe, 10000 PPM, 500 ml	011025	01/10/2028	06/25/2025 / Janvi	01/13/2025 / Jaswal	M6140

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	58119 / K, 10000 PPM, 500 ml	103024	10/30/2027	05/06/2025 / JANVI	01/13/2025 / Jaswal	M6142

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	58030 / Zinc, Zn, 500 ml, 1000 PPM	121724	12/17/2027	02/04/2025 / jaswal	01/13/2025 / Jaswal	M6145

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57051 / Sb, 1000 PPM, 125 ml	071724	07/17/2027	01/31/2025 / kareem	10/18/2024 / kareem	M6146

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L)	22G2862015	02/17/2026	02/18/2025 / Sagar	01/15/2025 / Sagar	M6151

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57042 / Mo, 1000 PPM, 125 ml	032123	03/21/2026	11/06/2024 / JANVI	06/12/2024 / JANVI	M6156

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	58113 / Al, 10000 PPM, 500 ml	011325	03/18/2026	03/18/2025 / kareem	02/09/2025 / kareem	M6159

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	QCP-CICV-1-125ML / EPA CLP ICP Verification Standard1	V2-MEB744107	06/08/2026	06/09/2025 / jaswal	06/06/2025 / jaswal	M6163

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	QCP-CICV-2-125ML / EPA CLP ICP Verification Standard2	U2-MEB733713	06/08/2026	06/09/2025 / jaswal	06/09/2025 / jaswal	M6164

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	QCP-CICV-3-125ML / EPA CLP ICP Verification Standard3	V2-MEB749572	06/08/2026	06/09/2025 / jaswal	06/09/2025 / jaswal	M6165

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	58112 / Mg, 10000 PPM, 500 ml	011525	01/15/2028	07/15/2025 / jaswal	02/13/2025 / Janvi	M6171

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	CGNA10-5 / Sodium, 500 ml, 10000 PPM	V2-NA740547	07/29/2026	07/29/2025 / Janvi	01/25/2025 / Janvi	M6172

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	CLPP-CAL-1 / CLP CAL SOLUTION #1, 125mL	V2-MEB742428	07/31/2026	07/31/2025 / Janvi	05/05/2025 / Janvi	M6174

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57038 / Sr, 1000 PPM, 125 ml	092724	09/27/2027	08/06/2025 / Janvi	08/06/2025 / Janvi	M6176

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	/ Lead (Pb) 1000PPM	031525	03/15/2028	08/06/2025 / Janvi	08/06/2025 / Janvi	M6177

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	CGY10-1 / YTTRIUM 125mL 10,000ug/mL	V2-Y740548	08/05/2026	08/06/2025 / Janvi	06/02/2024 / Janvi	M6179

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
EPA	PART A / ICSA (ICP) STOCK SOLN	ICSA-1211	02/05/2026	08/06/2025 / Janvi	03/06/2024 / Janvi	M6182

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
EPA	PART B / ICSAB (ICP) STOCK SOLN	ICSB-0710	02/05/2026	08/06/2025 / Janvi	03/06/2024 / Janvi	M6184

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L)	24H0162012	01/28/2026	08/29/2025 / Sagar	08/08/2025 / Sagar	M6187

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L)	24D1562005	02/10/2026	09/11/2025 / Sagar	08/25/2025 / Sagar	M6200

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	WW-LFS-2 / Laboratory Fortified Stock Solution 2, 125 ml	V2-MEB743480	10/15/2026	10/15/2025 / jaswal	07/20/2025 / janvi	M6201

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	WW-LFS-1 / Laboratory Fortified Stock Solution 1, 125 ml	V2-MEB752149	10/15/2026	10/15/2025 / Janvi	07/20/2025 / Janvi	M6209

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	07/03/2029	07/03/2024 / Iwona	07/03/2024 / Iwona	W3112



M6032




CERTIFIED WEIGHT REPORT:

Part Number: 57056
Lot Number: 010924
Description: Barium (Ba)
Solvent: Nitric Acid
Expiration Date: 010927
Recommended Storage: Ambient (20 °C)
Nominal Concentration (µg/mL): 1000
NIST Test Number: 6UTB
Weight shown below was diluted to (mL): 2000.02
Balance Uncertainty: 5E-05
Flask Uncertainty: 0.058

Giovanni Caporaso	
Formulated By:	Giovanni Esposito
Reviewed By:	Pedro L. Renteria

SDS Information																	
Expanded										(Solvent Safety Info. On Attached pg.)							
Compound		Lot		Nominal		Purity		Assay		Target		Actual		Actual		Expanded	
Rm#	Number	Conc. (µg/mL)	(%)	Purity (%)	(%)	Weight (g)	Weight (g)	Conc. (µg/mL)	+/- (µg/mL)	CAS#	OSHA PEL (TWA)	LD50	SRM	NIST	SRM		

1. Barium nitrate (Ba) IN023 BA0022019A1 1000 99.999 0.10 52.3 3.82417 3.82441 1000.1 2.0 10022-31-8 0.5 mg/m3 or-hat 355 mg/kg 3104a





Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	T	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All Standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



Certified Reference Material CRM



Rev'd 20/11/2021 M6085 / M6086 / M6087

CERTIFIED WEIGHT REPORT:

Part Number: 58120
Lot Number: 082324
Description: Calcium (Ca)

Solvent: 24002546 Nitric Acid

Lot #

2% 80.0 (mL) Nitric Acid

Expiration Date: 082327

Recommended Storage: Ambient (20 °C)

Nominal Concentration (µg/mL): 10000

NIST Test Number: 6UTB

5E-05 Balance Uncertainty

Weight shown below was diluted to (mL): 4000.1 0.15 Flask Uncertainty


<i>Giovanni Esposito</i>	
Formulated By:	Giovanni Esposito
Reviewed By:	Pedro L. Rentas
	082324

SDS Information

Compound	RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	CAS#	OSHA PEL (TWA)	LD50	NIST SRM
----------	-----	------------	-----------------------	------------	------------------------	-----------	-------------------	-------------------	----------------------	----------------------------------	------	----------------	------	----------

1. Calcium carbonate (Ca) IN014 CAD03202383 10000 99.999 0.10 39.9 100.2537 100.2656 10001.2 20.0 471-34-1 5 mg/m3 or-rat >2000mg/kg 3109a

[1] Spectrum No. 1 [12.514 sec]: 58120.D* [Count] [Linear]





Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pt	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	T	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	30	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Su	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



M6028



CERTIFIED WEIGHT REPORT:

Part Number: 57048 **Lot #**
Lot Number: 070124
Description: Cadmium (Cd) **Solvent:** 24002546 Nitric Acid


Expiration Date: 070127 **2%** 40.0 Nitric Acid
Recommended Storage: Ambient (20 °C) (mL)
Nominal Concentration (µg/mL): 1000
NIST Test Number: 6UTB 5E-05 Balance Uncertainty

Weight shown below was diluted to (mL): 2000.07 0.100 Flask Uncertainty

<i>Aleah O'Brady</i>	
Formulated By:	Aleah O'Brady
<i>Pedro L. Rentas</i>	
Reviewed By:	Pedro L. Rentas
070124	

Compound	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty		CAS#	SDS Information		NIST SRM
									+/- (µg/mL)	(µg/mL)		(Solvent Safety Info. On Attached pg.)	LD50	

1. Cadmium nitrate tetrahydrate (Cd) IN024 CDM09221A1 1000 99.999 0.10 36.5 5.4797 5.4804 1000.1 2.0 10022-68-1 0.01 mg/m3 or-rat 60.2mg/kg 3108





Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.2	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pt	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Ba	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Cd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pr	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



MC026



CERTIFIED WEIGHT REPORT:

Part Number: 57182
Lot Number: 110923
Description: Lead (Pb)


Solvent: 24002546 Nitric Acid
Lot #

Expiration Date: 110926
Recommended Storage: Ambient (20 °C)
Nominal Concentration (µg/mL): 10000
NIST Test Number: 6UTB
Weight shown below was diluted to (mL): 2000.02
5E-05 Balance Uncertainty
0.058 Flask Uncertainty

Formulated By:	Lawrence Barry
110923	
Reviewed By:	Pedro L. Rentas
110923	

SDS Information									
Compound	Lot	Nominal	Purity	Uncertainty	Assay	Target	Actual	Actual	Expanded
	Number	Conc. (µg/mL)	(%)	Purity (%)	(%)	Weight (g)	Weight (g)	Conc. (µg/mL)	+/- (µg/mL)
1. Lead(II) nitrate (Pb)	IN029	PED12016A1	10000	99.999	0.10	62.5	32.0006	32.0040	10001.1
									20.0
									10099-74-8
									0.05 mg/m3
									intrinsic 83 mg/kg
									3128

[1] Spectrum No.1 [17.284 sec]:58182.D# [Count] [Linear]





Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS ($\mu\text{g/mL}$)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pt	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	T	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

Physical Characterization:

(T)= Target analyte

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All Standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



Certified Reference Material CRM



M5467 R: 03/01/23 (14)

CERTIFIED WEIGHT REPORT:

Part Number:
Lot Number:
Description:

57058
020623
Cerium (Ce)

Expiration Date:
Recommended Storage:
Nominal Concentration (µg/mL):
NIST Test Number:

020626
Ambient (20 °C)
1000
6UTB

Weight shown below was diluted to (mL):

1000.12

Solvent: Nitric Acid

2% Nitric Acid
20.0 (mL)

5E-05 Balance Uncertainty
0.058 Flask Uncertainty

Lot #

21110221

Nitric Acid


Formulated By:	Lawrence Barry
Reviewed By:	Pedro L. Rentas

SDS Information

Expanded Uncertainty
Actual Conc. (µg/mL)
Actual Weight (g)
Target Weight (g)
Purity (%)
Nominal Conc. (µg/mL)
Lot Number
RM#

(Solvent Safety Info. On Attached pg.)
LD50
CAS#
OSHA PEL (TWA)
NA
NA
10294-41-4
2.0
1000.0
3.04921
3.04919
32.8
0.10
99.999
1000
Z512CEB1
IN146

1. Cerium nitrate hexahydrate (Ce) [43.472 sec] 58158.D# [Count] [Linear]





Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.02	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	La	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Tc	<0.02	U	<0.02
As	<0.2	Ce	T	Eu	<0.02	In	<0.02	Mg	<0.02	Os	<0.01	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.02	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.02	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T)= Target analyte

Physical Characterization:

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



CERTIFIED WEIGHT REPORT:

Part Number: 58024
Lot Number: 060523
Description: Chromium (Cr)


Lot # 2110221
Solvent: Nitric Acid

Formulated By:	Lawrence Barry
	060523
Reviewed By:	Pedro L. Ruelas
	060523

Expiration Date: 060526
Recommended Storage: Ambient (20 °C)
Nominal Concentration (µg/mL): 1000
NIST Test Number: 6UTB
Volume shown below was diluted to (mL): 2000.02
5E-05 Balance Uncertainty
0.058 Flask Uncertainty

Compound	Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	CAS#	OSHA PEL (TWA)	LD50	NIST SRM
----------	-------------	------------	-----------------	-------------------	------------------	-----------------------	-----------------------	---------------------	----------------------------------	------	----------------	------	----------

1. Chromium(III) nitrate nonahydrate (Cr) 58124 071122 0.1000 200.0 0.084 1000 10000.1 1000.0 2.2 7789-02-8 0.5 mg(Cr)/m3 or rat 3250 mg/kg 3112a





Certified Reference Material CRM



ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	T	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



CERTIFIED WEIGHT REPORT:

Part Number:
Lot Number:
Description:

58029
102523
Copper (Cu)

Lot #
Solvent:

24002546
Nitric Acid

Expiration Date:

102526

2.0%

40.0
(mL)

Nitric Acid

Recommended Storage:

Ambient (20 °C)

Nominal Concentration (µg/mL):

1000

NIST Test Number:

6UTB

5E-05

Balance Uncertainty

Volume shown below was diluted to (mL):

2000.02

0.058

Flask Uncertainty

Formulated By:

Benson Chan

102523

Reviewed By:

Pedro L. Rentas


102523

SDS Information

Compound	Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty Pipette (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	CAS#	OSHA PEL (TWA)	LD50	NIST SRM
----------	-------------	------------	-----------------	-------------------	--------------------------	-----------------------	-----------------------	---------------------	----------------------------------	------	----------------	------	----------

1. Copper(II) nitrate trihydrate (Cu) 58129 100223 0.1000 200.0 0.084 1000 10000.1 1000.0 2.2 10031-43-3 1 mg/m3 or-rat 794 mg/kg 3114

[1] Spectrum No.1 [33.422 sec]:58029.D# [Count] [Linear]



Trace Metals Verification by ICP-MS ($\mu\text{g/mL}$)

(T) = Target analyte

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

John J. [Signature]

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
 - * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
 - * All standard containers are meticulously cleaned prior to use.
 - * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
 - * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
 - * All Standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



CERTIFIED WEIGHT REPORT:

Part Number: 57004
Lot Number: 102523
Description: Beryllium (Be)

Lot # 24002546
Solvent: Nitric Acid

Expiration Date:

102526

2.0%

40.0 (mL)

Nitric Acid

Recommended Storage:

Ambient (20 °C)

Nominal Concentration (µg/mL):

1000

NIST Test Number:

6UTB

Volume shown below was diluted to (mL): 2000.02

5E-05 Balance Uncertainty


0.058 Flask Uncertainty

Formulated By:	Benson Chan	102523
Reviewed By:	Pedro L. Rentas	102523

SDS Information

Compound	Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty Pipette (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	CAS#	OSHA PEL (TWA)	LD50	NIST SRM
----------	-------------	------------	-----------------	-------------------	--------------------------	-----------------------	-----------------------	---------------------	----------------------------------	------	----------------	------	----------

1. Beryllium nitrate (Be)	58104	091423	0.1000	200.0	0.084	1000	10001.5	1000.0	2.2	13597-99-4	0.2µg/m3	intrinsc-rat 3.16mg/kg	NA
---------------------------	-------	--------	--------	-------	-------	------	---------	--------	-----	------------	----------	------------------------	----





Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS ($\mu\text{g/mL}$)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pt	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Tc	<0.02	U	<0.02
As	<0.02	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Ti	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	T	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.2	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Ta	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Tl	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All Standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E. "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



Certified Reference Material CRM


CERTIFIED WEIGHT REPORT:

Part Number: 57050
Lot Number: 071123
Description: Tin (Sn)

Solvents: 21110221 Nitric Acid
22D0562008 Hydrochloric acid

Lot #

15.02509124
M599



Expiration Date: 071126
Recommended Storage: Ambient (20 °C)
Nominal Concentration (µg/mL): 1000

2% 10.0 Nitric Acid
6% 30.0 Hydrochloric acid
(mL)

NIST Test Number: 6UTB

Weight shown below was diluted to (mL): 499.93


5E-05 Balance Uncertainty
0.0058 Flask Uncertainty

Formulated By: Benson Chan		071123
Reviewed By: Pedro L. Rientas		071123

Compound		Lot	Nominal	Purity	Uncertainty	Assay	Target	Actual	Actual	Expanded	SDS Information		
RM#	Number	Conc. (µg/mL)	(%)	Purity (%)	(%)	Weight (g)	Weight (g)	Conc. (µg/mL)	+/- (µg/mL)	(µg/mL)	CAS#	OSHA PEL (TWA)	LD50 SRM

1. Ammonium hexafluoroantimonate(V) (Sn) IN010 SMD042023A1 1000 99.999 0.10 44.2 1.13107 1.13286 1001.6 2.0 16919-24-7 7 mg/m3 NA 3161a

[1] Spectrum No. 1 [15.034 sec] :56150.D# [Count] [Linear]





Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<500	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Ta	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



R: 02/09/24 115800 (54)

CERTIFIED WEIGHT REPORT:

Part Number: 57027
Lot Number: 091923
Description: Cobalt (Co)

Expiration Date: 091926
Recommended Storage: Ambient (20 °C)
Nominal Concentration (µg/mL): 1000
NIST Test Number: 6UTB
Volume shown below was diluted to (mL): 2000.02

Lot # 24002546
Solvent: Nitric Acid


Formulated By:	Lawrence Barry
Reviewed By:	Pedro L. Rentas

SDS Information

Expanded Uncertainty +/- (µg/mL)
(Solvent Safety Info. On Attached pg.)
NIST SRM
CAS# OSHA PEL (TWA) LD50

1. Cobalt(II) nitrate hexahydrate (Co) 58127 050923 0.1000 200.0 0.084 1000 10000.0 1000.0 2.2 10026-22-9 0.02 mg/m3 orl-rat 691 mg/kg 3113

[1] Spectrum No.1 [34.243 sec]:58027.D# [Count] [Linear]





Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.02	Os	<0.01	Rh	<0.02	Ag	<0.02	Tl	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.2	Na	<0.02	Th	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02
Bi	<0.02	Co	T	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02

(T)= Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

[Signature]

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



Certified Reference Material CRM

AR: 02/09/24

M5801

BA



CERTIFIED WEIGHT REPORT:

Part Number:
Lot Number:
Description:

57033
111323
Arsenic (As)

Lot #
Solvent:

24002546
Nitric Acid

Expiration Date:

111326

Recommended Storage:

Ambient (20 °C)

Nominal Concentration (µg/mL):

1000

NIST Test Number:

6LUTB

Volume shown below was diluted to (mL):

4000.0

5E-05

Balance Uncertainty

0.06

Flask Uncertainty

2.0%

80.0

(mL)

Nitric Acid

Formulated By:

Lawrence Barry

111323

Reviewed By:

Pedro L. Rendas

111323


SDS Information

Compound

Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty Pipette (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	CAS#	OSHA PEL (TWA)	LD50	NIST SRM
-------------	------------	-----------------	-------------------	--------------------------	-----------------------	-----------------------	---------------------	----------------------------------	------	----------------	------	----------

1. Arsenic (As)	58133	020522	0.1000	400.0	0.084	1000	10001.0	1000.0	2.0	7440-38-2	0.5 mg/m3	or-rat 500 mg/kg	3103a
-----------------	-------	--------	--------	-------	-------	------	---------	--------	-----	-----------	-----------	------------------	-------

[1] Spectrum No.1 [34.433 sec]:57033.D# [Count] [Linear]





Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pt	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	T	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Tl ₂	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge [*]	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sa	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



CERTIFIED WEIGHT REPORT:

Part Number: **57005**
Lot Number: **071123**
Description: **Boron (B)**

Solvent: MKB0857V Ammonium hydroxide

Lot #

AI 021009124 M5814

Expiration Date: 071126
Recommended Storage: Ambient (20 °C)
Nominal Concentration (µg/mL): 1000
NIST Test Number: 6UTB

2.0% 40.0 Ammonium hydroxide (mL)


Weight shown below was diluted to (mL): 1999.48 0.058 Balance Uncertainty Flask Uncertainty

Formulated By:	Benson Chan
071123	
Reviewed By:	Pedro L. Rientas
071123	

SDS Information

Compound	Lot	Nominal	Purity	Uncertainty	Assay	Target	Actual	Actual	Uncertainty	(Solvent Safety Info. On Attached pg.)		NIST
	RM#	Number	Conc. (µg/mL)	(%)	Purity (%)	Weight (g)	Weight (g)	Conc. (µg/mL)	+/- (µg/mL)	CAS#	OSHA PEL (TWA)	LD50

1. Boric acid (B) IN018 BV082018A1 1000 99.9999 0.10 17.3 11.55772 11.56201 1000.4 2.0 10043-35-3 2 mg/m3 or-nat 2660 mg/kg 3107





Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pt	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	T	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All Standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



CERTIFIED WEIGHT REPORT:

Part Number: **57016**
Lot Number: **122923**
Description: **Sulfur (S)**

Solvent: **122923** Lot #
ASTM Type 1 Water

Formulated By:	Benson Chan
Reviewed By:	Pedro L. Rentas

Expiration Date: **122926**
Recommended Storage: **Ambient (20 °C)**
Nominal Concentration (µg/mL): **1000**
NIST Test Number: **6L7B**
Weight shown below was diluted to (mL): **4000.0**
5E-05 Balance Uncertainty
0.06 Flask Uncertainty

Compound	RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	CAS#	OSHA PEL (TWA)	LD50	NIST SRM
----------	-----	------------	-----------------------	------------	-----------------	-----------	-------------------	-------------------	----------------------	----------------------------------	------	----------------	------	----------

1. Ammonium sulfate (S) IN117 SLBR225V 1000 99.9 0.10 24.3 16.4979 16.4980 1000.0 2.0 7783-20-2 NA off-rel 4250mg/kg 3181

[1] Spectrum No. 1 [33.603 sec]:57016.D# [Count] [Linear]





Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Ba	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Ru	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Sr	<0.02	S	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	Ta	<0.02	Ti	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

791 of 899



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Tc	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	T	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sa	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All Standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Absolute Standards, Inc.

800-368-1131
www.absolutestandards.com



Certified Reference Material CRM

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
<https://AbsoluteStandards.com>

CERTIFIED WEIGHT REPORT:

Part Number:

57034

Lot #

24002546

Solvent:

Nitric Acid

Lot Number:

060624

Description:

Selenium (Se)

Expiration Date:

060627

Recommended Storage:

Ambient (20 °C)

Nominal Concentration (µg/mL):

1000

NIST Test Number:

6UTB

Volume shown below was diluted to (mL):

2000.07

SE-05 Balance Uncertainty

0.100 Flask Uncertainty

2.0% 40.0 (mL)

Nitric Acid

Formulated By: Benson Chan 060624

Reviewed By:

Pedro L. Rantas

060624


SDS Information

Compound

Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Pipette (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	(Solvent Safety Info. On Attached pg.)	CAS#	OSHA PEL (TWA)	LDSO	NIST SRM
-------------	------------	-----------------	-------------------	--------------	-----------------------	-----------------------	---------------------	----------------------------------	--	------	----------------	------	----------

1. Selenium (Se)	58134	071223	0.1000	200.0	0.084	1000	10002.5	1000.0	2.2	7782-49-2	0.2 mg/m3	or-tral 6700 mg/kg	3149
------------------	-------	--------	--------	-------	-------	------	---------	--------	-----	-----------	-----------	--------------------	------

[1] Spectrum No. 1 [33.702 sec]:58034.D# [Count] [Linear]



Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com



Certified Reference Material CRM



ANAB ISO 17034 Accredited
AR-1539 Certificate Number
<https://AbsoluteStandards.com>

Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pt	<0.02	Se	T	Tb	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Absolute Standards, Inc.
800-368-1131
www.absolute-standards.com



Certified Reference Material CRM
M5970 M5971 R1 710124



ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://AbsoluteStandards.com

CERTIFIED WEIGHT REPORT:

Part Number: 57003
Lot Number: 062124
Description: Lithium (Li)
Expiration Date: 06/21/27
Recommended Storage: Ambient (20 °C)
Nominal Concentration (µg/mL): 1000
NIST Test Number: 6UTB
Volume shown below was diluted to (mL): 250.11

SE-05 Balance Uncertainty
0.016 Flask Uncertainty

Lot # 24002546
Solvent: Nitric Acid


2.0% 5.0 (mL)
Nitric Acid

Microvial Capable	
Formulated By:	062124
Giovanni Esposito	
Reviewed By: <i>[Signature]</i>	
Pietro L. Parias	

Compound		SDS Information												Expanded Uncertainty ± (µg/mL)		CAS# OSHA PEL (TWA) LD50		NEST SM	
		Part		Lot		Dilution		Initial		Nominal		Final							
Number	Factor	Vol. (mL)	Pipette (mL)	Conc. (µg/mL)	Conc. (µg/mL)	Vol. (mL)	Pipette (mL)	Conc. (µg/mL)	Conc. (µg/mL)	Vol. (mL)	Pipette (mL)	Conc. (µg/mL)	Conc. (µg/mL)	CAS#	OSHA PEL (TWA)	LD50	SM		

1. Lithium nitrate (Li)	58103	070622	0.1000	25.0	0.004	1000	10000.4	1000.0	2.0	7790-68-4	5 mg/m3	or-hal 1428 mg/kg	NA
-------------------------	-------	--------	--------	------	-------	------	---------	--------	-----	-----------	---------	-------------------	----

[1] Spectrum No. 1 [32.093 sec; 15000.0Hz Count [Lines]



Part # 57003 Lot # 062124

1 of 2

Printed: 6/24/2024, 11:20:08 PM

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com



Certified Reference Material CRM



ANAB ISO 17034 Accredited
AR-1539 Certificate Number
<https://AbsoluteStandards.com>

Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Ca	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02
Sb	<0.02	Ce	<0.2	Er	<0.02	In	<0.02	La	<0.02	Nb	<0.02	Rb	<0.02	Si	<0.02	Te	<0.02
As	<0.2	Ce	<0.02	Ba	<0.02	Ir	<0.02	Mg	<0.02	Os	<0.02	Rh	<0.02	Ag	<0.02	Ti	<0.02
Ba	<0.02	Cr	<0.02	Gd	<0.02	Te	<0.2	Mn	<0.02	Pd	<0.02	Ru	<0.02	Nd	<0.2	Th	<0.02
Be	<0.01	Co	<0.02	Ga	<0.02	Ta	<0.02	Hg	<0.2	P	<0.02	Sn	<0.02	Sr	<0.02	Tm	<0.02
Bi	<0.02	Cu	<0.02	Ge	<0.02	Ta	<0.02	Mo	<0.02	Fe	<0.2	Sb	<0.02	Sc	<0.02	Sn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Tb	<0.02	Nd	<0.02	K	<0.2	Se	<0.02	Ta	<0.02	Tl	<0.02
(T) = Target analyte																	
W	<0.02																
U	<0.02																
V	<0.02																
Yb	<0.02																
Y	<0.02																
Zn	<0.02																
Zr	<0.02																

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

[Signature]

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All Standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



Redefine your results. Redefine your industry.

Certificate of Analysis

MS978, MS979

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com



INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

1.0 ACCREDITATION / REGISTRATION

2.0 PRODUCT DESCRIPTION

Product Code: Single Analyte Custom Grade Solution

Catalog Number: CGT1

Lot Number: T2-T1719972

Matrix: 2% (v/v) HNO₃

Value / Analyte(s): tr. HF

Starting Material: 1 000 µg/mL ea.

Starting Material: Titanium

Starting Material: Ti Metal

Starting Material Lot#: 2094

Starting Material Purity: 99.9975%

3.0 CERTIFIED VALUES AND UNCERTAINTIES

Certified Value: 1002 ± 5 µg/mL

Density: 1.012 g/mL (measured at 20 ± 4 °C)

Assay Method #1

1002 ± 4 µg/mL

ICP Assay NIST SRM 3162a Lot Number: 130925

- The Calculated Value is a value calculated from the weight of a starting material that has been certified directly vs. a National Institute of Standards and Technology (NIST) SRM/RM. See Sec 4.2 for balance traceability.

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$X_{CRM/RM} = (k_p) / (k_{p,ave})$

k_p = mean of Assay Method A with

$U_{char, A}$ = the standard uncertainty of characterization Method A

$U_{char, A} = (k_p) / (k_{p,ave})$

$k = \text{coverage factor} = 2$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$ where $U_{char, A}$ are the errors from each characterization method

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

$U_{char, A} = [(2)(k_p)^2 / (U_{CRM/RM})^2]^{1/2}$

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0

TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

CRM/RMs are tested for trace metallic impurities by Axial ICP-OES and ICP-MS. The result from the most sensitive method for each element, is reported below. Solutions tested by ICP-MS were analyzed in an UHPA-filtered Clean Room. An UHPA-filter is 99.9985% efficient for the removal of particles down to 0.3 µm.

M Ag	<	0.000536	M Eu	<	0.000268	O Na	<	0.032670	M Se	<	0.001204	O Zn	<	0.003267
M Al	<	0.000872	O Fe	<	0.003225	O Nb	<	0.043560	O Si	<	0.004735	O Zr	<	0.043560
M As	<	0.008586	M Ga	<	0.000268	M Nd	<	0.000268	M Sm	<	0.000268			
M Au	<	0.004577	M Gd	<	0.000268	O Ni	<	0.010890	M Sn	<	0.000986			
O B	<	0.008929	M Ge	<	0.002146	M Os	<	0.000269	O Sr	<	0.000986			
M Ba	<	0.002683	M Hf	<	0.002161	O P	<	0.054450	M Ta	<	0.010560			
M Be	<	0.005366	M Hg	<	0.003231	M Pb	<	0.001073	M Tb	<	0.000268			
M Bi	<	0.001609	M Ho	<	0.000268	M Pd	<	0.000268	M Te	<	0.001341			
O Ca	<	0.000676	M In	<	0.002683	M Pr	<	0.000268	M Th	<	0.053663			
M Cd	<	0.000268	M Ir	<	0.000269	M Pt	<	0.000536	S Ti	<				
M Co	<	0.000268	M K	<	0.001172	M Rb	<	0.000268	M Tl	<	0.000268			
M Cr	<	0.000752	O Li	<	0.000268	M Re	<	0.000268	M Tm	<	0.000268			
M Cs	<	0.000268	M Lu	<	0.000268	M Rh	<	0.000268	M U	<	0.000268			
O Cu	<	0.010890	O Mg	<	0.005445	I S	<	0.006976	M Y	<	0.002146			
M Dy	<	0.000268	O Mn	<	0.003267	M Sb	<	0.004900	M Yb	<	0.000536			
M Er	<	0.000268	M Mo	<	0.000774	O Sc	<	0.004900	M Yb	<	0.000536			

6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.
- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit www.inorganicventures.com/TCT

Atomic Weight; Valence: Soluble in concentrated HCl, HF, H₃PO₄, H₂SO₄ and HNO₃. Avoid neutral to basic media. Unstable at ppm levels with metals that would pull F⁻ away (i.e. Do not mix with Alkaline or Rare Earths or high levels of transition elements forming the hydrated oxide in all dilute acids except HF. Stable with most inorganic anions with a tendency to hydrolyze forming the hydrous oxide in all dilute acids except HF.

Stability: 2-100 ppb levels stable (Alone or mixed with all other metals) as the Ti(F)₆-2 for months in 1% HNO₃ / LDPE container. 1-10,000 ppm single element solutions as the Ti(F)₆-2 chemically stable for years in 2-5% HNO₃ / trace HF in an LDPE container.

Ti Containing Samples (Preparation and Solution) - Metal (Soluble in H₂O / HF caution - powder reacts violently): Oxide - low temperature history anatase or rutile (Dissolved by heating in 1:1:1 H₂O / HF / H₂SO₄); K₂SiO₇ - no KF if silica not present); Organic Matrices (Dry ash at 450EC in P10 and dissolve by heating with 1:1:1 H₂O / HF / H₂SO₄ or fuse ash with pyrosulfate if oxide is as plastic pigment and likely in brookite crystaline form).

Atomic Spectroscopic Information (ICP-OES D.L.s are given as radial/axial view):

Technique/Line	Estimated D.L.	14 ppt
ICP-MS 48 amu	N/A	
ICP-OES 323.452 nm	0.0054 / 0.00092 µg/mL	1
ICP-OES 334.941 nm	0.0038 / 0.00028 µg/mL	1
ICP-OES 336.121 nm	0.0053 / 0.00034 µg/mL	1

HF Note: This standard should not be prepared or stored in glass.

W, Mo, Co
Nb, Ta, Cr, U
Ce, Ar, Ni
Ru]]
(where X = Zr, Mo,
14N17N2, 36Ar12C,
48Ca, 196X=2
14N16O18O,
32S16O, 32S14N,
N/A

- 9.0 **HOMOGENEITY**
 - Please refer to the Safety Data Sheet for information regarding this CRM/RM.

- 10.0 **QUALITY STANDARD DOCUMENTATION**
 - This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous.
 - Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

- 10.1 ISO 9001 Quality Management System Registration
 - QSR Certificate Number QSR-1034
- 10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"
 - Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY
Inorganic Ventures, 300 Technology Drive, Chesapeake, VA 24073, USA; Telephone: 800.868.6786; 540.565.3030; Fax: 540.565.3012; info@inorganicventures.com
- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

11.1 Certification Issue Date

June 17, 2022

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- June 17, 2027

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date:

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Thomas Kozlikowski
Manager, Quality Control

80978

Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director

Paul Gaines

Certificate of Analysis

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

M5985
R: 6/14/24

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



2.0 PRODUCT DESCRIPTION

Product Code: Single Analyte Custom Grade Solution
Catalog Number: CGIN10
Lot Number: U2-IN729349
Matrix: 5% (v/v) HNO₃
Value / Analyte(s): 10 000 µg/mL ea:
Indium
Starting Material: Indium Metal
Starting Material Lot#: 2511
Starting Material Purity: 99.9995%

3.0 CERTIFIED VALUES AND UNCERTAINTIES

Certified Value: 10022 ± 30 µg/mL
Density: 1.044 g/mL (measured at 20 ± 4 °C)

Assay Information:

Assay Method #1	10021 ± 56 µg/mL ICP Assay NIST SRM 3124a Lot Number: 110516
Assay Method #2	10035 ± 25 µg/mL EDTA NIST SRM 928 Lot Number: 928
Assay Method #3	10001 ± 33 µg/mL Calculated NIST SRM Lot Number: See Sec. 4.2

- The Calculated Value is a value calculated from the weight of a starting material that has been certified directly vs. a National Institute of Standards and Technology (NIST) SRM/RM. See Sec 4.2 for balance traceability.

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$$X_{CRM/RM} = \sum (w_i) (X_i)$$

X_i = mean of Assay Method i with standard uncertainty $u_{char i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$$w_i = (1/u_{char i}^2) / (\sum (1/u_{char i}^2))$$

$$CRM/RM \text{ Expanded Uncertainty } (k) = U_{CRM/RM} = k (u_{char}^2 + u_{bb}^2 + u_{lts}^2 + u_{ts}^2)^{1/2}$$

k = coverage factor = 2

$u_{char} = [\sum (w_i)^2 (u_{char i}^2)]^{1/2}$ where $u_{char i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

$$X_{CRM/RM} = (X_a) (u_{char a})$$

X_a = mean of Assay Method A with

$u_{char a}$ = the standard uncertainty of characterization Method A

$$CRM/RM \text{ Expanded Uncertainty } (k) = U_{CRM/RM} = k (u_{char a}^2 + u_{bb}^2 + u_{lts}^2 + u_{ts}^2)^{1/2}$$

k = coverage factor = 2

$u_{char a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

CRM/RMs are tested for trace metallic impurities by Axial ICP-OES and ICP-MS. The result from the most sensitive method for each element, is reported below. Solutions tested by ICP-MS were analyzed in an ULPA-Filtered Clean Room. An ULPA-Filter is 99.9985% efficient for the removal of particles down to 0.3 µm.

M	Ag	<	0.000760	M	Eu	<	0.000760	O	Na	0.012771	M	Se	<	0.023000	M	Zn	<	0.006100
M	Al	0.003385	O	Fe	0.004462	M	Nb	<	0.000760	O	Si	0.024619	M	Zr	<	0.000760		
M	As	<	0.004600	M	Ga	<	0.000760	M	Nd	<	0.000760	M	Sm	<	0.000760			
M	Au	<	0.002300	M	Gd	<	0.000760	O	Ni	<	0.005100	M	Sn	<	0.000760			
O	B	0.003692	M	Ge	<	0.001600	M	Os	<	0.000760	O	Sr	<	0.000610				
M	Ba	<	0.001600	M	Hf	<	0.000760	n	P	<		M	Ta	<	0.000760			
O	Be	<	0.000130	M	Hg	<	0.003100	M	Pb	0.001400	M	Tb	<	0.000760				
M	Bi	<	0.000760	M	Ho	<	0.000760	M	Pd	<	0.001600	M	Te	<	0.000760			
O	Ca	0.004616	s	In	<			M	Pr	<	0.000760	M	Th	<	0.000760			
M	Cd	<	0.000760	M	Ir	<	0.000760	M	Pt	<	0.000760	O	Ti	<	0.001100			
M	Ce	<	0.000760	O	K	0.007078	M	Rb	<	0.000760	M	Tl	<	0.000760				
M	Co	<	0.000760	M	La	<	0.000760	M	Re	<	0.000760	M	Tm	<	0.000760			
O	Cr	<	0.001300	O	Li	<	0.000130	M	Rh	<	0.000760	M	U	<	0.000760			
M	Cs	<	0.000760	M	Lu	<	0.000760	M	Ru	<	0.000760	M	V	<	0.001600			
M	Cu	<	0.003800	O	Mg	0.000707	n	S	<		M	W	<	0.001600				
M	Dy	<	0.000760	O	Mn	0.000149	M	Sb	<	0.000760	M	Y	<	0.000760				
M	Er	<	0.000760	M	Mo	<	0.002300	M	Sc	<	0.000760	M	Yb	<	0.000760			

M - Checked by ICP-MS

O - Checked by ICP-OES

i - Spectral Interference

n - Not Checked For

s - Solution Standard Element

6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures Terms and Conditions of Sale. <https://www.inorganicventures.com/terms-and-conditions-sale>. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.
- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.
- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit www.inorganicventures.com/TCT

Atomic Weight; Valence; Coordination Number; Chemical Form In Solution - 114.82 +3 6 In(H₂O)₆+3

Chemical Compatibility -Soluble in HCl, HNO₃, and H₂SO₄. Avoid neutral and basic media. Stable with most metals and inorganic anions. The oxalate, sulfide, carbonate, hydroxide and phosphate are insoluble in water.

Stability - 2-100 ppb levels stable for months in 1% HNO₃ / LDPE container. 1-10,000 ppm solutions chemically stable for years in 2-5% HNO₃ / LDPE container.

In Containing Samples (Preparation and Solution) -Metal (Best dissolved in HCl / HNO₃); Oxide (Soluble in mineral acids); Ores (Carbonate fusion in PtO followed by HCl dissolution); Organic Matrices (Sulfuric/peroxide digestion or dry ash and dissolution in dilute HCl).

Atomic Spectroscopic Information (ICP-OES D.L.s are given as radial/axial view):

Technique/Line	Estimated D.L.	Order	Interferences (underlined indicates severe)
ICP-MS 115 amu	1 ppt	n/a	115Sn, 99Ru16O
ICP-OES 158.583 nm	0.05 / 0.002 µg/mL	1	
ICP-OES 230.606 nm	0.1 / 0.03 µg/mL	1	Ni, Os
ICP-OES 325.609 nm	0.2 / 0.05 µg/mL	1	Mn, Mo, Th

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; Info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

February 21, 2023

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- February 21, 2028

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Approved By:

Thomas Kozikowski
Manager, Quality Control



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director



Certificate of Analysis

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

R: 2/22/24
MS997

P: 800-669-6799/540-585-3030

F: 540-585-3012

info@inorganicventures.com

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories".

Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



2.0 PRODUCT DESCRIPTION

Product Code: Multi Analyte Custom Grade Solution
Catalog Number: CLPP-CAL-3
Lot Number: T2-MEB727800
Matrix: 7% (v/v) HNO₃
Value / Analyte(s):
1 000 µg/mL ea:
Arsenic, Lead,
Selenium, Thallium,
500 µg/mL ea:
Cadmium

3.0 CERTIFIED VALUES AND UNCERTAINTIES

ANALYTE	CERTIFIED VALUE	ANALYTE	CERTIFIED VALUE
Arsenic, As	1 000 ± 7 µg/mL	Cadmium, Cd	500.0 ± 2.2 µg/mL
Lead, Pb	1 000 ± 4 µg/mL	Selenium, Se	1 000 ± 6 µg/mL
Thallium, Tl	1 000 ± 7 µg/mL		

Density: 1.042 g/mL (measured at 20 ± 4 °C)

Assay Information:

ANALYTE	METHOD	NIST SRM#	SRM LOT#
As	ICP Assay	3103a	100818
As	Calculated		See Sec. 4.2
Cd	ICP Assay	3108	130116
Cd	EDTA	928	928
Pb	ICP Assay	3128	101026
Pb	EDTA	928	928
Se	ICP Assay	3149	100901
Tl	ICP Assay	3158	151215

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{\text{CRM/RM}}$, where two or more methods of characterization are used is the weighted mean of the results:

$$X_{\text{CRM/RM}} = \sum (w_i) (X_i)$$

X_i = mean of Assay Method i with standard uncertainty $u_{\text{char } i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$$w_i = (1/u_{\text{char } i}^2) / (\sum (1/u_{\text{char } i}^2))$$

$$\text{CRM/RM Expanded Uncertainty (Z)} = U_{\text{CRM/RM}} = k (u_{\text{char}}^2 + u_{\text{bb}}^2 + u_{\text{ts}}^2 + u_{\text{ts}}^2)^{1/2}$$

k = coverage factor = 2

$u_{\text{char}} = [\sum (w_i)^2 (u_{\text{char } i}^2)]^{1/2}$ where $u_{\text{char } i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{ts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{\text{CRM/RM}}$, where one method of characterization is used is the mean of individual results:

$$X_{\text{CRM/RM}} = (X_a) (u_{\text{char } a})$$

X_a = mean of Assay Method A with

$u_{\text{char } a}$ = the standard uncertainty of characterization Method A

$$\text{CRM/RM Expanded Uncertainty (Z)} = U_{\text{CRM/RM}} = k (u_{\text{char } a}^2 + u_{\text{bb}}^2 + u_{\text{ts}}^2 + u_{\text{ts}}^2)^{1/2}$$

k = coverage factor = 2

$u_{\text{char } a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{ts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures Terms and Conditions of Sale. <https://www.inorganicventures.com/terms-and-conditions-sale>. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit www.inorganicventures.com/TCT

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

December 21, 2022

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- **December 21, 2027**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Approved By:

Thomas Kozikowski
Manager, Quality Control



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director



Certificate of Analysis

R: 08/22/24 M6058, M6059

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



2.0 PRODUCT DESCRIPTION

Product Code: Multi Analyte Custom Grade Solution
Catalog Number: CHEM-CLP-4
Lot Number: V2-MEB746172
Matrix: 3% (v/v) HNO₃
3% (v/v) HF
Value / Analyte(s): 1 000 µg/mL ea:
Boron, Molybdenum,
Silicon, Tin,
Titanium

3.0 CERTIFIED VALUES AND UNCERTAINTIES

ANALYTE	CERTIFIED VALUE	ANALYTE	CERTIFIED VALUE
Boron, B	1 000 ± 5 µg/mL	Molybdenum, Mo	1 000 ± 5 µg/mL
Silicon, Si	1 000 ± 7 µg/mL	Tin, Sn	1 000 ± 5 µg/mL
Titanium, Ti	1 000 ± 6 µg/mL		

Density: 1.032 g/mL (measured at 20 ± 4 °C)

Assay Information:

ANALYTE	METHOD	NIST SRM#	SRM LOT#
B	ICP Assay	3107	190605
B	Calculated		See Sec. 4.2
Mo	ICP Assay	traceable to 3134	U2-MO739068
Si	ICP Assay	Traceable to 3150	S2-SI702546
Sn	ICP Assay	3161a	140917
Ti	ICP Assay	traceable to 3162a	T2-TI725816

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{\text{CRM/RM}}$, where two or more methods of characterization are used is the weighted mean of the results:

$$X_{\text{CRM/RM}} = \sum (w_i) (X_i)$$

X_i = mean of Assay Method i with standard uncertainty $u_{\text{char } i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$$w_i = (1/u_{\text{char } i}^2) / (\sum (1/u_{\text{char } i}^2))$$

$$\text{CRM/RM Expanded Uncertainty } (\pm) = U_{\text{CRM/RM}} = k (u_{\text{char}}^2 + u_{\text{bb}}^2 + u_{\text{its}}^2 + u_{\text{ts}}^2)^{1/2}$$

k = coverage factor = 2

$u_{\text{char}} = [\sum (w_i)^2 (u_{\text{char } i})^2]^{1/2}$ where $u_{\text{char } i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{its} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{\text{CRM/RM}}$, where one method of characterization is used is the mean of individual results:

$$X_{\text{CRM/RM}} = (X_a) (u_{\text{char } a})$$

X_a = mean of Assay Method A with

$u_{\text{char } a}$ = the standard uncertainty of characterization Method A

$$\text{CRM/RM Expanded Uncertainty } (\pm) = U_{\text{CRM/RM}} = k (u_{\text{char } a}^2 + u_{\text{bb}}^2 + u_{\text{its}}^2 + u_{\text{ts}}^2)^{1/2}$$

k = coverage factor = 2

$u_{\text{char } a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{its} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™)

see the Limited License to Use PCRM™ in the Inorganic Ventures [Terms and Conditions of Sale](https://www.inorganicventures.com/terms-and-conditions-sale).

<https://www.inorganicventures.com/terms-and-conditions-sale>. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit www.inorganicventures.com/TCT

HF Note: This standard should not be prepared or stored in glass.

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

August 12, 2024

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- **August 12, 2029**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Approved By:

Joseph Burns
Custom VS Manager



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director



300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

Certificate of Analysis

M6074
M6075
M6076
M6077

P: 800-669-6799/540-585-3030

F: 540-585-3012

info@inorganicventures.com

EXP: 9/6/2029

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



2.0 PRODUCT DESCRIPTION

Product Code: Multi Analyte Custom Grade Solution
Catalog Number: CHEM-CLP-4
Lot Number: V2-MEB746762
Matrix: 3% (v/v) HNO₃
3% (v/v) HF
Value / Analyte(s): 1 000 µg/mL ea:
Boron, Molybdenum,
Silicon, Tin,
Titanium

3.0 CERTIFIED VALUES AND UNCERTAINTIES

ANALYTE	CERTIFIED VALUE	ANALYTE	CERTIFIED VALUE
Boron, B	1 000 ± 5 µg/mL	Molybdenum, Mo	1 000 ± 5 µg/mL
Silicon, Si	1 000 ± 7 µg/mL	Tin, Sn	1 000 ± 5 µg/mL
Titanium, Ti	1 000 ± 6 µg/mL		

Density: 1.033 g/mL (measured at 20 ± 4 °C)

Assay Information:

ANALYTE	METHOD	NIST SRM#	SRM LOT#
B	ICP Assay	3107	190605
B	Calculated		See Sec. 4.2
Mo	ICP Assay	traceable to 3134	U2-MO739068
Si	ICP Assay	Traceable to 3150	S2-SI702546
Sn	ICP Assay	3161a	140917
Ti	ICP Assay	traceable to 3162a	T2-TI725816

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{\text{CRM/RM}}$, where two or more methods of characterization are used is the weighted mean of the results:

$$X_{\text{CRM/RM}} = \sum(w_i)(X_i)$$

X_i = mean of Assay Method i with standard uncertainty $u_{\text{char } i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$$w_i = (1/u_{\text{char } i}^2) / (\sum(1/u_{\text{char } i}^2))$$

$$\text{CRM/RM Expanded Uncertainty } (\pm) = U_{\text{CRM/RM}} = k(u_{\text{char}}^2 + u_{\text{bb}}^2 + u_{\text{Its}}^2 + u_{\text{ts}}^2)^{1/2}$$

k = coverage factor = 2

$u_{\text{char}} = [\sum(w_i)^2(u_{\text{char } i}^2)]^{1/2}$ where $u_{\text{char } i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{Its} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{\text{CRM/RM}}$, where one method of characterization is used is the mean of individual results:

$$X_{\text{CRM/RM}} = (X_a)(u_{\text{char } a})$$

X_a = mean of Assay Method A with

$u_{\text{char } a}$ = the standard uncertainty of characterization Method A

$$\text{CRM/RM Expanded Uncertainty } (\pm) = U_{\text{CRM/RM}} = k(u_{\text{char } a}^2 + u_{\text{bb}}^2 + u_{\text{Its}}^2 + u_{\text{ts}}^2)^{1/2}$$

k = coverage factor = 2

$u_{\text{char } a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{Its} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures Terms and Conditions of Sale. <https://www.inorganicventures.com/terms-and-conditions-sale>. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit www.inorganicventures.com/TCT

HF Note: This standard should not be prepared or stored in glass.

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

September 06, 2024

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- September 06, 2029

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Approved By:

Joseph Burns
Custom VS Manager



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director





Certified Reference Material CRM



CERTIFIED WEIGHT REPORT:

Part Number:
Lot Number:
Description:

58025
101124
Manganese (Mn)

Lot #
Solvent: 24002546 Nitric Acid

2% 80.0 (mL) Nitric Acid

<i>Giovanni Esposito</i>	
Formulated By:	Giovanni Esposito
	101124
Reviewed By:	<i>Pedro L. Renteria</i>
	Pedro L. Renteria
	101124

Expiration Date: 101127
Recommended Storage: Ambient (20 °C)
Nominal Concentration (µg/mL): 1000
NIST Test Number: 6UTB
Weight shown below was diluted to (mL): 4000.2 0.10 Flask Uncertainty

Compound

RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	CAS#	OSHA PEL (TWA)	LD50	NIST SRM
-----	------------	-----------------------	------------	------------------------	-----------	-------------------	-------------------	----------------------	----------------------------------	------	----------------	------	----------

1. Manganese(II) nitrate hydrate (Mn) IN031 MMN032020A1 1000 99.999 0.10 20.8 19.2322 19.2344 1000.1 2.0 15710-66-4 5 mg/m3 or-rel >300mg/kg 3132

[1] Spectrum No.1 [34.243 sec]:57025.D# [Count] [Linear]

5.0E6													
2.5E6													
m/z->	10	20	30	40	50	60	70	80	90	100			
1.0E6													
5.0E7													
m/z->	110	120	130	140	150	160	170	180	190	200			
1.0E6													
5.0E7													
m/z->	210	220	230	240	250	260							



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	T	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Certificate of Analysis

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

M6137
R-71013124

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



2.0 PRODUCT DESCRIPTION

Product Code: Single Analyte Custom Grade Solution
Catalog Number: CGSI1
Lot Number: V2-SI744713
Matrix: tr. HNO₃
tr. HF
Value / Analyte(s): 1 000 µg/mL ea:
Silicon
Starting Material: Silica
Starting Material Lot#: 1771
Starting Material Purity: 99.9981%

3.0 CERTIFIED VALUES AND UNCERTAINTIES

Certified Value: 999 ± 6 µg/mL
Density: 1.003 g/mL (measured at 20 ± 4 °C)

Assay Information:

Assay Method #1 **999 ± 5 µg/mL**
ICP Assay NIST SRM Traceable to 3150 Lot Number: S2-SI702546

Assay Method #2 **1000 ± 7 µg/mL**
Calculated NIST SRM Lot Number: See Sec. 4.2

- The Calculated Value is a value calculated from the weight of a starting material that has been certified directly vs. a National Institute of Standards and Technology (NIST) SRM/RM. See Sec 4.2 for balance traceability.

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$$X_{CRM/RM} = \sum (w_i) (X_i)$$

X_i = mean of Assay Method i with standard uncertainty $u_{char\ i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$$w_i = (1/u_{char\ i})^2 / (\sum (1/(u_{char\ i})^2))$$

$$CRM/RM \text{ Expanded Uncertainty } (\pm) = U_{CRM/RM} = k (u_{char}^2 + u_{bb}^2 + u_{lts}^2 + u_{ts}^2)^{1/2}$$

k = coverage factor = 2

$u_{char} = [\sum (w_i)^2 (u_{char\ i})^2]^{1/2}$ where $u_{char\ i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

$$X_{CRM/RM} = (X_a) (u_{char\ a})$$

X_a = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

$$CRM/RM \text{ Expanded Uncertainty } (\pm) = U_{CRM/RM} = k (u_{char\ a}^2 + u_{bb}^2 + u_{lts}^2 + u_{ts}^2)^{1/2}$$

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

CRM/RMs are tested for trace metallic impurities by Axial ICP-OES and ICP-MS. The result from the most sensitive method for each element, is reported below. Solutions tested by ICP-MS were analyzed in an ULPA-Filtered Clean Room. An ULPA-Filter is 99.9985% efficient for the removal of particles down to 0.3 µm.

M	Ag	<	0.000310	M	Eu	<	0.000310	O	Na		0.001656	M	Se	<	0.022000	M	Zn	<	0.002500
M	Al		0.010787	M	Fe	<	0.027000	M	Nb	<	0.001300	s	Si	<		O	Zr	<	0.001900
M	As	<	0.001900	M	Ga	<	0.001300	M	Nd	<	0.000310	M	Sm	<	0.000310				
M	Au	<	0.000910	M	Gd	<	0.000310	M	Ni	<	0.005500	M	Sn		0.000096				
M	B		0.016180	M	Ge	<	0.001900	M	Os	<	0.000610	O	Sr		0.000092				
M	Ba		0.000096	M	Hf		0.000423	i	P	<		M	Ta		0.002542				
O	Be	<	0.000570	M	Hg	<	0.000610	M	Pb	<	0.000310	M	Tb	<	0.000310				
M	Bi	<	0.000310	M	Ho	<	0.000610	M	Pd	<	0.000610	M	Te	<	0.000910				
O	Ca		0.011557	M	In	<	0.000310	M	Pr	<	0.000310	M	Th	<	0.001900				
M	Cd	<	0.000310	M	Ir	<	0.000310	M	Pt	<	0.000310	M	Ti		0.001078				
M	Ce	<	0.000610	O	K		0.000577	M	Rb	<	0.009100	M	Tl	<	0.000310				
M	Co	<	0.001600	M	La	<	0.000310	M	Re	<	0.000310	M	Tm	<	0.000310				
M	Cr	<	0.010000	O	Li	<	0.000460	M	Rh	<	0.000310	M	U	<	0.000310				
M	Cs	<	0.000310	M	Lu	<	0.000310	M	Ru	<	0.000310	O	V	<	0.001300				
M	Cu	<	0.002500	O	Mg		0.001348	O	S	<	0.570000	M	W	<	0.001900				
M	Dy	<	0.000310	M	Mn	<	0.002500	M	Sb	<	0.000310	M	Y	<	0.000310				
M	Er	<	0.000310	M	Mo	<	0.000310	O	Sc	<	0.000590	M	Yb	<	0.000310				

M - Checked by ICP-MS

O - Checked by ICP-OES

i - Spectral Interference

n - Not Checked For

s - Solution Standard Element

6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures Terms and Conditions of Sale, <https://www.inorganicventures.com/terms-and-conditions-sale>. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.
- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.
- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit www.inorganicventures.com/TCT

Atomic Weight; Valence; Coordination Number; Chemical Form In Solution - 28.09 +4 6 Si(OH)x(F)y2-

Chemical Compatibility -Soluble in HCl, HF, H3PO4 H2SO4 and HNO3 as the Si(OH)x(F)y2-. Avoid neutral to basic media. Unstable at ppm levels with metals that would pull F- away (i.e. Do not mix with Alkaline or Rare Earths, or high levels of transition elements unless they are fluorinated. Stable with most inorganic anions with a tendency to hydrolyze forming silicic acid (silicic acid is soluble up to ∼100 ppm in water) in all dilute acids except HF.

Stability - 2-100 ppb levels - stability unknown - (alone or mixed with all other metals) as the Si(OH)x(F)y2-. 1-10,000 ppm single element solutions as the Si(OH)x(F)y2- chemically stable for years in 2-5 % HNO3 / trace HF in a LDPE container.

Si Containing Samples (Preparation and Solution) -Metal (Soluble in 1:1:1 H2O / HF / HNO3); Oxide - SiO2, amorphous (dissolve by heating in 1:1:1 H2O / HF / HNO3); Oxide - quartz (fuse in Pt0 with Na2CO3); Geological Samples(fuse in Pt0with Na2CO3 followed by HCl solution of the fuseate); Organic Matrices containing silicates and non volatile silicon compounds (dry ash at 4500C in Pt0 and dissolve by gently warming with 1:1:1 H2O / HF / H2SO4 or fuse / ash with Na2CO3 and dissolve fuseate with HCl / H2O); Silicone Oils - dimethyl silicones depolymerize to form volatile monomer units when heated (Measure directly in alcoholic KOH / xylene mixture where sample is treated first with the KOH at 60-1000C to "unzip" the Si- O-Si polymeric structure or digest with conc. H2SO4 / H2O2 followed by cooling and dissolution of the dehydrated silica with HF.) Note that the direct analysis of silicone oils in an organic solvent will result in false high results due to high vapor pressure of volatile monomer units like hexamethylcyclotrisiloxane. The KOH forms the K2+Si(CH3)2O= salt which is not volatile at room temperature.

Atomic Spectroscopic Information (ICP-OES D.L.s are given as radial/axial view):

Technique/Line	Estimated D.L.	Order	Interferences (underlined indicates severe)
ICP-MS 28 amu	4000 - 8000 ppt	N/A	N2, 12C16O
ICP-OES 212.412 nm	0.02/0.01 µg/mL	1	Hf, Os, Mo, Ta
ICP-OES 251.611 nm	0.012/0.003 µg/mL	1	Ta, U, Zn, Th
ICP-OES 288.158 nm	0.03/0.004 µg/mL	1	Ta, Ce, Cr, Cd, Th

HF Note: This standard should not be prepared or stored in glass.

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; Inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

July 10, 2024

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- July 10, 2029

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Prepared By:

Uyen Truong
Custom Processing Supervisor



Certificate Approved By:

Muzzammil Khan
Stock Laboratory Supervisor



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director





CERTIFIED WEIGHT REPORT:

Part Number:
Lot Number:
Description:

58126
011025
Iron (Fe)
M6140

Lot #
Solvent: 24012496 Nitric Acid

Expiration Date:

011028

2%

40.0 (mL) Nitric Acid

Recommended Storage:

Ambient (20 °C)

Nominal Concentration (µg/mL):

10000

NIST Test Number:

6U7B

5E-05 Balance Uncertainty

Weight shown below was diluted to (mL):

2000.07

0.100 Flask Uncertainty


Formulated By:	Benson Chan	011025
Reviewed By:	Pedro L. Renteria	011025

Compound

Lot	Nominal	Purity	Uncertainty	Assay	Target	Actual	Actual	Expanded	SDS Information	NIST
Number	Conc. (µg/mL)	(%)	Purity (%)	(%)	Weight (g)	Weight (g)	Conc. (µg/mL)	± (µg/mL)	(Solvent Safety Info. On Attached pg.)	SFM
RM#										

1. Iron(III) nitrate nonahydrate (Fe) IN028 FED082023A1 10000 99.999 0.10 13.0 153.8534 ##### 10000.2 20.0 7782-61-8 1 mg/m³ or-rel 3250mg/kg 3126A

[1] Spectrum No.1 [30.763 sec]58126.D# [Count] [Linear]





Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pt	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Bu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	T	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T)= Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

[Signature]

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All Standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



CERTIFIED WEIGHT REPORT:

Part Number:
Lot Number:
Description:

57119
103024
Potassium (K)

R-2113125

Solvent: 24002546 Nitric Acid
Lot #

<i>Giovanni Esposito</i>	
Formulated By:	Giovanni Esposito
Reviewed By:	Pedro L. Renteria
	103024

Expiration Date:
Recommended Storage:
Nominal Concentration (µg/mL):

103027
Ambient (20 °C)
10000

M6141
M6142
M6143

2%
80.0
(mL)
Nitric Acid


Weight shown below was diluted to (mL):

4000.1
0.15
Flask Uncertainty

Compound	RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	CAS#	OSHA PEL (TWA)	LD50	NIST SRM

1. Potassium nitrate (K) IN034 KD062022A1 10000 99.999 0.10 37.7 106.1040 ##### 10001.1 20.0 7757-79-1 5 mg/m3 orl-rat 3750 mg/kg 3141a

[1] Spectrum No. 1 [35.763 sec]:58119.D# [Count] [Linear]





Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pt	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	T	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



CERTIFIED WEIGHT REPORT:

Part Number: **58030** Lot # **24012496**
Lot Number: **121724** Nitric Acid
Description: **Zinc (Zn)**

Expiration Date: **121727** 2% 40.0 (mL)

Recommended Storage: **Ambient (20 °C)** Nitric Acid
Nominal Concentration (µg/mL): **1000**

NIST Test Number: **6UTB** 5E-05 Balance Uncertainty
Weight shown below was diluted to (mL): **2000.1** 0.10 Flask Uncertainty


<i>Aleah O Brady</i>	
Formulated By:	Aleah O'Brady
Reviewed By:	<i>Pedro L. Rentias</i>
	Pedro L. Rentias
	121724

Compound

RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	CAS#	OSHA PEL (TWA)	LD50	NIST SRM
-----	------------	-----------------------	------------	------------------------	-----------	-------------------	-------------------	----------------------	----------------------------------	------	----------------	------	----------

1. Zinc nitrate hexahydrate (Zn) IN016 ZNE0302021A1 1000 99.999 0.10 24.3 8.2308 8.2311 1000.0 2.0 10196-18-6 1 mg/m3 or-rat 1190mg/kg 3168

[1] Spectrum No.1 [31.103 sec;58130.D# [Count] [Linear]





Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pt	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Bu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Hydrochloric Acid, 36.5–38.0%
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis

avantor™



M6151

R → 11/15/25

Material No.: 9530-33
Batch No.: 22G2862015
Manufactured Date: 2022-06-15
Retest Date: 2027-06-14
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
ACS – Assay (as HCl) (by acid–base titrn)	36.5 – 38.0 %	37.9 %
ACS – Color (APHA)	≤ 10	5
ACS – Residue after Ignition	≤ 3 ppm	< 1 ppm
ACS – Specific Gravity at 60°/60°F	1.185 – 1.192	1.191
ACS – Bromide (Br)	≤ 0.005 %	< 0.005 %
ACS – Extractable Organic Substances	≤ 5 ppm	< 1 ppm
ACS – Free Chlorine (as Cl ₂)	≤ 0.5 ppm	< 0.5 ppm
Phosphate (PO ₄)	≤ 0.05 ppm	< 0.03 ppm
Sulfate (SO ₄)	≤ 0.5 ppm	< 0.3 ppm
Sulfite (SO ₃)	≤ 0.8 ppm	0.3 ppm
Ammonium (NH ₄)	≤ 3 ppm	< 1 ppm
Trace Impurities – Arsenic (As)	≤ 0.010 ppm	< 0.003 ppm
Trace Impurities – Aluminum (Al)	≤ 10.0 ppb	1.3 ppb
Arsenic and Antimony (as As)	≤ 5.0 ppb	< 3.0 ppb
Trace Impurities – Barium (Ba)	≤ 1.0 ppb	0.2 ppb
Trace Impurities – Beryllium (Be)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Bismuth (Bi)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Boron (B)	≤ 20.0 ppb	< 5.0 ppb
Trace Impurities – Cadmium (Cd)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities – Calcium (Ca)	≤ 50.0 ppb	163.0 ppb
Trace Impurities – Chromium (Cr)	≤ 1.0 ppb	0.7 ppb
Trace Impurities – Cobalt (Co)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities – Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Gallium (Ga)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Germanium (Ge)	≤ 3.0 ppb	< 2.0 ppb
Trace Impurities – Gold (Au)	≤ 4.0 ppb	0.6 ppb
Heavy Metals (as Pb)	≤ 100 ppb	< 50 ppb
Trace Impurities – Iron (Fe)	≤ 15 ppb	6 ppb

>>> Continued on page 2 >>>

Hydrochloric Acid, 36.5–38.0%
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis

 **avantor™**



Material No.: 9530-33
Batch No.: 22G2862015

Test	Specification	Result
Trace Impurities – Lead (Pb)	≤ 1.0 ppb	< 0.5 ppb
Trace Impurities – Lithium (Li)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Magnesium (Mg)	≤ 10.0 ppb	2.9 ppb
Trace Impurities – Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	0.1 ppb
Trace Impurities – Molybdenum (Mo)	≤ 10.0 ppb	< 3.0 ppb
Trace Impurities – Nickel (Ni)	≤ 4.0 ppb	< 0.3 ppb
Trace Impurities – Niobium (Nb)	≤ 1.0 ppb	0.8 ppb
Trace Impurities – Potassium (K)	≤ 9.0 ppb	< 2.0 ppb
Trace Impurities – Selenium (Se), For Information Only		< 1.0 ppb
Trace Impurities – Silicon (Si)	≤ 100.0 ppb	< 10.0 ppb
Trace Impurities – Silver (Ag)	≤ 1.0 ppb	0.5 ppb
Trace Impurities – Sodium (Na)	≤ 100.0 ppb	2.3 ppb
Trace Impurities – Strontium (Sr)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Tantalum (Ta)	≤ 1.0 ppb	1.6 ppb
Trace Impurities – Thallium (Tl)	≤ 5.0 ppb	< 2.0 ppb
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	4.0 ppb
Trace Impurities – Titanium (Ti)	≤ 1.0 ppb	1.5 ppb
Trace Impurities – Vanadium (V)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Zinc (Zn)	≤ 5.0 ppb	0.8 ppb
Trace Impurities – Zirconium (Zr)	≤ 1.0 ppb	0.3 ppb

>>> Continued on page 3 >>>

Hydrochloric Acid, 36.5–38.0%
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis

 **avantor**™




Material No.: 9530-33
Batch No.: 22G2862015

Test	Specification	Result
------	---------------	--------

For Laboratory, Research, or Manufacturing Use
Product Information (not specifications):
Appearance (clear, fuming liquid)
Meets ACS Specifications
Storage Condition: Store below 25 °C.

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC


Jamie Ethier
Vice President Global Quality



M6156

Certified Reference Material CRM

R → 6/12/24



ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://AbsoluteStandards.com

CERTIFIED WEIGHT REPORT:

Part Number:

Lot Number:

Description:

Lot #

Solvent:

57042
032123
Molybdenum (Mo)

0.5%
15.0
(mL)

Ammonium hydroxide

Expiration Date:

Recommended Storage:

Nominal Concentration (µg/mL):

NIST Test Number:

Volume shown below was diluted to (mL):

Balance Uncertainty

Flask Uncertainty


0.058

Compound

Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	CAS#	OSHA PEL (TWA)	LD50	NIST SRM
-------------	------------	-----------------	-------------------	------------------	-----------------------	-----------------------	---------------------	----------------------------------	------	----------------	------	----------

1. Ammonium molybdate (Mo) 58142 112322 0.1000 300.0 0.084 1000 10001.4 1000.0 2.1 13106-76-8 5 mg(Mo)/m3 or-hal 333 mg/kg 3134

[1] Spectrum No.1 [8.594 sec]:57042.D# [Count] [Linear]



Absolute Standards, Inc.800-368-1131
www.absolutestandards.com**Certified Reference Material CRM**ANAB ISO 17034 Accredited
AR-1539 Certificate Number
<https://AbsoluteStandards.com>**Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):****Trace Metals Verification by ICP-MS (µg/mL)**

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Tc	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	T	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T)= Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All Standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

300 Technology Drive
 Christiansburg, VA 24073 USA
 inorganicventures.com

P: 800-669-6799/540-585-3030
 F: 540-585-3012
 info@inorganicventures.com

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



2.0 PRODUCT DESCRIPTION

Product Code:	Multi Analyte Custom Grade Solution		
Catalog Number:	QCP-CICV-1		
Lot Number:	V2-MEB744107		
Matrix:	7% (v/v) HNO ₃		
Value / Analyte(s):	2 500 µg/mL ea:		
	Calcium,	Potassium,	
	Magnesium,	Sodium,	
	1 000 µg/mL ea:		
	Aluminum,	Barium,	
	500 µg/mL ea:		
	Iron,		
	250 µg/mL ea:		
	Nickel,	Vanadium,	
	Zinc,	Cobalt,	
	Manganese,		
	125 µg/mL ea:		
	Silver,	Copper,	
	100 µg/mL ea:		
	Chromium,		
	25 µg/mL ea:		
	Beryllium		

Second Source: Whenever possible, this solution was manufactured from a second set of concentrates in our manufacturing facility.

3.0 CERTIFIED VALUES AND UNCERTAINTIES

ANALYTE	CERTIFIED VALUE	ANALYTE	CERTIFIED VALUE
Aluminum, Al	1 000 ± 4 µg/mL	Barium, Ba	1 000 ± 6 µg/mL
Beryllium, Be	24.98 ± 0.12 µg/mL	Calcium, Ca	2 500 ± 8 µg/mL
Chromium, Cr	99.9 ± 0.6 µg/mL	Cobalt, Co	250.2 ± 1.2 µg/mL
Copper, Cu	125.0 ± 0.5 µg/mL	Iron, Fe	500.0 ± 2.2 µg/mL
Magnesium, Mg	2 500 ± 11 µg/mL	Manganese, Mn	249.9 ± 1.1 µg/mL
Nickel, Ni	250.0 ± 1.2 µg/mL	Potassium, K	2 500 ± 11 µg/mL
Silver, Ag	125.0 ± 0.6 µg/mL	Sodium, Na	2 500 ± 11 µg/mL
Vanadium, V	250.0 ± 1.1 µg/mL	Zinc, Zn	249.9 ± 1.1 µg/mL

Density: 1.081 g/mL (measured at 20 ± 4 °C)

Assay Information:

ANALYTE	METHOD	NIST SRM#	SRM LOT#
Ag	ICP Assay	3151	160729
Ag	Volhard	999c	999c
Al	ICP Assay	3101a	140903
Al	EDTA	928	928
Ba	ICP Assay	3104a	140909
Ba	Gravimetric		See Sec. 4.2
Be	ICP Assay	3105a	090514
Be	Calculated		See Sec. 4.2
Ca	ICP Assay	3109a	130213
Ca	EDTA	928	928
Co	ICP Assay	3113	190630
Co	EDTA	928	928
Cr	ICP Assay	3112a	170630
Cu	ICP Assay	3114	120618
Cu	EDTA	928	928
Fe	ICP Assay	3126a	140812
Fe	EDTA	928	928
K	ICP Assay	3141a	140813
K	Gravimetric		See Sec. 4.2
Mg	ICP Assay	3131a	140110
Mg	EDTA	928	928
Mn	ICP Assay	3132	050429
Mn	EDTA	928	928
Na	ICP Assay	3152a	200413
Na	Gravimetric		See Sec. 4.2
Ni	ICP Assay	3136	120619
Ni	EDTA	928	928
V	ICP Assay	3165	160906
V	EDTA	928	928
Zn	ICP Assay	3168a	120629
Zn	EDTA	928	928

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{\text{CRM/RM}}$, where two or more methods of characterization are used is the weighted mean of the results:

$$X_{\text{CRM/RM}} = \sum(w_i)(X_i)$$

X_i = mean of Assay Method i with standard uncertainty $u_{\text{char } i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$$w_i = (1/u_{\text{char } i}^2) / (\sum(1/u_{\text{char } i}^2))$$

$$\text{CRM/RM Expanded Uncertainty } (\pm) = U_{\text{CRM/RM}} = k (u_{\text{char}}^2 + u_{\text{bb}}^2 + u_{\text{Its}}^2 + u_{\text{ts}}^2)^{1/2}$$

k = coverage factor = 2

$u_{\text{char}} = [\sum(w_i)^2 (u_{\text{char } i})^2]^{1/2}$ where $u_{\text{char } i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{Its} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{\text{CRM/RM}}$, where one method of characterization is used is the mean of individual results:

$$X_{\text{CRM/RM}} = (X_a) (u_{\text{char } a})$$

X_a = mean of Assay Method A with

$u_{\text{char } a}$ = the standard uncertainty of characterization Method A

$$\text{CRM/RM Expanded Uncertainty } (\pm) = U_{\text{CRM/RM}} = k (u_{\text{char } a}^2 + u_{\text{bb}}^2 + u_{\text{Its}}^2 + u_{\text{ts}}^2)^{1/2}$$

k = coverage factor = 2

$u_{\text{char } a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{Its} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures [Terms and Conditions of Sale](https://www.inorganicventures.com/terms-and-conditions-sale), <https://www.inorganicventures.com/terms-and-conditions-sale>. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit www.inorganicventures.com/TCT

Note: This solution contains Silver (Ag), please refer to our Sample Preparation Guide for more information (<https://www.inorganicventures.com/sample-preparation-guide/samples-containing-silver>)

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; info@inorganicventures.com;

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

May 22, 2024

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- **May 22, 2029**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Prepared By:

Justin Dirico
Stock Processing Supervisor



Certificate Approved By:

Jodie Wall
Stock VSM Coordinator



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director



300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



2.0 PRODUCT DESCRIPTION

Product Code: Multi Analyte Custom Grade Solution
Catalog Number: QCP-CICV-2
Lot Number: U2-MEB733713
Matrix: 3% (w/v) Tartaric acid
1% (v/v) HNO₃
Value / Analyte(s): 500 µg/mL ea:
Antimony

Second Source: Whenever possible, this solution was manufactured from a second set of concentrates in our manufacturing facility.

3.0 CERTIFIED VALUES AND UNCERTAINTIES

ANALYTE	CERTIFIED VALUE	ANALYTE	CERTIFIED VALUE
Antimony, Sb	500.0 ± 2.8 µg/mL		

Density: 1.017 g/mL (measured at 20 ± 4 °C)

Assay Information:

ANALYTE	METHOD	NIST SRM#	SRM LOT#
Sb	ICP Assay	3102a	140911

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$$X_{CRM/RM} = \sum(w_i)(X_i)$$

X_i = mean of Assay Method i with standard uncertainty $u_{char i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$$w_i = (1/u_{char i}^2) / (\sum(1/u_{char i}^2))$$

$$CRM/RM \text{ Expanded Uncertainty } (\pm) = U_{CRM/RM} = k(u_{char}^2 + u_{bb}^2 + u_{lts}^2 + u_{ts}^2)^{1/2}$$

k = coverage factor = 2

$u_{char} = [\sum(w_i)^2(u_{char i}^2)]^{1/2}$ where $u_{char i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

$$X_{CRM/RM} = (X_a)(u_{char a})$$

X_a = mean of Assay Method A with

$u_{char a}$ = the standard uncertainty of characterization Method A

$$CRM/RM \text{ Expanded Uncertainty } (\pm) = U_{CRM/RM} = k(u_{char a}^2 + u_{bb}^2 + u_{lts}^2 + u_{ts}^2)^{1/2}$$

k = coverage factor = 2

$u_{char a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures [Terms and Conditions of Sale](https://www.inorganicventures.com/terms-and-conditions-sale). <https://www.inorganicventures.com/terms-and-conditions-sale>. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.
- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.
- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.
- For more information, visit www.inorganicventures.com/TCT

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

June 01, 2023

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- June 01, 2028

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Approved By:

Thomas Kozikowski
Manager, Quality Control



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director



300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



2.0 PRODUCT DESCRIPTION

Product Code: Multi Analyte Custom Grade Solution
Catalog Number: QCP-CICV-3
Lot Number: V2-MEB749572
Matrix: 7% (v/v) HNO₃
Value / Analyte(s):
500 µg/mL ea:
Arsenic, Lead,
Selenium, Thallium,
250 µg/mL ea:
Cadmium

Second Source: Whenever possible, this solution was manufactured from a second set of concentrates in our manufacturing facility.

3.0 CERTIFIED VALUES AND UNCERTAINTIES

ANALYTE	CERTIFIED VALUE	ANALYTE	CERTIFIED VALUE
Arsenic, As	500.0 ± 3.1 µg/mL	Cadmium, Cd	250.1 ± 1.1 µg/mL
Lead, Pb	500.0 ± 2.3 µg/mL	Selenium, Se	500.0 ± 3.2 µg/mL
Thallium, Tl	500.0 ± 3.0 µg/mL		

Density: 1.040 g/mL (measured at 20 ± 4 °C)

Assay Information:

ANALYTE	METHOD	NIST SRM#	SRM LOT#
As	ICP Assay	3103a	100818
Cd	ICP Assay	3108	130116
Cd	EDTA	928	928
Pb	ICP Assay	3128	101026
Pb	EDTA	928	928
Se	ICP Assay	3149	100901
Tl	ICP Assay	3158	151215

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{\text{CRM/RM}}$, where two or more methods of characterization are used is the weighted mean of the results:

$$X_{\text{CRM/RM}} = \sum(w_i)(X_i)$$

X_i = mean of Assay Method i with standard uncertainty $u_{\text{char } i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$$w_i = (1/u_{\text{char } i}^2) / (\sum(1/u_{\text{char } i}^2))$$

$$\text{CRM/RM Expanded Uncertainty } (\pm) = U_{\text{CRM/RM}} = k (u_{\text{char}}^2 + u_{\text{bb}}^2 + u_{\text{Its}}^2 + u_{\text{ts}}^2)^{1/2}$$

k = coverage factor = 2

$u_{\text{char}} = [\sum(w_i)^2 (u_{\text{char } i})^2]^{1/2}$ where $u_{\text{char } i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{Its} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{\text{CRM/RM}}$, where one method of characterization is used is the mean of individual results:

$$X_{\text{CRM/RM}} = (X_a) (u_{\text{char } a})$$

X_a = mean of Assay Method A with

$u_{\text{char } a}$ = the standard uncertainty of characterization Method A

$$\text{CRM/RM Expanded Uncertainty } (\pm) = U_{\text{CRM/RM}} = k (u_{\text{char } a}^2 + u_{\text{bb}}^2 + u_{\text{Its}}^2 + u_{\text{ts}}^2)^{1/2}$$

k = coverage factor = 2

$u_{\text{char } a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{Its} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures [Terms and Conditions of Sale](https://www.inorganicventures.com/terms-and-conditions-sale), <https://www.inorganicventures.com/terms-and-conditions-sale>. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit www.inorganicventures.com/TCT

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

January 02, 2025

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- **January 02, 2030**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Prepared By:

Justin Dirico
Stock Processing Supervisor



Certificate Approved By:

Jodie Wall
Stock VSM Coordinator



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director





Certified Reference Material CRM



ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://AbsoluteStandards.com


CERTIFIED WEIGHT REPORT:

Part Number: 58112 **Lot #** M 6171
Lot Number: 011525 **Solvent:** 24012496 Nitric Acid
Description: Magnesium (Mg)
Expiration Date: 011528 2% 40.0 Nitric Acid
Recommended Storage: Ambient (20 °C) (mL)
Nominal Concentration (µg/mL): 10000
NIST Test Number: 6UTB 5E-05 Balance Uncertainty
Weight shown below was diluted to (mL): 2000.07 0.100 Flask Uncertainty

Formulated By:	Benson Chan	011525
Reviewed By:	Pedro L. Rentas	011525

Compound

1. Magnesium nitrate hexahydrate (Mg) IN030 MGD05023A1 10000 99.999 0.10 8.51 234.9183 234.9195 10000.1 20.0 13446-18-9 NA off-ret 5440 mg/kg 3131a





Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	T	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ku	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



2.0 PRODUCT DESCRIPTION

Product Code: Single Analyte Custom Grade Solution
Catalog Number: CGNA10
Lot Number: V2-NA740547
Matrix: 2% (v/v) HNO₃
Value / Analyte(s): 10 000 µg/mL ea:
Sodium
Starting Material: Sodium Carbonate
Starting Material Lot#: 2453 and 2606
Starting Material Purity: 99.9976%

3.0 CERTIFIED VALUES AND UNCERTAINTIES

Certified Value: 10018 ± 30 µg/mL
Density: 1.033 g/mL (measured at 20 ± 4 °C)

Assay Information:

Assay Method #1	10026 ± 18 µg/mL Gravimetric NIST SRM Lot Number: See Sec. 4.2
Assay Method #2	9986 ± 66 µg/mL ICP Assay NIST SRM 3152a Lot Number: 200413
Assay Method #3	10002 ± 31 µg/mL Calculated NIST SRM Lot Number: See Sec. 4.2

- The Calculated Value is a value calculated from the weight of a starting material that has been certified directly vs. a National Institute of Standards and Technology (NIST) SRM/RM. See Sec 4.2 for balance traceability.

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$$X_{CRM/RM} = \sum(w_i)(X_i)$$

X_i = mean of Assay Method i with standard uncertainty $u_{char\ i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$$w_i = (1/u_{char\ i}^2) / (\sum(1/u_{char\ i}^2))$$

$$CRM/RM \text{ Expanded Uncertainty } (z) = U_{CRM/RM} = k(u_{char}^2 + u_{bb}^2 + u_{lts}^2 + u_{ts}^2)^{1/2}$$

k = coverage factor = 2

$u_{char} = [\sum(w_i)^2(u_{char\ i}^2)]^{1/2}$ where $u_{char\ i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

$$X_{CRM/RM} = (X_a)(u_{char\ a})$$

X_a = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

$$CRM/RM \text{ Expanded Uncertainty } (z) = U_{CRM/RM} = k(u_{char\ a}^2 + u_{bb}^2 + u_{lts}^2 + u_{ts}^2)^{1/2}$$

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty errors and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

CRM/RMs are tested for trace metallic impurities by Axial ICP-OES and ICP-MS. The result from the most sensitive method for each element, is reported below. Solutions tested by ICP-MS were analyzed in an ULPA-Filtered Clean Room. An ULPA-Filter is 99.9985% efficient for the removal of particles down to 0.3 µm.

M Ag < 0.000860	M Eu < 0.000860	s Na < 0.034000	O Se < 0.000387
O Al < 0.003121	O Fe < 0.001622	M Nb < 0.000860	O Si < 0.044943
M As < 0.001800	M Ga < 0.000860	M Nd < 0.000860	M Sm < 0.000860
M Au < 0.005700	M Gd < 0.000860	O Ni < 0.000980	M Sn < 0.000860
O B < 0.025000	M Ge < 0.003500	M Os < 0.029000	M Sr < 0.000436
M Ba < 0.004494	M Hf < 0.000860	O P < 0.005742	M Ta < 0.000086
O Be < 0.000160	M Hg < 0.002900	M Pb < 0.002600	M Tb < 0.000860
M Bi < 0.000860	M Ho < 0.000860	M Pd < 0.004300	M Te < 0.004300
O Ca < 0.112358	M In < 0.000860	M Pr < 0.000860	M Th < 0.003500
O Cd < 0.000730	M Ir < 0.000940	M Pt < 0.000860	O Ti < 0.000399
M Ce < 0.000860	O K < 0.349560	M Rb < 0.000436	M Tl < 0.000860
M Co < 0.000860	M La < 0.000860	M Re < 0.000860	M Tm < 0.000860
O Cr < 0.002000	O Li < 0.000224	M Rh < 0.000860	M U < 0.000860
M Cs < 0.000287	M Lu < 0.000860	M Ru < 0.000940	O V < 0.001500
O Cu < 0.004100	M Mg < 0.097377	O S < 0.018726	M W < 0.007700
M Dy < 0.000860	M Mn < 0.007700	M Sb < 0.000860	M Y < 0.000860
M Er < 0.000860	O Mo < 0.002800	O Sc < 0.000610	M Yb < 0.000860

M - Checked by ICP-MS

O - Checked by ICP-OES

i - Spectral Interference

n - Not Checked For s - Solution Standard Element

6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures [Terms and Conditions of Sale](https://www.inorganicventures.com/terms-and-conditions-sale). <https://www.inorganicventures.com/terms-and-conditions-sale>. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.
- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.
- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit www.inorganicventures.com/TCT

Atomic Weight; Valence; Coordination Number; Chemical Form in Solution - 22.99 +1 (6) Na+(aq) largely ionic in nature

Chemical Compatibility -Soluble in HCl, HNO₃, H₂SO₄ and HF aqueous matrices. Stable with all metals and inorganic anions.

Stability - 2-100 ppb levels stable for months in 1% HNO₃ / LDPE container. 1-10,000 ppm solutions chemically stable for years in 1-5% HNO₃ / LDPE container.

Na Containing Samples (Preparation and Solution) - Metal (Dissolves very rapidly in water); Ores (Lithium carbonate fusion in graphite crucible followed by HCl dissolution - blank levels of Na in lithium carbonate critical); Organic Matrices (Sulfuric / peroxide digestion or nitric/sulfuric/perchloric acid decomposition).

Atomic Spectroscopic Information (ICP-OES D.L.s are given as radial/axial view):

Technique/Line	Estimated D.L.	Order	Interferences (underlined indicates severe)
ICP-MS 23 amu	310 ppt	n/a	46Ti+2, 46Ca+2
ICP-OES 330.237 nm	2.0 / 0.09 µg/mL	1	Pd, Zn
ICP-OES 588.995 nm	0.03 / 0.006 µg/mL	1	2nd order radiation from R.E.s on some optical designs
ICP-OES 589.595 nm	0.07 / 0.00009 µg/mL	1	2nd order radiation from R.E.s on some optical designs

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; info@inorganicventures.com;

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

February 23, 2024

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- February 23, 2029

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Prepared By:

Uyen Truong
Custom Processing Supervisor



Certificate Approved By:

Muzzammil Khan
Stock Laboratory Supervisor



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director



Certificate of Analysis

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030

F: 540-585-3012

info@inorganicventures.com

M6174
R → S1/S124

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



2.0 PRODUCT DESCRIPTION

Product Code:	Multi Analyte Custom Grade Solution	
Catalog Number:	CLPP-CAL-1	
Lot Number:	V2-MEB742428	
Matrix:	5% (v/v) HNO ₃	
Value / Analyte(s):	5 000 µg/mL ea:	
	Calcium,	Potassium,
	Magnesium,	Sodium,
	2 000 µg/mL ea:	
	Aluminum,	Barium,
	1 000 µg/mL ea:	
	Iron,	
	500 µg/mL ea:	
	Nickel,	Vanadium,
	Zinc,	Cobalt,
	Manganese,	
	250 µg/mL ea:	
	Silver,	Copper,
	200 µg/mL ea:	
	Chromium,	
	50 µg/mL ea:	
	Beryllium	

3.0 CERTIFIED VALUES AND UNCERTAINTIES

ANALYTE	CERTIFIED VALUE	ANALYTE	CERTIFIED VALUE
Aluminum, Al	2 000 ± 7 µg/mL	Barium, Ba	2 000 ± 9 µg/mL
Beryllium, Be	50.03 ± 0.30 µg/mL	Calcium, Ca	5 000 ± 16 µg/mL
Chromium, Cr	200.0 ± 1.1 µg/mL	Cobalt, Co	500.0 ± 2.3 µg/mL
Copper, Cu	250.0 ± 1.1 µg/mL	Iron, Fe	1 000 ± 4 µg/mL
Magnesium, Mg	5 000 ± 22 µg/mL	Manganese, Mn	499.9 ± 2.2 µg/mL
Nickel, Ni	500.1 ± 2.3 µg/mL	Potassium, K	5 000 ± 22 µg/mL
Silver, Ag	250.0 ± 1.1 µg/mL	Sodium, Na	5 000 ± 22 µg/mL
Vanadium, V	500.0 ± 2.2 µg/mL	Zinc, Zn	500.0 ± 2.2 µg/mL

Density: 1.117 g/mL (measured at 20 ± 4 °C)

Assay Information:

ANALYTE	METHOD	NIST SRM#	SRM LOT#
Ag	ICP Assay	3151	160729
Ag	Volhard	999c	999c
Al	ICP Assay	3101a	140903
Al	EDTA	928	928
Ba	ICP Assay	3104a	140909
Ba	Gravimetric		See Sec. 4.2
Be	ICP Assay	3105a	090514
Ca	ICP Assay	3109a	130213
Ca	EDTA	928	928
Co	ICP Assay	3113	190630
Co	EDTA	928	928
Cr	ICP Assay	3112a	170630
Cu	ICP Assay	3114	120618
Cu	EDTA	928	928
Fe	ICP Assay	3126a	140812
Fe	EDTA	928	928
K	ICP Assay	3141a	140813
K	Gravimetric		See Sec. 4.2
Mg	ICP Assay	3131a	140110
Mg	EDTA	928	928
Mn	ICP Assay	3132	050429
Mn	EDTA	928	928
Na	ICP Assay	3152a	200413
Na	Gravimetric		See Sec. 4.2
Ni	ICP Assay	3136	120619
Ni	EDTA	928	928
V	ICP Assay	3165	160906
V	EDTA	928	928
Zn	ICP Assay	3168a	120629
Zn	EDTA	928	928

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{\text{CRM/RM}}$, where two or more methods of characterization are used is the weighted mean of the results:

$$X_{\text{CRM/RM}} = \sum (w_i) (X_i)$$

X_i = mean of Assay Method i with standard uncertainty $u_{\text{char } i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$$w_i = (1/u_{\text{char } i})^2 / (\sum (1/u_{\text{char } i})^2)$$

$$\text{CRM/RM Expanded Uncertainty } (\pm) = U_{\text{CRM/RM}} = k (u_{\text{char}}^2 + u_{\text{bb}}^2 + u_{\text{Its}}^2 + u_{\text{ts}}^2)^{1/2}$$

k = coverage factor = 2

$u_{\text{char}} = [\sum (w_i)^2 (u_{\text{char } i})^2]^{1/2}$ where $u_{\text{char } i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{Its} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{\text{CRM/RM}}$, where one method of characterization is used is the mean of individual results:

$$X_{\text{CRM/RM}} = (X_a) (u_{\text{char } a})$$

X_a = mean of Assay Method A with

$u_{\text{char } a}$ = the standard uncertainty of characterization Method A

$$\text{CRM/RM Expanded Uncertainty } (\pm) = U_{\text{CRM/RM}} = k (u_{\text{char } a}^2 + u_{\text{bb}}^2 + u_{\text{Its}}^2 + u_{\text{ts}}^2)^{1/2}$$

k = coverage factor = 2

$u_{\text{char } a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{Its} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures [Terms and Conditions of Sale](https://www.inorganicventures.com/terms-and-conditions-sale). <https://www.inorganicventures.com/terms-and-conditions-sale>. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit www.inorganicventures.com/TCT

Note: This solution contains Silver (Ag), please refer to our Sample Preparation Guide for more information (<https://www.inorganicventures.com/sample-preparation-guide/samples-containing-silver>)

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; info@inorganicventures.com;

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

March 22, 2024

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- **March 22, 2029**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Prepared By:

Uyen Truong
Custom Processing Supervisor



Certificate Approved By:

Jodie Wall
Stock VSM Coordinator



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director





CERTIFIED WEIGHT REPORT:


Part Number: 57038 **Lot #** 24002546 **Solvent:** Nitric Acid
Lot Number: 092724
Description: Strontium (Sr)
Expiration Date: 092727 **2%** **40.0** **Nitric Acid**
Recommended Storage: Ambient (20 °C) **(mL)**
Nominal Concentration (µg/mL): 1000
NIST Test Number: 8UTB **5E-05** **Balance Uncertainty**
Weight shown below was diluted to (mL): 2000.07 **0.100** **Flask Uncertainty**

Formulated By: Benson Chan **092724**
Reviewed By: Pedro L. Rentas **092724**

SDS Information

Compound	Lot	Nominal	Purity	Uncertainty	Assay	Target	Actual	Actual	Uncertainty	(Solvent Safety Info. On Attached pg.)	NIST
	RM#	Number	Conc. (µg/mL)	(%)	Purity (%)	Weight (g)	Weight (g)	Conc. (µg/mL)	+/- (µg/mL)		

1. **Strontium nitrate (Sr)** **IN017 SR2022018A1** **1000** **99.997** **0.10** **41.2** **4.85470** **4.85481** **1000.0** **2.0** **10042-76-9** **NA** **or-rel >2000mg/kg 3153a**





Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pt	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Bu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	T	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All Standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



Certified Reference Material CRM



ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://AbsoluteStandards.com

CERTIFIED WEIGHT REPORT:

Part Number:
Lot Number:
Description:

57042
080525
Molybdenum (Mo)

US#
MKP08697V
080525
Solvent
Ammonium hydroxide
ASTM Type 1 Water

Expiration Date:

080528

Recommended Storage:

Ambient (15 - 30 °C)

Nominal Concentration (µg/mL):

1000

NIST Test Number:

6UTB

Volume shown below was diluted to (mL):

1999.41

5E-05

Balance Uncertainty
Flesh Uncertainty

R → 8/6/25
M6177

0.5%

10.0


Ammonium hydroxide

Formulated By:	Benson Chan	080525
Reviewed By:	Pedro L. Renteria	080525

Compound		Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty (µg/mL)	CAS#	OSHA PEL (TWA)	LD50	NIST SRM
----------	--	-------------	------------	-----------------	-------------------	------------------	-----------------------	-----------------------	---------------------	------------------------------	------	----------------	------	----------

1. Ammonium molybdate (Mo) 58142 112322 0.1000 200.0 0.084 1000 10001.4 1000.5 2.2 13106-76-8 5 mg(Mo)/mL 0.1-0.3 333 mg/kg 3134

[1] Spectrum No. 1 [8.594 sec]:57042.D# [Count] [Linear]





Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)															
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02
Ba	<0.02	Ce	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	T	Pt	<0.02	Sm	<0.02	S	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Te	<0.02
														Tb	<0.02
														Ti	<0.02
														Th	<0.02
														Tm	<0.02
														Sn	<0.02
														Tl	<0.02
														U	<0.02
														V	<0.02
														Yb	<0.02
														Y	<0.02
														Zn	<0.02
														Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

[Signature]

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware, and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated by an ISO17025 certified organization with weights traceable through NIST to the SI kilogram (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).
- Rev 1.0, 2/25/2025

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

M6179
R → 612/24

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



2.0 PRODUCT DESCRIPTION

Product Code: Single Analyte Custom Grade Solution
Catalog Number: CGY10
Lot Number: V2-Y740548
Matrix: 2% (v/v) HNO₃
Value / Analyte(s): 10 000 µg/mL ea:
Yttrium
Starting Material: Yttrium Oxide
Starting Material Lot#: 2661 and 06230520YL
Starting Material Purity: 99.9984%

3.0 CERTIFIED VALUES AND UNCERTAINTIES

Certified Value: 10000 ± 30 µg/mL
Density: 1.032 g/mL (measured at 20 ± 4 °C)

Assay Information:

Assay Method #1	10011 ± 25 µg/mL EDTA NIST SRM 928 Lot Number: 928
Assay Method #2	9997 ± 50 µg/mL ICP Assay NIST SRM 3167a Lot Number: 190730
Assay Method #3	9984 ± 31 µg/mL Calculated NIST SRM Lot Number: See Sec. 4.2

- The Calculated Value is a value calculated from the weight of a starting material that has been certified directly vs. a National Institute of Standards and Technology (NIST) SRM/RM. See Sec 4.2 for balance traceability.

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$$X_{CRM/RM} = \sum (w_i) (X_i)$$

X_i = mean of Assay Method i with standard uncertainty $u_{char i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$$w_i = (1/u_{char i}^2) / (\sum (1/u_{char i}^2))$$

$$CRM/RM \text{ Expanded Uncertainty } (\pm) = U_{CRM/RM} = k (u_{char}^2 + u_{bb}^2 + u_{lts}^2 + u_{ts}^2)^{1/2}$$

k = coverage factor = 2

$u_{char} = [\sum (w_i)^2 (u_{char i}^2)]^{1/2}$ where $u_{char i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

$$X_{CRM/RM} = (X_a) (u_{char a})$$

X_a = mean of Assay Method A with

$u_{char a}$ = the standard uncertainty of characterization Method A

$$CRM/RM \text{ Expanded Uncertainty } (\pm) = U_{CRM/RM} = k (u_{char a}^2 + u_{bb}^2 + u_{lts}^2 + u_{ts}^2)^{1/2}$$

k = coverage factor = 2

$u_{char a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

CRM/RMs are tested for trace metallic impurities by Axial ICP-OES and ICP-MS. The result from the most sensitive method for each element, is reported below. Solutions tested by ICP-MS were analyzed in an ULPA-Filtered Clean Room. An ULPA-Filter is 99.9985% efficient for the removal of particles down to 0.3 µm.

M	Ag	<	0.004600	M	Eu	0.009037	M	Na	0.086360	M	Se	<	0.005200	M	Zn	0.030125	
M	Al		0.014862	O	Fe	0.002410	M	Nb	<	0.000570	O	Si	0.024100	O	Zr	<	0.002600
M	As	<	0.003500	M	Ga	<	0.000570	M	Nd	0.000923	M	Sm	0.000461				
M	Au	<	0.001700	M	Gd	<	0.003500	M	Ni	<	0.005700	M	Sn	<	0.002300		
O	B		0.002209	M	Ge	<	0.005200	M	Os	<	0.001200	M	Sr	<	0.004600		
O	Ba	<	0.002500	M	Hf	<	0.000570	n	P	<		M	Ta	<	0.000570		
O	Be	<	0.001400	M	Hg	<	0.000570	M	Pb	0.005020	M	Tb	0.001044				
M	Bi	<	0.003500	M	Ho	0.009037	M	Pd	<	0.005100	M	Te	<	0.002300			
O	Ca		0.009841	M	In	<	0.002300	M	Pr	<	0.002300	M	Th	<	0.000570		
M	Cd	<	0.000570	M	Ir	<	0.000570	M	Pt	<	0.000570	M	Ti	<	0.003500		
M	Ce	<	0.002300	O	K	0.018677	M	Rb	<	0.000570	M	Tl	<	0.000570			
M	Co	<	0.000570	M	La	0.000461	M	Re	<	0.000570	M	Tm	<	0.003500			
M	Cr	<	0.004000	O	Li	<	0.009300	M	Rh	<	0.008000	M	U	<	0.000570		
M	Cs	<	0.000570	M	Lu	0.000582	M	Ru	<	0.000570	M	V	0.001265				
M	Cu		0.002610	O	Mg	0.001486	n	S	<		M	W	<	0.002300			
M	Dy		0.003815	M	Mn	0.000582	M	Sb	0.005422	s	Y	<					
M	Er		0.003615	M	Mo	<	0.005700	M	Sc	<	0.001200	M	Yb	0.001827			

M - Checked by ICP-MS

O - Checked by ICP-OES

i - Spectral Interference

n - Not Checked For

s - Solution Standard Element

6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures [Terms and Conditions of Sale](https://www.inorganicventures.com/terms-and-conditions-sale). <https://www.inorganicventures.com/terms-and-conditions-sale>. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.
- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.
- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit www.inorganicventures.com/TCT

Atomic Weight; Valence; Coordination Number; Chemical Form In Solution - 88.91 +3 6 Y(OH)(H₂O)_{x+2}

Chemical Compatibility -Soluble in HCl, H₂SO₄ and HNO₃. Avoid HF, H₃PO₄ and neutral to basic media. Stable with most metals and inorganic anions forming an insoluble carbonate, oxide, oxalate, and fluoride. Avoid mixing with elements / solutions containing moderate amounts of fluoride.

Stability - 2-100 ppb levels stable for months in 1% HNO₃ / LDPE container. 1-10,000 ppm solutions chemically stable for years in 2-5% HNO₃ / LDPE container.

Y Containing Samples (Preparation and Solution) - Metal (Soluble in acids); Oxide (Dissolve by heating in H₂O / HNO₃); Ores (Carbonate fusion in PtO followed by HCl dissolution); Organic Matrices (Dry ash and dissolve in 1:1 H₂O / HCl or HNO₃).

Atomic Spectroscopic Information (ICP-OES D.L.s are given as radial/axial view):

Technique/Line	Estimated D.L.	Order	Interferences (underlined indicates severe)
ICP-MS 89 amu	0.8 ppt	N/A	<u>73Ge16O</u> , <u>178Hf+2</u>
ICP-OES 360.073 nm	0.005 / 0.000036 µg/mL	1	Ce, Th
ICP-OES 371.030 nm	0.004 / 0.00007 µg/mL	1	Ce
ICP-OES 377.433 nm	0.005 / 0.0009 µg/mL	1	Ta, Th

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

February 20, 2024

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- February 20, 2029

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Prepared By:

Uyen Truong
Custom Processing Supervisor



Certificate Approved By:

Muzzammil Khan
Stock Laboratory Supervisor



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director





QATS LABORATORY INORGANIC REFERENCE MATERIAL
INTERFERENCE CHECK SAMPLE SET FOR ICP-AES (ICSA WITH ICSB)

NOTE: These instructions are for advisory purposes only. If any apparent conflict exists between these instructions and the analytical protocol or your contract, disregard these instructions.

APPLICATION: For use with the CLP SFAM01.0 SOW and revisions.

CAUTION: Read instructions carefully before opening bottle(s) and proceeding with the analyses.



M6182

(A) **SAMPLE DESCRIPTION**

Enclosed is a set of one (1) or more bottles of Aqueous Reference Material, each composed of metals at various concentrations and prepared with nitrate salts and oxy-acids of the respective elements in a 5% nitric acid matrix. **For the reference material source in reporting ICSA and ICSAB mixture use "USEPA". For the reference material lot number for the ICSA use "ICSA-1211" and for the ICSAB mixture use "ICSA-1211+ICSB-0710".**

CAUTION: The bottle(s) should be protected from light during storage to ensure the stability of silver which is contained in the ICSB solution. The bottle(s) should be stored at room temperature. **Do not allow the solution(s) to freeze.**

(B) **BREAKAGE OR MISSING ITEMS**

Check the contents of the shipment carefully for any broken, leaking, or missing items. Check that the seal is intact on each bottle. Refer to the enclosed chain of custody record. Report any problems to Mr. Keith Strout, APTIM Federal Services, LLC, at (702) 895-8722. If requested, return the chain-of-custody record with appropriate annotations and signatures to the address provided below.

QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY
APTIM Federal Services, LLC
2700 Chandler Avenue - Building C
Las Vegas, NV 89120

(C) **ANALYSIS OF SAMPLES**

The interference check sample set is to be used to verify inter-element and background correction factors of inductively-coupled plasma (ICP) spectrometers. This reference material set consists of two (2) concentrated solutions. The ICSA solution contains the four (4) interferent elements: Al, Ca, Fe, and Mg. The ICSB solution contains the analytes: Ag, As, Sb, Ba, Be,





Instructions for QATS Reference Material: ICP-AES ICS

Cd, Co, Cr, Cu, Mn, Ni, Pb, Tl, Se, V, and Zn. This instruction sheet provides the nominal values for ICP-AES Part A and Part B target analytes when diluted as directed.

Using Class "A" glassware, preparation and analysis must be performed according to the following instructions:

ICSA-1211, Interferents: Pipet 10 mL of the ICSA solution into a 100 mL volumetric flask and dilute to volume with 2% v/v HNO₃. Analyze this ICSA solution by ICP-AES.

ICSB-0710, Analytes, mixed with ICSA-1211, Interferents: Pipet 10 mL of the ICSA solution and 10 mL of the ICSB solution into a 100 mL volumetric flask and dilute to volume with 2% v/v HNO₃. Analyze this ICSAB solution by ICP-AES.

(D) "CERTIFIED VALUE" CONCENTRATIONS OF QATS ICP-AES ICS SOLUTION(S)

The "Certified Value" concentrations of the elements, listed in Table 1 below, were derived from statistically pooled analysis results from the following sources, if available: QATS Laboratory, CLP laboratories, Quarterly Blind (QB)/Proficiency Testing (PT) events, CLP pre-award events, and external referee laboratories.

Table 1. "CERTIFIED VALUES" FOR INTERFERENCE CHECK SAMPLE ICP-AES ICSA-1211, AND ICSA-1211 MIXED WITH ICSB-0710

Element	CRQL	Part A (µg/L)	Low Limit (µg/L)	High Limit (µg/L)	Part A +Part B (µg/L)	Low Limit (µg/L)	High Limit (µg/L)
Al	200	255000	216000	294000	247000	209000	285000
Sb	60	(0.0)	-60.0	60.0	618	525	711
As	10	(0.0)	-10.0	10.0	104	88.4	120
Ba	200	(6.0)	-194	206	(537)	337	737
Be	5.0	(0.0)	-5.0	5.0	495	420	570
Cd	5.0	(1.0)	-4.0	6.0	972	826	1120
Ca	5000	245000	208000	282000	235000	199000	271000
Cr	10	(52.0)	42.0	62.0	542	460	624
Co	50	(0.0)	-50.0	50.0	476	404	548
Cu	25	(2.0)	-23.0	27.0	511	434	588
Fe	100	101000	85600	116500	99300	84400	114500
Pb	10	(0.0)	-10.0	10.0	(49.0)	39.0	59.0
Mg	5000	255000	216000	294000	248000	210000	286000
Mn	15	(7.0)	-8.0	22.0	507	430	584
Ni	40	(2.0)	-38.0	42.0	954	810	1100
Se	35	(0.0)	-35.0	35.0	(46.0)	11.0	81.0
Ag	10	(0.0)	-10.0	10.0	201	170	232
Tl	25	(0.0)	-25.0	25.0	(108)	83.0	133
V	50	(0.0)	-50.0	50.0	491	417	565
Zn	60	(0.0)	-60.0	60.0	952	809	1095

The acceptance ranges for all analytes in parentheses in the above table were determined using the listed certified value ± 1 times the associated CLP SOW CRQL. The acceptance ranges for all other analytes were determined using the certified value ± 15 percent of the listed certified value.




Instructions for QATS Reference Material: ICP-AES ICS

QATS LABORATORY INORGANIC REFERENCE MATERIAL
INTERFERENCE CHECK SAMPLE SET FOR ICP-AES (ICSA WITH ICSB)

NOTE: These instructions are for advisory purposes only. If any apparent conflict exists between these instructions and the analytical protocol or your contract, disregard these instructions.

APPLICATION: For use with the CLP SFAM01.0 SOW and revisions.

CAUTION: Read instructions carefully before opening bottle(s) and proceeding with the analyses.



M6184

(A) **SAMPLE DESCRIPTION**

Enclosed is a set of one (1) or more bottles of Aqueous Reference Material, each composed of metals at various concentrations and prepared with nitrate salts and oxy-acids of the respective elements in a 5% nitric acid matrix. **For the reference material source in reporting ICSA and ICSAB mixture use "USEPA". For the reference material lot number for the ICSA use "ICSA-1211" and for the ICSAB mixture use "ICSA-1211+ICSB-0710".**

CAUTION: The bottle(s) should be protected from light during storage to ensure the stability of silver which is contained in the ICSB solution. The bottle(s) should be stored at room temperature. **Do not allow the solution(s) to freeze.**

(B) **BREAKAGE OR MISSING ITEMS**

Check the contents of the shipment carefully for any broken, leaking, or missing items. Check that the seal is intact on each bottle. Refer to the enclosed chain of custody record. Report any problems to Mr. Keith Strout, APTIM Federal Services, LLC, at (702) 895-8722. If requested, return the chain-of-custody record with appropriate annotations and signatures to the address provided below.

QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY
APTIM Federal Services, LLC
2700 Chandler Avenue - Building C
Las Vegas, NV 89120

(C) **ANALYSIS OF SAMPLES**

The interference check sample set is to be used to verify inter-element and background correction factors of inductively-coupled plasma (ICP) spectrometers. This reference material set consists of two (2) concentrated solutions. The ICSA solution contains the four (4) interferent elements: Al, Ca, Fe, and Mg. The ICSB solution contains the analytes: Ag, As, Sb, Ba, Be,





Instructions for QATS Reference Material: ICP-AES ICS

Cd, Co, Cr, Cu, Mn, Ni, Pb, Tl, Se, V, and Zn. This instruction sheet provides the nominal values for ICP-AES Part A and Part B target analytes when diluted as directed.

Using Class "A" glassware, preparation and analysis must be performed according to the following instructions:

ICSA-1211, Interferents: Pipet 10 mL of the ICSA solution into a 100 mL volumetric flask and dilute to volume with 2% v/v HNO₃. Analyze this ICSA solution by ICP-AES.

ICSB-0710, Analytes, mixed with ICSA-1211, Interferents: Pipet 10 mL of the ICSA solution and 10 mL of the ICSB solution into a 100 mL volumetric flask and dilute to volume with 2% v/v HNO₃. Analyze this ICSAB solution by ICP-AES.

(D) "CERTIFIED VALUE" CONCENTRATIONS OF QATS ICP-AES ICS SOLUTION(S)

The "Certified Value" concentrations of the elements, listed in Table 1 below, were derived from statistically pooled analysis results from the following sources, if available: QATS Laboratory, CLP laboratories, Quarterly Blind (QB)/Proficiency Testing (PT) events, CLP pre-award events, and external referee laboratories.

Table 1. "CERTIFIED VALUES" FOR INTERFERENCE CHECK SAMPLE ICP-AES ICSA-1211, AND ICSA-1211 MIXED WITH ICSB-0710

Element	CRQL	Part A (µg/L)	Low Limit (µg/L)	High Limit (µg/L)	Part A +Part B (µg/L)	Low Limit (µg/L)	High Limit (µg/L)
Al	200	255000	216000	294000	247000	209000	285000
Sb	60	(0.0)	-60.0	60.0	618	525	711
As	10	(0.0)	-10.0	10.0	104	88.4	120
Ba	200	(6.0)	-194	206	(537)	337	737
Be	5.0	(0.0)	-5.0	5.0	495	420	570
Cd	5.0	(1.0)	-4.0	6.0	972	826	1120
Ca	5000	245000	208000	282000	235000	199000	271000
Cr	10	(52.0)	42.0	62.0	542	460	624
Co	50	(0.0)	-50.0	50.0	476	404	548
Cu	25	(2.0)	-23.0	27.0	511	434	588
Fe	100	101000	85600	116500	99300	84400	114500
Pb	10	(0.0)	-10.0	10.0	(49.0)	39.0	59.0
Mg	5000	255000	216000	294000	248000	210000	286000
Mn	15	(7.0)	-8.0	22.0	507	430	584
Ni	40	(2.0)	-38.0	42.0	954	810	1100
Se	35	(0.0)	-35.0	35.0	(46.0)	11.0	81.0
Ag	10	(0.0)	-10.0	10.0	201	170	232
Tl	25	(0.0)	-25.0	25.0	(108)	83.0	133
V	50	(0.0)	-50.0	50.0	491	417	565
Zn	60	(0.0)	-60.0	60.0	952	809	1095

The acceptance ranges for all analytes in parentheses in the above table were determined using the listed certified value ± 1 times the associated CLP SOW CRQL. The acceptance ranges for all other analytes were determined using the certified value ± 15 percent of the listed certified value.

Nitric Acid 69%
CMOS



M6187

R.D :- 08/08/25

Material No.: 9606-03
Batch No.: 24H0162012
Manufactured Date: 2024-06-28
Retest Date: 2029-06-27
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay (HNO ₃)	69.0 – 70.0 %	69.7 %
Appearance	Passes Test	Passes Test
Color (APHA)	≤ 10	5
Residue after Ignition	≤ 2 ppm	< 1 ppm
Chloride (Cl)	≤ 0.08 ppm	0.03 ppm
Phosphate (PO ₄)	≤ 0.10 ppm	< 0.03 ppm
Sulfate (SO ₄)	≤ 0.2 ppm	< 0.2 ppm
Trace Impurities – Aluminum (Al)	≤ 40.0 ppb	< 1.0 ppb
Arsenic and Antimony (as As)	≤ 5.0 ppb	< 2.0 ppb
Trace Impurities – Barium (Ba)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Beryllium (Be)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Bismuth (Bi)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities – Boron (B)	≤ 10.0 ppb	0.1 ppb
Trace Impurities – Cadmium (Cd)	≤ 50 ppb	< 1 ppb
Trace Impurities – Calcium (Ca)	≤ 50.0 ppb	0.3 ppb
Trace Impurities – Chromium (Cr)	≤ 30.0 ppb	0.1 ppb
Trace Impurities – Cobalt (Co)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Copper (Cu)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Gallium (Ga)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Germanium (Ge)	≤ 20 ppb	< 1 ppb
Trace Impurities – Gold (Au)	≤ 20 ppb	< 1 ppb
Heavy Metals (as Pb)	≤ 100 ppb	< 50 ppb
Trace Impurities – Iron (Fe)	≤ 40.0 ppb	< 1.0 ppb
Trace Impurities – Lead (Pb)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities – Lithium (Li)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Magnesium (Mg)	≤ 20 ppb	< 1 ppb
Trace Impurities – Manganese (Mn)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Nickel (Ni)	≤ 20.0 ppb	< 1.0 ppb

>>> Continued on page 2 >>>

Nitric Acid 69%
CMOS



Material No.: 9606-03
Batch No.: 24H0162012

Test	Specification	Result
Trace Impurities – Niobium (Nb)	≤ 50.0 ppb	< 1.0 ppb
Trace Impurities – Potassium (K)	≤ 50 ppb	< 1 ppb
Trace Impurities – Silicon (Si)	≤ 50 ppb	1 ppb
Trace Impurities – Silver (Ag)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities – Sodium (Na)	≤ 150.0 ppb	< 1.0 ppb
Trace Impurities – Strontium (Sr)	≤ 30.0 ppb	< 1.0 ppb
Trace Impurities – Tantalum (Ta)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Thallium (Tl)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Tin (Sn)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities – Titanium (Ti)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Vanadium (V)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Zinc (Zn)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities – Zirconium (Zr)	≤ 10.0 ppb	< 1.0 ppb
Particle Count – 0.5 µm and greater	≤ 60 par/ml	13 par/ml
Particle Count – 1.0 µm and greater	≤ 10 par/ml	5 par/ml

>>> Continued on page 3 >>>

Hydrochloric Acid, 36.5–38.0%
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis

avantor™



M6200
R.O → 08/25/25

Material No.: 9530-33
Batch No.: 24D1562005
Manufactured Date: 2024-03-18
Retest Date: 2029-03-17
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
ACS – Assay (as HCl) (by acid-base titrn)	36.5 – 38.0 %	37.6 %
ACS – Color (APHA)	≤ 10	5
ACS – Residue after Ignition	≤ 3 ppm	< 1 ppm
ACS – Specific Gravity at 60°/60°F	1.185 – 1.192	1.192
ACS – Bromide (Br)	≤ 0.005 %	< 0.005 %
ACS – Extractable Organic Substances	≤ 5 ppm	< 1 ppm
ACS – Free Chlorine (as Cl ₂)	≤ 0.5 ppm	< 0.5 ppm
Phosphate (PO ₄)	≤ 0.05 ppm	0.03 ppm
Sulfate (SO ₄)	≤ 0.5 ppm	< 0.3 ppm
Sulfite (SO ₃)	≤ 0.8 ppm	0.3 ppm
Ammonium (NH ₄)	≤ 3 ppm	< 1 ppm
Trace Impurities – Arsenic (As)	≤ 0.010 ppm	< 0.003 ppm
Trace Impurities – Aluminum (Al)	≤ 10.0 ppb	< 5.0 ppb
Arsenic and Antimony (as As)	≤ 5.0 ppb	< 3.0 ppb
Trace Impurities – Barium (Ba)	≤ 1.0 ppb	< 1.0 ppb
Trace Impurities – Beryllium (Be)	≤ 1.0 ppb	< 1.0 ppb
Trace Impurities – Bismuth (Bi)	≤ 10.0 ppb	< 10.0 ppb
Trace Impurities – Boron (B)	≤ 20.0 ppb	2.2 ppb
Trace Impurities – Cadmium (Cd)	≤ 1.0 ppb	< 1.0 ppb
Trace Impurities – Calcium (Ca)	≤ 50.0 ppb	31.0 ppb
Trace Impurities – Chromium (Cr)	≤ 1.0 ppb	0.5 ppb
Trace Impurities – Cobalt (Co)	≤ 1.0 ppb	0.2 ppb
Trace Impurities – Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Gallium (Ga)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Germanium (Ge)	≤ 3.0 ppb	< 2.0 ppb
Trace Impurities – Gold (Au)	≤ 4.0 ppb	< 0.2 ppb
Heavy Metals (as Pb)	≤ 100 ppb	< 50 ppb
Trace Impurities – Iron (Fe)	≤ 15 ppb	3 ppb

>>> Continued on page 2 >>>

Hydrochloric Acid, 36.5–38.0%
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis



Material No.: 9530-33
Batch No.: 24D1562005

Test	Specification	Result
Trace Impurities – Lead (Pb)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Lithium (Li)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Magnesium (Mg)	≤ 10.0 ppb	2.2 ppb
Trace Impurities – Manganese (Mn)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	< 0.1 ppb
Trace Impurities – Molybdenum (Mo)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities – Nickel (Ni)	≤ 4.0 ppb	0.2 ppb
Trace Impurities – Niobium (Nb)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Potassium (K)	≤ 9.0 ppb	< 1.0 ppb
Trace Impurities – Selenium (Se), For Information Only		< 1.0 ppb
Trace Impurities – Silicon (Si)	≤ 100.0 ppb	< 10.0 ppb
Trace Impurities – Silver (Ag)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities – Sodium (Na)	≤ 100.0 ppb	2.0 ppb
Trace Impurities – Strontium (Sr)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Tantalum (Ta)	≤ 1.0 ppb	< 0.9 ppb
Trace Impurities – Thallium (Tl)	≤ 5.0 ppb	< 2.0 ppb
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	< 0.4 ppb
Trace Impurities – Titanium (Ti)	≤ 1.0 ppb	0.2 ppb
Trace Impurities – Vanadium (V)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Zinc (Zn)	≤ 5.0 ppb	< 0.2 ppb
Trace Impurities – Zirconium (Zr)	≤ 1.0 ppb	< 0.1 ppb

>>> Continued on page 3 >>>

Hydrochloric Acid, 36.5–38.0%
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis



Material No.: 9530-33
Batch No.: 24D1562005

Test	Specification	Result
------	---------------	--------

For Laboratory, Research, or Manufacturing Use
Product Information (not specifications):
Appearance (clear, fuming liquid)
Meets ACS Specifications
Storage Condition: Store below 25 °C.

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

Jamie Croak
Director Quality Operations, Bioscience Production

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



2.0 PRODUCT DESCRIPTION

Product Code: Multi Analyte Custom Grade Solution

Catalog Number: WW-LFS-2

Lot Number: V2-MEB743480

Matrix: 5% (v/v) HNO₃
tr. HF

Value / Analyte(s): 200 µg/mL ea:
Silica,

80 µg/mL ea:
Antimony,

70 µg/mL ea:
Tin,

40 µg/mL ea:
Molybdenum,

20 µg/mL ea:
Titanium

R-7/20/28

M6201

M6202

M6203

M6204

3.0 CERTIFIED VALUES AND UNCERTAINTIES

ANALYTE	CERTIFIED VALUE	ANALYTE	CERTIFIED VALUE
Antimony, Sb	80.1 ± 0.5 µg/mL	Molybdenum, Mo	40.05 ± 0.22 µg/mL
Silica, SiO ₂	200.3 ± 1.4 µg/mL	Tin, Sn	70.1 ± 0.4 µg/mL
Titanium, Ti	20.03 ± 0.12 µg/mL		

Density: 1.025 g/mL (measured at 20 ± 4 °C)

Assay Information:

ANALYTE	METHOD	NIST SRM#	SRM LOT#
Mo	ICP Assay	3134	130418
Sb	ICP Assay	3102a	140911
SiO ₂	Calculated		See Sec. 4.2
Sn	ICP Assay	3161a	140917
Ti	ICP Assay	traceable to 3162a	T2-TI725816

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{\text{CRM/RM}}$, where two or more methods of characterization are used is the weighted mean of the results:

$$X_{\text{CRM/RM}} = \sum (w_i) (X_i)$$

X_i = mean of Assay Method i with standard uncertainty $u_{\text{char } i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$$w_i = (1/u_{\text{char } i}^2) / (\sum (1/u_{\text{char } i}^2))$$

$$\text{CRM/RM Expanded Uncertainty } (\pm) = U_{\text{CRM/RM}} = k (u_{\text{char}}^2 + u_{\text{bb}}^2 + u_{\text{Its}}^2 + u_{\text{ts}}^2)^{1/2}$$

k = coverage factor = 2

$u_{\text{char}} = [\sum (w_i)^2 (u_{\text{char } i}^2)]^{1/2}$ where $u_{\text{char } i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{Its} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{\text{CRM/RM}}$, where one method of characterization is used is the mean of individual results:

$$X_{\text{CRM/RM}} = (X_a) (u_{\text{char } a})$$

X_a = mean of Assay Method A with

$u_{\text{char } a}$ = the standard uncertainty of characterization Method A

$$\text{CRM/RM Expanded Uncertainty } (\pm) = U_{\text{CRM/RM}} = k (u_{\text{char } a}^2 + u_{\text{bb}}^2 + u_{\text{Its}}^2 + u_{\text{ts}}^2)^{1/2}$$

k = coverage factor = 2

$u_{\text{char } a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{Its} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures Terms and Conditions of Sale, <https://www.inorganicventures.com/terms-and-conditions-sale>. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit www.inorganicventures.com/TCT

HF Note: This standard should not be prepared or stored in glass.

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

May 07, 2024

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- May 07, 2029

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Prepared By:

Justin Dirico
Stock Processing Supervisor



Certificate Approved By:

Thomas Kozikowski
Stock VS Manager



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director



Certificate of Analysis

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



2.0 PRODUCT DESCRIPTION

Product Code: Multi Analyte Custom Grade Solution
Catalog Number: WW-LFS-1
Lot Number: W2-MEB752149
Matrix: 5% (v/v) HNO₃

R → 7/20/28

M6209
M6210
M6211
M6212

Value / Analyte(s):	
1 000 µg/mL ea:	
Potassium,	
600 µg/mL ea:	
Phosphorus,	
300 µg/mL ea:	
Sodium,	Iron,
200 µg/mL ea:	
Magnesium,	Aluminum,
Cerium,	Selenium,
Thallium,	
100 µg/mL ea:	
Lead,	Calcium,
80 µg/mL ea:	
Arsenic,	
70 µg/mL ea:	
Mercury,	
50 µg/mL ea:	
Nickel,	
40 µg/mL ea:	
Chromium,	
30 µg/mL ea:	
Copper,	Boron,
Vanadium,	
20 µg/mL ea:	
Zinc,	Strontium,
Barium,	Beryllium,
Cadmium,	Cobalt,
Manganese,	Lithium,
7.5 µg/mL ea:	
Silver	

3.0 CERTIFIED VALUES AND UNCERTAINTIES

ANALYTE	CERTIFIED VALUE	ANALYTE	CERTIFIED VALUE
Aluminum, Al	200.2 ± 0.7 µg/mL	Arsenic, As	80.1 ± 0.5 µg/mL
Barium, Ba	20.02 ± 0.12 µg/mL	Beryllium, Be	20.02 ± 0.11 µg/mL
Boron, B	30.02 ± 0.15 µg/mL	Cadmium, Cd	20.04 ± 0.09 µg/mL
Calcium, Ca	100.1 ± 0.3 µg/mL	Cerium, Ce	200.2 ± 1.0 µg/mL
Chromium, Cr	40.02 ± 0.26 µg/mL	Cobalt, Co	20.03 ± 0.09 µg/mL
Copper, Cu	30.03 ± 0.13 µg/mL	Iron, Fe	300.3 ± 1.3 µg/mL
Lead, Pb	100.1 ± 0.5 µg/mL	Lithium, Li	20.03 ± 0.09 µg/mL
Magnesium, Mg	200.2 ± 0.9 µg/mL	Manganese, Mn	19.99 ± 0.09 µg/mL
Mercury, Hg	70.0 ± 0.3 µg/mL	Nickel, Ni	50.05 ± 0.22 µg/mL
Phosphorus, P	600.5 ± 2.9 µg/mL	Potassium, K	1 001 ± 4 µg/mL
Selenium, Se	200.2 ± 1.1 µg/mL	Silver, Ag	7.52 ± 0.03 µg/mL
Sodium, Na	300.3 ± 1.3 µg/mL	Strontium, Sr	20.02 ± 0.10 µg/mL
Thallium, Tl	200.2 ± 1.0 µg/mL	Vanadium, V	30.02 ± 0.13 µg/mL
Zinc, Zn	20.05 ± 0.09 µg/mL		

Density: 1.037 g/mL (measured at 20 ± 5 °C)

Assay Information:

ANALYTE	METHOD	NIST SRM#	SRM LOT#
Ag	ICP Assay	3151	160729
Ag	Volhard	999c	999c
Al	ICP Assay	3101a	140903
Al	EDTA	928	928
As	ICP Assay	3103a	100818
B	ICP Assay	3107	190605
B	Calculated		See Sec. 4.2
Ba	ICP Assay	3104a	140909
Ba	Gravimetric		See Sec. 4.2
Be	ICP Assay	3105a	090514
Ca	ICP Assay	3109a	130213
Ca	EDTA	928	928
Cd	ICP Assay	3108	130116
Cd	EDTA	928	928
Ce	ICP Assay	3110	160830
Ce	EDTA	928	928
Co	ICP Assay	3113	190630
Co	EDTA	928	928
Cr	ICP Assay	3112a	170630
Cu	ICP Assay	3114	120618
Cu	EDTA	928	928
Fe	ICP Assay	3126a	140812
Fe	EDTA	928	928
Hg	ICP Assay	3133	160921
Hg	EDTA	928	928
K	ICP Assay	3141a	140813
K	Gravimetric		See Sec. 4.2
Li	ICP Assay	3129a	100714
Li	Gravimetric		See Sec. 4.2
Mg	ICP Assay	3131a	14Q110
Mg	EDTA	928	928
Mn	ICP Assay	3132	050429
Mn	EDTA	928	928
Na	ICP Assay	3152a	200413
Na	Gravimetric		See Sec. 4.2
Ni	ICP Assay	3136	120619
Ni	EDTA	928	928
P	ICP Assay	3139a	060717
P	Acidimetric	84L	84L
Pb	ICP Assay	3128	101026
Pb	EDTA	928	928
Se	ICP Assay	3149	100901
Sr	EDTA	928	928
Sr	ICP Assay	Traceable to 3153a	K2-SR650985
Tl	ICP Assay	3158	151215
V	ICP Assay	3165	160906
V	EDTA	928	928
Zn	ICP Assay	3168a	120629
Zn	EDTA	928	928

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of $k = 2$.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{\text{CRM/RM}}$, where two or more methods of characterization are used is the weighted mean of the results:

$$X_{\text{CRM/RM}} = \sum (w_i) (X_i)$$

X_i = mean of Assay Method i with standard uncertainty $u_{\text{char } i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$$w_i = (1/u_{\text{char } i})^2 / (\sum (1/u_{\text{char } i})^2)$$

$$\text{CRM/RM Expanded Uncertainty } (k) = U_{\text{CRM/RM}} = k (u_{\text{char}}^2 + u_{\text{bb}}^2 + u_{\text{ts}}^2 + u_{\text{ts}}^2)^{1/2}$$

k = coverage factor = 2

$u_{\text{char}} = [\sum (w_i)^2 (u_{\text{char } i})^2]^{1/2}$ where $u_{\text{char } i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{ts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{\text{CRM/RM}}$, where one method of characterization is used is the mean of individual results:

$$X_{\text{CRM/RM}} = (X_a) (u_{\text{char } a})$$

X_a = mean of Assay Method A with

$u_{\text{char } a}$ = the standard uncertainty of characterization Method A

$$\text{CRM/RM Expanded Uncertainty } (k) = U_{\text{CRM/RM}} = k (u_{\text{char } a}^2 + u_{\text{bb}}^2 + u_{\text{ts}}^2 + u_{\text{ts}}^2)^{1/2}$$

k = coverage factor = 2

$u_{\text{char } a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{ts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures [Terms and Conditions of Sale](https://www.inorganicventures.com/terms-and-conditions-sale). <https://www.inorganicventures.com/terms-and-conditions-sale>. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.
- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.
- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 25° C to minimize the effects of transpiration. Use at 20° ± 5° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit www.inorganicventures.com/TCT

Note: This solution contains Silver (Ag), please refer to our Sample Preparation Guide for more information (<https://www.inorganicventures.com/sample-preparation-guide/samples-containing-silver>)

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

April 08, 2025

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- April 08, 2029

- The date after which this CRM/RM should not be used.
- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Prepared By:

Justin Dirico
Stock Processing Supervisor



Certificate Approved By:

Jodie Wall
Stock VSM Coordinator



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director





Certified Reference Material CRM

M6027



CERTIFIED WEIGHT REPORT:

Part Number: **57028**
Lot Number: **062024**
Description: **Nickel (NI)**

Lot # **24002546**
Solvent: **Nitric Acid**


Formulated By:	Benson Chan
062024	
Reviewed By:	Pedro L. Rentes
062024	

Expiration Date: **062027**
Recommended Storage: **Ambient (20 °C)**
Nominal Concentration (µg/mL): **1000**
NIST Test Number: **6UTB**
Volume shown below was diluted to (mL): **2000.07**
5E-05 Balance Uncertainty
0.100 Flask Uncertainty

Compound	Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty Pippet (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	CAS#	OSHA PEL (TWA)	LD50	NIST SRM

1. Nickel(II) nitrate hexahydrate (NI) 58128 062023 0.1000 200.0 0.084 1000 10000.4 1000.0 2.2 13478-00-7 1 mg/m3 orl-rat 1620 mg/kg 3136

[1] Spectrum No.1 [9.136 sec]:58028.D# [Count] [Linear]





Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	T	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All Standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



Certified Reference Material CRM

M6030



ANAB ISO 17034 Accredited
AR-1539 Certificate Number
<https://absolutestandards.com>

CERTIFIED WEIGHT REPORT:

Part Number: **57047**
Lot Number: **122823**
Description: **Silver (Ag)**

Lot #
Solvent: 24002546 Nitric Acid

Formulated By:	Benson Chan
Reviewed By:	Pedro L. Rentas
	122823


2% 80.0 (mL) Nitric Acid

Expiration Date: 122826
Recommended Storage: Ambient (20 °C)
Nominal Concentration (µg/mL): 1000
NIST Test Number: 6UTB
Weight shown below was diluted to (mL): 4000.30
5E-05 Balance Uncertainty
0.058 Flask Uncertainty

Compound	Lot		Nominal Conc. (µg/mL)	Purity (%)	Uncertainty		Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty		CAS#	SDS Information		NIST SRM
	RM#	Number			Purity (%)	Assay (%)					+/- (µg/mL)	(µg/mL)		(Solvent Safety Info. On Attached pg.)	OSHA PEL (TWA)	

1. Silver nitrate (Ag) IN035 J0612AGA1 1000.0 99.999 0.10 63.7 6.27992 6.27998 1000.0 2.0 7761-88-8 10 µg/m³ NA 3151

[1] Spectrum No. 1 [14.044 sec]:58147.D# [Count] [Linear]





Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pt	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	T	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

Physical Characterization:

(T)= Target analyte

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All Standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



Certified Reference Material CRM
R: 10/18/24



ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://AbsoluteStandards.com

CERTIFIED WEIGHT REPORT:

Part Number: 57051
Lot Number: 071724
Description: Antimony (Sb)
Expiration Date: 071727
Recommended Storage: Ambient (20 °C)
Nominal Concentration (µg/mL): 1000
NIST Test Number: 6LJB
Volume shown below was diluted to (mL): 2000.26
Balance Uncertainty: 5E-05
Flask Uncertainty: 0.058


Lot # 24002546
Solvent: Nitric Acid

Formulated By: Giovanni Esposito
Reviewed By: Pedro L. Rentas

SDS Information

Compound	Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty Pipette (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	CAS#	OSHA PEL (TWA)	LD50	NIST SRM
----------	-------------	------------	-----------------	-------------------	--------------------------	-----------------------	-----------------------	---------------------	----------------------------------	------	----------------	------	----------

1. Antimony (Sb) 58151 060324 0.1000 200.0 0.084 1000 10001.4 1000.0 2.2 7440-36-0 0.5 mg/m3 orl-rat 7000 mg/kg 3102a





CERTIFIED WEIGHT REPORT:

Part Number: 57081
Lot Number: 062724
Description: Thallium (TI)

Lot #

Solvent: 24002546 Nitric Acid

Aleah O'Brady
Formulated By: Aleah O'Brady 062724

Expiration Date:

062727

2% 40.0 Nitric Acid (mL)

Recommended Storage: Ambient (20 °C)

Nominal Concentration (µg/mL): 1000

NIST Test Number: 6UTB

5E-05 Balance Uncertainty

Weight shown below was diluted to (mL): 2000.1 0.10 Flask Uncertainty


Pedro L. Renteria
Reviewed By: Pedro L. Renterias 062724

SDS Information

Compound	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	CAS#	OSHA PEL (TWA)	LD50	NIST SRM
----------	------------	-----------------------	------------	-----------------	-----------	-------------------	-------------------	----------------------	----------------------------------	------	----------------	------	----------

1. Thallium nitrate (TI) IN037 BCCF4399 1000 99.999 0.10 77.0 2.5975 2.5977 1000.1 2.0 10102-45-1 0.1 mg/m3 or-mus 15mg/kg 3158

[1] Spectrum No.1 [14.044 sec]:57081.D# [Count] [Linear]





Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pt	<0.02	Sc	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	T	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Tm	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Sn	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Ti	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Se	<0.02	Ta	<0.02			Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All Standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



Certified Reference Material CRM

M6021



CERTIFIED WEIGHT REPORT:

Part Number: 57023
Lot Number: 062424
Description: Vanadium (V)

Lot # 24002546
Solvent: Nitric Acid

<i>Aleah O Brady</i>	
Formulated By:	Aleah O Brady
Reviewed By:	<i>Pedro L. Rantas</i>
	Pedro L. Rantas
	062424


Expiration Date: 062427
Recommended Storage: Ambient (20 °C)
Nominal Concentration (µg/mL): 1000
NIST Test Number: 6UTB

2.0% 40.0 (mL) Nitric Acid

Volume shown below was diluted to (mL): 2000.3 0.06 Flask Uncertainty

Compound		Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty Pipette (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Ammonium metavanadate (V)		58123	021224	0.1000	200.0	0.084	1000	10000.3	1000.0	2.2	7803-55-6	0.05 mg/m3	or-rat 58.1mg/kg	3165

[1] Spectrum No.1 [34.243 sec]:58023.D# [Count] [Linear]





Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS ($\mu\text{g/mL}$)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pt	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	T
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Ru	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Sr	<0.02	S	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	Ta	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02			Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- * The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- * Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- * All standard containers are meticulously cleaned prior to use.
- * Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- * Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- * All Standards should be stored with caps tight and under appropriate laboratory conditions.
- * Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



SHIPPING DOCUMENTS

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

USEPA CLP COC (LAB COPY)

DateShipped: 12/2/2025

CarrierName: FedEx

AirbillNo: 8866 4105 7106

CHAIN OF CUSTODY RECORD

DAS #: R37106

Cooler #:

No: 3-120225-104849-0112

Lab: Alliance Technical Group, LLC

Lab Contact: Yazmeen Gomez

Lab Phone: (908) 728-3147

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
ET-WW-01-20251201	MC0KF5	Waste Water/ START	Grab	Metals(7)	3218 (HNO3, 6 C) (1)	WW-01	12/01/2025 13:55	PH 1.0 # 51329
ET-WW-02-20251201	MC0KF7	Waste Water/ START	Grab	Metals(7)	3222 (HNO3, 6 C) (1)	WW-02	12/01/2025 13:30	
ET-WW-03-20251201	MC0KF9	Waste Water/ START	Grab	Metals(7)	3224 (HNO3, 6 C) (1)	WW-03	12/01/2025 14:35	
ET-WW-04-20251201	MC0KG0	Waste Water/ START	Grab	Metals(7)	3225 (HNO3, 6 C) (1)	WW-04	12/01/2025 11:29	
ET-WW-05-20251201	MC0KG1	Waste Water/ START	Grab	Metals(7)	3226 (HNO3, 6 C), 3248 (HNO3, 6 C) (2)	WW-05	12/01/2025 12:45	
ET-WW-06-20251201	MC0KG2	Waste Water/ START	Grab	Metals(7)	3227 (HNO3, 6 C) (1)	WW-06	12/01/2025 13:45	
ET-WW-08-20251201	MC0KG3	Waste Water/ START	Grab	Metals(7)	3228 (HNO3, 6 C) (1)	WW-08	12/01/2025 12:26	
ET-SW-01-20251201	MC0KG4	Surface Water/ START	Grab	Metals(7)	3229 (HNO3, 6 C) (1)	SW-01	12/01/2025 14:15	
ET-SW-02-20251201	MC0KG5	Surface Water/ START	Grab	Metals(7)	3230 (HNO3, 6 C) (1)	SW-02	12/01/2025 13:01	
ET-SW-03-20251201	MC0KG6	Surface Water/ START	Grab	Metals(7)	3231 (HNO3, 6 C) (1)	SW-03	12/01/2025 13:12	

Sample(s) to be used for Lab QC: ET-WW-05-20251201 Tag 3226, ET-WW-05-20251201 Tag 3248	Shipment for Case Complete? Y
	Samples Transferred From Chain of Custody #
Analysis Key: Metals=CLP ICP-AES Metals	

Items/Reason	Relinquished by, (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
Sample Shipment	Guil [Signature] / START	12/2/25 11:45	[Signature]	12/3/25 10:53	IL 600 #1 3.3

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312