

Report of Analysis

Client: Tetra Tech NUS, Inc.
Project: CTO WA194808 Dahlgren VA - DOD VELAP
Client Sample ID: PB170839BS
Lab Sample ID: PB170839BS
Analytical Method: 8270E Level: LOW
Sample Wt/Vol: 1000 mL Final Vol: 1000 uL
Prep Method : 3510C Prep Date: 12/05/25

Date Collected:
Date Received:
SDG No.: Q3776
Matrix: Water
% Solid: 0
Test: SVOC-TCL BNA -20

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS										
100-52-7	Benzaldehyde	28.6		1	3.90	8.00	10.0	ug/L	12/08/25 15:06	PB170839
108-95-2	Phenol	42.5		1	0.91	4.00	5.00	ug/L	12/08/25 15:06	PB170839
111-44-4	bis(2-Chloroethyl)ether	40.2		1	0.81	4.00	5.00	ug/L	12/08/25 15:06	PB170839
95-57-8	2-Chlorophenol	43.8		1	0.58	4.00	5.00	ug/L	12/08/25 15:06	PB170839
95-48-7	2-Methylphenol	43.3		1	1.10	4.00	5.00	ug/L	12/08/25 15:06	PB170839
108-60-1	2,2-oxybis(1-Chloropropane)	39.8		1	1.30	4.00	5.00	ug/L	12/08/25 15:06	PB170839
98-86-2	Acetophenone	42.4		1	0.74	4.00	5.00	ug/L	12/08/25 15:06	PB170839
65794-96-9	3+4-Methylphenols	41.8		1	1.10	8.00	10.0	ug/L	12/08/25 15:06	PB170839
621-64-7	n-Nitroso-di-n-propylamine	39.7		1	1.40	2.50	2.50	ug/L	12/08/25 15:06	PB170839
67-72-1	Hexachloroethane	42.4		1	0.65	4.00	5.00	ug/L	12/08/25 15:06	PB170839
98-95-3	Nitrobenzene	42.3		1	0.76	4.00	5.00	ug/L	12/08/25 15:06	PB170839
78-59-1	Isophorone	40.6		1	0.75	4.00	5.00	ug/L	12/08/25 15:06	PB170839
88-75-5	2-Nitrophenol	43.8		1	1.80	4.00	5.00	ug/L	12/08/25 15:06	PB170839
105-67-9	2,4-Dimethylphenol	43.3		1	1.90	4.00	5.00	ug/L	12/08/25 15:06	PB170839
111-91-1	bis(2-Chloroethoxy)methane	40.1		1	0.68	4.00	5.00	ug/L	12/08/25 15:06	PB170839
120-83-2	2,4-Dichlorophenol	44.5		1	0.52	4.00	5.00	ug/L	12/08/25 15:06	PB170839
91-20-3	Naphthalene	42.1		1	0.50	4.00	5.00	ug/L	12/08/25 15:06	PB170839
106-47-8	4-Chloroaniline	22.2		1	0.84	4.00	5.00	ug/L	12/08/25 15:06	PB170839
87-68-3	Hexachlorobutadiene	44.4		1	0.54	4.00	5.00	ug/L	12/08/25 15:06	PB170839
105-60-2	Caprolactam	41.9		1	1.10	8.00	10.0	ug/L	12/08/25 15:06	PB170839
59-50-7	4-Chloro-3-methylphenol	43.4		1	0.59	4.00	5.00	ug/L	12/08/25 15:06	PB170839
91-57-6	2-Methylnaphthalene	38.0		1	0.56	4.00	5.00	ug/L	12/08/25 15:06	PB170839
77-47-4	Hexachlorocyclopentadiene	88.3	E	1	3.60	8.00	10.0	ug/L	12/08/25 15:06	PB170839
88-06-2	2,4,6-Trichlorophenol	44.8		1	0.51	4.00	5.00	ug/L	12/08/25 15:06	PB170839
95-95-4	2,4,5-Trichlorophenol	45.1		1	0.62	4.00	5.00	ug/L	12/08/25 15:06	PB170839
92-52-4	1,1-Biphenyl	43.4		1	0.53	4.00	5.00	ug/L	12/08/25 15:06	PB170839
91-58-7	2-Chloronaphthalene	42.6		1	0.61	4.00	5.00	ug/L	12/08/25 15:06	PB170839
88-74-4	2-Nitroaniline	43.8		1	1.30	4.00	5.00	ug/L	12/08/25 15:06	PB170839
131-11-3	Dimethylphthalate	43.5		1	0.61	4.00	5.00	ug/L	12/08/25 15:06	PB170839
208-96-8	Acenaphthylene	43.7		1	0.75	4.00	5.00	ug/L	12/08/25 15:06	PB170839
606-20-2	2,6-Dinitrotoluene	47.5		1	0.92	4.00	5.00	ug/L	12/08/25 15:06	PB170839
99-09-2	3-Nitroaniline	26.4		1	1.10	4.00	5.00	ug/L	12/08/25 15:06	PB170839
83-32-9	Acenaphthene	41.4		1	0.55	4.00	5.00	ug/L	12/08/25 15:06	PB170839
51-28-5	2,4-Dinitrophenol	75.3		1	6.00	8.00	10.0	ug/L	12/08/25 15:06	PB170839
100-02-7	4-Nitrophenol	85.7	E	1	2.40	8.00	10.0	ug/L	12/08/25 15:06	PB170839
132-64-9	Dibenzofuran	43.7		1	0.61	4.00	5.00	ug/L	12/08/25 15:06	PB170839
121-14-2	2,4-Dinitrotoluene	45.8		1	1.20	4.00	5.00	ug/L	12/08/25 15:06	PB170839
84-66-2	Diethylphthalate	43.8		1	0.69	4.00	5.00	ug/L	12/08/25 15:06	PB170839
7005-72-3	4-Chlorophenyl-phenylether	44.2		1	0.68	4.00	5.00	ug/L	12/08/25 15:06	PB170839
86-73-7	Fluorene	44.1		1	0.63	4.00	5.00	ug/L	12/08/25 15:06	PB170839
100-01-6	4-Nitroaniline	39.9		1	1.50	4.00	5.00	ug/L	12/08/25 15:06	PB170839
534-52-1	4,6-Dinitro-2-methylphenol	43.6		1	2.90	8.00	10.0	ug/L	12/08/25 15:06	PB170839

Report of Analysis

Client: Tetra Tech NUS, Inc.
Project: CTO WA194808 Dahlgren VA - DOD VELAP
Client Sample ID: PB170839BS
Lab Sample ID: PB170839BS
Analytical Method: 8270E Level: LOW
Sample Wt/Vol: 1000 mL Final Vol: 1000 uL
Prep Method : 3510C Prep Date: 12/05/25

Date Collected:
Date Received:
SDG No.: Q3776
Matrix: Water
% Solid: 0
Test: SVOC-TCL BNA -20

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Date Ana.	Prep BatchID
86-30-6	n-Nitrosodiphenylamine	45.0		1	0.58	4.00	5.00	ug/L	12/08/25 15:06	PB170839
101-55-3	4-Bromophenyl-phenylether	45.1		1	0.40	4.00	5.00	ug/L	12/08/25 15:06	PB170839
118-74-1	Hexachlorobenzene	45.4		1	0.52	4.00	5.00	ug/L	12/08/25 15:06	PB170839
1912-24-9	Atrazine	46.6		1	1.00	4.00	5.00	ug/L	12/08/25 15:06	PB170839
87-86-5	Pentachlorophenol	90.2	E	1	1.60	8.00	10.0	ug/L	12/08/25 15:06	PB170839
85-01-8	Phenanthrene	44.5		1	0.50	4.00	5.00	ug/L	12/08/25 15:06	PB170839
120-12-7	Anthracene	44.8		1	0.61	4.00	5.00	ug/L	12/08/25 15:06	PB170839
86-74-8	Carbazole	44.6		1	0.72	4.00	5.00	ug/L	12/08/25 15:06	PB170839
84-74-2	Di-n-butylphthalate	44.9		1	1.20	4.00	5.00	ug/L	12/08/25 15:06	PB170839
206-44-0	Fluoranthene	44.4		1	0.82	4.00	5.00	ug/L	12/08/25 15:06	PB170839
129-00-0	Pyrene	44.1		1	0.50	4.00	5.00	ug/L	12/08/25 15:06	PB170839
85-68-7	Butylbenzylphthalate	44.0		1	1.90	4.00	5.00	ug/L	12/08/25 15:06	PB170839
91-94-1	3,3-Dichlorobenzidine	28.5		1	0.93	8.00	10.0	ug/L	12/08/25 15:06	PB170839
56-55-3	Benzo(a)anthracene	43.0		1	0.45	4.00	5.00	ug/L	12/08/25 15:06	PB170839
218-01-9	Chrysene	43.2		1	0.44	4.00	5.00	ug/L	12/08/25 15:06	PB170839
117-81-7	Bis(2-ethylhexyl)phthalate	42.8		1	1.60	4.00	5.00	ug/L	12/08/25 15:06	PB170839
117-84-0	Di-n-octyl phthalate	43.6		1	2.30	8.00	10.0	ug/L	12/08/25 15:06	PB170839
205-99-2	Benzo(b)fluoranthene	44.3		1	0.49	4.00	5.00	ug/L	12/08/25 15:06	PB170839
207-08-9	Benzo(k)fluoranthene	46.5		1	0.48	4.00	5.00	ug/L	12/08/25 15:06	PB170839
50-32-8	Benzo(a)pyrene	46.0		1	0.55	4.00	5.00	ug/L	12/08/25 15:06	PB170839
193-39-5	Indeno(1,2,3-cd)pyrene	46.0		1	0.59	4.00	5.00	ug/L	12/08/25 15:06	PB170839
53-70-3	Dibenzo(a,h)anthracene	45.8		1	0.67	4.00	5.00	ug/L	12/08/25 15:06	PB170839
191-24-2	Benzo(g,h,i)perylene	45.8		1	0.69	4.00	5.00	ug/L	12/08/25 15:06	PB170839
95-94-3	1,2,4,5-Tetrachlorobenzene	45.2		1	0.52	4.00	5.00	ug/L	12/08/25 15:06	PB170839
123-91-1	1,4-Dioxane	35.8		1	1.00	4.00	5.00	ug/L	12/08/25 15:06	PB170839
58-90-2	2,3,4,6-Tetrachlorophenol	47.6		1	0.72	4.00	5.00	ug/L	12/08/25 15:06	PB170839

SURROGATES

367-12-4	2-Fluorophenol	125		19 - 119		83%	SPK: 150
13127-88-3	Phenol-d6	122		10 - 130		81%	SPK: 150
4165-60-0	Nitrobenzene-d5	80.6		44 - 120		81%	SPK: 100
321-60-8	2-Fluorobiphenyl	82.5		44 - 119		83%	SPK: 100
118-79-6	2,4,6-Tribromophenol	134		43 - 140		89%	SPK: 150
1718-51-0	Terphenyl-d14	88.2		50 - 134		88%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	186000
1146-65-2	Naphthalene-d8	731000
15067-26-2	Acenaphthene-d10	460000
1517-22-2	Phenanthrene-d10	922000
1719-03-5	Chrysene-d12	1010000
1520-96-3	Perylene-d12	1170000

Report of Analysis

Client:	Tetra Tech NUS, Inc.		Date Collected:	
Project:	CTO WA194808 Dahlgren VA - DOD VELAP		Date Received:	
Client Sample ID:	PB170839BS		SDG No.:	Q3776
Lab Sample ID:	PB170839BS		Matrix:	Water
Analytical Method:	8270E	Level: LOW	% Solid:	0
Sample Wt/Vol:	1000 mL	Final Vol: 1000 uL	Test:	SVOC-TCL BNA -20
Prep Method :	3510C	Prep Date: 12/05/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Date Ana.	Prep BatchID
------------	-----------	-------	------	----	-----	-----	------------	-------	-----------	--------------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products