

Report of Analysis

Client:	PSEG	Date Collected:	12/04/25
Project:	PSEG Nicholson Rd Substation	Date Received:	12/04/25
Client Sample ID:	OILY STONE DRUM-EPH	SDG No.:	Q3779
Lab Sample ID:	Q3779-02	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	100
Sample Wt/Vol:	30.07 g	Test:	EPH_NF
Prep Method :	Final Vol: 2000 uL Prep Date : 12/05/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Datafile	Date Ana.	Prep BatchID
TARGETS										
Aliphatic C28-C40	Aliphatic C28-C40	290		10	11.8	20.0	mg/kg	FE057214.D	12/08/25 10:34	PB170837
Aliphatic C9-C28	Aliphatic C9-C28	184		10	9.09	39.9	mg/kg	FE057214.D	12/08/25 10:34	PB170837
Total AliphaticEPH	Total AliphaticEPH	474			20.9	59.9	mg/kg			
Total EPH	Total EPH	474			20.9	59.9	mg/kg			

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	12/04/25
Project:	PSEG Nicholson Rd Substation	Date Received:	12/04/25
Client Sample ID:	OILY STONE DRUM-EPH	SDG No.:	Q3779
Lab Sample ID:	Q3779-02	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	100
Sample Wt/Vol:	30.07 g	Final Vol:	2000 uL
Prep Method :		Test:	EPH_NF
		Prep Date	12/05/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
Aliphatic C9-C28	Aliphatic C9-C28	192	E	1	0.91	3.99	mg/kg	12/05/25	PB170837
Aliphatic C28-C40	Aliphatic C28-C40	283	E	1	1.18	2.00	mg/kg	12/05/25	PB170837
SURROGATES									
3383-33-2	1-chlorooctadecane (SURR)	25.2			40 - 140	50%	SPK: 50		
84-15-1	ortho-Terphenyl (SURR)	29.4			40 - 140	59%	SPK: 50		

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3779-02	Acq On:	05 Dec 2025 19:37
Client Sample ID:	OILY STONE DRUM-EPH	Operator:	YP\AJ
Data file:	FE057202.D	Misc:	
Instrument:	FID_E	ALS Vial:	22
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.193	6.818	1204548	6.003	300	ug/ml
Aliphatic C12-C16	6.819	10.264	1396819	6.875	200	ug/ml
Aliphatic C16-C21	10.265	13.638	15590103	78.613	300	ug/ml
Aliphatic C21-C28	13.639	17.307	557442499	2800	400	ug/ml
Aliphatic C28-C40	17.308	22.236	853413182	4270	600	ug/ml
Aliphatic EPH	3.193	22.236	1429047151	7170		ug/ml
ortho-Terphenyl (SURR)	11.933	11.933	6449013	29.39		ug/ml
1-chlorooctadecane (SURR)	13.371	13.371	4191139	25.18		ug/ml
Aliphatic C9-C28	3.193	17.307	575633969	2900	1200	ug/ml