

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121125\
 Data File : BN038324.D
 Acq On : 11 Dec 2025 19:04
 Operator : RC/JU
 Sample : Q3787-19
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 OW-02B-21.2-120425

Quant Time: Dec 12 00:10:31 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN121025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 10 13:56:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.724	152	5836	0.400	ng	0.00
7) Naphthalene-d8	10.519	136	16262	0.400	ng	#-0.01
13) Acenaphthene-d10	14.388	164	8730	0.400	ng	-0.01
19) Phenanthrene-d10	17.148	188	16136	0.400	ng	# 0.00
29) Chrysene-d12	21.340	240	12618	0.400	ng	# 0.00
35) Perylene-d12	23.636	264	12629	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.290	112	2280	0.157	ng	0.00
5) Phenol-d6	6.887	99	1659	0.096	ng	0.00
8) Nitrobenzene-d5	8.875	82	4455	0.325	ng	0.00
11) 2-Methylnaphthalene-d10	12.126	152	6374	0.278	ng	0.00
14) 2,4,6-Tribromophenol	15.895	330	1387	0.358	ng	0.00
15) 2-Fluorobiphenyl	13.008	172	12350	0.294	ng	0.00
27) Fluoranthene-d10	19.187	212	14020	0.351	ng	0.00
31) Terphenyl-d14	19.787	244	10814	0.384	ng	0.00
Target Compounds						
25) Phenanthrene	17.186	178	1545	0.028	ng	Qvalue 93
34) Bis(2-ethylhexyl)phtha...	21.268	149	10286	0.385	ng	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121125\
Data File : BN038324.D
Acq On : 11 Dec 2025 19:04
Operator : RC/JU
Sample : Q3787-19
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
OW-02B-21.2-120425


Quant Time: Dec 12 00:10:31 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN121025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 10 13:56:50 2025
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.724 min Scan# 643
 Delta R.T. 0.000 min
 Lab File: BN038324.D
 Acq: 11 Dec 2025 19:04


Instrument :
 BNA_N
 ClientSampleId :
 OW-02B-21.2-120425





Tgt Ion:152 Resp: 5836
 Ion Ratio Lower Upper
 152 100
 150 155.0 122.4 183.6
 115 60.0 47.3 70.9




#4
 2-Fluorophenol
 Concen: 0.157 ng
 RT: 5.290 min Scan# 306
 Delta R.T. 0.000 min
 Lab File: BN038324.D
 Acq: 11 Dec 2025 19:04



Tgt Ion:112 Resp: 2280
 Ion Ratio Lower Upper
 112 100
 64 55.5 44.4 66.6
 63 29.4 23.4 35.0









#5
Phenol-d6
Concen: 0.096 ng
RT: 6.887 min Scan# 51
Delta R.T. 0.000 min
Lab File: BN038324.D
Acq: 11 Dec 2025 19:04




Instrument :
BNA_N
ClientSampleId :
OW-02B-21.2-120425

Tgt Ion: 99 Resp: 1659
Ion Ratio Lower Upper
99 100
42 22.8 16.5 24.7
71 41.2 24.9 37.3#



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.519 min Scan# 931
Delta R.T. -0.011 min
Lab File: BN038324.D
Acq: 11 Dec 2025 19:04

Tgt Ion: 136 Resp: 16262
Ion Ratio Lower Upper
136 100
137 11.6 9.1 13.7
54 11.2 5.2 7.8#
68 8.7 4.1 6.1#









#8
Nitrobenzene-d5
Concen: 0.325 ng
RT: 8.875 min Scan# 777
Delta R.T. 0.000 min
Lab File: BN038324.D
Acq: 11 Dec 2025 19:04




Instrument :
BNA_N
ClientSampleId :
OW-02B-21.2-120425


Tgt Ion: 82 Resp: 4455
Ion Ratio Lower Upper
82 100
128 45.6 34.0 51.0
54 56.4 44.4 66.6



#11
2-Methylnaphthalene-d10
Concen: 0.278 ng
RT: 12.126 min Scan# 1145
Delta R.T. 0.000 min
Lab File: BN038324.D
Acq: 11 Dec 2025 19:04

Tgt Ion: 152 Resp: 6374
Ion Ratio Lower Upper
152 100
151 21.2 17.0 25.6









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.388 min Scan# 1448
Delta R.T. -0.011 min
Lab File: BN038324.D
Acq: 11 Dec 2025 19:04




Instrument :
BNA_N
ClientSampleId :
OW-02B-21.2-120425


Tgt Ion:	164	Resp:	8730
Ion	Ratio	Lower	Upper
164	100		
162	106.4	86.2	129.4
160	55.4	44.6	67.0



#14
2,4,6-Tribromophenol
Concen: 0.358 ng
RT: 15.895 min Scan# 1584
Delta R.T. 0.000 min
Lab File: BN038324.D
Acq: 11 Dec 2025 19:04

Tgt Ion:	330	Resp:	1387
Ion	Ratio	Lower	Upper
330	100		
332	96.6	75.8	113.6
141	50.0	31.8	47.8









#15
 2-Fluorobiphenyl
 Concen: 0.294 ng
 RT: 13.008 min Scan# 1319
 Delta R.T. 0.000 min
 Lab File: BN038324.D
 Acq: 11 Dec 2025 19:04




Instrument :
 BNA_N
 ClientSampleId :
 OW-02B-21.2-120425


Tgt Ion:	172	Resp:	12350
Ion Ratio	Lower	Upper	
172	100		
171	35.7	28.6	42.8
170	24.2	19.3	28.9



#19
 Phenanthrene-d10
 Concen: 0.400 ng
 RT: 17.148 min Scan# 1685
 Delta R.T. 0.000 min
 Lab File: BN038324.D
 Acq: 11 Dec 2025 19:04

Tgt Ion:	188	Resp:	16136
Ion Ratio	Lower	Upper	
188	100		
94	0.0	0.0	0.0
80	11.6	7.4	11.0









#25
Phenanthrene
Concen: 0.028 ng
RT: 17.186 min Scan# 1688
Delta R.T. 0.000 min
Lab File: BN038324.D
Acq: 11 Dec 2025 19:04




Instrument :
BNA_N
ClientSampleId :
OW-02B-21.2-120425


Tgt Ion:	178	Resp:	1545
Ion Ratio	Lower	Upper	
178	100		
176	23.2	15.5	23.3
179	17.2	12.2	18.2



#27
Fluoranthene-d10
Concen: 0.351 ng
RT: 19.187 min Scan# 1940
Delta R.T. 0.000 min
Lab File: BN038324.D
Acq: 11 Dec 2025 19:04

Tgt Ion:	212	Resp:	14020
Ion Ratio	Lower	Upper	
212	100		
106	17.7	13.7	20.5
104	9.9	7.8	11.8





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.340 min Scan# 21

Delta R.T. 0.000 min

Lab File: BN038324.D

Acq: 11 Dec 2025 19:04

Instrument :

BNA_N

ClientSampleId :

OW-02B-21.2-120425





Tgt Ion:240 Resp: 12618

Ion Ratio Lower Upper

240 100

120 23.9 15.4 23.2#

236 31.1 23.9 35.9



#31

Terphenyl-d14

Concen: 0.384 ng

RT: 19.787 min Scan# 2069

Delta R.T. -0.005 min

Lab File: BN038324.D

Acq: 11 Dec 2025 19:04




Tgt Ion:244 Resp: 10814


Ion Ratio Lower Upper

244 100

212 10.6 7.9 11.9

122 21.3 15.0 22.6









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.385 ng
 RT: 21.268 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: BN038324.D
 Acq: 11 Dec 2025 19:04

Instrument :
 BNA_N
 ClientSampleId :
 OW-02B-21.2-120425

Tgt Ion:	149	Resp:	10286
Ion Ratio	Lower	Upper	
149	100		
167	24.2	21.4	32.0
279	3.4	2.4	3.6



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.636 min Scan# 2805
 Delta R.T. 0.003 min
 Lab File: BN038324.D
 Acq: 11 Dec 2025 19:04

Tgt Ion:	264	Resp:	12629
Ion Ratio	Lower	Upper	
264	100		
260	28.1	22.2	33.2
265	89.1	80.2	120.2

