

## Report of Analysis

Client: JACOBS Engineering Group, Inc.  
Project: Former Schlumberger STC PTC Site D3868221  
Client Sample ID: TB01-120425  
Lab Sample ID: Q3787-21  
Analytical Method: Level:  
Sample Wt/Vol: 25 mL Final Vol: 25000 uL

Date Collected: 12/04/25  
Date Received: 12/04/25  
SDG No.: Q3787  
Matrix: Water  
% Solid: 0  
Test: VOC-SIM

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
<b>TARGETS</b>									
75-01-4	Vinyl chloride	0.020	U	1	0.020	0.020	ug/L	12/08/25 12:02	VV120825
<b>SURROGATES</b>									
6745-35-3	Vinyl Chloride-d3	0.55			40 - 130	109%	SPK: 0.5		
17060-07-0	1,2-Dichloroethane-d4	0.43			70 - 130	86.8%	SPK: 0.5		
93952-08-0	1,2-Dichloropropane-d6	0.42			60 - 140	84%	SPK: 0.5		
2037-26-5	Toluene-d8	0.47			70 - 130	93.2%	SPK: 0.5		
33685-54-0	1,1,2,2-Tetrachloroethane-d2	0.53			65 - 120	105.6%	SPK: 0.5		
<b>INTERNAL STANDARDS</b>									
		<b>Area Count</b>							
3114-55-4	Chlorobenzene-d5	6120							
540-36-3	1,4-Difluorobenzene	6540							
3855-82-1	1,4-Dichlorobenzene-d4	3130							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products