

Hit Summary Sheet SW-846

SDG No.: Q3796 **Order ID:** Q3796
Client: Dal Tile - Sunnyvale Plant **Project ID:** Semi Annual Sampling

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : Outfall 001								
Q3796-01	Outfall 001	Water	Aluminum	225		5.67	50.0	ug/L
Q3796-01	Outfall 001	Water	Barium	84.7		7.28	50.0	ug/L
Q3796-01	Outfall 001	Water	Boron	37.6	J	7.85	50.0	ug/L
Q3796-01	Outfall 001	Water	Calcium	53100		117	1000	ug/L
Q3796-01	Outfall 001	Water	Chromium	3.67	J	1.06	5.00	ug/L
Q3796-01	Outfall 001	Water	Copper	4.22	J	2.30	10.0	ug/L
Q3796-01	Outfall 001	Water	Iron	155		11.7	50.0	ug/L
Q3796-01	Outfall 001	Water	Magnesium	1850		122	1000	ug/L
Q3796-01	Outfall 001	Water	Manganese	3.44	J	2.97	10.0	ug/L
Q3796-01	Outfall 001	Water	Nickel	2.07	J	1.53	20.0	ug/L
Q3796-01	Outfall 001	Water	Potassium	2990		459	1000	ug/L
Q3796-01	Outfall 001	Water	Sodium	7840		434	1000	ug/L
Q3796-01	Outfall 001	Water	Zinc	11.0	J	8.33	20.0	ug/L
Client ID : Outfall 002								
Q3796-02	Outfall 002	Water	Aluminum	53.4		5.67	50.0	ug/L
Q3796-02	Outfall 002	Water	Barium	114		7.28	50.0	ug/L
Q3796-02	Outfall 002	Water	Boron	98.7		7.85	50.0	ug/L
Q3796-02	Outfall 002	Water	Calcium	64900		117	1000	ug/L
Q3796-02	Outfall 002	Water	Chromium	2.76	J	1.06	5.00	ug/L
Q3796-02	Outfall 002	Water	Iron	35.0	J	11.7	50.0	ug/L
Q3796-02	Outfall 002	Water	Magnesium	4200		122	1000	ug/L
Q3796-02	Outfall 002	Water	Nickel	2.65	J	1.53	20.0	ug/L
Q3796-02	Outfall 002	Water	Potassium	2760		459	1000	ug/L
Q3796-02	Outfall 002	Water	Sodium	16700		434	1000	ug/L
Q3796-02	Outfall 002	Water	Vanadium	3.64	J	3.13	20.0	ug/L
Client ID : Outfall 003								
Q3796-03	Outfall 003	Water	Aluminum	1410		5.67	50.0	ug/L
Q3796-03	Outfall 003	Water	Barium	188		7.28	50.0	ug/L
Q3796-03	Outfall 003	Water	Boron	482		7.85	50.0	ug/L
Q3796-03	Outfall 003	Water	Calcium	59300		117	1000	ug/L
Q3796-03	Outfall 003	Water	Chromium	29.4		1.06	5.00	ug/L
Q3796-03	Outfall 003	Water	Copper	4.84	J	2.30	10.0	ug/L
Q3796-03	Outfall 003	Water	Iron	666		11.7	50.0	ug/L
Q3796-03	Outfall 003	Water	Magnesium	14700		122	1000	ug/L
Q3796-03	Outfall 003	Water	Manganese	26.0		2.97	10.0	ug/L
Q3796-03	Outfall 003	Water	Molybdenum	15.2	J	9.37	100	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q3796

Order ID: Q3796

Client: Dal Tile - Sunnyvale Plant

Project ID: Semi Annual Sampling

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3796-03	Outfall 003	Water	Nickel	9.38	J	1.53	20.0	ug/L
Q3796-03	Outfall 003	Water	Potassium	4520		459	1000	ug/L
Q3796-03	Outfall 003	Water	Sodium	21600		434	1000	ug/L
Q3796-03	Outfall 003	Water	Titanium	53.1		3.21	20.0	ug/L
Q3796-03	Outfall 003	Water	Vanadium	11.0	J	3.13	20.0	ug/L
Q3796-03	Outfall 003	Water	Zinc	23.8		8.33	20.0	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client: Dal Tile - Sunnyvale Plant
Project: Semi Annual Sampling
Client Sample ID: Outfall 001
Lab Sample ID: Q3796-01
Level (low/med): low

Date Collected: 11/20/25
Date Received: 12/05/25
SDG No.: Q3796
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	225	N	1	5.67	50.0	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7440-36-0	Antimony	3.38	U	1	3.38	25.0	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7440-38-2	Arsenic	2.56	U	1	2.56	10.0	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7440-39-3	Barium	84.7		1	7.28	50.0	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7440-41-7	Beryllium	0.28	U	1	0.28	3.00	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7440-42-8	Boron	37.6	JN	1	7.85	50.0	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7440-43-9	Cadmium	0.25	U	1	0.25	3.00	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7440-70-2	Calcium	53100		1	117	1000	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7440-47-3	Chromium	3.67	J	1	1.06	5.00	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7440-48-4	Cobalt	1.13	U	1	1.13	15.0	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7440-50-8	Copper	4.22	J	1	2.30	10.0	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7439-89-6	Iron	155		1	11.7	50.0	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7439-92-1	Lead	1.15	U	1	1.15	6.00	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7439-95-4	Magnesium	1850		1	122	1000	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7439-96-5	Manganese	3.44	J	1	2.97	10.0	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	12/08/25 09:25	12/08/25 13:31	7470A	M7470A
7439-98-7	Molybdenum	9.37	U	1	9.37	100	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7440-02-0	Nickel	2.07	J	1	1.53	20.0	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7440-09-7	Potassium	2990		1	459	1000	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7782-49-2	Selenium	4.82	U	1	4.82	10.0	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7440-22-4	Silver	0.81	UN	1	0.81	5.00	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7440-23-5	Sodium	7840		1	434	1000	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7440-28-0	Thallium	2.19	U	1	2.19	20.0	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7440-31-5	Tin	2.57	U	1	2.57	20.0	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7440-32-6	Titanium	3.21	UN	1	3.21	20.0	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7440-62-2	Vanadium	3.13	U	1	3.13	20.0	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A
7440-66-6	Zinc	11.0	J	1	8.33	20.0	ug/L	12/08/25 09:45	12/11/25 13:12	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: Dal Tile - Sunnyvale Plant
Project: Semi Annual Sampling
Client Sample ID: Outfall 002
Lab Sample ID: Q3796-02
Level (low/med): low

Date Collected: 11/20/25
Date Received: 12/05/25
SDG No.: Q3796
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	53.4	N	1	5.67	50.0	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7440-36-0	Antimony	3.38	U	1	3.38	25.0	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7440-38-2	Arsenic	2.56	U	1	2.56	10.0	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7440-39-3	Barium	114		1	7.28	50.0	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7440-41-7	Beryllium	0.28	U	1	0.28	3.00	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7440-42-8	Boron	98.7	N	1	7.85	50.0	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7440-43-9	Cadmium	0.25	U	1	0.25	3.00	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7440-70-2	Calcium	64900		1	117	1000	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7440-47-3	Chromium	2.76	J	1	1.06	5.00	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7440-48-4	Cobalt	1.13	U	1	1.13	15.0	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7440-50-8	Copper	2.30	U	1	2.30	10.0	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7439-89-6	Iron	35.0	J	1	11.7	50.0	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7439-92-1	Lead	1.15	U	1	1.15	6.00	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7439-95-4	Magnesium	4200		1	122	1000	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7439-96-5	Manganese	2.97	U	1	2.97	10.0	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	12/08/25 09:25	12/08/25 13:33	7470A	M7470A
7439-98-7	Molybdenum	9.37	U	1	9.37	100	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7440-02-0	Nickel	2.65	J	1	1.53	20.0	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7440-09-7	Potassium	2760		1	459	1000	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7782-49-2	Selenium	4.82	U	1	4.82	10.0	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7440-22-4	Silver	0.81	UN	1	0.81	5.00	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7440-23-5	Sodium	16700		1	434	1000	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7440-28-0	Thallium	2.19	U	1	2.19	20.0	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7440-31-5	Tin	2.57	U	1	2.57	20.0	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7440-32-6	Titanium	3.21	UN	1	3.21	20.0	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7440-62-2	Vanadium	3.64	J	1	3.13	20.0	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A
7440-66-6	Zinc	8.33	U	1	8.33	20.0	ug/L	12/08/25 09:45	12/11/25 13:17	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: Dal Tile - Sunnyvale Plant
Project: Semi Annual Sampling
Client Sample ID: Outfall 003
Lab Sample ID: Q3796-03
Level (low/med): low

Date Collected: 11/20/25
Date Received: 12/05/25
SDG No.: Q3796
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	1410	N	1	5.67	50.0	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7440-36-0	Antimony	3.38	U	1	3.38	25.0	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7440-38-2	Arsenic	2.56	U	1	2.56	10.0	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7440-39-3	Barium	188		1	7.28	50.0	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7440-41-7	Beryllium	0.28	U	1	0.28	3.00	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7440-42-8	Boron	482	N	1	7.85	50.0	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7440-43-9	Cadmium	0.25	U	1	0.25	3.00	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7440-70-2	Calcium	59300		1	117	1000	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7440-47-3	Chromium	29.4		1	1.06	5.00	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7440-48-4	Cobalt	1.13	U	1	1.13	15.0	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7440-50-8	Copper	4.84	J	1	2.30	10.0	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7439-89-6	Iron	666		1	11.7	50.0	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7439-92-1	Lead	1.15	U	1	1.15	6.00	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7439-95-4	Magnesium	14700		1	122	1000	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7439-96-5	Manganese	26.0		1	2.97	10.0	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	12/08/25 09:25	12/08/25 13:40	7470A	M7470A
7439-98-7	Molybdenum	15.2	J	1	9.37	100	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7440-02-0	Nickel	9.38	J	1	1.53	20.0	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7440-09-7	Potassium	4520		1	459	1000	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7782-49-2	Selenium	4.82	U	1	4.82	10.0	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7440-22-4	Silver	0.81	UN	1	0.81	5.00	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7440-23-5	Sodium	21600		1	434	1000	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7440-28-0	Thallium	2.19	U	1	2.19	20.0	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7440-31-5	Tin	2.57	U	1	2.57	20.0	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7440-32-6	Titanium	53.1	N	1	3.21	20.0	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7440-62-2	Vanadium	11.0	J	1	3.13	20.0	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A
7440-66-6	Zinc	23.8		1	8.33	20.0	ug/L	12/08/25 09:45	12/11/25 12:39	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID: Q3796
Client: Dal Tile - Sunnyvale Plant
Contact: Michel Gil

OrderDate: 12/5/2025 12:17:01 PM
Project: Semi Annual Sampling
Location: D11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3796-01	Outfall 001	Water			11/20/25			12/05/25
			Mercury	7470A		12/08/25	12/08/25	
			Metals ICP-Group1	6010D		12/08/25	12/11/25	
Q3796-02	Outfall 002	Water			11/20/25			12/05/25
			Mercury	7470A		12/08/25	12/08/25	
			Metals ICP-Group1	6010D		12/08/25	12/11/25	
Q3796-03	Outfall 003	Water			11/20/25			12/05/25
			Mercury	7470A		12/08/25	12/08/25	
			Metals ICP-Group1	6010D		12/08/25	12/11/25	