




SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2511059				Courier : F Galdun				1 of 5 COCs													
Client ID : GFEL01 Project ID : 112 Edison Ave				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix													
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				Indoor/Ambinet Air													
				Phone Number : 646-542-3465																					
				Fax Number : 973-334-1692																					
				Site Details : 609 GREENWICH ST. NY, NY																					
Analysis Turnaround Time : 7 DAY				Standard : 10 business days OR				Data Package Type : RESULTS ONLY																	
Rush (Specify): 7 Days				EDD Type : PDF																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15										
SV1	12/12/25	9:06	10:06	30	4	68	68	-30	-43	10218	10153	6 L	50	VL043259.D	1										
Temperature (Fahrenheit) Ambient: Maximum: Minimum: Start: Stop:										GC/MS Analyst Signature (TO-15) 															
Pressure (Inches of Hg) Ambient: Maximum: Minimum: Start: Stop:										Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE COMPOUNDS ON THE ATTACHED LIST. Please follow the instructions on the back of this COC.															
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.1</u> Sampling site (State): Quick Connector required : <u>No</u>																									
Canisters Shipped by: 						Date/Time: <u>12/10/25</u>						Canisters Received by: 						Date/Time: <u>12-4-25 1400</u>							
Samples Relinquished by: 						Date/Time: <u>12/4/25</u>						Received by: 						Date/Time: <u>12-4-25 1430</u>							
Relinquished by: 						Date/Time: <u>12-4-25 1430</u>						Received by: 						Date/Time: <u>12-4-25 1430</u>							

Client Contact Information				Bottle Order ID : B2511059				Courier : FGALDUN				2 of 5 COCs																			
Client ID : GFEL01 Project ID : 103 Pulkers Ave				Sampler Name(s) FRANK GALDUN				Analysis				Matrix																			
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				Indoor Ambient Air Soil Gas																			
				Phone Number : 646-542-3465																											
				Fax Number : 973-334-1692																											
				Site Details 609 GREENWICH ST NY, NY																											
Analysis Turnaround Time 7 DAY				Standard : 10 business days OR				Data Package Type RESULTS ONLY																							
Rush (Specify): 7 Days				EDD Type : PDF																											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15																	
IA1	12/2/15	8:57	10:57	30	3	68	68	-30	-4.3	10503	10060	6 L	50	VL043259.D	/																
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) [Signature]									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE COMPOUNDS ON THE ATTACHED LIST Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Special Instructions/QC Requirements & Comments :																															
Suspected Contamination: High Medium Low PID Readings: 0.0																															
Sampling site (State):																															
Quick Connector required : No																															
Canisters Shipped by: [Signature]				Date/Time: 12/2/15				Canisters Received by: [Signature]				Date/Time: 12-4-25 140				B2511059 - 1															
Samples Relinquished by: [Signature]				Date/Time: 12/4/15				Received by: [Signature]				Date/Time:																			
Relinquished by: [Signature]				Date/Time: 12-4-25 1430				Received by:				Date/Time:																			

Client Contact Information				Bottle Order ID : B2511059				Courier : FRANK GILDUN				<u>3</u> of <u>5</u> COCs			
Client ID : GFEL01 Project ID : 118-Patterson Ave				Sampler Name(s) : FRANK GILDUN				Analysis				Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK GILDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 609 GREENWICH ST NY, NY											
City : Lake Hiawatha				Analysis Turnaround Time 7 DAY				Data Package Type: RESULTS ONLY EDD Type : PDF							
State : NJ				Standard : 10 business days OR											
Zip Code : 07034				Rush (Specify): 7 Days											
Country :															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SUZ	12/25/06	9:06	11:06	29.4	4	68	68	-30	-4.7	10585	10296	6 L	50	VL043259.D	/		/

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) Sut

** Submittal of this COC indicates approval of the analysis based on existing conditions.

REPORT ONLY THOSE COMPOUNDS ON THE ATTACHED LIST.

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :


Suspected Contamination: High Medium Low PID Readings: 0.0

Sampling site (State):

Quick Connector required : N

Canisters Shipped by: <u>Sgt</u>	Date/Time: <u>12/21/06</u>	Canisters Received by: <u>[Signature]</u>	Date/Time: <u></u>
Samples Relinquished by: <u>[Signature]</u>	Date/Time: <u>12/21/06</u>	Received by: <u>[Signature]</u>	Date/Time: <u>12-21-06</u>
Relinquished by: <u>[Signature]</u>	Date/Time: <u>12-21-06</u>	Received by: <u>[Signature]</u>	Date/Time: <u></u>

B2511059 - 3

Client Contact Information				Bottle Order ID : B2511059				Courier : FRANK GARDUN				4 of 5 COCs																	
Client ID : GFEL01 Project ID : 142 Fulton Ave				Sampler Name(s) : FRANK GARDUN				Analysis				Matrix																	
Customer : GFE LLC Name : Address : 58 Nokomis Ave				Project Manager : FRANK GARDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 609 GREENWICH ST NY, NY																									
City : Lake Hiawatha				Analysis Turnaround Time 7 DAY				Data Package Type : RESULTS ONLY																					
State : NJ				Standard : 10 business days OR																									
Zip Code : 07034				Rush (Specify): 7 Days				EDD Type : PDF																					
Country :																													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas													
IAZ	12/12/07	9:07	11:07	30	6	68	68	-30	-4.3	10547	10332	6 L	50	VL043135.D	1	1													
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE COMPOUNDS ON THE ATTACHED LIST Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : NO																													
Canisters Shipped by: Sam				Date/Time: 12/10/25				Canisters Received by: [Signature]				Date/Time: 12-4-25 1400																	
Samples Relinquished by: [Signature]				Date/Time: 12/24/25				Received by: [Signature]				Date/Time: 12-4-25 1400																	
Relinquished by: [Signature]				Date/Time: 12-4-25 1430				Received by: [Signature]				Date/Time: 12-4-25 1400																	

Client Contact Information				Bottle Order ID : B2511059				Courier: F. Galdun				5 of 5 COCs			
Client ID : GFEL01 Project ID : 119 Pukon Ave				Sampler Name(s): FRANK GILDUN				Analysis				Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : FRANK GILDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				TO-15			
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 609 GREENWICH ST NY, NY											
Analysis Turnaround Time 7 DAY				Standard : 10 business days OR				Data Package Type : RESULTS ONLY				Indoor/Ambient Air Soil Gas			
Rush (Specify): 7 Days				EDD Type : PDF											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	
OA1	12/12/25	8:27	10:27	28.5	S	39	41	-30	-2.2	10479	10300	6 L	50	VL043259.D	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]					
		Ambient	Maximum	Minimum											
Start		39													
Stop		41													
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE COMPOUNDS ON THE ATTACHED LIST Please follow the instructions on the back of this COC.					
		Ambient	Maximum	Minimum											
Start															
Stop															
Special Instructions/QC Requirements & Comments :															
Suspected Contamination: High Medium Low PID Readings:															
Sampling site (State):															
Quick Connector required : NO															
Canisters Shipped by: [Signature]				Date/Time: 12/12/25				Canisters Received by: [Signature]				Date/Time: 12-4-25 1400			
Samples Relinquished by: [Signature]				Date/Time: 12/11/25				Received by: [Signature]				Date/Time: 12-4-25 1430			
Relinquished by: [Signature]				Date/Time: 12-4-25 1430				Received by: [Signature]				Date/Time: 12-4-25 1430			

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane

Laboratory Certification



Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample			
Laboratory: <u>Chemtech</u>		Location: <u>284 Sheffield Street, Mountainside, NJ 7092</u>	
<u>NABO:</u>		Title: <u>Sample Custodian</u>	
Field Sample Seal No. <u>Q3797</u>		Date Broken: <u>12/4/2025</u>	Military Time Seal Broken: <u>14:30:00</u>
Case No.: <u>609 Greenwich St NY</u>		Analytical Parameter/Fraction: <u>OCMS Group2</u>	

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q3797-01	SV1		
Q3797-02	IA1		
Q3797-03	SV2		
Q3797-04	IA2		
Q3797-05	OA1		

Date	Time	Relinquished By		Received By		Purpose of Change of Custody
12/00	12/5/25	Signature		Signature		
		Printed Name	Cassanova Rene	Printed Name	Samantha Yenik	
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		

Distribution: White - Original (Sent With Report) Yellow - Contractor Archive Pink - Sample Custodian - Interim Copy