

Client Contact Information				Bottle Order ID : B2511059				Courier : F GILDUN				1 of 5 COCs																
Client ID : GFEL01				Project ID : 118 Ave				Sampler Name(s) : FRANK GILDUN				Analysis																
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK GILDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				Matrix																
				Phone Number : 646-542-3465																								
				Fax Number : 973-334-1692																								
				Site Details : 609 GREENWICH ST. NY, NY																								
City : Lake Hiawatha				Analysis Turnaround Time : 7 DAY				Data Package Type : RESULTS ONLY				Indoor/Ambient Air																
State : NJ				Standard : 10 business days OR																								
Zip Code : 07034				Rush (Specify): 7 Days																								
Country :				EDD Type : PDF																								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Soil Gas												
SV1	12/25/00	9:06	10:06	30	4	68	68	-30	-43	10218	10153	6 L	50	VL043259.D	1	1												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Ambient</th> <th>Maximum</th> <th>Minimum</th> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Ambient</th> <th>Maximum</th> <th>Minimum</th> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE COMPOUNDS ON THE ATTACHED LIST. Please follow the instructions on the back of this COC.						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Special Instructions/QC Requirements & Comments :																												
Suspected Contamination: High Medium Low PID Readings: al																												
Sampling site (State):																												
Quick Connector required : No																												
Canisters Shipped by: Sam				Date/Time: 12/24/00				Canisters Received by:				Date/Time: 12-4-25 1400																
Samples Relinquished by:				Date/Time: 12/24/00				Received by:				Date/Time: 12-4-25 1400																
Relinquished by:				Date/Time: 12-4-25 1430				Received by:				Date/Time:																

Client Contact Information				Bottle Order ID : B2511059				Courier : F. GALDUN				<u>2</u> of <u>5</u> COCs			
Client ID : GFEL01 Project ID : 1000000000				Project Manager : FRANK GALDUN				Sampler Name(s) FRANK GALDUN				Analysis		Matrix	
Customer Name : GFE LLC Address : 58 Nokomis Ave				Phone Number : 646-542-3465				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Fax Number : 973-334-1692											
				Site Details 609 GREENWICH ST. NY, NY											
City : Lake Hiawatha				Analysis Turnaround Time 7 DAY				Data Package Type RESULTS ONLY							
State : NJ				Standard : 10 business days OR											
Zip Code : 07034				Rush (Specify): 7 Days				EDD Type : PDF							
Country :															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas
IA1	12/3/25	8:57	10:57	30	3	68	68	-30	-4.3	10503	10060	6 L	50	VL043259.D	1	1	

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) [Signature]

** Submittal of this COC indicates approval of the analysis based on existing conditions.

REPORTS ONLY THOSE COMPOUNDS ON THE ATTACHED LIST

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: **0.0**

Sampling site (State):

Quick Connector required : **NO**

Canisters Shipped by: [Signature]	Date/Time: 12/3/25	Canisters Received by: [Signature]	Date/Time: 12/4/25
Samples Relinquished by: [Signature]	Date/Time: 12/4/25	Received by: [Signature]	Date/Time: 12-4-25 1400
Relinquished by: [Signature]	Date/Time: 12-4-25 1430	Received by: [Signature]	Date/Time:

Client Contact Information		Bottle Order ID : B2511059		Courier : FRANK GILDUN		3 of 5 COCs	
Client ID : GFEL01		Project ID : 118-Redwood Ave		Sampler Name(s) : FRANK GILDUN		Analysis	
Customer Name : GFE LLC Address : 58 Nokomis Ave		Project Manager : FRANK GILDUN		AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified			
		Phone Number : 646-542-3465					
		Fax Number : 973-334-1692					
		Site Details : 609 GREENWICH ST NY, NY					
City : Lake Hiawatha		Analysis Turnaround Time : 7 DAY		Indoor/Ambient Air Soil Gas			
State : NJ		Standard : 10 business days OR					
Zip Code : 07034		Rush (Specify): 7 Days					
Country :		Data Package Type : RESULTS ONLY		EDD Type : PDF			

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SUZ	2/25	9:06	11:06	29.4	4	68	68	-30	-4.7	10585	10296	6 L	50	VL043259.D	1	1

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) Sut

** Submittal of this COC indicates approval of the analysis based on existing conditions.

REPORT ONLY THOSE COMPOUNDS ON THE ATTACHED LIST.

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: 0.0

Sampling site (State):

Quick Connector required : **N**

Canisters Shipped by: Sam	Date/Time: 2/24/15	Canisters Received by: [Signature]	Date/Time: 2-4-25 1400
Samples Relinquished by: [Signature]	Date/Time: 2-4-25 1400	Received by: [Signature]	Date/Time: 2-4-25 1400
Relinquished by: [Signature]	Date/Time: 2-4-25 1400	Received by: [Signature]	Date/Time: 2-4-25 1400

Client Contact Information				Bottle Order ID : B2511059				Courier : FGALDUN				4 of 5 COCs			
Client ID : GFEL01				Project ID : 148 Fulton Ave				Sampler Name(s) FRANK GALDUN				Analysis			
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified				Indoor Ambient Air Soil Gas			
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 609 GREENWICH ST NY, NY											
Analysis Turnaround Time 7 DAY				Standard : 10 business days OR				Data Package Type : RESULTS ONLY							
Rush (Specify): 7 Days				EDD Type : PDX											

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas
IAZ	12/3/25	9:07	11:07	30	6	68	68	-30	-4.3	10547	10332	6 L	50	VL043135.D	1	1	

Temperature (Fahrenheit)			
	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (Inches of Hg)			
	Ambient	Maximum	Minimum
Start			
Stop			

GC/MS Analyst Signature (TO-15) [Signature]

*** Submittal of this COC indicates approval of the analysis based on existing conditions.

REPORT ONLY THOSE COMPOUNDS ON THE ATTACHED LIST

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings:

Sampling site (State):

Quick Connector required : **No**

Canisters Shipped by: [Signature]	Date/Time: 12/01/25	Canisters Received by: [Signature]	Date/Time:
Samples Relinquished by: [Signature]	Date/Time: 12/24/25	Received by: [Signature]	Date/Time: 12-4-25 1400
Relinquished by: [Signature]	Date/Time: 12-4-25 1430	Received by: [Signature]	Date/Time:

Client Contact Information				Bottle Order ID : B2511059				Courier: F. GALDUN				5 of 5 COCs																	
Client ID : GFEL01				Project ID : 123456789				Sampler Name(s): Frank Galdun				Analysis		Matrix															
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 609 GREENWICH ST NY, NY																									
Analysis Turnaround Time 7 DAY				Standard : 10 business days OR				Data Package Type : RESULTS ONLY																					
Rush (Specify): 7 Days				EDD Type : PDF																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	(TO-15)	Indoor/Ambient Air	Soil Gas												
OA1	12/1/25	8:27	10:27	28.5	5	39	41	-30	-2.2	10479	10300	6 L	50	VL043259.D	C	1													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>39</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>41</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	39			Stop	41			GC/MS Analyst Signature (TO-15) Sut							
	Ambient	Maximum	Minimum																										
Start	39																												
Stop	41																												
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE COMPOUNDS ON THE ATTACHED LIST Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : NO																													
Canisters Shipped by: [Signature]				Date/Time: 12/1/25				Canisters Received by: [Signature]				Date/Time: 12-4-25 1400																	
Samples Relinquished by: [Signature]				Date/Time: 12/4/25				Received by: [Signature]				Date/Time: 12-4-25 1400																	
Relinquished by: [Signature]				Date/Time: 12.4.25.1430				Received by: [Signature]				Date/Time:																	

REQUESTED ANALYTE LIST:

PCE

TCE

cis-1,2-DCE

1,1,1-TCA

1,1-DCE

Vinyl chloride

Benzene

Toluene

Ethylbenzene

Naphthalene

Cyclohexane

2,2,4-Trimethylpentane

1,2,4-Trimethylbenzene

1,3,5-Trimethylbenzene

o-xylene

m,p-xylene

Heptane

Hexane

New Jersey Department of Environmental Protection

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

QA66:

Title: Sample Custodian

Field Sample Seal No. Q379Z

Date Broken 12/4/2025

Military Time Seal Broken: 14:30:00

Case No.: 609 Greenwich St NY

Analytical Parameter/Fraction/QCMS Group2

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q3797-01	SV1		
Q3797-02	IA1		
Q3797-03	SV2		
Q3797-04	IA2		
Q3797-05	OA1		

Date	Time	Relinquished By		Received By		Purpose of Change of Custody
12/3/05		Signature		Signature		
		Printed Name	Casson Lee	Printed Name	Sam Setahy	
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: Supervisor Signature: 

METHOD: TO-15

Pressure Gauge ID: A255971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
11/24/25	Q3696-06	10053	13.6	-2.2				sq
	Q3696-07	10602	13.6	-2.2				
	Q3698-01	10158	12.0	-5.5				
	Q3698-02	10282	12.8	-3.9				
	Q3698-03	10267	12.2	-5.1				
	Q3698-04	10599	12.2	-5.1				
11/24/25	Q3744-01	10341	12.2	-5.1				
	Q3744-02	10285	13.0	-3.5				
	Q3744-03	10604	12.4	-4.7				
	Q3744-04	10601	12.6	-4.3				
	Q3744-05	10443	13.4	-2.7				
12/04/25	Q3797-01	10153	12.6	-4.3				sq
	Q3797-02	10060	12.6	-4.3				
	Q3797-03	10296	12.4	-4.7				
	Q3797-04	10332	12.6	-4.3				
	Q3797-05	10300	13.6	-2.2				
12/04/25	Q3798-01	10492	12.4	-4.7				sq
	Q3798-02	10588	12.0	-5.5				sq
	Q3798-03	10609	13.0	-3.5				sq
12/04/25	Q3799-01	10280	12.8	-3.9				
	Q3799-02	10608	12.0	-5.5				

Process Report

284 Sheffield Street, Mountinside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Order ID : Q3797

Date	Bottle ID	Lab Sample Number	InComing Vacuum	Canister ID	Can Size	Reg ID	Reg Size	Batch Code	Certification ID
12/08/2025	B2511059	Q3797-04	-4.3	10332	6 L	10547		C25110004	VL043135.D Seq : VL101725 TUNE : VL043130.D ICAL : VL043110.D CCAL : VL043131.D MB : VL043132.D
12/08/2025	B2511059	Q3797-05	-2.2	10300	6 L	10479		C2511002	VL043259.D Seq : VL112025 TUNE : VL043256.D ICAL : VL043209.D CCAL : VL043257.D MB : VL043258.D
12/08/2025	B2511059	Q3797-03	-4.7	10296	6 L	10585		C2511002	VL043259.D Seq : VL112025 TUNE : VL043256.D ICAL : VL043209.D CCAL : VL043257.D MB : VL043258.D
12/08/2025	B2511059	Q3797-01	-4.3	10153	6 L	10218		C2511002	VL043258.D Seq : VL112025 TUNE : VL043256.D ICAL : VL043209.D CCAL : VL043257.D MB : VL043258.D
12/08/2025	B2511059	Q3797-02	-4.3	10060	6 L	10503		C2511002	VL043259.D Seq : VL112025 TUNE : VL043256.D ICAL : VL043209.D CCAL : VL043257.D MB : VL043258.D

10332
-H3

CHEMTECH
284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: **IA2**
 Client Name: **IA2**
 Project Name: **IA2**
 Date: **12/3**
 Analysis: **IA2**
 Comments: **IA2**

Storage Location: VOA Lab
 Sample: Q3797-04
 Cust #: IA2

Date Received: _____
 Disposal: _____

B2511059

10330
-22

CHEMTECH
284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: **OA1**
 Client Name: **OA1**
 Project Name: **OA1**
 Date: **12/3**
 Analysis: **OA1**
 Comments: **OA1**

Storage Location: VOA Lab
 Sample: Q3797-05
 Cust #: OA1

Date Received: _____
 Disposal: _____

B2511059