

Report of Analysis

Client:	GFE LLC	Date Collected:	12/03/25
Project:	609 Greenwich St NY	Date Received:	12/04/25
Client Sample ID:	IA2	SDG No.:	Q3797
Lab Sample ID:	Q3797-04	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400 mL		

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.030	0.080	U	1	0.080	0.080	12/08/25 18:11	VL120825
142-82-5	Heptane	0.32	1.31	J	1	0.70	2.05	12/08/25 18:11	VL120825
75-34-3	1,1-Dichloroethane	0.13	0.53	U	1	0.53	2.02	12/08/25 18:11	VL120825
110-82-7	Cyclohexane	0.22	0.76	U	1	0.76	1.72	12/08/25 18:11	VL120825
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	1	0.40	1.98	12/08/25 18:11	VL120825
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	1	0.11	0.16	12/08/25 18:11	VL120825
540-84-1	2,2,4-Trimethylpentane	0.14	0.65	U	1	0.65	2.34	12/08/25 18:11	VL120825
71-43-2	Benzene	0.21	0.67	J	1	0.26	1.60	12/08/25 18:11	VL120825
79-01-6	Trichloroethene	0.020	0.11	U	1	0.11	0.16	12/08/25 18:11	VL120825
108-88-3	Toluene	0.68	2.56		1	0.60	1.88	12/08/25 18:11	VL120825
127-18-4	Tetrachloroethene	0.050	0.34		1	0.14	0.20	12/08/25 18:11	VL120825
100-41-4	Ethyl Benzene	0.19	0.83	U	1	0.83	2.17	12/08/25 18:11	VL120825
179601-23-1	m/p-Xylene	0.76	3.30	J	1	1.78	4.34	12/08/25 18:11	VL120825
95-47-6	o-Xylene	0.28	1.22	J	1	0.91	2.17	12/08/25 18:11	VL120825
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	12/08/25 18:11	VL120825
95-63-6	1,2,4-Trimethylbenzene	0.22	1.08	J	1	0.88	2.46	12/08/25 18:11	VL120825
91-20-3	Naphthalene	0.010	0.050	U	1	0.050	0.52	12/08/25 18:11	VL120825
110-54-3	Hexane	0.54	1.90		1	0.56	1.76	12/08/25 18:11	VL120825

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	10.7		65 - 135	107% SPK: 10
----------	-------------------------	------	--	----------	--------------

INTERNAL STANDARDS

	Area Count	
74-97-5	Bromochloromethane	136000
540-36-3	1,4-Difluorobenzene	365000
3114-55-4	Chlorobenzene-d5	291000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements