

Hit Summary Sheet
SW-846

SDG No.: Q3797
Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	SV1							
Q3797-01	SV1	Air	Trichloroethene	2.04		0.54	0.64	ug/m3
Q3797-01	SV1	Air	Toluene	4.52	J	2.41	7.54	ug/m3
Q3797-01	SV1	Air	1,2,4-Trimethylbenzene	4.92	J	3.54	9.83	ug/m3
			Total Voc :	11.5				
			Total Concentration:	11.5				
Client ID:	IA1							
Q3797-02	IA1	Air	Heptane	1.15	J	0.70	2.05	ug/m3
Q3797-02	IA1	Air	Benzene	0.54	J	0.26	1.60	ug/m3
Q3797-02	IA1	Air	Trichloroethene	0.21		0.11	0.16	ug/m3
Q3797-02	IA1	Air	Toluene	1.77	J	0.60	1.88	ug/m3
Q3797-02	IA1	Air	Tetrachloroethene	0.47		0.14	0.20	ug/m3
Q3797-02	IA1	Air	m/p-Xylene	3.21	J	1.78	4.34	ug/m3
Q3797-02	IA1	Air	o-Xylene	1.00	J	0.91	2.17	ug/m3
Q3797-02	IA1	Air	Naphthalene	1.10		0.050	0.52	ug/m3
Q3797-02	IA1	Air	Hexane	1.66	J	0.56	1.76	ug/m3
			Total Voc :	11.1				
			Total Concentration:	11.1				
Client ID:	SV2							
Q3797-03	SV2	Air	Trichloroethene	102		0.54	0.64	ug/m3
Q3797-03	SV2	Air	Toluene	3.39	J	2.41	7.54	ug/m3
Q3797-03	SV2	Air	Tetrachloroethene	28.5		0.41	0.81	ug/m3
Q3797-03	SV2	Air	Hexane	2.78	J	2.26	7.05	ug/m3
			Total Voc :	136				
			Total Concentration:	136				
Client ID:	IA2							
Q3797-04	IA2	Air	Heptane	1.31	J	0.70	2.05	ug/m3
Q3797-04	IA2	Air	Benzene	0.67	J	0.26	1.60	ug/m3
Q3797-04	IA2	Air	Toluene	2.56		0.60	1.88	ug/m3
Q3797-04	IA2	Air	Tetrachloroethene	0.34		0.14	0.20	ug/m3
Q3797-04	IA2	Air	m/p-Xylene	3.30	J	1.78	4.34	ug/m3
Q3797-04	IA2	Air	o-Xylene	1.22	J	0.91	2.17	ug/m3
Q3797-04	IA2	Air	1,2,4-Trimethylbenzene	1.08	J	0.88	2.46	ug/m3
Q3797-04	IA2	Air	Hexane	1.90		0.56	1.76	ug/m3
			Total Voc :	12.4				
			Total Concentration:	12.4				
Client ID:	OA1							
Q3797-05	OA1	Air	Benzene	0.51	J	0.26	1.60	ug/m3

Hit Summary Sheet
SW-846

SDG No.: Q3797

Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3797-05	OA1	Air	Toluene	0.83	J	0.60	1.88	ug/m3
Q3797-05	OA1	Air	Hexane	4.23		0.56	1.76	ug/m3
Total Voc :				5.57				
Total Concentration:				5.57				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client: GFE LLC
Project: 609 Greenwich St NY
Client Sample ID: SV1
Lab Sample ID: Q3797-01
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 12/03/25
Date Received: 12/04/25
SDG No.: Q3797
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.10	0.26	U	4	0.26	0.31	12/08/25 22:28	VL120825
142-82-5	Heptane	0.68	2.79	U	4	2.79	8.20	12/08/25 22:28	VL120825
75-34-3	1,1-Dichloroethane	0.52	2.10	U	4	2.10	8.09	12/08/25 22:28	VL120825
110-82-7	Cyclohexane	0.88	3.03	U	4	3.03	6.88	12/08/25 22:28	VL120825
156-59-2	cis-1,2-Dichloroethene	0.40	1.59	U	4	1.59	7.93	12/08/25 22:28	VL120825
71-55-6	1,1,1-Trichloroethane	0.060	0.33	U	4	0.33	0.65	12/08/25 22:28	VL120825
540-84-1	2,2,4-Trimethylpentane	0.56	2.62	U	4	2.62	9.34	12/08/25 22:28	VL120825
71-43-2	Benzene	0.32	1.02	U	4	1.02	6.39	12/08/25 22:28	VL120825
79-01-6	Trichloroethene	0.38	2.04		4	0.54	0.64	12/08/25 22:28	VL120825
108-88-3	Toluene	1.20	4.52	J	4	2.41	7.54	12/08/25 22:28	VL120825
127-18-4	Tetrachloroethene	0.060	0.41	U	4	0.41	0.81	12/08/25 22:28	VL120825
100-41-4	Ethyl Benzene	0.76	3.30	U	4	3.30	8.69	12/08/25 22:28	VL120825
179601-23-1	m/p-Xylene	1.60	6.95	U	4	6.95	17.4	12/08/25 22:28	VL120825
95-47-6	o-Xylene	0.84	3.65	U	4	3.65	8.69	12/08/25 22:28	VL120825
108-67-8	1,3,5-Trimethylbenzene	0.72	3.54	U	4	3.54	9.83	12/08/25 22:28	VL120825
95-63-6	1,2,4-Trimethylbenzene	1.00	4.92	J	4	3.54	9.83	12/08/25 22:28	VL120825
91-20-3	Naphthalene	0.050	0.26	U	4	0.26	2.10	12/08/25 22:28	VL120825
110-54-3	Hexane	0.64	2.26	U	4	2.26	7.05	12/08/25 22:28	VL120825

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	10.7		65 - 135	107% SPK: 10
----------	-------------------------	------	--	----------	--------------

INTERNAL STANDARDS

	Area Count	
74-97-5	Bromochloromethane	129000
540-36-3	1,4-Difluorobenzene	318000
3114-55-4	Chlorobenzene-d5	253000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 609 Greenwich St NY
Client Sample ID: IA1
Lab Sample ID: Q3797-02
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 12/03/25
Date Received: 12/04/25
SDG No.: Q3797
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.030	0.080	U	1	0.080	0.080	12/08/25 17:36	VL120825
142-82-5	Heptane	0.28	1.15	J	1	0.70	2.05	12/08/25 17:36	VL120825
75-34-3	1,1-Dichloroethane	0.13	0.53	U	1	0.53	2.02	12/08/25 17:36	VL120825
110-82-7	Cyclohexane	0.22	0.76	U	1	0.76	1.72	12/08/25 17:36	VL120825
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	1	0.40	1.98	12/08/25 17:36	VL120825
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	1	0.11	0.16	12/08/25 17:36	VL120825
540-84-1	2,2,4-Trimethylpentane	0.14	0.65	U	1	0.65	2.34	12/08/25 17:36	VL120825
71-43-2	Benzene	0.17	0.54	J	1	0.26	1.60	12/08/25 17:36	VL120825
79-01-6	Trichloroethene	0.040	0.21		1	0.11	0.16	12/08/25 17:36	VL120825
108-88-3	Toluene	0.47	1.77	J	1	0.60	1.88	12/08/25 17:36	VL120825
127-18-4	Tetrachloroethene	0.070	0.47		1	0.14	0.20	12/08/25 17:36	VL120825
100-41-4	Ethyl Benzene	0.19	0.83	U	1	0.83	2.17	12/08/25 17:36	VL120825
179601-23-1	m/p-Xylene	0.74	3.21	J	1	1.78	4.34	12/08/25 17:36	VL120825
95-47-6	o-Xylene	0.23	1.00	J	1	0.91	2.17	12/08/25 17:36	VL120825
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	12/08/25 17:36	VL120825
95-63-6	1,2,4-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	12/08/25 17:36	VL120825
91-20-3	Naphthalene	0.21	1.10		1	0.050	0.52	12/08/25 17:36	VL120825
110-54-3	Hexane	0.47	1.66	J	1	0.56	1.76	12/08/25 17:36	VL120825
SURROGATES									
460-00-4	1-Bromo-4-Fluorobenzene	10.1				65 - 135	101% SPK: 10		
INTERNAL STANDARDS									
		Area Count							
74-97-5	Bromochloromethane	144000							
540-36-3	1,4-Difluorobenzene	379000							
3114-55-4	Chlorobenzene-d5	305000							

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 609 Greenwich St NY
Client Sample ID: SV2
Lab Sample ID: Q3797-03
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 12/03/25
Date Received: 12/04/25
SDG No.: Q3797
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.10	0.26	U	4	0.26	0.31	12/08/25 23:34	VL120825
142-82-5	Heptane	0.68	2.79	U	4	2.79	8.20	12/08/25 23:34	VL120825
75-34-3	1,1-Dichloroethane	0.52	2.10	U	4	2.10	8.09	12/08/25 23:34	VL120825
110-82-7	Cyclohexane	0.88	3.03	U	4	3.03	6.88	12/08/25 23:34	VL120825
156-59-2	cis-1,2-Dichloroethene	0.40	1.59	U	4	1.59	7.93	12/08/25 23:34	VL120825
71-55-6	1,1,1-Trichloroethane	0.060	0.33	U	4	0.33	0.65	12/08/25 23:34	VL120825
540-84-1	2,2,4-Trimethylpentane	0.56	2.62	U	4	2.62	9.34	12/08/25 23:34	VL120825
71-43-2	Benzene	0.32	1.02	U	4	1.02	6.39	12/08/25 23:34	VL120825
79-01-6	Trichloroethene	18.9	102		4	0.54	0.64	12/08/25 23:34	VL120825
108-88-3	Toluene	0.90	3.39	J	4	2.41	7.54	12/08/25 23:34	VL120825
127-18-4	Tetrachloroethene	4.20	28.5		4	0.41	0.81	12/08/25 23:34	VL120825
100-41-4	Ethyl Benzene	0.76	3.30	U	4	3.30	8.69	12/08/25 23:34	VL120825
179601-23-1	m/p-Xylene	1.60	6.95	U	4	6.95	17.4	12/08/25 23:34	VL120825
95-47-6	o-Xylene	0.84	3.65	U	4	3.65	8.69	12/08/25 23:34	VL120825
108-67-8	1,3,5-Trimethylbenzene	0.72	3.54	U	4	3.54	9.83	12/08/25 23:34	VL120825
95-63-6	1,2,4-Trimethylbenzene	0.72	3.54	U	4	3.54	9.83	12/08/25 23:34	VL120825
91-20-3	Naphthalene	0.050	0.26	U	4	0.26	2.10	12/08/25 23:34	VL120825
110-54-3	Hexane	0.79	2.78	J	4	2.26	7.05	12/08/25 23:34	VL120825
SURROGATES									
460-00-4	1-Bromo-4-Fluorobenzene	10.4				65 - 135	104% SPK: 10		
INTERNAL STANDARDS									
		Area Count							
74-97-5	Bromochloromethane	132000							
540-36-3	1,4-Difluorobenzene	328000							
3114-55-4	Chlorobenzene-d5	261000							

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 609 Greenwich St NY
Client Sample ID: IA2
Lab Sample ID: Q3797-04
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 12/03/25
Date Received: 12/04/25
SDG No.: Q3797
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.030	0.080	U	1	0.080	0.080	12/08/25 18:11	VL120825
142-82-5	Heptane	0.32	1.31	J	1	0.70	2.05	12/08/25 18:11	VL120825
75-34-3	1,1-Dichloroethane	0.13	0.53	U	1	0.53	2.02	12/08/25 18:11	VL120825
110-82-7	Cyclohexane	0.22	0.76	U	1	0.76	1.72	12/08/25 18:11	VL120825
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	1	0.40	1.98	12/08/25 18:11	VL120825
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	1	0.11	0.16	12/08/25 18:11	VL120825
540-84-1	2,2,4-Trimethylpentane	0.14	0.65	U	1	0.65	2.34	12/08/25 18:11	VL120825
71-43-2	Benzene	0.21	0.67	J	1	0.26	1.60	12/08/25 18:11	VL120825
79-01-6	Trichloroethene	0.020	0.11	U	1	0.11	0.16	12/08/25 18:11	VL120825
108-88-3	Toluene	0.68	2.56		1	0.60	1.88	12/08/25 18:11	VL120825
127-18-4	Tetrachloroethene	0.050	0.34		1	0.14	0.20	12/08/25 18:11	VL120825
100-41-4	Ethyl Benzene	0.19	0.83	U	1	0.83	2.17	12/08/25 18:11	VL120825
179601-23-1	m/p-Xylene	0.76	3.30	J	1	1.78	4.34	12/08/25 18:11	VL120825
95-47-6	o-Xylene	0.28	1.22	J	1	0.91	2.17	12/08/25 18:11	VL120825
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	12/08/25 18:11	VL120825
95-63-6	1,2,4-Trimethylbenzene	0.22	1.08	J	1	0.88	2.46	12/08/25 18:11	VL120825
91-20-3	Naphthalene	0.010	0.050	U	1	0.050	0.52	12/08/25 18:11	VL120825
110-54-3	Hexane	0.54	1.90		1	0.56	1.76	12/08/25 18:11	VL120825
SURROGATES									
460-00-4	1-Bromo-4-Fluorobenzene	10.7				65 - 135	107% SPK: 10		
INTERNAL STANDARDS									
		Area Count							
74-97-5	Bromochloromethane	136000							
540-36-3	1,4-Difluorobenzene	365000							
3114-55-4	Chlorobenzene-d5	291000							

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 609 Greenwich St NY
Client Sample ID: OA1
Lab Sample ID: Q3797-05
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 12/03/25
Date Received: 12/04/25
SDG No.: Q3797
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.030	0.080	U	1	0.080	0.080	12/08/25 18:46	VL120825
142-82-5	Heptane	0.17	0.70	U	1	0.70	2.05	12/08/25 18:46	VL120825
75-34-3	1,1-Dichloroethane	0.13	0.53	U	1	0.53	2.02	12/08/25 18:46	VL120825
110-82-7	Cyclohexane	0.22	0.76	U	1	0.76	1.72	12/08/25 18:46	VL120825
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	1	0.40	1.98	12/08/25 18:46	VL120825
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	1	0.11	0.16	12/08/25 18:46	VL120825
540-84-1	2,2,4-Trimethylpentane	0.14	0.65	U	1	0.65	2.34	12/08/25 18:46	VL120825
71-43-2	Benzene	0.16	0.51	J	1	0.26	1.60	12/08/25 18:46	VL120825
79-01-6	Trichloroethene	0.020	0.11	U	1	0.11	0.16	12/08/25 18:46	VL120825
108-88-3	Toluene	0.22	0.83	J	1	0.60	1.88	12/08/25 18:46	VL120825
127-18-4	Tetrachloroethene	0.020	0.14	U	1	0.14	0.20	12/08/25 18:46	VL120825
100-41-4	Ethyl Benzene	0.19	0.83	U	1	0.83	2.17	12/08/25 18:46	VL120825
179601-23-1	m/p-Xylene	0.41	1.78	U	1	1.78	4.34	12/08/25 18:46	VL120825
95-47-6	o-Xylene	0.21	0.91	U	1	0.91	2.17	12/08/25 18:46	VL120825
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	12/08/25 18:46	VL120825
95-63-6	1,2,4-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	12/08/25 18:46	VL120825
91-20-3	Naphthalene	0.010	0.050	U	1	0.050	0.52	12/08/25 18:46	VL120825
110-54-3	Hexane	1.20	4.23		1	0.56	1.76	12/08/25 18:46	VL120825
SURROGATES									
460-00-4	1-Bromo-4-Fluorobenzene	9.90				65 - 135	99% SPK: 10		
INTERNAL STANDARDS									
		Area Count							
74-97-5	Bromochloromethane	139000							
540-36-3	1,4-Difluorobenzene	355000							
3114-55-4	Chlorobenzene-d5	281000							

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 609 Greenwich St NY
Client Sample ID: AA-1DUP
Lab Sample ID: Q3799-01DUP
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected:
Date Received:
SDG No.: Q3797
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.030	0.080	U	1	0.080	0.080	12/08/25 13:16	VL120825
142-82-5	Heptane	0.17	0.70	U	1	0.70	2.05	12/08/25 13:16	VL120825
75-34-3	1,1-Dichloroethane	0.13	0.53	U	1	0.53	2.02	12/08/25 13:16	VL120825
110-82-7	Cyclohexane	0.22	0.76	U	1	0.76	1.72	12/08/25 13:16	VL120825
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	1	0.40	1.98	12/08/25 13:16	VL120825
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	1	0.11	0.16	12/08/25 13:16	VL120825
540-84-1	2,2,4-Trimethylpentane	0.14	0.65	U	1	0.65	2.34	12/08/25 13:16	VL120825
71-43-2	Benzene	0.16	0.51	J	1	0.26	1.60	12/08/25 13:16	VL120825
79-01-6	Trichloroethene	0.020	0.11	U	1	0.11	0.16	12/08/25 13:16	VL120825
108-88-3	Toluene	0.16	0.60	U	1	0.60	1.88	12/08/25 13:16	VL120825
127-18-4	Tetrachloroethene	0.020	0.14	U	1	0.14	0.20	12/08/25 13:16	VL120825
100-41-4	Ethyl Benzene	0.19	0.83	U	1	0.83	2.17	12/08/25 13:16	VL120825
179601-23-1	m/p-Xylene	0.41	1.78	U	1	1.78	4.34	12/08/25 13:16	VL120825
95-47-6	o-Xylene	0.21	0.91	U	1	0.91	2.17	12/08/25 13:16	VL120825
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	12/08/25 13:16	VL120825
95-63-6	1,2,4-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	12/08/25 13:16	VL120825
91-20-3	Naphthalene	0.010	0.050	U	1	0.050	0.52	12/08/25 13:16	VL120825
110-54-3	Hexane	1.40	4.93		1	0.56	1.76	12/08/25 13:16	VL120825
SURROGATES									
460-00-4	1-Bromo-4-Fluorobenzene	9.80				65 - 135	98% SPK: 10		
INTERNAL STANDARDS									
		Area Count							
74-97-5	Bromochloromethane	155000							
540-36-3	1,4-Difluorobenzene	398000							
3114-55-4	Chlorobenzene-d5	319000							

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

LAB CHRONICLE

OrderID:	Q3797	OrderDate:	12/5/2025 12:27:00 PM
Client:	GFE LLC	Project:	609 Greenwich St NY
Contact:	Frank Galdun	Location:	Air Lab, VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3797-01	SV1	Air	VOCMS Group2	TO-15	12/03/25		12/08/25	12/04/25
Q3797-02	IA1	Air	VOCMS Group2	TO-15	12/03/25		12/08/25	12/04/25
Q3797-03	SV2	Air	VOCMS Group2	TO-15	12/03/25		12/08/25	12/04/25
Q3797-04	IA2	Air	VOCMS Group2	TO-15	12/03/25		12/08/25	12/04/25
Q3797-05	OA1	Air	VOCMS Group2	TO-15	12/03/25		12/08/25	12/04/25