

Report of Analysis

Client:	GFE LLC	Date Collected:	12/08/25
Project:	339 Flatbush Ave Brooklyn NY	Date Received:	12/08/25
Client Sample ID:	AA-1DUP	SDG No.:	Q3798
Lab Sample ID:	Q3799-01DUP	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400 mL		

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.030	0.080	U	1	0.080	0.080	12/08/25 13:16	VL120825
75-34-3	1,1-Dichloroethane	0.13	0.53	U	1	0.53	2.02	12/08/25 13:16	VL120825
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	1	0.40	1.98	12/08/25 13:16	VL120825
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	1	0.11	0.16	12/08/25 13:16	VL120825
79-01-6	Trichloroethene	0.020	0.11	U	1	0.11	0.16	12/08/25 13:16	VL120825
127-18-4	Tetrachloroethene	0.020	0.14	U	1	0.14	0.20	12/08/25 13:16	VL120825
SURROGATES									
460-00-4	1-Bromo-4-Fluorobenzene	9.80				65 - 135	98% SPK: 10		
INTERNAL STANDARDS									
		Area Count							
74-97-5	Bromochloromethane	155000							
540-36-3	1,4-Difluorobenzene	398000							
3114-55-4	Chlorobenzene-d5	319000							

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements