



SHIPPING DOCUMENTS

Client Contact Information						Bottle Order ID : B2512003				Courier :				1 of 6 COCs			
Client ID : RTPE01 Project ID : Air						Sampler Name(s) :				Analysis				Matrix			
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :						Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
						Phone Number : 732-968-9600											
						Fax Number :											
						Site Details: <i>Chalnick</i>											
Analysis Turnaround Time						Data Package Type : <i>NJ Regulatory</i>											
Standard : 10 business days OR						EDD Type : <i>NJ Haz/Excel w/ conversion</i>											
Rush (Specify): Days																	

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas	
AA-1	12/3-4/2025	1140	1140	-30	-7	35	35	 	-3.9	10520	10280	6 L	4.16	VL043290.D	X				X	

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) *[Signature]*

** Submittal of this COC indicates approval of the analysis based on existing conditions.

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings:

Sampling site (State):

Quick Connector required : *NO*

Canisters Shipped by: <i>Sam</i>	Date/Time: <i>12/2/25</i>	Canisters Received by: <i>[Signature]</i>	Date/Time: <i>12/2/25</i>
Samples Relinquished by: <i>CJ</i>	Date/Time:	Received by:	Date/Time: <i>12-4-25</i> <i>500</i>
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2512003 - 2

Client Contact Information				Bottle Order ID : B2512003				Courier :				<u>2</u> of <u>6</u> COCs																			
Client ID : RTPE01 Project ID : Air				Sampler Name(s) :				Analysis				Matrix																			
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																							
				Phone Number : 732-968-9600																											
				Fax Number :																											
				Site Details: <i>Chadwick</i>																											
Analysis Turnaround Time				Data Package Type :																											
Standard : 10 business days OR				EDD Type :																											
Rush (Specify): Days																															
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas												
9B-IA-1	12/3-4/25	1115	1115	-30	-5	60	60	 	-5.5	10771	10608	6 L	4.16	VL043290.D	X			X													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				*** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Special Instructions/QC Requirements & Comments :																															
Suspected Contamination: High Medium Low PID Readings:																															
Sampling site (State):																															
Quick Connector required : <i>NO</i>																															
Canisters Shipped by: <i>Sam</i>					Date/Time: <i>12/2/25</i>					Canisters Received by: <i>Sam</i>					Date/Time: <i>12-4-25 1500</i>																
Samples Relinquished by:					Date/Time:					Received by:					Date/Time:																
Relinquished by:					Date/Time:					Received by:					Date/Time:																

Client Contact Information				Bottle Order ID : B2512003				Courier :				3 of 6 COCs								
Client ID : RTPE01 Project ID : Air				Sampler Name(s) :				Analysis				Matrix								
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified												
				Phone Number : 732-968-9600																
				Fax Number :																
				Site Details: <i>Chadwick</i>																
Analysis Turnaround Time				Data Package Type :																
Standard : 10 business days OR				EDD Type :																
Rush (Specify): Days																				
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas
10-IA1	12/5/11	1120	1120	-30	-6	70	70	-30	-7.5	10207	10283	6 L	4.16	VL043259.D	X			X		
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>										
		Ambient	Maximum	Minimum																
Start																				
Stop																				
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.										
		Ambient	Maximum	Minimum																
Start																				
Stop																				
Special Instructions/QC Requirements & Comments :																				
Suspected Contamination: High Medium Low PID Readings:																				
Sampling site (State):																				
Quick Connector required : <i>No</i>																				
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>12/4/11</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>12-4-25 1500</i>				B2512003 - 3				
Samples Relinquished by: <i>/</i>				Date/Time:				Received by:				Date/Time:								
Relinquished by:				Date/Time:				Received by:				Date/Time:								

Client Contact Information				Bottle Order ID : B2512003				Courier :				4 of 6 COCs																	
Client ID : RTPE01				Project ID : Air				Sampler Name(s) :				Analysis		Matrix															
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified																					
				Phone Number : 732-968-9600																									
				Fax Number :																									
				Site Details: <i>Chedrick</i>																									
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :																					
Rush (Specify): Days				EDD Type :																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambinet Air	Soil Gas												
11-IA-1	12/3-4/25	11:25	11:25	-29	-7	65	65	 	-63	10240	10315	6 L	4.16	VL043290.D	X	X													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : <i>NO</i>																													
Canisters Shipped by: <i>San</i>				Date/Time: <i>12/2/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>12-4-25 1500</i>				B2512003 - 4													
Samples Relinquished by:				Date/Time:				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

Client Contact Information						Bottle Order ID : B2512003				Courier :				5 of 6 COCs			
Client ID : RTPE01 Project ID : Air						Sampler Name(s) :				Analysis				Matrix			
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :						Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				TO-15 Indoor/Ambient Air Soil Gas			
						Phone Number : 732-968-9600											
						Fax Number :											
						Site Details: <i>Chadwick</i>											
Analysis Turnaround Time						Data Package Type :											
Standard : 10 business days OR						EDD Type :											
Rush (Specify): Days																	

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID				
13-1A-1	12/3-4/25	11:30	11:30	-30	-15	70	70	 	-14.1	10626	10320	6 L	4.16	VL043290.D	X		X	

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) *[Signature]*

** Submittal of this COC indicates approval of the analysis based on existing conditions.

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings:

Sampling site (State):

Quick Connector required : *No*

Canisters Shipped by: <i>Seun</i>	Date/Time: <i>12/1/15</i>	Canisters Received by: <i>[Signature]</i>	Date/Time: <i>12-4-25 1500</i>
Samples Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2512003 - 5

Client Contact Information						Bottle Order ID : B2512003				Courier :				6 of 6 COCs						
Client ID : RTPE01 Project ID : Air						Sampler Name(s) :				Analysis				Matrix						
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :						Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified										
						Phone Number : 732-968-9600														
						Fax Number :														
						Site Details: <i>Chadwick</i>														
Analysis Turnaround Time						Standard : 10 business days OR				Data Package Type :										
Rush (Specify): Days						EDD Type :														
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambinet Air	Soil Gas
16-IA-1	12/3-4/25	1135	1135	-30	-7	70	70	-30	-5.9	10482	10266	6 L	4.16	VL043259.D	X				X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>										
		Ambient	Maximum	Minimum																
Start																				
Stop																				
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.										
		Ambient	Maximum	Minimum																
Start																				
Stop																				
Special Instructions/QC Requirements & Comments :																				
Suspected Contamination: High Medium Low PID Readings:																				
Sampling site (State):																				
Quick Connector required : <i>N</i>																				
Canisters Shipped by: <i>Sam</i>					Date/Time: <i>12/6/25</i>					Canisters Received by: <i>[Signature]</i>					Date/Time: <i>12-4-25 1500</i>					
Samples Relinquished by:					Date/Time:					Received by:					Date/Time:					
Relinquished by:					Date/Time:					Received by:					Date/Time:					
B2512003 - 1																				

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: Supervisor Signature: 

METHOD: TO-15

Pressure Gauge ID: A255971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
11/25/25	Q3696-06	10053	13.6	-2.2				sy
	Q3696-07	10602	13.6	-2.2				
	Q3698-01	10158	12.0	-5.5				
	Q3698-02	10282	12.8	-3.9				
	Q3698-03	10267	12.2	-5.1				
	Q3698-04	10599	12.2	-5.1				
11/26/25	Q3744-01	10311	12.2	-5.1				
	Q3744-02	10285	13.0	-3.5				
	Q3744-03	10604	12.4	-4.7				
	Q3744-04	10601	12.6	-4.3				
	Q3744-05	10443	13.4	-2.7				
12/04/25	Q3797-01	10153	12.6	-4.3				sy
	Q3797-02	10060	12.6	-4.3				
	Q3797-03	10296	12.4	-4.7				
	Q3797-04	10332	12.6	-4.3				
	Q3797-05	10300	13.6	-2.2				
12/07/25	Q3798-01	10492	12.4	-4.7				sy
	Q3798-02	10588	12.0	-5.5				sy
	Q3798-03	10609	13.0	-3.5				sy
12/04/25	Q3799-01	10280	12.8	-3.9				
	Q3799-02	10608	12.0	-5.5				

Analyst Signature: [Signature] Supervisor Signature: [Signature]
METHOD: TO-15 Pressure Gauge ID: A255971

Document Control # A3041228

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 9B-IA-1
Client Name: RTP
Project Name: Chadwick
Date: 12/3/25 Time: 11:15
Analysis: TD-15
Comment: _____

CHEMTECH

Date Received

Storage Location: Air Lab

Sample: Q3799-02

Cust #: 9B-IA-1

of Disposal: _____

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: AA-1
Client Name: RTP
Project Name: Chadwick
Date: 12/3/25 - 12/4/25 Time: 11:40
Analysis: TD-15
Comment: _____

CHEMTECH

Date Received

Storage Location: Air Lab

Sample: Q3799-01

Cust #: AA-1

of Disposal: _____

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 10-IA-1
Client Name: RTP
Project Name: Chadwick
Date: 12/3/25 - 12/4/25 Time: 11:20
Analysis: TD-15
Comment: _____

Storage Location: Air Lab

Sample: Q3799-03

Cust #: 10-IA-1

CHEMTECH

Date Received

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

10320
11/4/03

Client Sample ID #: 13-IA-1
Client Name: RTP
Project Name: Chadwick
Date: 12/3-4/25 Time: 1135
Analysis: TD-15
Comments: _____

CHEMTECH'S

Date Received: _____

Storage Location: Air Lab

Sample: Q3799-05

Cust #: 13-IA-1

positional: _____

82512003

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

10315
10/3/03

Client Sample ID #: 11-IA-1
Client Name: RTP
Project Name: Chadwick
Date: 12/3/25 Time: 1128
Analysis: TD-15
Comments: _____

CHEMTECH'S

Date Received: _____

Storage Location: Air Lab

Sample: Q3799-04

Cust #: 11-IA-1

positional: _____

82512003

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 16-IA-1

Client Name: RTP

Project Name: Chedworth

Date: 12/3-4/25 Time: 1135

Analysis: TD-15

Comments: _____

CHEMTECH

Date Received: _____

Storage Location: Air Lab

Sample: Q3799-06

Cust #: 16-IA-1

Disposal: _____

15-1
p26b

12003

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

QA60:

Title: Sample Custodian

Field Sample Seal No.: Q3799


Date Broken: 12/4/2025

Military Time Seal Broken: 15:00:00

Case No.: CHADWICK SQUARE

Analytical Parameter/Fraction: TO-15

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q3799-01	AA-1		
Q3799-02	9B-IA-1		
Q3799-03	10-IA-1		
Q3799-04	11-IA-1		
Q3799-05	13-IA-1		
Q3799-06	16-IA-1		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
12/5/25	14:00	Signature 	Signature 	
		Printed Name <u>Casasnovas Eric</u>	Printed Name <u>Samuel J. Gribble</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy