

Client Contact Information						Bottle Order ID : B2512003				Courier :				1 of 6 COCs			
Client ID : RTPE01 Project ID : Air						Sampler Name(s) :				Analysis				Matrix			
Customer : RTP Environmental Name : Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :						Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
						Phone Number : 732-968-9600											
						Fax Number :											
						Site Details: <i>Chalnick</i>											
Analysis Turnaround Time						Data Package Type : <i>NJ Regulatory</i>											
Standard : 10 business days OR						EDD Type : <i>NJ Haz/Excel w/ conversion</i>											
Rush (Specify): Days																	

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas	
AA-1	12/3-4/2025	1140	1140	-30	-7	35	35	 	-3.9	10520	10280	6 L	4.16	VL043290.D	X				X	

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) *[Signature]*

** Submittal of this COC indicates approval of the analysis based on existing conditions.

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings:

Sampling site (State):

Quick Connector required : *NO*

Canisters Shipped by: <i>Sam</i>	Date/Time: <i>12/2/25</i>	Canisters Received by: <i>[Signature]</i>	Date/Time: <i>12/2/25</i>
Samples Relinquished by: <i>CJ</i>	Date/Time:	Received by:	Date/Time: <i>12-4-25</i> <i>500</i>
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2512003 - 2

Client Contact Information				Bottle Order ID : B2512003				Courier :				<u>2</u> of <u>6</u> COCs																			
Client ID : RTPE01 Project ID : Air				Sampler Name(s) :				Analysis				Matrix																			
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																							
				Phone Number : 732-968-9600																											
				Fax Number :																											
				Site Details: <i>Chadwick</i>																											
Analysis Turnaround Time				Data Package Type :																											
Standard : 10 business days OR				EDD Type :																											
Rush (Specify): Days																															
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas												
9B-IA-1	12/3-4/25	1115	1115	-30	-5	60	60	 	-5.5	10771	10608	6 L	4.16	VL043290.D	X			X													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				*** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium Low PID Readings: Sampling site (State):																															
Quick Connector required : <i>NO</i>																															
Canisters Shipped by: <i>Sam</i>					Date/Time: <i>12/2/25</i>					Canisters Received by: <i>Sam</i>					Date/Time: <i>12-4-25 1500</i>																
Samples Relinquished by:					Date/Time:					Received by:					Date/Time:																
Relinquished by:					Date/Time:					Received by:					Date/Time:																

Client Contact Information				Bottle Order ID : B2512003				Courier :				3 of 6 COCs								
Client ID : RTPE01 Project ID : Air				Sampler Name(s) :				Analysis				Matrix								
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified												
				Phone Number : 732-968-9600																
				Fax Number :																
				Site Details: <i>Chadwick</i>																
Analysis Turnaround Time				Data Package Type :																
Standard : 10 business days OR				EDD Type :																
Rush (Specify): Days																				
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas
10-IA1	12/5/11	1120	1120	-30	-6	70	70	-30	-7.5	10207	10283	6 L	4.16	VL043259.D	X			X		
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>										
		Ambient	Maximum	Minimum																
Start																				
Stop																				
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.										
		Ambient	Maximum	Minimum																
Start																				
Stop																				
Special Instructions/QC Requirements & Comments :																				
Suspected Contamination: High Medium Low PID Readings:																				
Sampling site (State):																				
Quick Connector required : <i>No</i>																				
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>12/4/11</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>12-4-25 1500</i>				B2512003 - 3				
Samples Relinquished by: <i>1</i>				Date/Time:				Received by:				Date/Time:								
Relinquished by:				Date/Time:				Received by:				Date/Time:								

Client Contact Information				Bottle Order ID : B2512003				Courier :				4 of 6 COCs																	
Client ID : RTPE01				Project ID : Air				Sampler Name(s) :				Analysis		Matrix															
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified																					
				Phone Number : 732-968-9600																									
				Fax Number :																									
				Site Details: <i>Chedrick</i>																									
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :																					
Rush (Specify): Days				EDD Type :																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambinet Air	Soil Gas												
11-IA-1	12/3-4/25	11:25	11:25	-29	-7	65	65	 	-63	10240	10315	6 L	4.16	VL043290.D	X		X												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : <i>NO</i>																													
Canisters Shipped by: <i>San</i>				Date/Time: <i>12/2/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>12-4-25 1500</i>				B2512003 - 4													
Samples Relinquished by:				Date/Time:				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

Client Contact Information						Bottle Order ID : B2512003				Courier :				5 of 6 COCs			
Client ID : RTPE01 Project ID : Air						Sampler Name(s) :				Analysis				Matrix			
Customer RTP Environmental Name : Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :						Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
						Phone Number : 732-968-9600											
						Fax Number :											
						Site Details: <i>Chadwick</i>											
Analysis Turnaround Time						Data Package Type :											
Standard : 10 business days OR						EDD Type :											
Rush (Specify): Days																	

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambinet Air	Soil Gas
13-1A-1	12/3-4/25	11:30	11:30	-30	-15	70	70	 	14.1	10626	10320	6 L	4.16	VL043290.D	X			X	

Temperature (Fahrenheit)					GC/MS Analyst Signature (TO-15) <i>SSA</i>
	Ambient	Maximum	Minimum		
Start					
Stop					

Pressure (Inches of Hg)					** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.
	Ambient	Maximum	Minimum		
Start					
Stop					

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings:

Sampling site (State):

Quick Connector required : *No*

Canisters Shipped by: <i>Seun</i>	Date/Time: <i>12/1/15</i>	Canisters Received by: <i>OK</i>	Date/Time: <i>12-4-25 1500</i>
Samples Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2512003 - 5

Client Contact Information						Bottle Order ID : B2512003				Courier :				6 of 6 COCs					
Client ID : RTPE01 Project ID : Air						Sampler Name(s) :				Analysis				Matrix					
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :						Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
						Phone Number : 732-968-9600													
						Fax Number :													
						Site Details: <i>Chadwick</i>													
Analysis Turnaround Time						Standard : 10 business days OR				Data Package Type :									
Rush (Specify): Days						EDD Type :													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
16-IA-1	12/3-4/25	1135	1135	-30	-7	70	70	-30	-5.9	10482	10266	6 L	4.16	VL043259.D	X			X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings:																			
Sampling site (State):																			
Quick Connector required : <i>N</i>																			
Canisters Shipped by: <i>Sam</i>					Date/Time: <i>12/6/25</i>					Canisters Received by: <i>[Signature]</i>					Date/Time: <i>12-4-25 1500</i>				
Samples Relinquished by:					Date/Time:					Received by:					Date/Time:				
Relinquished by:					Date/Time:					Received by:					Date/Time:				
B2512003 - 1																			

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: Supervisor Signature: 

METHOD: TO-15

Pressure Gauge ID: A255971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
11/25/25	Q3696-06	10053	13.6	-2.2				sy
	Q3696-07	10602	13.6	-2.2				
	Q3698-01	10158	12.0	-5.5				
	Q3698-02	10282	12.8	-3.9				
	Q3698-03	10267	12.2	-5.1				
	Q3698-04	10599	12.2	-5.1				
11/26/25	Q3744-01	10311	12.2	-5.1				
	Q3744-02	10285	13.0	-3.5				
	Q3744-03	10604	12.4	-4.7				
	Q3744-04	10601	12.6	-4.3				
	Q3744-05	10443	13.4	-2.7				
12/04/25	Q3797-01	10153	12.6	-4.3				sy
	Q3797-02	10060	12.6	-4.3				
	Q3797-03	10296	12.4	-4.7				
	Q3797-04	10332	12.6	-4.3				
	Q3797-05	10300	13.6	-2.2				
12/07/25	Q3798-01	10492	12.4	-4.7				sy
	Q3798-02	10588	12.0	-5.5				sy
	Q3798-03	10609	13.0	-3.5				sy
12/04/25	Q3799-01	10280	12.8	-3.9				
	Q3799-02	10608	12.0	-5.5				

Analyst Signature: [Signature] Supervisor Signature: [Signature]
METHOD: TO-15 Pressure Gauge ID: A255971

Document Control # A3041228

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 9B-IA-1
Client Name: RTP
Project Name: Chadwick
Date: 12/3/25 Time: 11:15
Analysis: TD-15
Comment: _____

CHEMTECH

Date Received

Storage Location: Air Lab

Sample: Q3799-02

Cust #: 9B-IA-1

of Disposal: _____

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: AA-1
Client Name: RTP
Project Name: Chadwick
Date: 12/3/25 - 12/4/25 Time: 11:40
Analysis: TD-15
Comment: _____

CHEMTECH

Date Received

Storage Location: Air Lab

Sample: Q3799-01

Cust #: AA-1

of Disposal: _____

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 10-IA-1
Client Name: RTP
Project Name: Chadwick
Date: 12/3/25 - 12/4/25 Time: 11:20
Analysis: TD-15
Comment: _____

Storage Location: Air Lab

Sample: Q3799-03

Cust #: 10-IA-1

CHEMTECH

Date Received

of Disposal: _____

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

10320
11/4/03

Client Sample ID #: 13-IA-1
Client Name: RTP
Project Name: Chadwick
Date: 12/3-4/25 Time: 1135
Analysis: TD-15
Comments: _____

CHEMTECH'S

Date Received: _____

Storage Location: Air Lab

Sample: Q3799-05

Cust #: 13-IA-1

positional: _____

82512003

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

10315
10/3/03

Client Sample ID #: 11-IA-1
Client Name: RTP
Project Name: Chadwick
Date: 12/3/25 Time: 1128
Analysis: TD-15
Comments: _____

CHEMTECH'S

Date Received: _____

Storage Location: Air Lab

Sample: Q3799-04

Cust #: 11-IA-1

positional: _____

82512003

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 16-IA-1

Client Name: RTP

Project Name: Cheduck

Date: 12/3-4/25 Time: 1135

Analysis: TD-15

Comments: _____

CHEMTECH

Date Received

Storage Location: Air Lab

Sample: Q3799-06

Cust #: 16-IA-1

Disposal: _____

15-1
p26b

12003