

Report of Analysis

Client: PSEG
Project: Trenton Gas and Appliance Service (TR)
Client Sample ID: TR-05-12-5-2025
Lab Sample ID: Q3806-04
Analytical Method: 8270E Level: LOW
Sample Wt/Vol: 50.08 g Final Vol: 1000 uL
Prep Method : SW3541 Prep Date: 12/08/25

Date Collected: 12/05/25
Date Received: 12/05/25
SDG No.: Q3806
Matrix: SOIL
% Solid: 93.9
Test: SVOC-TCL BNA -20

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
100-52-7	Benzaldehyde	0.100	U	1	0.100	0.21	mg/Kg	12/09/25 21:45	PB170865
108-95-2	Phenol	0.014	U	1	0.014	0.11	mg/Kg	12/09/25 21:45	PB170865
111-44-4	bis(2-Chloroethyl)ether	0.016	U	1	0.016	0.11	mg/Kg	12/09/25 21:45	PB170865
95-57-8	2-Chlorophenol	0.016	U	1	0.016	0.11	mg/Kg	12/09/25 21:45	PB170865
95-48-7	2-Methylphenol	0.019	U	1	0.019	0.11	mg/Kg	12/09/25 21:45	PB170865
108-60-1	2,2-oxybis(1-Chloropropane)	0.024	U	1	0.024	0.11	mg/Kg	12/09/25 21:45	PB170865
98-86-2	Acetophenone	0.019	U	1	0.019	0.11	mg/Kg	12/09/25 21:45	PB170865
65794-96-9	3+4-Methylphenols	0.026	U	1	0.026	0.21	mg/Kg	12/09/25 21:45	PB170865
621-64-7	n-Nitroso-di-n-propylamine	0.030	U	1	0.030	0.051	mg/Kg	12/09/25 21:45	PB170865
67-72-1	Hexachloroethane	0.011	U	1	0.011	0.11	mg/Kg	12/09/25 21:45	PB170865
98-95-3	Nitrobenzene	0.012	U	1	0.012	0.11	mg/Kg	12/09/25 21:45	PB170865
78-59-1	Isophorone	0.021	U	1	0.021	0.11	mg/Kg	12/09/25 21:45	PB170865
88-75-5	2-Nitrophenol	0.037	U	1	0.037	0.11	mg/Kg	12/09/25 21:45	PB170865
105-67-9	2,4-Dimethylphenol	0.041	U	1	0.041	0.11	mg/Kg	12/09/25 21:45	PB170865
111-91-1	bis(2-Chloroethoxy)methane	0.020	U	1	0.020	0.11	mg/Kg	12/09/25 21:45	PB170865
120-83-2	2,4-Dichlorophenol	0.018	U	1	0.018	0.11	mg/Kg	12/09/25 21:45	PB170865
91-20-3	Naphthalene	0.015	U	1	0.015	0.11	mg/Kg	12/09/25 21:45	PB170865
106-47-8	4-Chloroaniline	0.023	U	1	0.023	0.11	mg/Kg	12/09/25 21:45	PB170865
87-68-3	Hexachlorobutadiene	0.016	U	1	0.016	0.11	mg/Kg	12/09/25 21:45	PB170865
105-60-2	Caprolactam	0.033	U	1	0.033	0.21	mg/Kg	12/09/25 21:45	PB170865
59-50-7	4-Chloro-3-methylphenol	0.018	U	1	0.018	0.11	mg/Kg	12/09/25 21:45	PB170865
91-57-6	2-Methylnaphthalene	0.016	U	1	0.016	0.11	mg/Kg	12/09/25 21:45	PB170865
77-47-4	Hexachlorocyclopentadiene	0.074	U	1	0.074	0.21	mg/Kg	12/09/25 21:45	PB170865
88-06-2	2,4,6-Trichlorophenol	0.013	U	1	0.013	0.11	mg/Kg	12/09/25 21:45	PB170865
95-95-4	2,4,5-Trichlorophenol	0.019	U	1	0.019	0.11	mg/Kg	12/09/25 21:45	PB170865
92-52-4	1,1-Biphenyl	0.014	U	1	0.014	0.11	mg/Kg	12/09/25 21:45	PB170865
91-58-7	2-Chloronaphthalene	0.014	U	1	0.014	0.11	mg/Kg	12/09/25 21:45	PB170865
88-74-4	2-Nitroaniline	0.031	U	1	0.031	0.11	mg/Kg	12/09/25 21:45	PB170865
131-11-3	Dimethylphthalate	0.017	U	1	0.017	0.11	mg/Kg	12/09/25 21:45	PB170865
208-96-8	Acenaphthylene	0.018	U	1	0.018	0.11	mg/Kg	12/09/25 21:45	PB170865
606-20-2	2,6-Dinitrotoluene	0.021	U	1	0.021	0.11	mg/Kg	12/09/25 21:45	PB170865
99-09-2	3-Nitroaniline	0.029	U	1	0.029	0.11	mg/Kg	12/09/25 21:45	PB170865
83-32-9	Acenaphthene	0.014	U	1	0.014	0.11	mg/Kg	12/09/25 21:45	PB170865
51-28-5	2,4-Dinitrophenol	0.15	U	1	0.15	0.21	mg/Kg	12/09/25 21:45	PB170865
100-02-7	4-Nitrophenol	0.068	U	1	0.068	0.21	mg/Kg	12/09/25 21:45	PB170865
132-64-9	Dibenzofuran	0.015	U	1	0.015	0.11	mg/Kg	12/09/25 21:45	PB170865
121-14-2	2,4-Dinitrotoluene	0.032	U	1	0.032	0.11	mg/Kg	12/09/25 21:45	PB170865
84-66-2	Diethylphthalate	0.018	U	1	0.018	0.11	mg/Kg	12/09/25 21:45	PB170865
7005-72-3	4-Chlorophenyl-phenylether	0.017	U	1	0.017	0.11	mg/Kg	12/09/25 21:45	PB170865
86-73-7	Fluorene	0.016	U	1	0.016	0.11	mg/Kg	12/09/25 21:45	PB170865
100-01-6	4-Nitroaniline	0.041	U	1	0.041	0.11	mg/Kg	12/09/25 21:45	PB170865
534-52-1	4,6-Dinitro-2-methylphenol	0.066	U	1	0.066	0.21	mg/Kg	12/09/25 21:45	PB170865

Report of Analysis

Client: PSEG
Project: Trenton Gas and Appliance Service (TR)
Client Sample ID: TR-05-12-5-2025
Lab Sample ID: Q3806-04
Analytical Method: 8270E Level: LOW
Sample Wt/Vol: 50.08 g Final Vol: 1000 uL
Prep Method : SW3541 Prep Date: 12/08/25

Date Collected: 12/05/25
Date Received: 12/05/25
SDG No.: Q3806
Matrix: SOIL
% Solid: 93.9
Test: SVOC-TCL BNA -20

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
86-30-6	n-Nitrosodiphenylamine	0.021	U	1	0.021	0.11	mg/Kg	12/09/25 21:45	PB170865
101-55-3	4-Bromophenyl-phenylether	0.018	U	1	0.018	0.11	mg/Kg	12/09/25 21:45	PB170865
118-74-1	Hexachlorobenzene	0.016	U	1	0.016	0.11	mg/Kg	12/09/25 21:45	PB170865
1912-24-9	Atrazine	0.022	U	1	0.022	0.11	mg/Kg	12/09/25 21:45	PB170865
87-86-5	Pentachlorophenol	0.033	U	1	0.033	0.21	mg/Kg	12/09/25 21:45	PB170865
85-01-8	Phenanthrene	0.043	J	1	0.013	0.11	mg/Kg	12/09/25 21:45	PB170865
120-12-7	Anthracene	0.021	U	1	0.021	0.11	mg/Kg	12/09/25 21:45	PB170865
86-74-8	Carbazole	0.020	U	1	0.020	0.11	mg/Kg	12/09/25 21:45	PB170865
84-74-2	Di-n-butylphthalate	0.031	U	1	0.031	0.11	mg/Kg	12/09/25 21:45	PB170865
206-44-0	Fluoranthene	0.065	J	1	0.019	0.11	mg/Kg	12/09/25 21:45	PB170865
129-00-0	Pyrene	0.065	J	1	0.023	0.11	mg/Kg	12/09/25 21:45	PB170865
85-68-7	Butylbenzylphthalate	0.046	U	1	0.046	0.11	mg/Kg	12/09/25 21:45	PB170865
91-94-1	3,3-Dichlorobenzidine	0.023	U	1	0.023	0.21	mg/Kg	12/09/25 21:45	PB170865
56-55-3	Benzo(a)anthracene	0.015	U	1	0.015	0.11	mg/Kg	12/09/25 21:45	PB170865
218-01-9	Chrysene	0.013	U	1	0.013	0.11	mg/Kg	12/09/25 21:45	PB170865
117-81-7	Bis(2-ethylhexyl)phthalate	0.038	U	1	0.038	0.11	mg/Kg	12/09/25 21:45	PB170865
117-84-0	Di-n-octyl phthalate	0.055	U	1	0.055	0.21	mg/Kg	12/09/25 21:45	PB170865
205-99-2	Benzo(b)fluoranthene	0.050	J	1	0.012	0.11	mg/Kg	12/09/25 21:45	PB170865
207-08-9	Benzo(k)fluoranthene	0.014	U	1	0.014	0.11	mg/Kg	12/09/25 21:45	PB170865
50-32-8	Benzo(a)pyrene	0.019	U	1	0.019	0.11	mg/Kg	12/09/25 21:45	PB170865
193-39-5	Indeno(1,2,3-cd)pyrene	0.019	U	1	0.019	0.11	mg/Kg	12/09/25 21:45	PB170865
53-70-3	Dibenzo(a,h)anthracene	0.018	U	1	0.018	0.11	mg/Kg	12/09/25 21:45	PB170865
191-24-2	Benzo(g,h,i)perylene	0.016	U	1	0.016	0.11	mg/Kg	12/09/25 21:45	PB170865
95-94-3	1,2,4,5-Tetrachlorobenzene	0.016	U	1	0.016	0.11	mg/Kg	12/09/25 21:45	PB170865
123-91-1	1,4-Dioxane	0.029	U	1	0.029	0.11	mg/Kg	12/09/25 21:45	PB170865
58-90-2	2,3,4,6-Tetrachlorophenol	0.018	U	1	0.018	0.11	mg/Kg	12/09/25 21:45	PB170865

SURROGATES

367-12-4	2-Fluorophenol	48.7		10 - 105	32%	SPK: 150
13127-88-3	Phenol-d6	47.9		10 - 103	32%	SPK: 150
4165-60-0	Nitrobenzene-d5	31.7		10 - 108	32%	SPK: 100
321-60-8	2-Fluorobiphenyl	33.9		10 - 108	34%	SPK: 100
118-79-6	2,4,6-Tribromophenol	51.9		10 - 116	35%	SPK: 150
1718-51-0	Terphenyl-d14	35.9		10 - 109	36%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	269000
1146-65-2	Naphthalene-d8	1080000
15067-26-2	Acenaphthene-d10	674000
1517-22-2	Phenanthrene-d10	1320000
1719-03-5	Chrysene-d12	1340000
1520-96-3	Perylene-d12	1530000

TENTATIVE IDENTIFIED COMPOUNDS

001120-21-4	Undecane	180	J	8.88	ug/Kg
061141-72-8	Dodecane, 4,6-dimethyl-	110	J	11.5	ug/Kg

Report of Analysis

Client:	PSEG	Date Collected:	12/05/25
Project:	Trenton Gas and Appliance Service (TR)	Date Received:	12/05/25
Client Sample ID:	TR-05-12-5-2025	SDG No.:	Q3806
Lab Sample ID:	Q3806-04	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	93.9
Sample Wt/Vol:	50.08 g	Test:	SVOC-TCL BNA -20
Prep Method :	SW3541		
	Level: LOW		
	Final Vol: 1000 uL		
	Prep Date: 12/08/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
000629-50-5	Tridecane	200	J			11.9	ug/Kg		
000638-36-8	Hexadecane, 2,6,10,14-tetramethyl-	120	J			12.8	ug/Kg		
000629-59-4	Tetradecane	250	J			13.1	ug/Kg		
000629-78-7	Heptadecane	240	J			14.2	ug/Kg		
000544-76-3	Hexadecane	240	J			15.2	ug/Kg		
003892-00-0	Pentadecane, 2,6,10-trimethyl-	130	J			15.6	ug/Kg		
000119-61-9	Benzophenone	120	J			15.7	ug/Kg		
000629-92-5	Nonadecane	270	J			16.0	ug/Kg		
000593-45-3	Octadecane	220	J			16.9	ug/Kg		
013187-99-0	2-Bromo dodecane	130	J			16.9	ug/Kg		
000630-01-3	Hexacosane	190	J			17.6	ug/Kg		
000057-10-3	n-Hexadecanoic acid	270	J			18.0	ug/Kg		
000112-95-8	Eicosane	160	J			18.4	ug/Kg		
000057-11-4	Octadecanoic acid	250	J			19.4	ug/Kg		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products