

Report of Analysis

Client: PSEG
Project: PSEG South Clifton Ave Property
Client Sample ID: TP-5
Lab Sample ID: Q3814-01
Analytical Method: 8260D
Sample Wt/Vol: 3.52 g

Level: LOW
Final Vol: 5000 uL

Date Collected: 12/08/25
Date Received: 12/08/25
SDG No.: Q3814
Matrix: SOIL
% Solid: 84
Test: VOC-TCLVOA-10

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	0.0085	U	1	0.0019	0.0085	mg/Kg	12/11/25 16:48	VW121125
74-87-3	Chloromethane	0.0085	U	1	0.0019	0.0085	mg/Kg	12/11/25 16:48	VW121125
75-01-4	Vinyl Chloride	0.0085	U	1	0.0013	0.0085	mg/Kg	12/11/25 16:48	VW121125
74-83-9	Bromomethane	0.0085	U	1	0.0018	0.0085	mg/Kg	12/11/25 16:48	VW121125
75-00-3	Chloroethane	0.0085	U	1	0.0021	0.0085	mg/Kg	12/11/25 16:48	VW121125
75-69-4	Trichlorofluoromethane	0.0085	U	1	0.0020	0.0085	mg/Kg	12/11/25 16:48	VW121125
76-13-1	1,1,2-Trichlorotrifluoroethane	0.0085	U	1	0.0018	0.0085	mg/Kg	12/11/25 16:48	VW121125
75-35-4	1,1-Dichloroethene	0.0085	U	1	0.0017	0.0085	mg/Kg	12/11/25 16:48	VW121125
67-64-1	Acetone	0.042	U	1	0.0080	0.042	mg/Kg	12/11/25 16:48	VW121125
75-15-0	Carbon Disulfide	0.0085	U	1	0.0018	0.0085	mg/Kg	12/11/25 16:48	VW121125
1634-04-4	Methyl tert-butyl Ether	0.0085	U	1	0.0012	0.0085	mg/Kg	12/11/25 16:48	VW121125
79-20-9	Methyl Acetate	0.0085	U	1	0.0026	0.0085	mg/Kg	12/11/25 16:48	VW121125
75-09-2	Methylene Chloride	0.017	U	1	0.0060	0.017	mg/Kg	12/11/25 16:48	VW121125
156-60-5	trans-1,2-Dichloroethene	0.0085	U	1	0.0015	0.0085	mg/Kg	12/11/25 16:48	VW121125
75-34-3	1,1-Dichloroethane	0.0085	U	1	0.0014	0.0085	mg/Kg	12/11/25 16:48	VW121125
110-82-7	Cyclohexane	0.0085	U	1	0.0013	0.0085	mg/Kg	12/11/25 16:48	VW121125
78-93-3	2-Butanone	0.042	U	1	0.011	0.042	mg/Kg	12/11/25 16:48	VW121125
56-23-5	Carbon Tetrachloride	0.0085	U	1	0.0016	0.0085	mg/Kg	12/11/25 16:48	VW121125
156-59-2	cis-1,2-Dichloroethene	0.0085	U	1	0.0013	0.0085	mg/Kg	12/11/25 16:48	VW121125
74-97-5	Bromochloromethane	0.0085	U	1	0.0019	0.0085	mg/Kg	12/11/25 16:48	VW121125
67-66-3	Chloroform	0.0085	U	1	0.0014	0.0085	mg/Kg	12/11/25 16:48	VW121125
71-55-6	1,1,1-Trichloroethane	0.0085	U	1	0.0016	0.0085	mg/Kg	12/11/25 16:48	VW121125
108-87-2	Methylcyclohexane	0.0085	U	1	0.0015	0.0085	mg/Kg	12/11/25 16:48	VW121125
71-43-2	Benzene	0.0085	U	1	0.0013	0.0085	mg/Kg	12/11/25 16:48	VW121125
107-06-2	1,2-Dichloroethane	0.0085	U	1	0.0013	0.0085	mg/Kg	12/11/25 16:48	VW121125
79-01-6	Trichloroethene	0.0085	U	1	0.0014	0.0085	mg/Kg	12/11/25 16:48	VW121125
78-87-5	1,2-Dichloropropane	0.0085	U	1	0.0015	0.0085	mg/Kg	12/11/25 16:48	VW121125
75-27-4	Bromodichloromethane	0.0085	U	1	0.0013	0.0085	mg/Kg	12/11/25 16:48	VW121125
108-10-1	4-Methyl-2-Pentanone	0.042	U	1	0.0061	0.042	mg/Kg	12/11/25 16:48	VW121125
108-88-3	Toluene	0.0085	U	1	0.0013	0.0085	mg/Kg	12/11/25 16:48	VW121125
10061-02-6	t-1,3-Dichloropropene	0.0085	U	1	0.0011	0.0085	mg/Kg	12/11/25 16:48	VW121125
10061-01-5	cis-1,3-Dichloropropene	0.0085	U	1	0.0010	0.0085	mg/Kg	12/11/25 16:48	VW121125
79-00-5	1,1,2-Trichloroethane	0.0085	U	1	0.0016	0.0085	mg/Kg	12/11/25 16:48	VW121125
591-78-6	2-Hexanone	0.042	U	1	0.0062	0.042	mg/Kg	12/11/25 16:48	VW121125
124-48-1	Dibromochloromethane	0.0085	U	1	0.0015	0.0085	mg/Kg	12/11/25 16:48	VW121125
106-93-4	1,2-Dibromoethane	0.0085	U	1	0.0015	0.0085	mg/Kg	12/11/25 16:48	VW121125
127-18-4	Tetrachloroethene	0.0085	U	1	0.0018	0.0085	mg/Kg	12/11/25 16:48	VW121125
108-90-7	Chlorobenzene	0.0085	U	1	0.0015	0.0085	mg/Kg	12/11/25 16:48	VW121125
100-41-4	Ethyl Benzene	0.0085	U	1	0.0011	0.0085	mg/Kg	12/11/25 16:48	VW121125
179601-23-1	m/p-Xylenes	0.017	U	1	0.0021	0.017	mg/Kg	12/11/25 16:48	VW121125
95-47-6	o-Xylene	0.0085	U	1	0.0014	0.0085	mg/Kg	12/11/25 16:48	VW121125
100-42-5	Styrene	0.0085	U	1	0.0012	0.0085	mg/Kg	12/11/25 16:48	VW121125
75-25-2	Bromoform	0.0085	U	1	0.0015	0.0085	mg/Kg	12/11/25 16:48	VW121125

Report of Analysis

Client:	PSEG	Date Collected:	12/08/25
Project:	PSEG South Clifton Ave Property	Date Received:	12/08/25
Client Sample ID:	TP-5	SDG No.:	Q3814
Lab Sample ID:	Q3814-01	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	84
Sample Wt/Vol:	3.52 g	Test:	VOC-TCLVOA-10
	Level: LOW		
	Final Vol: 5000 uL		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
98-82-8	Isopropylbenzene	0.0085	U	1	0.0013	0.0085	mg/Kg	12/11/25 16:48	VW121125
79-34-5	1,1,2,2-Tetrachloroethane	0.0085	U	1	0.0020	0.0085	mg/Kg	12/11/25 16:48	VW121125
541-73-1	1,3-Dichlorobenzene	0.0085	U	1	0.0029	0.0085	mg/Kg	12/11/25 16:48	VW121125
106-46-7	1,4-Dichlorobenzene	0.0085	U	1	0.0026	0.0085	mg/Kg	12/11/25 16:48	VW121125
95-50-1	1,2-Dichlorobenzene	0.0085	U	1	0.0025	0.0085	mg/Kg	12/11/25 16:48	VW121125
96-12-8	1,2-Dibromo-3-Chloropropane	0.0085	U	1	0.0031	0.0085	mg/Kg	12/11/25 16:48	VW121125
120-82-1	1,2,4-Trichlorobenzene	0.0085	U	1	0.0050	0.0085	mg/Kg	12/11/25 16:48	VW121125
87-61-6	1,2,3-Trichlorobenzene	0.0085	U	1	0.0054	0.0085	mg/Kg	12/11/25 16:48	VW121125
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	54.3			63 - 155	109%	SPK: 50		
1868-53-7	Dibromofluoromethane	50.4			70 - 134	101%	SPK: 50		
2037-26-5	Toluene-d8	51.7			74 - 123	103%	SPK: 50		
460-00-4	4-Bromofluorobenzene	49.7			52 - 138	99%	SPK: 50		
INTERNAL STANDARDS									
		Area Count							
363-72-4	Pentafluorobenzene	482000							
540-36-3	1,4-Difluorobenzene	948000							
3114-55-4	Chlorobenzene-d5	822000							
3855-82-1	1,4-Dichlorobenzene-d4	364000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products