

## **SUB DATA PACKAGE**

**PROJECT NAME : HALOGENS**

**PARADIGM ENVIRONMENTAL SERVICES, INC.**

**179 Lake Avenue**

**Rochester, NY - 14608**

**Phone No: (585) 647-2530**

**ORDER ID : Q3818**

**ATTENTION : Quintin McCooey**



## Cover Page

**Order ID :** Q3818

**Project ID :** Halogens

**Client :** Paradigm Environmental Services, Inc.

**Lab Sample Number**

Q3818-01

**Client Sample Number**

WC

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

**APPROVED**

*By Nimisha Pandya, QA/QC Supervisor at 12:04 pm, Dec 11, 2025*



Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211  
Website: <http://www.settek.com>

December 11, 2025

Yazmeen Gomez  
ATG - NEWARK LAB  
284 Sheffield Street  
Mountainside, NJ 07092  
TEL:  
FAX:  
RE: Q3818

Order No.: 25120300

Dear Yazmeen Gomez:

Alliance Technical Group - Akron received 1 sample(s) on 12/4/2025 for the analyses presented in the following report.

There were no problems with the analytical events associated with this report unless noted in the Case Narrative.

Quality control data is within laboratory defined or method specified acceptance limits except where noted.

If you have any questions regarding these tests results, please feel free to call the laboratory.

Sincerely,

A handwritten signature in black ink that reads "Amy Getz". The signature is fluid and cursive, with a long horizontal stroke extending from the end of the name.

Amy Getz  
Project Manager  
3310 Win St.  
Cuyahoga Falls, Ohio 44223

Arkansas 88-0735, California 2943, Colorado, Connecticut PH-0828, Florida NELAC E87688, Idaho OH00923, Illinois 200061, Indiana C-OH-13, ISO/IEC 17025:2017 119125 L22-544, Kansas E-10347, Kentucky (Underground Storage Tank) 3, Kentucky 90146, Maryland 339, Michigan 9988, Minnesota 1780279, Nevada OH009232020-1, New Hampshire 2996, New Jersey OH006, New York 11777, North Carolina 39705 and 631, North Dakota R-201, Ohio DW, Ohio VAP CL0052, Oklahoma 2019-155, Oregon OH200001, Pennsylvania 68-01335, Rhode Island LA000317, South Carolina 92016001, Texas T104704466-19-16, Utah OH009232020-12, Virginia VELAP 10381, West Virginia 9957C



Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211 FAX: (330) 253-4489  
Website: <http://www.settek.com>

## Case Narrative

WO#: 25120300  
Date: 12/11/2025

---

**CLIENT:** ATG - NEWARK LAB

**Project:** Q3818

---

### WorkOrder Narrative:

25120300: This report in its entirety consists of the following documents: Cover Letter, Case Narrative, Analytical Results, QC Summary Report, Applicable Accreditation Information, Chain-of-Custody, Cooler Receipt Form, and other applicable forms as necessary. All documents contain the Alliance Technical Group Work Order Number assigned to this report.

Alliance Technical Group holds the accreditations/certifications listed at the bottom of the cover letter that may or may not pertain to this report. Please refer to the "Accreditation Program Analytes Report" for accredited analytes list.

The information contained in this analytical report is the sole property of Alliance Technical Group and that of the customer. It cannot be reproduced in any form without the consent of Alliance Technical Group or the customer for which this report was issued. The results contained in this report are only representative of the samples received. Conditions can vary at different times and at different sampling conditions. Alliance Technical Group is not responsible for use or interpretation of the data included herein.

All results for solid samples are reported on an "as received" or "wet weight" basis unless indicated as "dry weight" using the "-dry" designation on the reporting units.

This report is believed to meet all of the requirements of the accrediting agency, where applicable. Any comments or problems with the analytical events associated with this report are noted below.

### Analytical Sequence Sample Notes:

25120300-001A TOX\_NPW(9020): Analyst diluted sample due to matrix interference.

---

Original

These commonly used Qualifiers and Acronyms may or may not be present in this report.

### Qualifiers

<b>U</b>	The compound was analyzed for but was not detected above the MDL.
<b>J</b>	The reported value is greater than the Method Detection Limit but less than the Reporting Limit.
<b>H</b>	The hold time for sample preparation and/or analysis was exceeded. Not Clean Water Act compliant.
<b>E</b>	The result exceeded the linear range of the calibration or is estimated due to interference.
<b>MC</b>	The result is below the Minimum Compound Limit.
<b>*</b>	The result exceeds the Regulatory Limit or Maximum Contamination Limit.
<b>m</b>	Manual integration was used to determine the area response.
<b>D</b>	Manual integration in which peak was deleted.
<b>N</b>	The result is presumptive based on a Mass Spectral library search assuming a 1:1 response.
<b>P</b>	The second column confirmation exceeded 25% difference.
<b>C</b>	The result has been confirmed by GC/MS.
<b>X</b>	The result was not confirmed when GC/MS Analysis was performed.
<b>B</b>	The analyte was detected in the Method Blank at a concentration greater than the RL.
<b>MB+</b>	The analyte was detected in the Method Blank at a concentration greater than the MDL.
<b>G</b>	The ICB or CCB contained reportable amounts of analyte.
<b>QC-/+</b>	The CCV recovery failed low (-) or high (+).
<b>R/QDR</b>	The RPD was outside of accepted recovery limits.
<b>QL-/+</b>	The LCS or LCSD recovery failed low (-) or high (+).
<b>QLR</b>	The LCS/LCSD RPD was outside of accepted recovery limits.
<b>QM-/+</b>	The MS or MSD recovery failed low (-) or high (+).
<b>QMR</b>	The MS/MSD RPD was outside of accepted recovery limits.
<b>QV-/+</b>	The ICV recovery failed low (-) or high (+).
<b>S</b>	The spike result was outside of accepted recovery limits.
<b>W</b>	Samples were received outside temperature limits (0° – 6° C). Not Clean Water Act compliant.
<b>Z</b>	A deviation from the method was performed; Please refer to the Case Narrative for additional information.

### Acronyms

<b>ND</b>	Not Detected	<b>RL</b>	Reporting Limit
<b>QC</b>	Quality Control	<b>MDL</b>	Method Detection Limit
<b>MB</b>	Method Blank	<b>LOD</b>	Level of Detection
<b>LCS</b>	Laboratory Control Sample	<b>LOQ</b>	Level of Quantitation
<b>LCS</b>	Laboratory Control Sample Duplicate	<b>PQL</b>	Practical Quantitation Limit
<b>QCS</b>	Quality Control Sample	<b>CRQL</b>	Contract Required Quantitation Limit
<b>DUP</b>	Duplicate	<b>PL</b>	Permit Limit
<b>MS</b>	Matrix Spike	<b>RegLvl</b>	Regulatory Limit
<b>MSD</b>	Matrix Spike Duplicate	<b>MCL</b>	Maximum Contamination Limit
<b>RPD</b>	Relative Percent Different	<b>MinCL</b>	Minimum Compound Limit
<b>ICV</b>	Initial Calibration Verification	<b>RA</b>	Reanalysis
<b>ICB</b>	Initial Calibration Blank	<b>RE</b>	Reextraction
<b>CCV</b>	Continuing Calibration Verification	<b>TIC</b>	Tentatively Identified Compound
<b>CCB</b>	Continuing Calibration Blank	<b>RT</b>	Retention Time
<b>RLC</b>	Reporting Limit Check	<b>CF</b>	Calibration Factor
<b>DF</b>	Dilution Factor	<b>RF</b>	Response Factor

This list of Qualifiers and Acronyms reflects the most commonly utilized Qualifiers and Acronyms for reporting. Please refer to the Analytical Notes in the Case Narrative for any Qualifiers or Acronyms that do not appear in this list or for additional information regarding the use of these Qualifiers on reported data.



Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211  
Website: <http://www.settek.com>

## Workorder Sample Summary

WO#: 25120300  
11-Dec-25

---

**CLIENT:** ATG - NEWARK LAB  
**Project:** Q3818

---

Lab SampleID	Client Sample ID	Tag No	Date Collected	Date Received	Matrix
25120300-001	WC		12/3/2025 10:00:00 AM	12/4/2025 10:40:00 AM	Non-Potable Water



*Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211 FAX: (330) 253-4489  
Website: <http://www.settek.com>*

## DATES REPORT

WO#: **25120300**

**11-Dec-25**

**Client:** ATG - NEWARK LAB

**Project:** Q3818

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	Leachate Date	Prep Date	Analysis Date
25120300-001A	WC	12/3/2025 10:00:00 AM	Non-Potable Water	Total Organic Halides (TOX) (9020)			12/9/2025 7:27:00 AM

Original



Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211  
Website: <http://www.settek.com>

WO#: 25120300  
Date Reported: 12/11/2025  
Company: ATG - NEWARK LAB  
Address: 284 Sheffield Street  
Mountainside NJ 07092  
Received: 12/4/2025  
Project#: Q3818

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
WC	001	12/3/2025	Total Organic Halides	0.193	mg/L	J	Non-Potable Water	EPA 9020	5	0.0440	0.500	12/9/2025	KMS





Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211  
Website: <http://www.settek.com>

## Accreditation Program Analytes Report

WO#: 25120300

11-Dec-25

**Client:** ATG - NEWARK LAB

**State:** NY

**Project:** Q3818

**Program:** NY\_DW\_WW\_SCM\_NELAP

Test Name	Matrix	Analyte	Status
Total Organic Halides (TOX) (9020)	Non-Potable Water	Total Organic Halides	A

Accreditation (Acc.) Status Key	
A: Accredited	N: Not Accredited
P: Provisional	U: Unavailable

Page 1 of 1

Version #1



Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211  
Website: <http://www.settek.com>

## QC SUMMARY REPORT

WO#: 25120300

11-Dec-25

Client: ATG - NEWARK LAB

Project: Q3818

BatchID: R222465

Sample ID: <b>MB-R222465</b>	SampType: <b>MBLK</b>	TestCode: <b>TOX_NPW(90</b> Units: <b>mg/L</b>				Prep Date:				RunNo: <b>222465</b>		
Client ID: <b>BatchQC</b>	Batch ID: <b>R222465</b>	TestNo: <b>SW9020</b>				Analysis Date: <b>12/9/2025</b>				SeqNo: <b>5932758</b>		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Total Organic Halides	ND	0.100									U	

Sample ID: <b>LCS-R222465</b>	SampType: <b>LCS</b>	TestCode: <b>TOX_NPW(90</b> Units: <b>mg/L</b>				Prep Date:			RunNo: <b>222465</b>		
Client ID: <b>BatchQC</b>	Batch ID: <b>R222465</b>	TestNo: <b>SW9020</b>				Analysis Date: <b>12/9/2025</b>			SeqNo: <b>5932759</b>		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Organic Halides	0.193	0.100	0.2000	0	96.5	80	120				

Sample ID: <b>LCSD-R222465</b>	SampType: <b>LCSD</b>	TestCode: <b>TOX_NPW(90</b> Units: <b>mg/L</b>				Prep Date:				RunNo: <b>222465</b>		
Client ID: <b>BatchQC</b>	Batch ID: <b>R222465</b>	TestNo: <b>SW9020</b>				Analysis Date: <b>12/9/2025</b>				SeqNo: <b>5932760</b>		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Total Organic Halides	0.197	0.100	0.2000	0	98.5	80	120	0.1930	2.05	20		

Sample ID: <b>25111766-002AMS</b>	SampType: <b>MS</b>	TestCode: <b>TOX_NPW(90</b> Units: <b>mg/L</b>				Prep Date:				RunNo: <b>222465</b>		
Client ID: <b>BatchQC</b>	Batch ID: <b>R222465</b>	TestNo: <b>SW9020</b>				Analysis Date: <b>12/9/2025</b>				SeqNo: <b>5932762</b>		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Total Organic Halides	9.28	1.00	9.000	1.748	83.7	80	120					

**Qualifiers:** H Holding times for preparation or analysis exceeded  
ND Not Detected  
U Samples with CalcVal < MDL

J Analyte detected below quantitation limits  
PL Permit Limit  
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response  
RL Reporting Detection Limit

Original



Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211  
Website: <http://www.settek.com>

## QC SUMMARY REPORT

WO#: 25120300

11-Dec-25

Client: ATG - NEWARK LAB

Project: Q3818

BatchID: R222465

Sample ID: 25111766-002AMS	SampType: MS	TestCode: TOX_NPW(90	Units: mg/L	Prep Date:	RunNo: 222465						
Client ID: BatchQC	Batch ID: R222465	TestNo: SW9020		Analysis Date: 12/9/2025	SeqNo: 5932762						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Sample ID: 25111766-002AMSD	SampType: MSD	TestCode: TOX_NPW(90 Units: mg/L				Prep Date:			RunNo: 222465		
Client ID: BatchQC	Batch ID: R222465	TestNo: SW9020				Analysis Date: 12/9/2025			SeqNo: 5932763		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Organic Halides	9.90	1.00	9.000	1.748	90.6	80	120	9.282	6.46	20	

Sample ID: <b>MB-R222465</b>	SampType: <b>MBLK</b>	TestCode: <b>TOX_NPW(90</b> Units: <b>mg/L</b>				Prep Date:				RunNo: <b>222465</b>		
Client ID: <b>BatchQC</b>	Batch ID: <b>R222465</b>	TestNo: <b>SW9020</b>				Analysis Date: <b>12/9/2025</b>				SeqNo: <b>5932771</b>		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Total Organic Halides	0.00910	0.100									J	

Sample ID: <b>MB-R222465</b>	SampType: <b>MBLK</b>	TestCode: <b>TOX_NPW(90</b> Units: <b>mg/L</b>				Prep Date:				RunNo: <b>222465</b>		
Client ID: <b>BatchQC</b>	Batch ID: <b>R222465</b>	TestNo: <b>SW9020</b>				Analysis Date: <b>12/9/2025</b>				SeqNo: <b>5932774</b>		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Total Organic Halides	ND	0.100									U	

**Qualifiers:** H Holding times for preparation or analysis exceeded  
ND Not Detected  
U Samples with CalcVal < MDL

J Analyte detected below quantitation limits  
PL Permit Limit  
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response  
RL Reporting Detection Limit

Original



Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211  
Website: <http://www.settek.com>

## QC SUMMARY REPORT

WO#: 25120300

11-Dec-25

Client: ATG - NEWARK LAB

Project: Q3818

BatchID: R222465

Sample ID: 25120336-001AMS	SampType: MS	TestCode: TOX_NPW(90 Units: mg/L				Prep Date:				RunNo: 222465		
Client ID: BatchQC	Batch ID: R222465	TestNo: SW9020				Analysis Date: 12/9/2025				SeqNo: 5932777		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Total Organic Halides	8.96	1.00	9.000	0.4060	95.1	80	120					

Sample ID: 25120336-001AMSD	SampType: MSD	TestCode: TOX_NPW(90 Units: mg/L				Prep Date:			RunNo: 222465		
Client ID: BatchQC	Batch ID: R222465	TestNo: SW9020				Analysis Date: 12/9/2025			SeqNo: 5932778		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Organic Halides	9.49	1.00	9.000	0.4060	101	80	120	8.962	5.77	20	

Sample ID: <b>MB-R222465</b>	SampType: <b>MBLK</b>	TestCode: <b>TOX_NPW(90</b> Units: <b>mg/L</b>				Prep Date:				RunNo: <b>222465</b>		
Client ID: <b>BatchQC</b>	Batch ID: <b>R222465</b>	TestNo: <b>SW9020</b>				Analysis Date: <b>12/9/2025</b>				SeqNo: <b>5932786</b>		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Total Organic Halides	ND	0.100									U	

Sample ID: <b>MB-R222465</b>	SampType: <b>MBLK</b>	TestCode: <b>TOX_NPW(90</b> Units: <b>mg/L</b>				Prep Date:				RunNo: <b>222465</b>		
Client ID: <b>BatchQC</b>	Batch ID: <b>R222465</b>	TestNo: <b>SW9020</b>				Analysis Date: <b>12/9/2025</b>				SeqNo: <b>5932789</b>		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Total Organic Halides	ND	0.100									U	

Qualifiers:	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits	M	Manual Integration used to determine area response
	ND	Not Detected	PL	Permit Limit	RL	Reporting Detection Limit
	U	Samples with CalcVal < MDL	W	Sample container temperature is out of limit as specified at testcode		

Original



Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211  
Website: <http://www.settek.com>

## QC SUMMARY REPORT

WO#: 25120300

11-Dec-25

Client: ATG - NEWARK LAB

Project: Q3818

BatchID: R222465

Sample ID: <b>MB-R222465</b>	SampType: <b>MBLK</b>	TestCode: <b>TOX_NPW(90</b>	Units: <b>mg/L</b>	Prep Date:	RunNo: <b>222465</b>						
Client ID: <b>BatchQC</b>	Batch ID: <b>R222465</b>	TestNo: <b>SW9020</b>		Analysis Date: <b>12/9/2025</b>	SeqNo: <b>5932789</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

**Qualifiers:** H Holding times for preparation or analysis exceeded  
ND Not Detected  
U Samples with CalcVal < MDL

J Analyte detected below quantitation limits  
PL Permit Limit  
W Sample container temperature is out of limit as specified at testcode



M Manual Integration used to determine area response  
RL Reporting Detection Limit

Original



25120300

Needs NY State Certification

Sampled By 	Date/Time 12/3/25 16:00
Relinquished By 	Date/Time 12/4/25 UPS
Received By 1040	Date/Time 1.5 + 0.0 = 1.5
Received @ Lab By	Date/Time

Total Cost:

P.I.F.

By signing this form, client agrees to Paradigm Terms and Conditions (reverse).



284 Sheffield Street, Mountainside, NJ 07092  
(908) 789-8900 Fax (908) 789-8922  
WWW.CHEMTECH.NET

25120300

CHAIN OF CUSTODY RECORD

Sub Lab INFORMATION	CLIENT PROJECT INFORMATION	CLIENT BILLING INFORMATION
COMPANY : Alliance Technical Group - Akron	ORDER ID : Q3818	BILL TO: CHEMTECH PO# : q3817
ADDRESS : 3310 Win Street	PROJECT ID: Halogens	ADDRESS : 284, Sheffield Street
CITY: Cuyahoga Fal State : OH ZIP : 44223	PROJECT MANAGER YAZMEEN	CITY: Mountainside State : NJ ZIP : 07092
E-mail : jennifer.woolf@alliancetg.com	E-mail : YAZMEEN.GOMEZ@AllianceTG.com	ATTENTION : YAZMEE
PHONE : 330-253-8211	PHONE : (908) 789 8900 FAX: (908) 789 8922	PHONE : (908) 789 8900 FAX : (908) 789 8922

EDD : ADAPT	Report : Results Only	Comment : ny state. comp.
-------------	-----------------------	---------------------------

ID	CLIENT SAMPLE IDENTIFICATION	SAMPLE MATRIX	ANALYSIS	Preservative	Method	SAMPLE COLLECTION		# OF BOTTLES	TAT DAYS
						DATE	TIME		
01	WC	Water	TOX	Conc H2SO4 to pH < 2	9020	12/03/2025	10:00:00	1	10

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGES POSSESSION INCLUDING COURIER DELIVERY									
RELINQUISHED BY SAMPLER:	DATETIME:	RECEIVED BY:	Conditions of bottles or Coolers at receipt: 1. SC <input type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant Cooler Temp _____						
1.		1. <i>[Signature]</i>	12/14/25 1040 UPS cooler 1540:0 Ice or Cooler? _____						
RELINQUISHED BY:	DATETIME:	RECEIVED BY:							
2.		2.							
RELINQUISHED BY:	DATETIME:	RECEIVED BY:	Page 1 of 1 <input type="checkbox"/> OVERNIGHT						Shipment Complete:
3.		3.	Page 13 of 14 <input type="checkbox"/> OVERNIGHT						<input type="checkbox"/> YES <input type="checkbox"/> NO

## Sample Log-In Check List

Client Name: **CHE-NJ-07972**

Work Order Number: **25120300**

RcptNo: **1**

Logged by: **Spencer M. Hartwell** 12/4/2025 10:40:00 AM

*Spencer M. Hartwell*

Completed By: **Spencer M. Hartwell** 12/4/2025 3:11:16 PM

*Spencer M. Hartwell*

Reviewed By: **Amy Getz** 12/11/2025 10:23:47 AM

*Amy Getz*

### Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐  
2. How was the sample delivered? UPS

### Log In

3. Coolers are present? Yes ☒ No ☐ NA ☐  
4. Shipping container/cooler in good condition? Yes ☒ No ☐  
Custody seals intact on shipping container/cooler? Yes ☐ No ☐ Not Present ☒ NA ☐  
No. Seal Date: Signed By:  
5. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐  
6. Were all samples received at a temperature of >0° C to 6.0° C Yes ☒ No ☐ NA ☐  
7. Sample(s) in proper container(s)? Yes ☒ No ☐  
8. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐  
9. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐  
10. Was preservative added to bottles? Yes ☐ No ☒ NA ☐  
11. Is the headspace in the VOA vials less than 1/4 inch or 6 mm? Yes ☐ No ☐ No VOA Vials ☒  
12. Were any sample containers received broken? Yes ☐ No ☒  
13. Does paperwork match bottle labels? Yes ☒ No ☐  
(Note discrepancies on chain of custody)  
14. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐  
15. Is it clear what analyses were requested? Yes ☒ No ☐  
16. Were all holding times able to be met? Yes ☒ No ☐  
(If no, notify customer for authorization.)

### Special Handling (if applicable)

17. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:  Date:   
By Whom:  Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person  
Regarding:   
Client Instructions:

18. Additional remarks:

### Cooler Information



Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	1.5	Good	Not Present			





25120300

Needs NY State Certification

Sampled By 	Date/Time 12/3/25 16:00
Relinquished By 	Date/Time 12/4/25 UPS
Received By 1040	Date/Time 1.5 + 0.0 = 1.5
Received @ Lab By	Date/Time

Total Cost:

P.I.F.

By signing this form, client agrees to Paradigm Terms and Conditions (reverse).