

Report of Analysis

Client: PSEG
Project: PSEG South Clifton Ave Property
Client Sample ID: TP-15
Lab Sample ID: Q3826-05

Date Collected: 12/09/25 11:42
Date Received: 12/09/25
SDG No.: Q3826
Matrix: SOIL
% Solid: 83.3

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.47	U	1	0.081	0.47	mg/Kg	12/11/25 09:15	12/11/25 13:16	7196A
Ignitability	NO		1	0	0	oC		12/10/25 09:12	1030
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		12/10/25 10:50	9095B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits