

Report of Analysis

Client: PSEG
Project: PSEG South Clifton Ave Property
Client Sample ID: TP-2
Lab Sample ID: Q3826-12

Date Collected: 12/09/25 10:54
Date Received: 12/09/25
SDG No.: Q3826
Matrix: SOIL
% Solid: 100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	5.88	H	1	0	0	pH		12/10/25 10:50	9045D
Reactive Cyanide	0.049	U	1	0.0083	0.049	mg/Kg	12/10/25 12:00	12/10/25 14:39	9012B
Reactive Sulfide	1.58	J	1	0.20	10.0	mg/Kg	12/11/25 09:30	12/11/25 11:50	9034

Comments: pH result reported at temperature 20.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits