

Report of Analysis

Client:	PSEG	Date Collected:	12/09/25
Project:	PSEG South Clifton Ave Property	Date Received:	12/09/25
Client Sample ID:	TP-15	SDG No.:	Q3826
Lab Sample ID:	Q3826-05	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	83.3
Sample Wt/Vol:	30.06 g	Test:	EPH_NF
Prep Method :		Final Vol:	2000 uL
		Prep Date :	12/10/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Datafile	Date Ana.	Prep BatchID
TARGETS										
Aliphatic C28-C40	Aliphatic C28-C40	4.47		1	1.41	2.40	mg/kg	FE057287.D	12/10/25 19:10	PB170886
Aliphatic C9-C28	Aliphatic C9-C28	3.27	J	1	1.09	4.80	mg/kg	FE057287.D	12/10/25 19:10	PB170886
Total AliphaticEPH	Total AliphaticEPH	7.74			2.50	7.20	mg/kg			
Total EPH	Total EPH	7.74			2.50	7.20	mg/kg			

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	12/09/25
Project:	PSEG South Clifton Ave Property	Date Received:	12/09/25
Client Sample ID:	TP-15	SDG No.:	Q3826
Lab Sample ID:	Q3826-05	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	83.3
Sample Wt/Vol:	30.06 g	Final Vol:	2000 uL
Prep Method :		Prep Date	12/10/25
		Test:	EPH_NF

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
Aliphatic C9-C28	Aliphatic C9-C28	3.27	J	1	1.09	4.80	mg/kg	12/10/25	PB170886
Aliphatic C28-C40	Aliphatic C28-C40	4.47		1	1.41	2.40	mg/kg	12/10/25	PB170886
SURROGATES									
3383-33-2	1-chlorooctadecane (SURR)	25.9			40 - 140	52%	SPK: 50		
84-15-1	ortho-Terphenyl (SURR)	30.0			40 - 140	60%	SPK: 50		

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3826-05	Acq On:	10 Dec 2025 19:10
Client Sample ID:	TP-15	Operator:	YP\AJ
Data file:	FE057287.D	Misc:	
Instrument:	FID_E	ALS Vial:	21
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.189	6.816	235728	1.175	300	ug/ml
Aliphatic C12-C16	6.817	10.262	2859525	14.074	200	ug/ml
Aliphatic C16-C21	10.263	13.636	1440070	7.262	300	ug/ml
Aliphatic C21-C28	13.637	17.306	3898300	19.614	400	ug/ml
Aliphatic C28-C40	17.307	22.235	11194980	56.003	600	ug/ml
Aliphatic EPH	3.189	22.235	19628603	98.128		ug/ml
ortho-Terphenyl (SURR)	11.933	11.933	6590881	30.03		ug/ml
1-chlorooctadecane (SURR)	13.371	13.371	4307240	25.88		ug/ml
Aliphatic C9-C28	3.189	17.306	8433623	42.125	1200	ug/ml