

Report of Analysis

Client:	PSEG	Date Collected:	12/09/25
Project:	PSEG Deans Switching Station	Date Received:	12/09/25
Client Sample ID:	RT4262	SDG No.:	Q3827
Lab Sample ID:	Q3827-01	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	92.9
Sample Wt/Vol:	30.02 g	Test:	EPH_NF
Prep Method :	Final Vol: 2000 uL Prep Date : 12/10/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Datafile	Date Ana.	Prep BatchID
TARGETS										
Aliphatic C28-C40	Aliphatic C28-C40	3.55		1	1.27	2.15	mg/kg	FE057292.D	12/10/25 21:42	PB170886
Aliphatic C9-C28	Aliphatic C9-C28	3.00	J	1	0.98	4.31	mg/kg	FE057292.D	12/10/25 21:42	PB170886
Total AliphaticEPH	Total AliphaticEPH	6.55			2.25	6.46	mg/kg			
Total EPH	Total EPH	6.55			2.25	6.46	mg/kg			

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	12/09/25
Project:	PSEG Deans Switching Station	Date Received:	12/09/25
Client Sample ID:	RT4262	SDG No.:	Q3827
Lab Sample ID:	Q3827-01	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	92.9
Sample Wt/Vol:	30.02 g	Final Vol:	2000 uL
Prep Method :		Test:	EPH_NF
		Prep Date	12/10/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
Aliphatic C9-C28	Aliphatic C9-C28	3.00	J	1	0.98	4.31	mg/kg	12/10/25	PB170886
Aliphatic C28-C40	Aliphatic C28-C40	3.55		1	1.27	2.15	mg/kg	12/10/25	PB170886
SURROGATES									
3383-33-2	1-chlorooctadecane (SURR)	24.2			40 - 140	48%	SPK: 50		
84-15-1	ortho-Terphenyl (SURR)	27.9			40 - 140	56%	SPK: 50		

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3827-01	Acq On:	10 Dec 2025 21:42
Client Sample ID:	RT4262	Operator:	YP\AJ
Data file:	FE057292.D	Misc:	
Instrument:	FID_E	ALS Vial:	26
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.189	6.816	631102	3.145	300	ug/ml
Aliphatic C12-C16	6.817	10.262	819357	4.033	200	ug/ml
Aliphatic C16-C21	10.263	13.636	6875947	34.672	300	ug/ml
Aliphatic C21-C28	13.637	17.306	1026997	5.167	400	ug/ml
Aliphatic C28-C40	17.307	22.235	9907131	49.56	600	ug/ml
Aliphatic EPH	3.189	22.235	19260534	96.577		ug/ml
ortho-Terphenyl (SURR)	11.933	11.933	6111438	27.85		ug/ml
1-chlorooctadecane (SURR)	13.369	13.369	4028201	24.2		ug/ml
Aliphatic C9-C28	3.189	17.306	9353403	47.017	1200	ug/ml