

Analytical Sequence

Client: Earth Engineering Inc.

SDG No.: Q3832

Project: Block B.01 Lot 8.02 Pest Eval

Instrument ID: ECD_D

GC Column: ZB-MR1

ID: 0.32 (mm)

Inst. Calib. Date(s): 12/08/2025

12/08/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	12/08/2025	12:45	PD091478.D	9.06	3.54
PEM	PEM	12/08/2025	12:59	PD091479.D	9.06	3.54
RESCHK	RESCHK	12/08/2025	14:55	PD091480.D	9.07	3.55
PSTDICC100	PSTDICC100	12/08/2025	15:09	PD091481.D	9.06	3.54
PSTDICC075	PSTDICC075	12/08/2025	15:22	PD091482.D	9.06	3.54
PSTDICC050	PSTDICC050	12/08/2025	15:36	PD091483.D	9.06	3.54
PSTDICC025	PSTDICC025	12/08/2025	15:50	PD091484.D	9.06	3.54
PSTDICC005	PSTDICC005	12/08/2025	16:03	PD091485.D	9.06	3.54
PCHLORICC500	PCHLORICC500	12/08/2025	16:44	PD091488.D	9.06	3.54
PTOXICC500	PTOXICC500	12/08/2025	17:53	PD091493.D	9.06	3.54
IBLK	IBLK	12/11/2025	11:30	PD091551.D	9.07	3.54
PEM	PEM	12/11/2025	11:43	PD091552.D	9.06	3.54
PSTDCCC050	PSTDCCC050	12/11/2025	12:43	PD091553.D	9.08	3.55
PB170899BL	PB170899BL	12/11/2025	13:15	PD091554.D	9.07	3.55
IBLK	IBLK	12/11/2025	14:56	PD091558.D	9.06	3.54
PSTDCCC050	PSTDCCC050	12/11/2025	15:10	PD091559.D	9.06	3.54
S-1	Q3832-01	12/11/2025	16:18	PD091560.D	9.07	3.55
S-2	Q3832-02	12/11/2025	16:32	PD091561.D	9.06	3.54
S-3MS	Q3832-03MS	12/11/2025	16:59	PD091563.D	9.06	3.54
S-3MSD	Q3832-03MSD	12/11/2025	17:12	PD091564.D	9.06	3.54
S-4	Q3832-04	12/11/2025	17:26	PD091565.D	9.06	3.54
S-5	Q3832-05	12/11/2025	17:40	PD091566.D	9.06	3.54
S-6	Q3832-06	12/11/2025	17:53	PD091567.D	9.06	3.54
S-7	Q3832-07	12/11/2025	18:07	PD091568.D	9.08	3.55
IBLK	IBLK	12/11/2025	18:21	PD091569.D	9.06	3.54
PSTDCCC050	PSTDCCC050	12/11/2025	18:34	PD091570.D	9.06	3.54
IBLK	IBLK	12/12/2025	11:41	PD091572.D	9.06	3.54
PEM	PEM	12/12/2025	11:54	PD091573.D	9.06	3.54
PSTDCCC050	PSTDCCC050	12/12/2025	12:08	PD091574.D	9.06	3.54
PB170899BS	PB170899BS	12/12/2025	12:22	PD091575.D	9.06	3.54
S-3	Q3832-03	12/12/2025	12:35	PD091576.D	9.06	3.54
IBLK	IBLK	12/12/2025	14:59	PD091577.D	9.07	3.55
PSTDCCC050	PSTDCCC050	12/12/2025	15:13	PD091578.D	9.06	3.54

Analytical Sequence

Client: Earth Engineering Inc.

SDG No.: Q3832

Project: Block B.01 Lot 8.02 Pest Eval

Instrument ID: ECD_D

GC Column: ZB-MR2

ID: 0.32 (mm)

Inst. Calib. Date(s): 12/08/2025

12/08/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	12/08/2025	12:45	PD091478.D	8.05	2.87
PEM	PEM	12/08/2025	12:59	PD091479.D	8.05	2.87
RESCHK	RESCHK	12/08/2025	14:55	PD091480.D	8.06	2.87
PSTDICC100	PSTDICC100	12/08/2025	15:09	PD091481.D	8.06	2.87
PSTDICC075	PSTDICC075	12/08/2025	15:22	PD091482.D	8.05	2.87
PSTDICC050	PSTDICC050	12/08/2025	15:36	PD091483.D	8.06	2.87
PSTDICC025	PSTDICC025	12/08/2025	15:50	PD091484.D	8.06	2.87
PSTDICC005	PSTDICC005	12/08/2025	16:03	PD091485.D	8.05	2.87
PCHLORICC500	PCHLORICC500	12/08/2025	16:44	PD091488.D	8.05	2.87
PTOXICC500	PTOXICC500	12/08/2025	17:53	PD091493.D	8.05	2.87
IBLK	IBLK	12/11/2025	11:30	PD091551.D	8.06	2.87
PEM	PEM	12/11/2025	11:43	PD091552.D	8.06	2.87
PSTDCCC050	PSTDCCC050	12/11/2025	12:43	PD091553.D	8.06	2.87
PB170899BL	PB170899BL	12/11/2025	13:15	PD091554.D	8.06	2.87
IBLK	IBLK	12/11/2025	14:56	PD091558.D	8.06	2.87
PSTDCCC050	PSTDCCC050	12/11/2025	15:10	PD091559.D	8.06	2.87
S-1	Q3832-01	12/11/2025	16:18	PD091560.D	8.06	2.87
S-2	Q3832-02	12/11/2025	16:32	PD091561.D	8.06	2.87
S-3MS	Q3832-03MS	12/11/2025	16:59	PD091563.D	8.06	2.87
S-3MSD	Q3832-03MSD	12/11/2025	17:12	PD091564.D	8.06	2.87
S-4	Q3832-04	12/11/2025	17:26	PD091565.D	8.06	2.87
S-5	Q3832-05	12/11/2025	17:40	PD091566.D	8.06	2.87
S-6	Q3832-06	12/11/2025	17:53	PD091567.D	8.06	2.87
S-7	Q3832-07	12/11/2025	18:07	PD091568.D	8.06	2.87
IBLK	IBLK	12/11/2025	18:21	PD091569.D	8.06	2.87
PSTDCCC050	PSTDCCC050	12/11/2025	18:34	PD091570.D	8.06	2.87
IBLK	IBLK	12/12/2025	11:41	PD091572.D	8.06	2.87
PEM	PEM	12/12/2025	11:54	PD091573.D	8.06	2.87
PSTDCCC050	PSTDCCC050	12/12/2025	12:08	PD091574.D	8.06	2.87
PB170899BS	PB170899BS	12/12/2025	12:22	PD091575.D	8.06	2.87
S-3	Q3832-03	12/12/2025	12:35	PD091576.D	8.06	2.87
IBLK	IBLK	12/12/2025	14:59	PD091577.D	8.06	2.87
PSTDCCC050	PSTDCCC050	12/12/2025	15:13	PD091578.D	8.06	2.87