

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-21

SDG No : N/A

Matrix : SOIL

Pipette ID : N/A

Balance ID : M SC-4

Hood ID : HOOD#1

Block ID : MC-2

Weigh By : RM

Start Digest Date: 12/17/2025 Time : 10:10 Temp : N/A

End Digest Date: 12/17/2025 Time : 11:40 Temp : N/A

Digestion tube ID : M5595

Filter paper ID : N/A

pH Meter ID : N/A

Block Thermometer ID : N/A

Prep Technician Signature: *RM*

Supervisor Signature: *12*

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP113836
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
12/17/2025 11:50	<i>RM (W1)</i>	<i>RM (W1)</i>
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB170980BL	PBS980	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3880-01DUP	BG-SET-2DUP	5.08	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3880-01	BG-SET-2	5.08	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3881-03	DM-X-76	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3884-01	21707-1	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3892-03	DM-X-78	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3892-06	DM-X-79	5.08	50	N/A	N/A	N/A	N/A	N/A	N/A