

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD011823\
 Data File : PD073632.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Jan 2023 17:49
 Operator : AR\AJ
 Sample : PSTDICC025
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 19 02:19:51 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD011823.M
 Quant Title : GC Extractables
 QLast Update : Thu Jan 19 02:19:42 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.555	2.777	57595678	31850068	24.495	25.127
2)	SA Decachlor...	9.103	7.934	70540366	29402544	26.111	26.216
Target Compounds							
2)	A alpha-BHC	4.011	3.281	94557315	41769777	22.841	24.202
3)	MA gamma-BHC...	4.345	3.611	88102589	37032363	23.315	24.437
4)	MA Heptachlor	4.938	3.953	88891383	33136790	23.453	24.830
5)	MB Aldrin	5.282	4.235	86211201	39718615	23.420	24.461
6)	B beta-BHC	4.538	3.906	38333208	16828157	25.152	25.767
7)	B delta-BHC	4.787	4.137	79990169	37396350	23.066	24.297
8)	B Heptachlo...	5.708	4.738	76982091	33458080	24.033	25.037
9)	A Endosulfan I	6.095	5.109	74034693	33512123	24.053	24.981
10)	B gamma-Chl...	5.965	4.989	80129957	36418229	24.045	24.636
11)	B alpha-Chl...	6.045	5.053	79540532	36805156	24.093	24.836
12)	B 4,4'-DDE	6.216	5.243	71798549	32784447	23.214	24.405
13)	MA Dieldrin	6.371	5.374	76039142	32396355	23.428	24.787
14)	MA Endrin	6.602	5.649	64722797	27678972	23.540	25.157
15)	B Endosulfa...	6.820	5.943	63750009	28809030	24.364	25.017
16)	A 4,4'-DDD	6.734	5.798	59060022	25594553	23.567	24.996
17)	MA 4,4'-DDT	7.049	6.050	66683083	25529876	23.718	24.822
18)	B Endrin al...	6.950	6.123	53439157	22261683	25.000	25.726
19)	B Endosulfa...	7.185	6.346	65062822	28033938	24.498	25.281
20)	A Methoxychlor	7.524	6.626	38638075	13474882	25.568	26.135
21)	B Endrin ke...	7.672	6.853	73588897	32122170	24.503	25.564
22)	Mirex	8.149	7.038	57262505	26457731	25.895	25.985



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD011823\
Data File : PD073632.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Jan 2023 17:49
Operator : AR\AJ
Sample : PSTDICC025
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC025

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 19 02:19:51 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD011823.M
Quant Title : GC Extractables
QLast Update : Thu Jan 19 02:19:42 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.555 min
Delta R.T.: 0.000 min
Response: 57595678
Conc: 24.49 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#1 Tetrachloro-m-xylene

R.T.: 2.777 min
Delta R.T.: 0.000 min
Response: 31850068
Conc: 25.13 ng/ml




#2 alpha-BHC

R.T.: 4.011 min
Delta R.T.: 0.000 min
Response: 94557315
Conc: 22.84 ng/ml



#2 alpha-BHC


R.T.: 3.281 min
Delta R.T.: 0.000 min
Response: 41769777
Conc: 24.20 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.345 min
Delta R.T.: 0.000 min
Response: 88102589
Conc: 23.32 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#3 gamma-BHC (Lindane)

R.T.: 3.611 min
Delta R.T.: 0.000 min
Response: 37032363
Conc: 24.44 ng/ml




#4 Heptachlor

R.T.: 4.938 min
Delta R.T.: 0.000 min
Response: 88891383
Conc: 23.45 ng/ml



#4 Heptachlor


R.T.: 3.953 min
Delta R.T.: 0.000 min
Response: 33136790
Conc: 24.83 ng/ml



#5 Aldrin


R.T.: 5.282 min
Delta R.T.: 0.000 min
Response: 86211201
Conc: 23.42 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#5 Aldrin

R.T.: 4.235 min
Delta R.T.: 0.000 min
Response: 39718615
Conc: 24.46 ng/ml




#6 beta-BHC

R.T.: 4.538 min
Delta R.T.: 0.000 min
Response: 38333208
Conc: 25.15 ng/ml



#6 beta-BHC


R.T.: 3.906 min
Delta R.T.: 0.000 min
Response: 16828157
Conc: 25.77 ng/ml



#7 delta-BHC


R.T.: 4.787 min
Delta R.T.: 0.000 min
Response: 79990169
Conc: 23.07 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#7 delta-BHC

R.T.: 4.137 min
Delta R.T.: 0.000 min
Response: 37396350
Conc: 24.30 ng/ml




#8 Heptachlor epoxide

R.T.: 5.708 min
Delta R.T.: 0.000 min
Response: 76982091
Conc: 24.03 ng/ml



#8 Heptachlor epoxide


R.T.: 4.738 min
Delta R.T.: 0.000 min
Response: 33458080
Conc: 25.04 ng/ml



#9 Endosulfan I


R.T.: 6.095 min
Delta R.T.: 0.000 min
Response: 74034693
Conc: 24.05 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#9 Endosulfan I

R.T.: 5.109 min
Delta R.T.: 0.000 min
Response: 33512123
Conc: 24.98 ng/ml




#10 gamma-Chlordane

R.T.: 5.965 min
Delta R.T.: 0.000 min
Response: 80129957
Conc: 24.05 ng/ml



#10 gamma-Chlordane


R.T.: 4.989 min
Delta R.T.: 0.000 min
Response: 36418229
Conc: 24.64 ng/ml



#11 alpha-Chlordane


R.T.: 6.045 min
Delta R.T.: 0.000 min
Response: 79540532
Conc: 24.09 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#11 alpha-Chlordane

R.T.: 5.053 min
Delta R.T.: 0.000 min
Response: 36805156
Conc: 24.84 ng/ml




#12 4,4'-DDE

R.T.: 6.216 min
Delta R.T.: 0.000 min
Response: 71798549
Conc: 23.21 ng/ml



#12 4,4'-DDE


R.T.: 5.243 min
Delta R.T.: 0.000 min
Response: 32784447
Conc: 24.40 ng/ml



#13 Dieldrin


R.T.: 6.371 min
Delta R.T.: 0.000 min
Response: 76039142
Conc: 23.43 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#13 Dieldrin

R.T.: 5.374 min
Delta R.T.: 0.000 min
Response: 32396355
Conc: 24.79 ng/ml




#14 Endrin

R.T.: 6.602 min
Delta R.T.: 0.000 min
Response: 64722797
Conc: 23.54 ng/ml



#14 Endrin


R.T.: 5.649 min
Delta R.T.: 0.000 min
Response: 27678972
Conc: 25.16 ng/ml



#15 Endosulfan II


R.T.: 6.820 min
Delta R.T.: 0.000 min
Response: 63750009
Conc: 24.36 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#15 Endosulfan II

R.T.: 5.943 min
Delta R.T.: 0.000 min
Response: 28809030
Conc: 25.02 ng/ml




#16 4,4'-DDD

R.T.: 6.734 min
Delta R.T.: 0.000 min
Response: 59060022
Conc: 23.57 ng/ml



#16 4,4'-DDD


R.T.: 5.798 min
Delta R.T.: 0.000 min
Response: 25594553
Conc: 25.00 ng/ml



#17 4,4'-DDT


R.T.: 7.049 min
Delta R.T.: 0.000 min
Response: 66683083
Conc: 23.72 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#17 4,4'-DDT

R.T.: 6.050 min
Delta R.T.: 0.000 min
Response: 25529876
Conc: 24.82 ng/ml




#18 Endrin aldehyde

R.T.: 6.950 min
Delta R.T.: 0.000 min
Response: 53439157
Conc: 25.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.123 min
Delta R.T.: 0.000 min
Response: 22261683
Conc: 25.73 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.185 min
Delta R.T.: 0.000 min
Response: 65062822
Conc: 24.50 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#19 Endosulfan Sulfate

R.T.: 6.346 min
Delta R.T.: 0.000 min
Response: 28033938
Conc: 25.28 ng/ml




#20 Methoxychlor

R.T.: 7.524 min
Delta R.T.: 0.000 min
Response: 38638075
Conc: 25.57 ng/ml



#20 Methoxychlor


R.T.: 6.626 min
Delta R.T.: 0.000 min
Response: 13474882
Conc: 26.13 ng/ml



#21 Endrin ketone


R.T.: 7.672 min
Delta R.T.: 0.000 min
Response: 73588897
Conc: 24.50 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#21 Endrin ketone

R.T.: 6.853 min
Delta R.T.: 0.000 min
Response: 32122170
Conc: 25.56 ng/ml




#22 Mirex

R.T.: 8.149 min
Delta R.T.: 0.000 min
Response: 57262505
Conc: 25.89 ng/ml



#22 Mirex


R.T.: 7.038 min
Delta R.T.: 0.000 min
Response: 26457731
Conc: 25.98 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.103 min
Delta R.T.: 0.000 min
Response: 70540366
Conc: 26.11 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025



#28 Decachlorobiphenyl

R.T.: 7.934 min
Delta R.T.: 0.000 min
Response: 29402544
Conc: 26.22 ng/ml