

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD012119\
 Data File : PD051137.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 21 Jan 2019 15:17
 Operator : AJ\SJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 21 16:18:03 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD012119.M
 Quant Title : GC Extractables
 QLast Update : Mon Jan 21 16:16:54 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.225	4.045	90475492	1471.8E6	50.000	50.000
28)	SA Decachlor...	7.828	9.159	77754123	882.4E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.646	4.438	146.1E6	2220.5E6	50.000	50.000
3)	MA gamma-BHC...	3.914	4.725	139.1E6	2032.2E6	50.000	50.000
4)	MA Heptachlor	4.192	5.238	143.9E6	1947.5E6	50.000	50.000
5)	MB Aldrin	4.424	5.545	139.7E6	1833.0E6	50.000	50.000
6)	B beta-BHC	4.159	4.894	55685452	856.3E6	50.000	50.000
7)	B delta-BHC	4.348	5.114	122.0E6	1575.8E6	50.000	50.000
8)	B Heptachlo...	4.852	5.933	134.8E6	1661.8E6	50.000	50.000
9)	A Endosulfan I	5.174	6.292	130.5E6	1526.3E6	50.000	50.000
10)	B gamma-Chl...	5.069	6.168	145.5E6	1759.4E6	50.000	50.000
11)	B alpha-Chl...	5.125	6.241	141.2E6	1689.5E6	50.000	50.000
12)	B 4,4'-DDE	5.295	6.397	139.6E6	1662.3E6	50.000	50.000
13)	MA Dieldrin	5.408	6.550	147.9E6	1660.1E6	50.000	50.000
14)	MA Endrin	5.657	6.769	139.3E6	1360.6E6	50.000	50.000
15)	B Endosulfa...	5.926	6.978	131.7E6	1355.7E6	50.000	50.000
16)	A 4,4'-DDD	5.796	6.889	120.2E6	1319.3E6	50.000	50.000
17)	MA 4,4'-DDT	6.028	7.189	123.7E6	1174.7E6	50.000	50.000
18)	B Endrin al...	6.093	7.103	104.4E6	1068.2E6	50.000	50.000
19)	B Endosulfa...	6.301	7.326	117.6E6	1155.7E6	50.000	50.000
20)	A Methoxychlor	6.574	7.648	61434162	555.0E6	50.000	50.000
21)	B Endrin ke...	6.776	7.800	132.9E6	1160.9E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD012119\
Data File : PD051137.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 21 Jan 2019 15:17
Operator : AJ\SJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 21 16:18:03 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD012119.M
Quant Title : GC Extractables
QLast Update : Mon Jan 21 16:16:54 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.225 min
Delta R.T.: 0.000 min
Response: 90475492
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#1 Tetrachloro-m-xylene

R.T.: 4.045 min
Delta R.T.: 0.000 min
Response: 1471792622
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.646 min
Delta R.T.: 0.000 min
Response: 146077883
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.438 min
Delta R.T.: 0.000 min
Response: 2220518944
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 3.914 min
Delta R.T.: 0.000 min
Response: 139132444
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#3 gamma-BHC (Lindane)

R.T.: 4.725 min
Delta R.T.: 0.000 min
Response: 2032234391
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.192 min
Delta R.T.: 0.000 min
Response: 143908997
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.238 min
Delta R.T.: 0.000 min
Response: 1947450710
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.424 min
Delta R.T.: 0.000 min
Response: 139661447
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#5 Aldrin

R.T.: 5.545 min
Delta R.T.: 0.000 min
Response: 1833047007
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.159 min
Delta R.T.: 0.000 min
Response: 55685452
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.894 min
Delta R.T.: 0.000 min
Response: 856318118
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.348 min
Delta R.T.: 0.000 min
Response: 122020310
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#7 delta-BHC

R.T.: 5.114 min
Delta R.T.: 0.000 min
Response: 1575837617
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 4.852 min
Delta R.T.: 0.000 min
Response: 134755775
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.933 min
Delta R.T.: 0.000 min
Response: 1661842794
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.174 min
Delta R.T.: 0.000 min
Response: 130468932
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#9 Endosulfan I

R.T.: 6.292 min
Delta R.T.: 0.000 min
Response: 1526319459
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.069 min
Delta R.T.: 0.000 min
Response: 145493184
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.168 min
Delta R.T.: 0.000 min
Response: 1759432846
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.125 min
Delta R.T.: 0.000 min
Response: 141154024
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 6.241 min
Delta R.T.: 0.000 min
Response: 1689468644
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.295 min
Delta R.T.: 0.000 min
Response: 139649865
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.397 min
Delta R.T.: 0.000 min
Response: 1662276830
Conc: 50.00 ng/ml



#13 Dielddrin


R.T.: 5.408 min
Delta R.T.: 0.000 min
Response: 147923437
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#13 Dielddrin

R.T.: 6.550 min
Delta R.T.: 0.000 min
Response: 1660056385
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 5.657 min
Delta R.T.: 0.000 min
Response: 139297653
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.769 min
Delta R.T.: 0.000 min
Response: 1360629574
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 5.926 min
Delta R.T.: 0.000 min
Response: 131687419
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 6.978 min
Delta R.T.: 0.000 min
Response: 1355686940
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 5.796 min
Delta R.T.: 0.000 min
Response: 120163174
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.889 min
Delta R.T.: 0.000 min
Response: 1319250297
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.028 min
Delta R.T.: 0.000 min
Response: 123719949
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 7.189 min
Delta R.T.: 0.000 min
Response: 1174744532
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.093 min
Delta R.T.: 0.000 min
Response: 104360743
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.103 min
Delta R.T.: 0.000 min
Response: 1068243176
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.301 min
Delta R.T.: 0.000 min
Response: 117636977
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#19 Endosulfan Sulfate

R.T.: 7.326 min
Delta R.T.: 0.000 min
Response: 1155724067
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.574 min
Delta R.T.: 0.000 min
Response: 61434162
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.648 min
Delta R.T.: 0.000 min
Response: 554977936
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 6.776 min
Delta R.T.: 0.000 min
Response: 132902500
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 7.800 min
Delta R.T.: 0.000 min
Response: 1160913791
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.828 min
Delta R.T.: 0.000 min
Response: 77754123
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.159 min
Delta R.T.: 0.000 min
Response: 882361626
Conc: 50.00 ng/ml