

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD012424\
 Data File : PD080855.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Jan 2024 21:18
 Operator : AR\AJ
 Sample : PB158576BL
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PB158576BL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 25 00:57:17 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD012424.M
 Quant Title : GC Extractables
 QLast Update : Wed Jan 24 20:16:38 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.566	2.796	31135850	52466813	21.933	21.933
28)	SA Decachlor...	9.109	7.933	46481473	62156341	23.097	23.335
Target Compounds							
2)	A alpha-BHC	0.000	3.286	0	197756	N.D.	0.052 #
3)	MA gamma-BHC...	0.000	3.644f	0	293386	N.D.	0.078 #
7)	B delta-BHC	4.792	0.000	467939	0	0.187	N.D. #
8)	B Heptachlo...	5.711	0.000	268194	0	0.120	N.D. #
15)	B Endosulfa...	6.837	0.000	59347	0	0.031	N.D. #
21)	B Endrin ke...	7.707f	0.000	22139	0	0.011	N.D. #
22)	Mirex	8.162	0.000	98176	0	0.060	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD012424\
Data File : PD080855.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Jan 2024 21:18
Operator : AR\AJ
Sample : PB158576BL
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PB158576BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 25 00:57:17 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD012424.M
Quant Title : GC Extractables
QLast Update : Wed Jan 24 20:16:38 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.566 min
Delta R.T.: 0.000 min
Response: 31135850
Conc: 21.93 ng/ml

Instrument :
ECD_D
ClientSampleId :
PB158576BL




#1 Tetrachloro-m-xylene

R.T.: 2.796 min
Delta R.T.: 0.000 min
Response: 52466813
Conc: 21.93 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 4.022 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 3.286 min
Delta R.T.: -0.012 min
Response: 197756
Conc: 0.05 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T.: 4.355 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
PB158576BL




#3 gamma-BHC (Lindane)

R.T.: 3.644 min
Delta R.T.: 0.017 min
Response: 293386
Conc: 0.08 ng/ml




#7 delta-BHC

R.T.: 4.792 min
Delta R.T.: -0.007 min
Response: 467939
Conc: 0.19 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T.: 4.153 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 5.711 min
Delta R.T.: -0.006 min
Response: 268194
Conc: 0.12 ng/ml

Instrument :
ECD_D
ClientSampleId :
PB158576BL




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T. : 4.750 min
Response: 0
Conc: N.D.




#15 Endosulfan II

R.T.: 6.837 min
Delta R.T.: 0.008 min
Response: 59347
Conc: 0.03 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T. : 5.951 min
Response: 0
Conc: N.D.



#21 Endrin ketone


R.T.: 7.707 min
Delta R.T.: 0.029 min
Response: 22139
Conc: 0.01 ng/ml

Instrument :
ECD_D
ClientSampleId :
PB158576BL




#21 Endrin ketone

R.T.: 0.000 min
Exp R.T. : 6.859 min
Response: 0
Conc: N.D.




#22 Mirex

R.T.: 8.162 min
Delta R.T.: 0.008 min
Response: 98176
Conc: 0.06 ng/ml



#22 Mirex


R.T.: 0.000 min
Exp R.T. : 7.042 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 9.109 min
Delta R.T.: 0.000 min
Response: 46481473
Conc: 23.10 ng/ml

Instrument :
ECD_D
ClientSampleId :
PB158576BL



#28 Decachlorobiphenyl

R.T.: 7.933 min
Delta R.T.: 0.000 min
Response: 62156341
Conc: 23.34 ng/ml