

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD020524\
 Data File : PD081098.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 05 Feb 2024 22:48
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 06 01:26:45 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD012424.M
 Quant Title : GC Extractables
 QLast Update : Thu Jan 25 11:14:56 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.566	2.796	68935366	121.1E6	48.561	50.605
28)	SA Decachlor...	9.114	7.934	91087053	125.7E6	45.262	47.202
Target Compounds							
2)	A alpha-BHC	4.023	3.297	122.0E6	194.9E6	49.109	50.795
3)	MA gamma-BHC...	4.356	3.627	120.1E6	189.2E6	49.080	50.606
4)	MA Heptachlor	4.949	3.967	118.0E6	173.3E6	47.849	50.264
5)	MB Aldrin	5.292	4.248	119.0E6	184.3E6	48.463	50.601
6)	B beta-BHC	4.551	3.922	49417624	77768185	48.839	49.769
7)	B delta-BHC	4.800	4.152	124.0E6	195.9E6	49.433	52.201
8)	B Heptachlo...	5.719	4.749	109.1E6	163.6E6	48.730	48.832
9)	A Endosulfan I	6.106	5.119	100.6E6	149.0E6	48.484	48.655
10)	B gamma-Chl...	5.976	4.999	107.3E6	161.7E6	49.020	49.425
11)	B alpha-Chl...	6.055	5.064	105.8E6	160.0E6	48.593	48.936
12)	B 4,4'-DDE	6.225	5.252	99417561	154.9E6	48.857	50.570
13)	MA Dieldrin	6.382	5.383	107.7E6	168.0E6	48.752	49.389
14)	MA Endrin	6.611	5.659	88069083	143.2E6	47.152	48.309
15)	B Endosulfa...	6.830	5.951	92564423	143.4E6	47.802	49.852
16)	A 4,4'-DDD	6.744	5.805	81142899	131.5E6	49.383	50.100
17)	MA 4,4'-DDT	7.059	6.057	82192536	126.4E6	46.153	47.657
18)	B Endrin al...	6.960	6.131	69979763	107.5E6	46.005	47.662
19)	B Endosulfa...	7.195	6.353	90868495	137.7E6	47.857	49.354
20)	A Methoxychlor	7.532	6.631	47105329	70158537	45.765	44.822
21)	B Endrin ke...	7.681	6.859	103.9E6	162.7E6	49.674	50.423
22)	Mirex	8.158	7.043	76509966	119.6E6	46.387	47.442



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD020524\
Data File : PD081098.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Feb 2024 22:48
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 06 01:26:45 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD012424.M
Quant Title : GC Extractables
QLast Update : Thu Jan 25 11:14:56 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.566 min
Delta R.T.: 0.000 min
Response: 68935366
Conc: 48.56 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.796 min
Delta R.T.: 0.000 min
Response: 121055589
Conc: 50.61 ng/ml




#2 alpha-BHC

R.T.: 4.023 min
Delta R.T.: 0.000 min
Response: 121978748
Conc: 49.11 ng/ml



#2 alpha-BHC


R.T.: 3.297 min
Delta R.T.: 0.000 min
Response: 194902937
Conc: 50.79 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.356 min
Delta R.T.: 0.000 min
Response: 120129176
Conc: 49.08 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.627 min
Delta R.T.: 0.000 min
Response: 189213599
Conc: 50.61 ng/ml




#4 Heptachlor

R.T.: 4.949 min
Delta R.T.: 0.001 min
Response: 118012596
Conc: 47.85 ng/ml



#4 Heptachlor


R.T.: 3.967 min
Delta R.T.: 0.000 min
Response: 173315110
Conc: 50.26 ng/ml



#5 Aldrin


R.T.: 5.292 min
Delta R.T.: 0.000 min
Response: 118957577
Conc: 48.46 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.248 min
Delta R.T.: 0.000 min
Response: 184290729
Conc: 50.60 ng/ml




#6 beta-BHC

R.T.: 4.551 min
Delta R.T.: 0.000 min
Response: 49417624
Conc: 48.84 ng/ml



#6 beta-BHC


R.T.: 3.922 min
Delta R.T.: 0.000 min
Response: 77768185
Conc: 49.77 ng/ml



#7 delta-BHC


R.T.: 4.800 min
Delta R.T.: 0.001 min
Response: 124016162
Conc: 49.43 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.152 min
Delta R.T.: 0.000 min
Response: 195910546
Conc: 52.20 ng/ml




#8 Heptachlor epoxide

R.T.: 5.719 min
Delta R.T.: 0.001 min
Response: 109117046
Conc: 48.73 ng/ml



#8 Heptachlor epoxide


R.T.: 4.749 min
Delta R.T.: 0.000 min
Response: 163563261
Conc: 48.83 ng/ml



#9 Endosulfan I


R.T.: 6.106 min
Delta R.T.: 0.001 min
Response: 100559124
Conc: 48.48 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.119 min
Delta R.T.: 0.000 min
Response: 149019728
Conc: 48.66 ng/ml




#10 gamma-Chlordane

R.T.: 5.976 min
Delta R.T.: 0.002 min
Response: 107310078
Conc: 49.02 ng/ml



#10 gamma-Chlordane


R.T.: 4.999 min
Delta R.T.: 0.000 min
Response: 161670072
Conc: 49.43 ng/ml



#11 alpha-Chlordane


R.T.: 6.055 min
Delta R.T.: 0.002 min
Response: 105806881
Conc: 48.59 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.064 min
Delta R.T.: 0.000 min
Response: 159996911
Conc: 48.94 ng/ml




#12 4,4'-DDE

R.T.: 6.225 min
Delta R.T.: 0.001 min
Response: 99417561
Conc: 48.86 ng/ml



#12 4,4'-DDE


R.T.: 5.252 min
Delta R.T.: 0.000 min
Response: 154909327
Conc: 50.57 ng/ml



#13 Dieldrin


R.T.: 6.382 min
Delta R.T.: 0.002 min
Response: 107727008
Conc: 48.75 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.383 min
Delta R.T.: 0.000 min
Response: 167961929
Conc: 49.39 ng/ml




#14 Endrin

R.T.: 6.611 min
Delta R.T.: 0.001 min
Response: 88069083
Conc: 47.15 ng/ml



#14 Endrin


R.T.: 5.659 min
Delta R.T.: 0.000 min
Response: 143159163
Conc: 48.31 ng/ml



#15 Endosulfan II


R.T.: 6.830 min
Delta R.T.: 0.001 min
Response: 92564423
Conc: 47.80 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.951 min
Delta R.T.: 0.000 min
Response: 143370675
Conc: 49.85 ng/ml




#16 4,4'-DDD

R.T.: 6.744 min
Delta R.T.: 0.002 min
Response: 81142899
Conc: 49.38 ng/ml



#16 4,4'-DDD


R.T.: 5.805 min
Delta R.T.: 0.000 min
Response: 131524899
Conc: 50.10 ng/ml



#17 4,4'-DDT


R.T.: 7.059 min
Delta R.T.: 0.002 min
Response: 82192536
Conc: 46.15 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.057 min
Delta R.T.: 0.000 min
Response: 126437842
Conc: 47.66 ng/ml




#18 Endrin aldehyde

R.T.: 6.960 min
Delta R.T.: 0.002 min
Response: 69979763
Conc: 46.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.131 min
Delta R.T.: 0.000 min
Response: 107460201
Conc: 47.66 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.195 min
Delta R.T.: 0.003 min
Response: 90868495
Conc: 47.86 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.353 min
Delta R.T.: 0.000 min
Response: 137666552
Conc: 49.35 ng/ml




#20 Methoxychlor

R.T.: 7.532 min
Delta R.T.: 0.002 min
Response: 47105329
Conc: 45.77 ng/ml



#20 Methoxychlor


R.T.: 6.631 min
Delta R.T.: 0.000 min
Response: 70158537
Conc: 44.82 ng/ml



#21 Endrin ketone


R.T.: 7.681 min
Delta R.T.: 0.003 min
Response: 103879838
Conc: 49.67 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.859 min
Delta R.T.: 0.000 min
Response: 162715412
Conc: 50.42 ng/ml




#22 Mirex

R.T.: 8.158 min
Delta R.T.: 0.004 min
Response: 76509966
Conc: 46.39 ng/ml



#22 Mirex


R.T.: 7.043 min
Delta R.T.: 0.000 min
Response: 119550990
Conc: 47.44 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.114 min
Delta R.T.: 0.005 min
Response: 91087053
Conc: 45.26 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.934 min
Delta R.T.: 0.000 min
Response: 125729121
Conc: 47.20 ng/ml