

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD022023\
 Data File : PD073997.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Feb 2023 18:37
 Operator : AR\AJ
 Sample : PSTDICC100
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC100

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 21 00:59:35 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD022023.M
 Quant Title : GC Extractables
 QLast Update : Tue Feb 21 00:55:06 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.553	2.774	253.1E6	130.5E6	100.124	99.674
2)	SA Decachlor...	9.101	7.931	279.3E6	128.5E6	99.403	98.092
Target Compounds							
2)	A alpha-BHC	4.010	3.278	468.4E6	210.9E6	102.551	101.471
3)	MA gamma-BHC...	4.344	3.609	421.3E6	192.8E6	101.951	101.038
4)	MA Heptachlor	4.937	3.951	415.1E6	182.3E6	101.523	100.384
5)	MB Aldrin	5.280	4.232	407.4E6	189.2E6	101.667	100.675
6)	B beta-BHC	4.537	3.904	160.4E6	77473127	98.985	98.358
7)	B delta-BHC	4.787	4.135	356.8E6	194.6E6	101.706	101.087
8)	B Heptachlo...	5.707	4.736	339.5E6	168.6E6	100.934	99.960
9)	A Endosulfan I	6.095	5.107	338.2E6	159.3E6	100.730	99.875
10)	B gamma-Chl...	5.964	4.987	368.1E6	175.4E6	100.974	100.542
11)	B alpha-Chl...	6.044	5.051	362.6E6	171.9E6	100.880	100.117
12)	B 4,4'-DDE	6.216	5.241	348.0E6	163.8E6	102.086	100.896
13)	MA Dieldrin	6.371	5.372	364.6E6	171.0E6	101.638	100.490
14)	MA Endrin	6.601	5.648	312.8E6	146.4E6	101.803	99.790
15)	B Endosulfa...	6.819	5.941	288.3E6	137.5E6	100.169	99.564
16)	A 4,4'-DDD	6.734	5.796	278.7E6	134.4E6	101.590	100.189
17)	MA 4,4'-DDT	7.049	6.048	312.7E6	140.2E6	101.547	100.312
18)	B Endrin al...	6.949	6.121	226.4E6	107.6E6	99.717	98.735
19)	B Endosulfa...	7.184	6.344	287.0E6	134.8E6	100.227	99.251
20)	A Methoxychlor	7.524	6.624	157.4E6	68764467	98.214	97.383
21)	B Endrin ke...	7.671	6.851	321.8E6	159.7E6	99.955	98.655
22)	Mirex	8.147	7.036	227.9E6	118.2E6	98.048	97.574



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD022023\
Data File : PD073997.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Feb 2023 18:37
Operator : AR\AJ
Sample : PSTDICC100
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC100

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 21 00:59:35 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD022023.M
Quant Title : GC Extractables
QLast Update : Tue Feb 21 00:55:06 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.553 min
Delta R.T.: 0.000 min
Response: 253119506
Conc: 100.12 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#1 Tetrachloro-m-xylene

R.T.: 2.774 min
Delta R.T.: 0.000 min
Response: 130528787
Conc: 99.67 ng/ml




#2 alpha-BHC

R.T.: 4.010 min
Delta R.T.: 0.000 min
Response: 468393850
Conc: 102.55 ng/ml



#2 alpha-BHC


R.T.: 3.278 min
Delta R.T.: 0.000 min
Response: 210927527
Conc: 101.47 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.344 min
Delta R.T.: 0.000 min
Response: 421282837
Conc: 101.95 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#3 gamma-BHC (Lindane)

R.T.: 3.609 min
Delta R.T.: 0.000 min
Response: 192815679
Conc: 101.04 ng/ml




#4 Heptachlor

R.T.: 4.937 min
Delta R.T.: 0.000 min
Response: 415114522
Conc: 101.52 ng/ml



#4 Heptachlor


R.T.: 3.951 min
Delta R.T.: 0.000 min
Response: 182286344
Conc: 100.38 ng/ml



#5 Aldrin


R.T.: 5.280 min
Delta R.T.: 0.000 min
Response: 407407767
Conc: 101.67 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#5 Aldrin

R.T.: 4.232 min
Delta R.T.: 0.000 min
Response: 189218281
Conc: 100.68 ng/ml




#6 beta-BHC

R.T.: 4.537 min
Delta R.T.: 0.000 min
Response: 160398266
Conc: 98.99 ng/ml



#6 beta-BHC


R.T.: 3.904 min
Delta R.T.: 0.000 min
Response: 77473127
Conc: 98.36 ng/ml



#7 delta-BHC


R.T.: 4.787 min
Delta R.T.: 0.000 min
Response: 356810261
Conc: 101.71 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#7 delta-BHC

R.T.: 4.135 min
Delta R.T.: 0.000 min
Response: 194565835
Conc: 101.09 ng/ml




#8 Heptachlor epoxide

R.T.: 5.707 min
Delta R.T.: 0.000 min
Response: 339523965
Conc: 100.93 ng/ml



#8 Heptachlor epoxide


R.T.: 4.736 min
Delta R.T.: 0.000 min
Response: 168610304
Conc: 99.96 ng/ml



#9 Endosulfan I


R.T.: 6.095 min
Delta R.T.: 0.000 min
Response: 338201119
Conc: 100.73 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#9 Endosulfan I

R.T.: 5.107 min
Delta R.T.: 0.000 min
Response: 159300650
Conc: 99.88 ng/ml




#10 gamma-Chlordane

R.T.: 5.964 min
Delta R.T.: 0.000 min
Response: 368063610
Conc: 100.97 ng/ml



#10 gamma-Chlordane


R.T.: 4.987 min
Delta R.T.: 0.000 min
Response: 175416895
Conc: 100.54 ng/ml



#11 alpha-Chlordane


R.T.: 6.044 min
Delta R.T.: 0.000 min
Response: 362629323
Conc: 100.88 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#11 alpha-Chlordane

R.T.: 5.051 min
Delta R.T.: 0.000 min
Response: 171913204
Conc: 100.12 ng/ml




#12 4,4'-DDE

R.T.: 6.216 min
Delta R.T.: 0.000 min
Response: 347951001
Conc: 102.09 ng/ml



#12 4,4'-DDE


R.T.: 5.241 min
Delta R.T.: 0.000 min
Response: 163827253
Conc: 100.90 ng/ml



#13 Dieldrin


R.T.: 6.371 min
Delta R.T.: 0.000 min
Response: 364641917
Conc: 101.64 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#13 Dieldrin

R.T.: 5.372 min
Delta R.T.: 0.000 min
Response: 171017016
Conc: 100.49 ng/ml




#14 Endrin

R.T.: 6.601 min
Delta R.T.: 0.000 min
Response: 312841033
Conc: 101.80 ng/ml



#14 Endrin


R.T.: 5.648 min
Delta R.T.: 0.000 min
Response: 146357095
Conc: 99.79 ng/ml



#15 Endosulfan II


R.T.: 6.819 min
Delta R.T.: 0.000 min
Response: 288279560
Conc: 100.17 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#15 Endosulfan II

R.T.: 5.941 min
Delta R.T.: 0.000 min
Response: 137482163
Conc: 99.56 ng/ml




#16 4,4'-DDD

R.T.: 6.734 min
Delta R.T.: 0.000 min
Response: 278704331
Conc: 101.59 ng/ml



#16 4,4'-DDD


R.T.: 5.796 min
Delta R.T.: 0.000 min
Response: 134355376
Conc: 100.19 ng/ml



#17 4,4'-DDT


R.T.: 7.049 min
Delta R.T.: 0.000 min
Response: 312667640
Conc: 101.55 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#17 4,4'-DDT

R.T.: 6.048 min
Delta R.T.: 0.000 min
Response: 140243688
Conc: 100.31 ng/ml




#18 Endrin aldehyde

R.T.: 6.949 min
Delta R.T.: 0.000 min
Response: 226406162
Conc: 99.72 ng/ml



#18 Endrin aldehyde


R.T.: 6.121 min
Delta R.T.: 0.000 min
Response: 107603616
Conc: 98.74 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.184 min
Delta R.T.: 0.000 min
Response: 287039148
Conc: 100.23 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#19 Endosulfan Sulfate

R.T.: 6.344 min
Delta R.T.: 0.000 min
Response: 134773135
Conc: 99.25 ng/ml




#20 Methoxychlor

R.T.: 7.524 min
Delta R.T.: 0.000 min
Response: 157407550
Conc: 98.21 ng/ml



#20 Methoxychlor


R.T.: 6.624 min
Delta R.T.: 0.000 min
Response: 68764467
Conc: 97.38 ng/ml



#21 Endrin ketone


R.T.: 7.671 min
Delta R.T.: 0.000 min
Response: 321799307
Conc: 99.95 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#21 Endrin ketone

R.T.: 6.851 min
Delta R.T.: 0.000 min
Response: 159700380
Conc: 98.66 ng/ml




#22 Mirex

R.T.: 8.147 min
Delta R.T.: 0.000 min
Response: 227889239
Conc: 98.05 ng/ml



#22 Mirex


R.T.: 7.036 min
Delta R.T.: 0.000 min
Response: 118191588
Conc: 97.57 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.101 min
Delta R.T.: 0.000 min
Response: 279263012
Conc: 99.40 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100



#28 Decachlorobiphenyl

R.T.: 7.931 min
Delta R.T.: 0.000 min
Response: 128513854
Conc: 98.09 ng/ml