

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD030123\
 Data File : PD074061.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Feb 2023 19:59
 Operator : AR\AJ
 Sample : PSTDICC025
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 01 01:27:18 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD030123.M
 Quant Title : GC Extractables
 QLast Update : Wed Mar 01 01:17:12 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.553	2.774	56067030	29311906	24.650	24.942
28)	SA Decachlor...	9.097	7.929	67015684	30964873	26.281	26.152
Target Compounds							
2)	A alpha-BHC	4.009	3.278	90627993	43051144	22.940	23.579
3)	MA gamma-BHC...	4.343	3.608	83728541	40102967	23.332	23.841
4)	MA Heptachlor	4.935	3.950	81907891	38991203	23.578	24.149
5)	MB Aldrin	5.279	4.231	80633372	39514213	23.524	23.961
6)	B beta-BHC	4.536	3.904	36964687	18338122	25.344	25.447
7)	B delta-BHC	4.786	4.134	65902826	40031168	23.123	23.730
8)	B Heptachlo...	5.705	4.734	67886168	36414281	24.097	24.467
9)	A Endosulfan I	6.092	5.105	69482062	34558409	24.070	24.557
10)	B gamma-Chl...	5.962	4.985	73105035	36944610	23.801	24.222
11)	B alpha-Chl...	6.041	5.049	74109124	36850345	24.103	24.467
12)	B 4,4'-DDE	6.213	5.239	67262793	33552271	23.290	23.811
13)	MA Dieldrin	6.368	5.370	72171199	35854413	23.536	24.097
14)	MA Endrin	6.599	5.646	62438307	31927052	23.588	24.347
15)	B Endosulfa...	6.817	5.939	75709788	31244857	26.896	25.181
16)	A 4,4'-DDD	6.731	5.794	56089195	28148702	23.688	24.157
17)	MA 4,4'-DDT	7.046	6.046	64977590	29359314	24.110	24.140
18)	B Endrin al...	6.947	6.119	50821563	25086934	25.009	25.424
19)	B Endosulfa...	7.182	6.342	62486943	29950379	24.649	24.934
20)	A Methoxychlor	7.521	6.622	36997370	16706701	25.623	25.800
21)	B Endrin ke...	7.669	6.849	71404213	36026776	24.677	25.035
22)	Mirex	8.145	7.034	56078782	29034841	25.955	25.962



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD030123\
Data File : PD074061.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Feb 2023 19:59
Operator : AR\AJ
Sample : PSTDICC025
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC025

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 01 01:27:18 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD030123.M
Quant Title : GC Extractables
QLast Update : Wed Mar 01 01:17:12 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.553 min
Delta R.T.: 0.000 min
Response: 56067030
Conc: 24.65 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#1 Tetrachloro-m-xylene

R.T.: 2.774 min
Delta R.T.: 0.000 min
Response: 29311906
Conc: 24.94 ng/ml




#2 alpha-BHC

R.T.: 4.009 min
Delta R.T.: 0.000 min
Response: 90627993
Conc: 22.94 ng/ml



#2 alpha-BHC


R.T.: 3.278 min
Delta R.T.: 0.000 min
Response: 43051144
Conc: 23.58 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.343 min
Delta R.T.: 0.000 min
Response: 83728541
Conc: 23.33 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#3 gamma-BHC (Lindane)

R.T.: 3.608 min
Delta R.T.: 0.000 min
Response: 40102967
Conc: 23.84 ng/ml




#4 Heptachlor

R.T.: 4.935 min
Delta R.T.: 0.000 min
Response: 81907891
Conc: 23.58 ng/ml



#4 Heptachlor


R.T.: 3.950 min
Delta R.T.: 0.000 min
Response: 38991203
Conc: 24.15 ng/ml



#5 Aldrin


R.T.: 5.279 min
Delta R.T.: 0.000 min
Response: 80633372
Conc: 23.52 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#5 Aldrin

R.T.: 4.231 min
Delta R.T.: 0.000 min
Response: 39514213
Conc: 23.96 ng/ml




#6 beta-BHC

R.T.: 4.536 min
Delta R.T.: 0.000 min
Response: 36964687
Conc: 25.34 ng/ml



#6 beta-BHC


R.T.: 3.904 min
Delta R.T.: 0.000 min
Response: 18338122
Conc: 25.45 ng/ml



#7 delta-BHC


R.T.: 4.786 min
Delta R.T.: 0.000 min
Response: 65902826
Conc: 23.12 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#7 delta-BHC

R.T.: 4.134 min
Delta R.T.: 0.000 min
Response: 40031168
Conc: 23.73 ng/ml




#8 Heptachlor epoxide

R.T.: 5.705 min
Delta R.T.: 0.000 min
Response: 67886168
Conc: 24.10 ng/ml



#8 Heptachlor epoxide


R.T.: 4.734 min
Delta R.T.: 0.000 min
Response: 36414281
Conc: 24.47 ng/ml



#9 Endosulfan I


R.T.: 6.092 min
Delta R.T.: 0.000 min
Response: 69482062
Conc: 24.07 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#9 Endosulfan I

R.T.: 5.105 min
Delta R.T.: 0.000 min
Response: 34558409
Conc: 24.56 ng/ml




#10 gamma-Chlordane

R.T.: 5.962 min
Delta R.T.: 0.000 min
Response: 73105035
Conc: 23.80 ng/ml



#10 gamma-Chlordane


R.T.: 4.985 min
Delta R.T.: 0.000 min
Response: 36944610
Conc: 24.22 ng/ml



#11 alpha-Chlordane


R.T.: 6.041 min
Delta R.T.: 0.000 min
Response: 74109124
Conc: 24.10 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#11 alpha-Chlordane

R.T.: 5.049 min
Delta R.T.: 0.000 min
Response: 36850345
Conc: 24.47 ng/ml




#12 4,4'-DDE

R.T.: 6.213 min
Delta R.T.: 0.000 min
Response: 67262793
Conc: 23.29 ng/ml



#12 4,4'-DDE


R.T.: 5.239 min
Delta R.T.: 0.000 min
Response: 33552271
Conc: 23.81 ng/ml



#13 Dieldrin


R.T.: 6.368 min
Delta R.T.: 0.000 min
Response: 72171199
Conc: 23.54 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#13 Dieldrin

R.T.: 5.370 min
Delta R.T.: 0.000 min
Response: 35854413
Conc: 24.10 ng/ml




#14 Endrin

R.T.: 6.599 min
Delta R.T.: 0.000 min
Response: 62438307
Conc: 23.59 ng/ml



#14 Endrin


R.T.: 5.646 min
Delta R.T.: 0.000 min
Response: 31927052
Conc: 24.35 ng/ml



#15 Endosulfan II


R.T.: 6.817 min
Delta R.T.: 0.000 min
Response: 75709788
Conc: 26.90 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#15 Endosulfan II

R.T.: 5.939 min
Delta R.T.: 0.000 min
Response: 31244857
Conc: 25.18 ng/ml




#16 4,4'-DDD

R.T.: 6.731 min
Delta R.T.: 0.000 min
Response: 56089195
Conc: 23.69 ng/ml



#16 4,4'-DDD


R.T.: 5.794 min
Delta R.T.: 0.000 min
Response: 28148702
Conc: 24.16 ng/ml



#17 4,4'-DDT


R.T.: 7.046 min
Delta R.T.: 0.000 min
Response: 64977590
Conc: 24.11 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#17 4,4'-DDT

R.T.: 6.046 min
Delta R.T.: 0.000 min
Response: 29359314
Conc: 24.14 ng/ml




#18 Endrin aldehyde

R.T.: 6.947 min
Delta R.T.: 0.000 min
Response: 50821563
Conc: 25.01 ng/ml



#18 Endrin aldehyde


R.T.: 6.119 min
Delta R.T.: 0.000 min
Response: 25086934
Conc: 25.42 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.182 min
Delta R.T.: 0.000 min
Response: 62486943
Conc: 24.65 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#19 Endosulfan Sulfate

R.T.: 6.342 min
Delta R.T.: 0.000 min
Response: 29950379
Conc: 24.93 ng/ml




#20 Methoxychlor

R.T.: 7.521 min
Delta R.T.: 0.000 min
Response: 36997370
Conc: 25.62 ng/ml



#20 Methoxychlor


R.T.: 6.622 min
Delta R.T.: 0.000 min
Response: 16706701
Conc: 25.80 ng/ml



#21 Endrin ketone


R.T.: 7.669 min
Delta R.T.: 0.000 min
Response: 71404213
Conc: 24.68 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#21 Endrin ketone

R.T.: 6.849 min
Delta R.T.: 0.000 min
Response: 36026776
Conc: 25.03 ng/ml




#22 Mirex

R.T.: 8.145 min
Delta R.T.: 0.000 min
Response: 56078782
Conc: 25.96 ng/ml



#22 Mirex


R.T.: 7.034 min
Delta R.T.: 0.000 min
Response: 29034841
Conc: 25.96 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.097 min
Delta R.T.: 0.000 min
Response: 67015684
Conc: 26.28 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025



#28 Decachlorobiphenyl

R.T.: 7.929 min
Delta R.T.: 0.000 min
Response: 30964873
Conc: 26.15 ng/ml