

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD030219\
 Data File : PD051482.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 01 Mar 2019 17:35
 Operator : AJ\SJ
 Sample : PSTDICC100
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC100

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 01 22:57:35 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD030219.M
 Quant Title : GC Extractables
 QLast Update : Fri Mar 01 22:56:22 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.224	4.044	132.5E6	2498.7E6	98.764	89.714
28)	SA Decachlor...	7.823	9.155	100.7E6	1555.6E6	91.936	90.488
Target Compounds							
2)	A alpha-BHC	3.644	4.436	235.0E6	3907.3E6	102.532	91.547
3)	MA gamma-BHC...	3.912	4.723	216.4E6	3524.1E6	101.222	91.135
4)	MA Heptachlor	4.190	5.236	221.5E6	3315.6E6	100.231	89.408
5)	MB Aldrin	4.422	5.544	211.1E6	3131.6E6	100.450	89.876
6)	B beta-BHC	4.158	4.892	84667555	1516.5E6	96.102	88.465
7)	B delta-BHC	4.346	5.112	215.2E6	3112.4E6	101.541	91.367
8)	B Heptachlo...	4.849	5.931	198.3E6	2773.6E6	98.658	89.492
9)	A Endosulfan I	5.170	6.290	187.1E6	2527.0E6	98.686	88.173
10)	B gamma-Chl...	5.066	6.166	206.9E6	2762.0E6	99.705	89.063
11)	B alpha-Chl...	5.122	6.240	202.4E6	2716.1E6	98.518	89.442
12)	B 4,4'-DDE	5.292	6.395	197.4E6	2720.0E6	101.230	90.869
13)	MA Dieldrin	5.406	6.548	208.0E6	2726.9E6	100.191	90.431
14)	MA Endrin	5.653	6.767	197.2E6	2328.9E6	99.847	91.200
15)	B Endosulfa...	5.923	6.975	179.8E6	2212.3E6	98.101	89.938
16)	A 4,4'-DDD	5.793	6.886	160.7E6	2145.5E6	99.955	90.615
17)	MA 4,4'-DDT	6.024	7.187	167.9E6	1937.1E6	100.461	94.534
18)	B Endrin al...	6.089	7.100	143.3E6	1859.0E6	96.394	90.365
19)	B Endosulfa...	6.298	7.324	156.7E6	2026.1E6	96.120	89.529
20)	A Methoxychlor	6.570	7.645	83930318	988.0E6	94.839	90.848
21)	B Endrin ke...	6.773	7.798	180.5E6	2013.1E6	96.720	91.399
22)	Mirex	6.942	8.256	118.6E6	1311.3E6	93.431	88.676

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD030219\
Data File : PD051482.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 01 Mar 2019 17:35
Operator : AJ\SJ
Sample : PSTDICC100
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC100

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 01 22:57:35 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD030219.M
Quant Title : GC Extractables
QLast Update : Fri Mar 01 22:56:22 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

