

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD031521\
 Data File : PD061588.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Mar 2021 17:48
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 16 02:09:34 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD031521.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 16 02:09:18 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.485	3.981	40011884	395.3E6	50.000	50.000
28)	SA Decachlor...	8.258	9.039	56963596	427.9E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.925	4.370	62085535	603.3E6	50.000	50.000
3)	MA gamma-BHC...	4.210	4.654	56640370	543.3E6	50.000	50.000
4)	MA Heptachlor	4.513	5.162	41139338	499.2E6	50.000	50.000
5)	MB Aldrin	4.763	5.467	57263082	559.4E6	50.000	50.000
6)	B beta-BHC	4.460	4.823	25566892	223.3E6	50.000	50.000
7)	B delta-BHC	4.666	5.040	58749776	554.3E6	50.000	50.000
8)	B Heptachlo...	5.207	5.853	53678178	496.9E6	50.000	50.000
9)	A Endosulfan I	5.548	6.210	51886428	482.8E6	50.000	50.000
10)	B gamma-Chl...	5.435	6.087	55261137	527.8E6	50.000	50.000
11)	B alpha-Chl...	5.494	6.160	54593258	504.5E6	50.000	50.000
12)	B 4,4'-DDE	5.657	6.316	54416679	521.2E6	50.000	50.000
13)	MA Dieldrin	5.793	6.466	53486908	515.2E6	50.000	50.000
14)	MA Endrin	6.051	6.684	47486262	429.9E6	50.000	50.000
15)	B Endosulfa...	6.324	6.892	48340066	425.5E6	50.000	50.000
16)	A 4,4'-DDD	6.174	6.805	40364144	411.2E6	50.000	50.000
17)	MA 4,4'-DDT	6.416	7.104	42085817	439.6E6	50.000	50.000
18)	B Endrin al...	6.492	7.016	38557292	347.0E6	50.000	50.000
19)	B Endosulfa...	6.706	7.239	49696834	453.4E6	50.000	50.000
20)	A Methoxychlor	6.962	7.561	20945723	192.3E6	50.000	50.000
21)	B Endrin ke...	7.200	7.710	59836942	461.4E6	50.000	50.000
22)	Mirex	7.391	8.164	43438837	303.6E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD031521\
Data File : PD061588.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Mar 2021 17:48
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 16 02:09:34 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD031521.M
Quant Title : GC Extractables
QLast Update : Tue Mar 16 02:09:18 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.485 min
Delta R.T.: 0.000 min
Response: 40011884
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.981 min
Delta R.T.: 0.000 min
Response: 395346580
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.925 min
Delta R.T.: 0.000 min
Response: 62085535
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.370 min
Delta R.T.: 0.000 min
Response: 603329556
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.210 min
Delta R.T.: 0.000 min
Response: 56640370
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.654 min
Delta R.T.: 0.000 min
Response: 543324364
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.513 min
Delta R.T.: 0.000 min
Response: 41139338
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.162 min
Delta R.T.: 0.000 min
Response: 499225436
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.763 min
Delta R.T.: 0.000 min
Response: 57263082
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#5 Aldrin

R.T.: 5.467 min
Delta R.T.: 0.000 min
Response: 559431782
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.460 min
Delta R.T.: 0.000 min
Response: 25566892
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.823 min
Delta R.T.: 0.000 min
Response: 223309763
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.666 min
Delta R.T.: 0.000 min
Response: 58749776
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#7 delta-BHC

R.T.: 5.040 min
Delta R.T.: 0.000 min
Response: 554331759
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.207 min
Delta R.T.: 0.000 min
Response: 53678178
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.853 min
Delta R.T.: 0.000 min
Response: 496854280
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.548 min
Delta R.T.: 0.000 min
Response: 51886428
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#9 Endosulfan I

R.T.: 6.210 min
Delta R.T.: 0.000 min
Response: 482825520
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.435 min
Delta R.T.: 0.000 min
Response: 55261137
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.087 min
Delta R.T.: 0.000 min
Response: 527833417
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.494 min
Delta R.T.: 0.000 min
Response: 54593258
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#11 alpha-Chlordane

R.T.: 6.160 min
Delta R.T.: 0.000 min
Response: 504486084
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.657 min
Delta R.T.: 0.000 min
Response: 54416679
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.316 min
Delta R.T.: 0.000 min
Response: 521173018
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.793 min
Delta R.T.: 0.000 min
Response: 53486908
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#13 Dieldrin

R.T.: 6.466 min
Delta R.T.: 0.000 min
Response: 515184804
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.051 min
Delta R.T.: 0.000 min
Response: 47486262
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.684 min
Delta R.T.: 0.000 min
Response: 429888410
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.324 min
Delta R.T.: 0.000 min
Response: 48340066
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#15 Endosulfan II

R.T.: 6.892 min
Delta R.T.: 0.000 min
Response: 425517365
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.174 min
Delta R.T.: 0.000 min
Response: 40364144
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.805 min
Delta R.T.: 0.000 min
Response: 411207160
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.416 min
Delta R.T.: 0.000 min
Response: 42085817
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#17 4,4'-DDT

R.T.: 7.104 min
Delta R.T.: 0.000 min
Response: 439603424
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.492 min
Delta R.T.: 0.000 min
Response: 38557292
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.016 min
Delta R.T.: 0.000 min
Response: 347024010
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.706 min
Delta R.T.: 0.000 min
Response: 49696834
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 7.239 min
Delta R.T.: 0.000 min
Response: 453404066
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.962 min
Delta R.T.: 0.000 min
Response: 20945723
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.561 min
Delta R.T.: 0.000 min
Response: 192250583
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.200 min
Delta R.T.: 0.000 min
Response: 59836942
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#21 Endrin ketone

R.T.: 7.710 min
Delta R.T.: 0.000 min
Response: 461426606
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.391 min
Delta R.T.: 0.000 min
Response: 43438837
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.164 min
Delta R.T.: 0.000 min
Response: 303574261
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.258 min
Delta R.T.: 0.000 min
Response: 56963596
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 9.039 min
Delta R.T.: 0.000 min
Response: 427862123
Conc: 50.00 ng/ml