

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD031521\
 Data File : PD061586.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Mar 2021 17:20
 Operator : AR\AJ
 Sample : PSTDICC100
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC100

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 16 02:22:30 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD031521.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 16 02:09:18 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.486	3.982	77295816	751.3E6	98.266	97.446
28)	SA Decachlor...	8.258	9.039	106.3E6	783.3E6	96.540	95.579
Target Compounds							
2)	A alpha-BHC	3.926	4.370	124.8E6	1159.4E6	100.236	98.004
3)	MA gamma-BHC...	4.210	4.655	112.9E6	1036.0E6	99.821	97.615
4)	MA Heptachlor	4.514	5.163	80123685	948.7E6	98.673	97.443
5)	MB Aldrin	4.764	5.468	113.7E6	1061.6E6	99.629	97.373
6)	B beta-BHC	4.460	4.824	47543492	421.1E6	96.362	97.060
7)	B delta-BHC	4.667	5.041	116.6E6	1065.0E6	99.601	97.991
8)	B Heptachlo...	5.208	5.854	105.6E6	948.9E6	99.188	97.692
9)	A Endosulfan I	5.548	6.210	101.5E6	913.7E6	98.879	97.236
10)	B gamma-Chl...	5.436	6.087	108.5E6	1003.2E6	99.081	97.450
11)	B alpha-Chl...	5.494	6.160	106.7E6	955.5E6	98.848	97.277
12)	B 4,4'-DDE	5.657	6.316	108.0E6	985.9E6	99.639	97.218
13)	MA Dieldrin	5.793	6.467	105.4E6	984.0E6	99.248	97.696
14)	MA Endrin	6.051	6.684	92538173	817.8E6	98.702	97.498
15)	B Endosulfa...	6.324	6.893	92762093	798.6E6	97.932	96.821
16)	A 4,4'-DDD	6.174	6.805	78906054	777.3E6	98.858	97.179
17)	MA 4,4'-DDT	6.416	7.104	82292091	840.0E6	98.871	97.720
18)	B Endrin al...	6.493	7.017	72907889	653.4E6	97.196	96.980
19)	B Endosulfa...	6.706	7.240	95394028	849.0E6	97.947	96.708
20)	A Methoxychlor	6.963	7.561	39576432	364.1E6	97.158	97.281
21)	B Endrin ke...	7.200	7.710	114.2E6	855.2E6	97.653	96.194
22)	Mirex	7.391	8.164	81156550	546.8E6	96.595	94.773



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD031521\
Data File : PD061586.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Mar 2021 17:20
Operator : AR\AJ
Sample : PSTDICC100
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC100

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 16 02:22:30 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD031521.M
Quant Title : GC Extractables
QLast Update : Tue Mar 16 02:09:18 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.486 min
Delta R.T.: 0.000 min
Response: 77295816
Conc: 98.27 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#1 Tetrachloro-m-xylene

R.T.: 3.982 min
Delta R.T.: 0.000 min
Response: 751306003
Conc: 97.45 ng/ml




#2 alpha-BHC

R.T.: 3.926 min
Delta R.T.: 0.000 min
Response: 124757442
Conc: 100.24 ng/ml



#2 alpha-BHC


R.T.: 4.370 min
Delta R.T.: 0.000 min
Response: 1159430850
Conc: 98.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.210 min
Delta R.T.: 0.000 min
Response: 112877012
Conc: 99.82 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#3 gamma-BHC (Lindane)

R.T.: 4.655 min
Delta R.T.: 0.000 min
Response: 1036031856
Conc: 97.62 ng/ml




#4 Heptachlor

R.T.: 4.514 min
Delta R.T.: 0.000 min
Response: 80123685
Conc: 98.67 ng/ml



#4 Heptachlor

R.T.: 5.163 min
Delta R.T.: 0.000 min
Response: 948654883
Conc: 97.44 ng/ml



#5 Aldrin


R.T.: 4.764 min

Delta R.T.: 0.000 min

Response: 113678412

Conc: 99.63 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#5 Aldrin

R.T.: 5.468 min

Delta R.T.: 0.000 min

Response: 1061588815

Conc: 97.37 ng/ml




#6 beta-BHC

R.T.: 4.460 min

Delta R.T.: 0.000 min

Response: 47543492

Conc: 96.36 ng/ml




#6 beta-BHC

R.T.: 4.824 min

Delta R.T.: 0.000 min

Response: 421109859


Conc: 97.06 ng/ml



#7 delta-BHC


R.T.: 4.667 min
Delta R.T.: 0.000 min
Response: 116566746
Conc: 99.60 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#7 delta-BHC

R.T.: 5.041 min
Delta R.T.: 0.000 min
Response: 1064992510
Conc: 97.99 ng/ml




#8 Heptachlor epoxide

R.T.: 5.208 min
Delta R.T.: 0.000 min
Response: 105627745
Conc: 99.19 ng/ml



#8 Heptachlor epoxide


R.T.: 5.854 min
Delta R.T.: 0.000 min
Response: 948880055
Conc: 97.69 ng/ml



#9 Endosulfan I


R.T.: 5.548 min
Delta R.T.: 0.000 min
Response: 101472344
Conc: 98.88 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#9 Endosulfan I

R.T.: 6.210 min
Delta R.T.: 0.000 min
Response: 913696589
Conc: 97.24 ng/ml




#10 gamma-Chlordane

R.T.: 5.436 min
Delta R.T.: 0.000 min
Response: 108509393
Conc: 99.08 ng/ml



#10 gamma-Chlordane


R.T.: 6.087 min
Delta R.T.: 0.000 min
Response: 1003174363
Conc: 97.45 ng/ml



#11 alpha-Chlordane


R.T.: 5.494 min
Delta R.T.: 0.000 min
Response: 106700404
Conc: 98.85 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#11 alpha-Chlordane

R.T.: 6.160 min
Delta R.T.: 0.000 min
Response: 955476827
Conc: 97.28 ng/ml




#12 4,4'-DDE

R.T.: 5.657 min
Delta R.T.: 0.000 min
Response: 108049665
Conc: 99.64 ng/ml



#12 4,4'-DDE


R.T.: 6.316 min
Delta R.T.: 0.000 min
Response: 985921923
Conc: 97.22 ng/ml



#13 Dieldrin


R.T.: 5.793 min
Delta R.T.: 0.000 min
Response: 105376408
Conc: 99.25 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#13 Dieldrin

R.T.: 6.467 min
Delta R.T.: 0.000 min
Response: 983967059
Conc: 97.70 ng/ml




#14 Endrin

R.T.: 6.051 min
Delta R.T.: 0.000 min
Response: 92538173
Conc: 98.70 ng/ml



#14 Endrin


R.T.: 6.684 min
Delta R.T.: 0.000 min
Response: 817808482
Conc: 97.50 ng/ml



#15 Endosulfan II


R.T.: 6.324 min
Delta R.T.: 0.000 min
Response: 92762093
Conc: 97.93 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#15 Endosulfan II

R.T.: 6.893 min
Delta R.T.: 0.000 min
Response: 798588665
Conc: 96.82 ng/ml




#16 4,4'-DDD

R.T.: 6.174 min
Delta R.T.: 0.000 min
Response: 78906054
Conc: 98.86 ng/ml



#16 4,4'-DDD


R.T.: 6.805 min
Delta R.T.: 0.000 min
Response: 777288859
Conc: 97.18 ng/ml



#17 4,4'-DDT


R.T.: 6.416 min
Delta R.T.: 0.000 min
Response: 82292091
Conc: 98.87 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#17 4,4'-DDT

R.T.: 7.104 min
Delta R.T.: 0.000 min
Response: 840016369
Conc: 97.72 ng/ml




#18 Endrin aldehyde

R.T.: 6.493 min
Delta R.T.: 0.000 min
Response: 72907889
Conc: 97.20 ng/ml



#18 Endrin aldehyde


R.T.: 7.017 min
Delta R.T.: 0.000 min
Response: 653355408
Conc: 96.98 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.706 min
Delta R.T.: 0.000 min
Response: 95394028
Conc: 97.95 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#19 Endosulfan Sulfate

R.T.: 7.240 min
Delta R.T.: 0.000 min
Response: 849003322
Conc: 96.71 ng/ml




#20 Methoxychlor

R.T.: 6.963 min
Delta R.T.: 0.000 min
Response: 39576432
Conc: 97.16 ng/ml



#20 Methoxychlor


R.T.: 7.561 min
Delta R.T.: 0.000 min
Response: 364146298
Conc: 97.28 ng/ml



#21 Endrin ketone


R.T.: 7.200 min
Delta R.T.: 0.000 min
Response: 114184708
Conc: 97.65 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#21 Endrin ketone

R.T.: 7.710 min
Delta R.T.: 0.000 min
Response: 855175879
Conc: 96.19 ng/ml




#22 Mirex

R.T.: 7.391 min
Delta R.T.: 0.000 min
Response: 81156550
Conc: 96.60 ng/ml



#22 Mirex


R.T.: 8.164 min
Delta R.T.: 0.000 min
Response: 546830794
Conc: 94.77 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.258 min
Delta R.T.: 0.000 min
Response: 106307608
Conc: 96.54 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100



#28 Decachlorobiphenyl

R.T.: 9.039 min
Delta R.T.: 0.000 min
Response: 783261757
Conc: 95.58 ng/ml