

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD031521\
 Data File : PD061605.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Mar 2021 21:46
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PEM

Manual Integrations
 APPROVED

Ankita
 3/16/2021 11:14:16 AM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 16 03:17:02 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD031521.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 16 02:33:48 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.485	3.982	15384602	149.7E6	19.715	19.555
28)	SA Decachlor...	8.259	9.038	23051549	174.0E6	20.411	20.788
Target Compounds							
2)	A alpha-BHC	3.925	4.370	11130188	108.8E6	9.374	9.472
3)	MA gamma-BHC...	4.210	4.655	10504546	104.2E6	9.637	9.966
6)	B beta-BHC	4.460	4.824	5620419	42638577	11.126	10.068
12)	B 4,4'-DDE	5.658	6.316	238318	3128475	0.229	0.312 #
14)	MA Endrin	6.050	6.684	44571199	392.9E6	48.727	47.693
16)	A 4,4'-DDD	6.176	6.806	397072	5402433	0.519	0.673 #
17)	MA 4,4'-DDT	6.417	7.105	82073119	801.4E6	102.852	94.909
18)	B Endrin al...	6.491	7.017	935395	5231291	1.240m	0.761 #
20)	A Methoxychlor	6.962	7.562	99154912	907.5E6	254.918	237.119
21)	B Endrin ke...	7.199	7.710	2744855	15435797	2.366	1.694 #

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD031521\
Data File : PD061605.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Mar 2021 21:46
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
PEM


Manual Integrations
APPROVED

Ankita
3/16/2021 11:14:16 AM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 16 03:17:02 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD031521.M
Quant Title : GC Extractables
QLast Update : Tue Mar 16 02:33:48 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene

R.T.: 3.485 min
Delta R.T.: 0.000 min
Response: 15384602
Conc: 19.71 ng/ml

Instrument :
ECD_D
ClientSampleId :
PEM


Manual Integrations
APPROVED

Ankita
3/16/2021 11:14:16 AM




#1 Tetrachloro-m-xylene

R.T.: 3.982 min
Delta R.T.: 0.000 min
Response: 149673075
Conc: 19.55 ng/ml




#2 alpha-BHC

R.T.: 3.925 min
Delta R.T.: 0.000 min
Response: 11130188
Conc: 9.37 ng/ml



#2 alpha-BHC

R.T.: 4.370 min
Delta R.T.: 0.000 min
Response: 108765258
Conc: 9.47 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.210 min
Delta R.T.: 0.000 min
Response: 10504546
Conc: 9.64 ng/ml

Instrument :
ECD_D
ClientSampleId :
PEM


Manual Integrations
APPROVED

Ankita
3/16/2021 11:14:16 AM




#3 gamma-BHC (Lindane)

R.T.: 4.655 min
Delta R.T.: 0.000 min
Response: 104230300
Conc: 9.97 ng/ml




#6 beta-BHC

R.T.: 4.460 min
Delta R.T.: 0.000 min
Response: 5620419
Conc: 11.13 ng/ml



#6 beta-BHC

R.T.: 4.824 min
Delta R.T.: 0.000 min
Response: 42638577
Conc: 10.07 ng/ml




#12 4,4'-DDE

R.T.: 5.658 min
Delta R.T.: 0.001 min
Response: 238318
Conc: 0.23 ng/ml

Instrument :
ECD_D
ClientSampleId :
PEM


Manual Integrations
APPROVED

Ankita
3/16/2021 11:14:16 AM




#12 4,4'-DDE

R.T.: 6.316 min
Delta R.T.: 0.000 min
Response: 3128475
Conc: 0.31 ng/ml




#14 Endrin

R.T.: 6.050 min
Delta R.T.: 0.000 min
Response: 44571199
Conc: 48.73 ng/ml



#14 Endrin

R.T.: 6.684 min
Delta R.T.: 0.000 min
Response: 392894967
Conc: 47.69 ng/ml




#16 4,4'-DDD

R.T.: 6.176 min
Delta R.T.: 0.002 min
Response: 397072
Conc: 0.52 ng/ml

Instrument :
ECD_D
ClientSampleId :
PEM


Manual Integrations
APPROVED

Ankita
3/16/2021 11:14:16 AM




#16 4,4'-DDD

R.T.: 6.806 min
Delta R.T.: 0.002 min
Response: 5402433
Conc: 0.67 ng/ml




#17 4,4'-DDT

R.T.: 6.417 min
Delta R.T.: 0.000 min
Response: 82073119
Conc: 102.85 ng/ml



#17 4,4'-DDT

R.T.: 7.105 min
Delta R.T.: 0.001 min
Response: 801426145
Conc: 94.91 ng/ml




#18 Endrin aldehyde

R.T.: 6.491 min
Delta R.T.: 0.000 min
Response: 935395
Conc: 1.24 ng/ml m

Instrument :
ECD_D
ClientSampleId :
PEM


Manual Integrations
APPROVED

Ankita
3/16/2021 11:14:16 AM




#18 Endrin aldehyde

R.T.: 7.017 min
Delta R.T.: 0.001 min
Response: 5231291
Conc: 0.76 ng/ml




#20 Methoxychlor

R.T.: 6.962 min
Delta R.T.: 0.000 min
Response: 99154912
Conc: 254.92 ng/ml



#20 Methoxychlor

R.T.: 7.562 min
Delta R.T.: 0.001 min
Response: 907526500
Conc: 237.12 ng/ml




#21 Endrin ketone

R.T.: 7.199 min
Delta R.T.: 0.000 min
Response: 2744855
Conc: 2.37 ng/ml

Instrument :
ECD_D
ClientSampleId :
PEM


Manual Integrations
APPROVED

Ankita
3/16/2021 11:14:16 AM




#21 Endrin ketone

R.T.: 7.710 min
Delta R.T.: 0.000 min
Response: 15435797
Conc: 1.69 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.259 min
Delta R.T.: 0.000 min
Response: 23051549
Conc: 20.41 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.038 min
Delta R.T.: 0.000 min
Response: 174041018
Conc: 20.79 ng/ml