

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD031721\
 Data File : PD061666.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Mar 2021 15:44
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 17 17:06:35 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD031721.M
 Quant Title : GC Extractables
 QLast Update : Wed Mar 17 17:05:29 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.486	3.982	43207407	437.8E6	50.000	50.000
28)	SA Decachlor...	8.258	9.040	60791947	436.1E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.925	4.370	66794367	668.9E6	50.000	50.000
3)	MA gamma-BHC...	4.210	4.654	61390419	604.1E6	50.000	50.000
4)	MA Heptachlor	4.513	5.163	59797553	628.6E6	50.000	50.000
5)	MB Aldrin	4.764	5.468	62120785	614.3E6	50.000	50.000
6)	B beta-BHC	4.460	4.824	27733365	250.7E6	50.000	50.000
7)	B delta-BHC	4.666	5.041	63595974	581.1E6	50.000	50.000
8)	B Heptachlo...	5.208	5.854	58888277	534.0E6	50.000	50.000
9)	A Endosulfan I	5.548	6.210	56397961	532.0E6	50.000	50.000
10)	B gamma-Chl...	5.435	6.088	60495589	578.9E6	50.000	50.000
11)	B alpha-Chl...	5.494	6.161	59886885	555.2E6	50.000	50.000
12)	B 4,4'-DDE	5.657	6.317	58751888	568.4E6	50.000	50.000
13)	MA Dieldrin	5.792	6.467	60200907	566.9E6	50.000	50.000
14)	MA Endrin	6.050	6.685	53497597	473.4E6	50.000	50.000
15)	B Endosulfa...	6.323	6.894	52674172	462.4E6	50.000	50.000
16)	A 4,4'-DDD	6.174	6.807	49862047	466.6E6	50.000	50.000
17)	MA 4,4'-DDT	6.416	7.105	52607360	493.5E6	50.000	50.000
18)	B Endrin al...	6.492	7.017	43088193	379.7E6	50.000	50.000
19)	B Endosulfa...	6.706	7.240	54582862	476.8E6	50.000	50.000
20)	A Methoxychlor	6.962	7.563	28683568	224.3E6	50.000	50.000
21)	B Endrin ke...	7.200	7.711	65849145	471.1E6	50.000	50.000
22)	Mirex	7.391	8.165	47463139	288.9E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD031721\
Data File : PD061666.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Mar 2021 15:44
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 17 17:06:35 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD031721.M
Quant Title : GC Extractables
QLast Update : Wed Mar 17 17:05:29 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.486 min
Delta R.T.: 0.000 min
Response: 43207407
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#1 Tetrachloro-m-xylene

R.T.: 3.982 min
Delta R.T.: 0.000 min
Response: 437829661
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.925 min
Delta R.T.: 0.000 min
Response: 66794367
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.370 min
Delta R.T.: 0.000 min
Response: 668900363
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.210 min
Delta R.T.: 0.000 min
Response: 61390419
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.654 min
Delta R.T.: 0.000 min
Response: 604123265
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.513 min
Delta R.T.: 0.000 min
Response: 59797553
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.163 min
Delta R.T.: 0.000 min
Response: 628636747
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.764 min
Delta R.T.: 0.000 min
Response: 62120785
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#5 Aldrin

R.T.: 5.468 min
Delta R.T.: 0.000 min
Response: 614259208
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.460 min
Delta R.T.: 0.000 min
Response: 27733365
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.824 min
Delta R.T.: 0.000 min
Response: 250687983
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.666 min
Delta R.T.: 0.000 min
Response: 63595974
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 5.041 min
Delta R.T.: 0.000 min
Response: 581067858
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.208 min
Delta R.T.: 0.000 min
Response: 58888277
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.854 min
Delta R.T.: 0.000 min
Response: 533998663
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.548 min
Delta R.T.: 0.000 min
Response: 56397961
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.210 min
Delta R.T.: 0.000 min
Response: 532015233
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.435 min
Delta R.T.: 0.000 min
Response: 60495589
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.088 min
Delta R.T.: 0.000 min
Response: 578905499
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.494 min
Delta R.T.: 0.000 min
Response: 59886885
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 6.161 min
Delta R.T.: 0.000 min
Response: 55188418
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.657 min
Delta R.T.: 0.000 min
Response: 58751888
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.317 min
Delta R.T.: 0.000 min
Response: 568393824
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.792 min
Delta R.T.: 0.000 min
Response: 60200907
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#13 Dieldrin

R.T.: 6.467 min
Delta R.T.: 0.000 min
Response: 566925328
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.050 min
Delta R.T.: 0.000 min
Response: 53497597
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.685 min
Delta R.T.: 0.000 min
Response: 473367445
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.323 min
Delta R.T.: 0.000 min
Response: 52674172
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#15 Endosulfan II

R.T.: 6.894 min
Delta R.T.: 0.000 min
Response: 462444010
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.174 min
Delta R.T.: 0.000 min
Response: 49862047
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.807 min
Delta R.T.: 0.000 min
Response: 466619918
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.416 min
Delta R.T.: 0.000 min
Response: 52607360
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#17 4,4'-DDT

R.T.: 7.105 min
Delta R.T.: 0.000 min
Response: 493452895
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.492 min
Delta R.T.: 0.000 min
Response: 43088193
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.017 min
Delta R.T.: 0.000 min
Response: 379696569
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.706 min
Delta R.T.: 0.000 min
Response: 54582862
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#19 Endosulfan Sulfate

R.T.: 7.240 min
Delta R.T.: 0.000 min
Response: 476816925
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.962 min
Delta R.T.: 0.000 min
Response: 28683568
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.563 min
Delta R.T.: 0.000 min
Response: 224296526
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.200 min
Delta R.T.: 0.000 min
Response: 65849145
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 7.711 min
Delta R.T.: 0.000 min
Response: 471076949
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.391 min
Delta R.T.: 0.000 min
Response: 47463139
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.165 min
Delta R.T.: 0.000 min
Response: 288880304
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.258 min
Delta R.T.: 0.000 min
Response: 60791947
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 9.040 min
Delta R.T.: 0.000 min
Response: 436141979
Conc: 50.00 ng/ml