

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD031721\
 Data File : PD061667.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Mar 2021 15:58
 Operator : AR\AJ
 Sample : PSTDICC025
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 18 07:46:00 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD031721.M
 Quant Title : GC Extractables
 QLast Update : Wed Mar 17 19:16:30 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.485	3.982	21451266	214.0E6	25.129	24.944
28)	SA Decachlor...	8.257	9.040	31092472	225.9E6	25.406	25.985
Target Compounds							
2)	A alpha-BHC	3.925	4.370	31342633	321.5E6	24.100	25.278
3)	MA gamma-BHC...	4.209	4.654	29441084	293.0E6	24.390	25.144
4)	MA Heptachlor	4.513	5.163	28997038	310.9E6	24.627	25.708
5)	MB Aldrin	4.763	5.467	29624985	300.0E6	24.460	24.968
6)	B beta-BHC	4.459	4.823	14337245	124.0E6	25.553	25.685
7)	B delta-BHC	4.666	5.041	29895587	282.7E6	24.185	23.431
8)	B Heptachlo...	5.207	5.852	28465327	261.0E6	24.672	24.498
9)	A Endosulfan I	5.548	6.210	27402724	261.9E6	24.737	25.058
10)	B gamma-Chl...	5.435	6.087	29136841	280.9E6	24.517	24.843
11)	B alpha-Chl...	5.493	6.159	29021330	270.5E6	24.754	24.753
12)	B 4,4'-DDE	5.657	6.316	27763308	276.1E6	24.445	24.896
13)	MA Dieldrin	5.791	6.466	28613463	279.3E6	24.489	24.987
14)	MA Endrin	6.050	6.684	25910796	232.3E6	24.633	24.817
15)	B Endosulfa...	6.323	6.892	25973151	230.2E6	24.514	24.827
16)	A 4,4'-DDD	6.174	6.805	23673802	230.1E6	24.721	25.454
17)	MA 4,4'-DDT	6.416	7.104	25167621	243.8E6	23.836	24.730
18)	B Endrin al...	6.492	7.016	21619167	192.2E6	24.794	25.305
19)	B Endosulfa...	6.706	7.239	26808501	242.5E6	24.826	25.072
20)	A Methoxychlor	6.962	7.562	14154682	120.3E6	25.859	26.361
21)	B Endrin ke...	7.200	7.710	32348188	233.3E6	25.060	24.249
22)	Mirex	7.390	8.165	24217632	161.8E6	25.279	27.575



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD031721\
Data File : PD061667.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Mar 2021 15:58
Operator : AR\AJ
Sample : PSTDICC025
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC025

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 18 07:46:00 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD031721.M
Quant Title : GC Extractables
QLast Update : Wed Mar 17 19:16:30 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.485 min
Delta R.T.: -0.001 min
Response: 21451266
Conc: 25.13 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#1 Tetrachloro-m-xylene

R.T.: 3.982 min
Delta R.T.: 0.000 min
Response: 214001545
Conc: 24.94 ng/ml




#2 alpha-BHC

R.T.: 3.925 min
Delta R.T.: -0.001 min
Response: 31342633
Conc: 24.10 ng/ml



#2 alpha-BHC


R.T.: 4.370 min
Delta R.T.: 0.000 min
Response: 321465280
Conc: 25.28 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.209 min
Delta R.T.: -0.001 min
Response: 29441084
Conc: 24.39 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC025




#3 gamma-BHC (Lindane)

R.T.: 4.654 min
Delta R.T.: 0.000 min
Response: 292976437
Conc: 25.14 ng/ml




#4 Heptachlor

R.T.: 4.513 min
Delta R.T.: -0.001 min
Response: 28997038
Conc: 24.63 ng/ml



#4 Heptachlor


R.T.: 5.163 min
Delta R.T.: -0.001 min
Response: 310946369
Conc: 25.71 ng/ml



#5 Aldrin


R.T.: 4.763 min
Delta R.T.: -0.001 min
Response: 29624985
Conc: 24.46 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC025




#5 Aldrin

R.T.: 5.467 min
Delta R.T.: -0.001 min
Response: 299985167
Conc: 24.97 ng/ml




#6 beta-BHC

R.T.: 4.459 min
Delta R.T.: -0.001 min
Response: 14337245
Conc: 25.55 ng/ml



#6 beta-BHC


R.T.: 4.823 min
Delta R.T.: 0.000 min
Response: 124026714
Conc: 25.68 ng/ml



#7 delta-BHC


R.T.: 4.666 min
Delta R.T.: -0.001 min
Response: 29895587
Conc: 24.19 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC025




#7 delta-BHC

R.T.: 5.041 min
Delta R.T.: 0.000 min
Response: 282668612
Conc: 23.43 ng/ml




#8 Heptachlor epoxide

R.T.: 5.207 min
Delta R.T.: -0.002 min
Response: 28465327
Conc: 24.67 ng/ml



#8 Heptachlor epoxide


R.T.: 5.852 min
Delta R.T.: -0.002 min
Response: 261042930
Conc: 24.50 ng/ml



#9 Endosulfan I


R.T.: 5.548 min
Delta R.T.: -0.001 min
Response: 27402724
Conc: 24.74 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC025




#9 Endosulfan I

R.T.: 6.210 min
Delta R.T.: 0.000 min
Response: 261906927
Conc: 25.06 ng/ml




#10 gamma-Chlordane

R.T.: 5.435 min
Delta R.T.: -0.001 min
Response: 29136841
Conc: 24.52 ng/ml



#10 gamma-Chlordane


R.T.: 6.087 min
Delta R.T.: 0.000 min
Response: 280893050
Conc: 24.84 ng/ml



#11 alpha-Chlordane


R.T.: 5.493 min
Delta R.T.: -0.001 min
Response: 29021330
Conc: 24.75 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC025




#11 alpha-Chlordane

R.T.: 6.159 min
Delta R.T.: -0.001 min
Response: 270491627
Conc: 24.75 ng/ml




#12 4,4'-DDE

R.T.: 5.657 min
Delta R.T.: -0.001 min
Response: 27763308
Conc: 24.45 ng/ml



#12 4,4'-DDE


R.T.: 6.316 min
Delta R.T.: -0.001 min
Response: 276145999
Conc: 24.90 ng/ml



#13 Dieldrin


R.T.: 5.791 min
Delta R.T.: -0.002 min
Response: 28613463
Conc: 24.49 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC025




#13 Dieldrin

R.T.: 6.466 min
Delta R.T.: 0.000 min
Response: 279324926
Conc: 24.99 ng/ml




#14 Endrin

R.T.: 6.050 min
Delta R.T.: -0.001 min
Response: 25910796
Conc: 24.63 ng/ml



#14 Endrin


R.T.: 6.684 min
Delta R.T.: 0.000 min
Response: 232345606
Conc: 24.82 ng/ml



#15 Endosulfan II


R.T.: 6.323 min
Delta R.T.: -0.002 min
Response: 25973151
Conc: 24.51 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC025




#15 Endosulfan II

R.T.: 6.892 min
Delta R.T.: 0.000 min
Response: 230151066
Conc: 24.83 ng/ml




#16 4,4'-DDD

R.T.: 6.174 min
Delta R.T.: -0.003 min
Response: 23673802
Conc: 24.72 ng/ml



#16 4,4'-DDD


R.T.: 6.805 min
Delta R.T.: 0.000 min
Response: 230146159
Conc: 25.45 ng/ml



#17 4,4'-DDT


R.T.: 6.416 min
Delta R.T.: -0.001 min
Response: 25167621
Conc: 23.84 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC025




#17 4,4'-DDT

R.T.: 7.104 min
Delta R.T.: -0.001 min
Response: 243797351
Conc: 24.73 ng/ml




#18 Endrin aldehyde

R.T.: 6.492 min
Delta R.T.: -0.001 min
Response: 21619167
Conc: 24.79 ng/ml



#18 Endrin aldehyde


R.T.: 7.016 min
Delta R.T.: 0.000 min
Response: 192249823
Conc: 25.30 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.706 min
Delta R.T.: -0.001 min
Response: 26808501
Conc: 24.83 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC025




#19 Endosulfan Sulfate

R.T.: 7.239 min
Delta R.T.: 0.000 min
Response: 242528567
Conc: 25.07 ng/ml




#20 Methoxychlor

R.T.: 6.962 min
Delta R.T.: 0.000 min
Response: 14154682
Conc: 25.86 ng/ml



#20 Methoxychlor


R.T.: 7.562 min
Delta R.T.: 0.000 min
Response: 120308503
Conc: 26.36 ng/ml



#21 Endrin ketone


R.T.: 7.200 min
Delta R.T.: -0.001 min
Response: 32348188
Conc: 25.06 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC025




#21 Endrin ketone

R.T.: 7.710 min
Delta R.T.: 0.000 min
Response: 233274409
Conc: 24.25 ng/ml




#22 Mirex

R.T.: 7.390 min
Delta R.T.: -0.002 min
Response: 24217632
Conc: 25.28 ng/ml



#22 Mirex


R.T.: 8.165 min
Delta R.T.: 0.000 min
Response: 161830868
Conc: 27.58 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.257 min
Delta R.T.: -0.001 min
Response: 31092472
Conc: 25.41 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC025



#28 Decachlorobiphenyl

R.T.: 9.040 min
Delta R.T.: 0.000 min
Response: 225890874
Conc: 25.98 ng/ml