

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD040121\
 Data File : PD061949.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 01 Apr 2021 14:34
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 02 02:02:11 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD032921.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 30 04:47:56 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.485	3.982	21982553	241.1E6	26.254	27.746
28)	SA Decachlor...	8.259	9.041	28685105	196.3E6	23.313	20.794
Target Compounds							
3)	MA gamma-BHC...	0.000	4.656	0	977220	N.D.	0.078 #
7)	B delta-BHC	0.000	5.017f	0	19533261	N.D.	1.477 #
8)	B Heptachlo...	0.000	5.848	0	75441687	N.D.	6.371 #
9)	A Endosulfan I	0.000	6.187f	0	2496422	N.D.	0.230 #
10)	B gamma-Chl...	0.000	6.106f	0	2665941	N.D.	0.225 #
11)	B alpha-Chl...	0.000	6.187f	0	2496422	N.D.	0.219 #
12)	B 4,4'-DDE	0.000	6.299f	0	1408900	N.D.	0.122 #
15)	B Endosulfa...	0.000	6.916f	0	12519234	N.D.	1.319 #
17)	MA 4,4'-DDT	0.000	7.121f	0	2165197	N.D.	0.227 #
21)	B Endrin ke...	0.000	7.702	0	1908453	N.D.	0.188 #
22)	Mirex	0.000	8.182f	0	6281590	N.D.	0.975 #
25)	Chlordane-3	0.000	6.106f	0	2665941	N.D.	1.608 #
26)	Chlordane-4	0.000	6.187f	0	2496422	N.D.	1.301 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD040121\
Data File : PD061949.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 01 Apr 2021 14:34
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampled :
I.BLK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 02 02:02:11 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD032921.M
Quant Title : GC Extractables
QLast Update : Tue Mar 30 04:47:56 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x 0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.485 min
Delta R.T.: 0.000 min
Response: 21982553
Conc: 26.25 ng/ml

Instrument :
ECD_D
ClientSampleId :
I.BLK




#1 Tetrachloro-m-xylene

R.T.: 3.982 min
Delta R.T.: 0.000 min
Response: 241082583
Conc: 27.75 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 0.000 min
Exp R.T. : 4.210 min
Response: 0
Conc: N.D.



#3 gamma-BHC (Lindane)


R.T.: 4.656 min
Delta R.T.: 0.002 min
Response: 977220
Conc: 0.08 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T.: 4.666 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#7 delta-BHC

R.T.: 5.017 min
Delta R.T.: -0.024 min
Response: 19533261
Conc: 1.48 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T.: 5.207 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 5.848 min
Delta R.T.: -0.005 min
Response: 75441687
Conc: 6.37 ng/ml



#9 Endosulfan I


R.T.: 0.000 min
Exp R.T.: 5.548 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#9 Endosulfan I

R.T.: 6.187 min
Delta R.T.: -0.023 min
Response: 2496422
Conc: 0.23 ng/ml




#10 gamma-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.435 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 6.106 min
Delta R.T.: 0.019 min
Response: 2665941
Conc: 0.22 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.494 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#11 alpha-Chlordane

R.T.: 6.187 min
Delta R.T.: 0.027 min
Response: 2496422
Conc: 0.22 ng/ml




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T.: 5.657 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 6.299 min
Delta R.T.: -0.018 min
Response: 1408900
Conc: 0.12 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T.: 6.323 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#15 Endosulfan II

R.T.: 6.916 min
Delta R.T.: 0.023 min
Response: 12519234
Conc: 1.32 ng/ml




#17 4,4'-DDT

R.T.: 0.000 min
Exp R.T.: 6.416 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 7.121 min
Delta R.T.: 0.016 min
Response: 2165197
Conc: 0.23 ng/ml



#21 Endrin ketone


R.T.: 0.000 min
Exp R.T.: 7.200 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#21 Endrin ketone

R.T.: 7.702 min
Delta R.T.: -0.009 min
Response: 1908453
Conc: 0.19 ng/ml




#22 Mirex

R.T.: 0.000 min
Exp R.T.: 7.390 min
Response: 0
Conc: N.D.



#22 Mirex


R.T.: 8.182 min
Delta R.T.: 0.017 min
Response: 6281590
Conc: 0.97 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 5.435 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#25 Chlordane-3

R.T.: 6.106 min
Delta R.T.: 0.019 min
Response: 2665941
Conc: 1.61 ng/ml




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T.: 5.493 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 6.187 min
Delta R.T.: 0.026 min
Response: 2496422
Conc: 1.30 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.259 min
Delta R.T.: 0.002 min
Response: 28685105
Conc: 23.31 ng/ml

Instrument :
ECD_D
ClientSampleId :
I.BLK



#28 Decachlorobiphenyl

R.T.: 9.041 min
Delta R.T.: 0.001 min
Response: 196307841
Conc: 20.79 ng/ml