

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD041324\
 Data File : PD082397.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 12 Apr 2024 11:07
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 12 12:58:08 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD041324.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 12 12:57:47 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.565	2.776	79329839	185.2E6	50.000	50.000
28)	SA Decachlor...	9.122	7.912	104.5E6	167.3E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	4.023	3.277	142.3E6	296.9E6	50.000	50.000
3)	MA gamma-BHC...	4.357	3.606	137.4E6	277.6E6	50.000	50.000
4)	MA Heptachlor	4.951	3.945	132.6E6	255.6E6	50.000	50.000
5)	MB Aldrin	5.294	4.225	133.5E6	267.6E6	50.000	50.000
6)	B beta-BHC	4.553	3.901	53850427	108.8E6	50.000	50.000
7)	B delta-BHC	4.802	4.131	135.2E6	269.8E6	50.000	50.000
8)	B Heptachlo...	5.722	4.726	118.9E6	230.1E6	50.000	50.000
9)	A Endosulfan I	6.109	5.096	110.9E6	209.0E6	50.000	50.000
10)	B gamma-Chl...	5.979	4.976	117.0E6	226.3E6	50.000	50.000
11)	B alpha-Chl...	6.058	5.040	116.1E6	224.4E6	50.000	50.000
12)	B 4,4'-DDE	6.230	5.229	112.9E6	210.9E6	50.000	50.000
13)	MA Dieldrin	6.385	5.360	117.8E6	229.2E6	50.000	50.000
14)	MA Endrin	6.616	5.636	99048259	197.8E6	50.000	50.000
15)	B Endosulfa...	6.834	5.929	102.2E6	189.1E6	50.000	50.000
16)	A 4,4'-DDD	6.748	5.783	86531760	173.1E6	50.000	50.000
17)	MA 4,4'-DDT	7.064	6.034	93556248	175.6E6	50.000	50.000
18)	B Endrin al...	6.965	6.109	76218180	140.9E6	50.000	50.000
19)	B Endosulfa...	7.201	6.331	94655449	178.2E6	50.000	50.000
20)	A Methoxychlor	7.540	6.609	51353067	93908958	50.000	50.000
21)	B Endrin ke...	7.688	6.837	104.2E6	207.6E6	50.000	50.000
22)	Mirex	8.164	7.019	79636953	157.2E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD041324\
Data File : PD082397.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Apr 2024 11:07
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 12 12:58:08 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD041324.M
Quant Title : GC Extractables
QLast Update : Fri Apr 12 12:57:47 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.565 min
Delta R.T.: 0.000 min
Response: 79329839
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 2.776 min
Delta R.T.: 0.000 min
Response: 185249573
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 4.023 min
Delta R.T.: 0.000 min
Response: 142295250
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 3.277 min
Delta R.T.: 0.000 min
Response: 296949383
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.357 min
Delta R.T.: 0.000 min
Response: 137428397
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#3 gamma-BHC (Lindane)

R.T.: 3.606 min
Delta R.T.: 0.000 min
Response: 277605881
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.951 min
Delta R.T.: 0.000 min
Response: 132631827
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 3.945 min
Delta R.T.: 0.000 min
Response: 255643027
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 5.294 min
Delta R.T.: 0.000 min
Response: 133470192
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 4.225 min
Delta R.T.: 0.000 min
Response: 267621842
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.553 min
Delta R.T.: 0.000 min
Response: 53850427
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 3.901 min
Delta R.T.: 0.000 min
Response: 108793050
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.802 min
Delta R.T.: 0.000 min
Response: 135221103
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#7 delta-BHC

R.T.: 4.131 min
Delta R.T.: 0.000 min
Response: 269781232
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.722 min
Delta R.T.: 0.000 min
Response: 118895905
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 4.726 min
Delta R.T.: 0.000 min
Response: 230106443
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 6.109 min
Delta R.T.: 0.000 min
Response: 110931857
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#9 Endosulfan I

R.T.: 5.096 min
Delta R.T.: 0.000 min
Response: 209045377
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.979 min
Delta R.T.: 0.000 min
Response: 117030494
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 4.976 min
Delta R.T.: 0.000 min
Response: 226304332
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 6.058 min
Delta R.T.: 0.000 min
Response: 116132448
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 5.040 min
Delta R.T.: 0.000 min
Response: 224358866
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 6.230 min
Delta R.T.: 0.000 min
Response: 112939104
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 5.229 min
Delta R.T.: 0.000 min
Response: 210850776
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 6.385 min
Delta R.T.: 0.000 min
Response: 117819953
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#13 Dieldrin

R.T.: 5.360 min
Delta R.T.: 0.000 min
Response: 229204250
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.616 min
Delta R.T.: 0.000 min
Response: 99048259
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 5.636 min
Delta R.T.: 0.000 min
Response: 197836181
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.834 min
Delta R.T.: 0.000 min
Response: 102172518
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 5.929 min
Delta R.T.: 0.000 min
Response: 189124593
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.748 min
Delta R.T.: 0.000 min
Response: 86531760
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 5.783 min
Delta R.T.: 0.000 min
Response: 173097266
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 7.064 min
Delta R.T.: 0.000 min
Response: 93556248
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 6.034 min
Delta R.T.: 0.000 min
Response: 175621095
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.965 min
Delta R.T.: 0.000 min
Response: 76218180
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.109 min
Delta R.T.: 0.000 min
Response: 140860467
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.201 min
Delta R.T.: 0.000 min
Response: 94655449
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 6.331 min
Delta R.T.: 0.000 min
Response: 178239187
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.540 min
Delta R.T.: 0.000 min
Response: 51353067
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 6.609 min
Delta R.T.: 0.000 min
Response: 93908958
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.688 min
Delta R.T.: 0.000 min
Response: 104230252
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 6.837 min
Delta R.T.: 0.000 min
Response: 207550090
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 8.164 min
Delta R.T.: 0.000 min
Response: 79636953
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 7.019 min
Delta R.T.: 0.000 min
Response: 157154617
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.122 min
Delta R.T.: 0.000 min
Response: 104491187
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050



#28 Decachlorobiphenyl

R.T.: 7.912 min
Delta R.T.: 0.000 min
Response: 167284176
Conc: 50.00 ng/ml