

## Jayesh Ramani

---

**From:** Zafar, Tasmia (NE) <Tasmia.Zafar@gdit.com>  
**Sent:** Wednesday, March 08, 2023 11:04 AM  
**To:** deepak@CHEMTECH.NET; sohil@chemtech.net; mohammad@chemtech.net; epa@chemtech.net  
**Cc:** Burman.Jarmael@epa.gov; roberson.sharon@epa.gov  
**Subject:** Region 03 | Case 50632 | Lab CHM | Issue Discrepancies with tags, jars, and/or COC | FINAL  
**Attachments:** 50632\_COC.pdf

Good morning,

Issue: The water samples are listed on the COC for VOA analysis; however, water samples are scheduled for TVOA analysis. The laboratory would like to confirm they can proceed as scheduled.

Resolution: Per Region 3, the laboratory can proceed with the TVOA analysis of the water samples as scheduled. Please note the issue in the SDG Narrative and proceed with the analysis of the samples.

Please note that the laboratory will have to contact the appropriate CLP COR should any defects need to be waived for this issue.

Best Regards,  
Tasmia Zafar  
Associate Environmental Analyst  
CLP SMO Coordinator – EPA Regions 3, 6 & 7

T: (919) 768-4086  
[tasmia.zafar@gdit.com](mailto:tasmia.zafar@gdit.com)  
15036 Conference Center Drive  
Chantilly, VA 20151  
[www.gdit.com](http://www.gdit.com)

**GENERAL DYNAMICS**  
Information Technology

This electronic message transmission contains information from GDIT that may be attorney-client privileged, proprietary or confidential. The information in this message is intended only for use by the individual(s) to whom it is addressed. If you believe you have received this message in error, please contact me immediately and be aware that any use, disclosure, copying or distribution of the contents of this message is strictly prohibited. NOTE: Regardless of content, this email shall not operate to bind GDIT to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of email for such purpose.

---

**From:** Burman, Jarmael <Burman.Jarmael@epa.gov>  
**Sent:** Wednesday, March 8, 2023 10:47 AM  
**To:** Zafar, Tasmia (NE) <Tasmia.Zafar@gdit.com>; Roberson, Sharon <Roberson.Sharon@epa.gov>  
**Subject:** RE: NEW ISSUE | Case 50632 | Lab CHM | Issue Discrepancies with tags, jars, and/or COC

**[External: Use caution with links & attachments]**

Good morning Tasmia,

Have ChemTech proceed with the analysis of the samples as scheduled (TVOA Analysis) and make note of the issue in their SDG Narrative.

Jarmael A. Burman  
US EPA Region 3 - CLP RR/RSCC/DDS/QA Chemist/DAS PO/EEOC  
701 Mapes Road  
Fort Meade, Maryland 20755-5350  
(410) 305-2743 (office)  
(410) 305-3095 (fax)

---

**From:** Zafar, Tasmia (NE) <[Tasmia.Zafar@gdit.com](mailto:Tasmia.Zafar@gdit.com)>  
**Sent:** Wednesday, March 8, 2023 10:43 AM  
**To:** Burman, Jarmael <[Burman.Jarmael@epa.gov](mailto:Burman.Jarmael@epa.gov)>; Roberson, Sharon <[Roberson.Sharon@epa.gov](mailto:Roberson.Sharon@epa.gov)>  
**Subject:** NEW ISSUE | Case 50632 | Lab CHM | Issue Discrepancies with tags, jars, and/or COC

Good morning,

Issue: The water samples are listed on the COC for VOA analysis; however, water samples are scheduled for TVOA analysis. The laboratory would like to confirm they can proceed as scheduled.

Best Regards,  
Tasmia Zafar  
Associate Environmental Analyst  
CLP SMO Coordinator – EPA Regions 3, 6 & 7

T: (919) 768-4086  
[tasmia.zafar@gdit.com](mailto:tasmia.zafar@gdit.com)  
15036 Conference Center Drive  
Chantilly, VA 20151  
[www.gdit.com](http://www.gdit.com)

**GENERAL DYNAMICS**  
Information Technology

This electronic message transmission contains information from GDIT that may be attorney-client privileged, proprietary or confidential. The information in this message is intended only for use by the individual(s) to whom it is addressed. If you believe you have received this message in error, please contact me immediately and be aware that any use, disclosure, copying or distribution of the contents of this message is strictly prohibited. NOTE: Regardless of content, this email shall not operate to bind GDIT to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of email for such purpose.

---

**From:** [DEEPAK@CHEMTECH.NET](mailto:DEEPAK@CHEMTECH.NET) <[deepak@CHEMTECH.NET](mailto:deepak@CHEMTECH.NET)>  
**Sent:** Wednesday, March 8, 2023 10:25 AM  
**To:** Zafar, Tasmia (NE) <[Tasmia.Zafar@gdit.com](mailto:Tasmia.Zafar@gdit.com)>  
**Cc:** 'Sohil Jodhani' <[sohil@chemtech.net](mailto:sohil@chemtech.net)>; 'Mohammad Ahmed' <[mohammad@chemtech.net](mailto:mohammad@chemtech.net)>; DASSsupport <[DASSsupport@gdit.com](mailto:DASSsupport@gdit.com)>; 'Moody, Brett' <[Moody.Brett@epa.gov](mailto:Moody.Brett@epa.gov)>; 'Lacroix, Deborah' <[Lacroix.Deborah@epa.gov](mailto:Lacroix.Deborah@epa.gov)>  
**Subject:** Region 03 | Case 50632 | Lab CHM | Issue Discrepancies with tags, jars, and/or COC

**[External: Use caution with links & attachments]**

Hi Tasmia,

Samples received under this case has below discrepancies,

Issue1: As per ASR, this case is scheduled for TVOA analysis for water sample. However, COC lists the analysis VOA therefore lab would like to confirm that lab will follow the ASR and proceed with TVOA analysis.

Regards,

Deepak Parmar  
QA/QC

